

ORIGINAL

10384

10384

Form 504	
U. S. DEPARTMENT OF COMMERCE	
COAST AND GEODETIC SURVEY	
DESCRIPTIVE REPORT	
Type of Survey	SHORELINE (PHOTOGRAMMETRIC)
Field No.	Office No. T-10384
LOCALITY	
State	ALASKA
General locality	DAVIDSON INLET
Locality	TOKEEN BAY
1953 - 1956	
CHIEF OF PARTY	
R.A. Earle, Chief of Field Party	
Wm. F. Deane, Baltimore District Officer	
LIBRARY & ARCHIVES	
DATE	

USCOMM-OC 5087

DESCRIPTIVE REPORT - DATA RECORD

T - 10384

PROJECT NO. (II): PH-87																		
FIELD OFFICE (II): USC&GS Ship LESTER JONES USC&GS Ship HODGSON		CHIEF OF PARTY G.A. Nelson R.A. Earle																
PHOTOGRAMMETRIC OFFICE (III): Baltimore, Maryland		OFFICER-IN-CHARGE E.H. Kirsch W.F. Deane																
INSTRUCTIONS DATED (II) (III): <table border="0"><tr><td>FIELD:</td><td>3 June 1953</td><td>OFFICE:</td><td>17 Dec. 1953</td></tr><tr><td></td><td>28 Dec. 1953</td><td></td><td>7 Nov. 1955</td></tr><tr><td></td><td>23 Dec. 1954</td><td></td><td>13 Nov. 1956</td></tr><tr><td></td><td>25 Jan. 1955</td><td></td><td>23 Nov. 1956</td></tr></table>			FIELD:	3 June 1953	OFFICE:	17 Dec. 1953		28 Dec. 1953		7 Nov. 1955		23 Dec. 1954		13 Nov. 1956		25 Jan. 1955		23 Nov. 1956
FIELD:	3 June 1953	OFFICE:	17 Dec. 1953															
	28 Dec. 1953		7 Nov. 1955															
	23 Dec. 1954		13 Nov. 1956															
	25 Jan. 1955		23 Nov. 1956															
METHOD OF COMPILATION (III): GRAPHIC																		
MANUSCRIPT SCALE (III): 1:10,000		STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III):																
DATE RECEIVED IN WASHINGTON OFFICE (IV):		DATE REPORTED TO NAUTICAL CHART BRANCH (IV):																
APPLIED TO CHART NO.	DATE:	DATE REGISTERED (IV):																
GEOGRAPHIC DATUM (III): N.A. 1927		VERTICAL DATUM (III): MHW MEAN LOW WATER EXCEPT AS FOLLOWS: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water																
REFERENCE STATION (III): PYRAMID, 1922																		
LAT.: 56° 03' 01.727"	LONG.: 133° 21' 37.542"	<input checked="" type="checkbox"/> ADJUSTED <input type="checkbox"/> UNADJUSTED																
PLANE COORDINATES (IV): X =		STATE Alaska																
		ZONE 8																
ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE, OR (IV) WASHINGTON OFFICE. WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.																		

DESCRIPTIVE REPORT - DATA RECORD

T-10384

2

FIELD INSPECTION BY (II): C.W. Clark J.P. Randall V. Tilley		HORIZONTAL CONTROL OPERATIONS	DATE: 1955 Field Season 1956 Field Season
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION): Office interpretation of 1953 photography verified by field inspection in 1956.			
PROJECTION AND GRIDS RULED BY (IV): A. Riley		DATE 28 Nov. 1955	
PROJECTION AND GRIDS CHECKED BY (IV): A. Riley		DATE 28 Nov. 1955	
CONTROL PLOTTED BY (III): B. Kurs and J. Tolodziecki		DATE 20 Jan. 1956	
CONTROL CHECKED BY (III): F.M. Wisiecki and A. Queen		DATE 24 Jan. 1956	
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III): E.L. Williams		DATE 4/APRIL/1956 2 Jan. 1957 *	
STEREOSCOPIC INSTRUMENT COMPILATION (III):		PLANIMETRY	DATE
		CONTOURS	DATE
MANUSCRIPT DELINEATED BY (III): J.Y. Councill		DATE 7 Jan. 1957	
SCRIBING BY (III):		DATE	
PHOTOGRAMMETRIC OFFICE REVIEW BY (III): R. Glaser		DATE 9 Jan. 1957	
REMARKS: * This map is ^{apparently} based on a preliminary plot (4/APRIL/1956). Available records do not indicate replotting as recommended by the preliminary plot report.			

DESCRIPTIVE REPORT - DATA RECORD

T-10384

CAMERA (KIND OR SOURCE) (III):

USC&GS Nine - lens

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
41535 thru 41536	22 Aug. 1953	1121	1:10,000	8.2' above MLLW
41599 thru 41601	22 Aug. 1953	1234	1:10,000	8.5' above MLLW

TIDE (III)

FROM PREDICTED TIDES

	RATIO OF RANGES	MEAN RANGE	SPRING RANGE
REFERENCE STATION: Sitka, Alaska		7.7	9.9
BORDINATE STATION: Token Bay, Marble Island	1.1	8.7	10.9
SUBORDINATE STATION:			

WASHINGTON OFFICE REVIEW BY (IV): Leo F. Beugnet, Atlantic Marine Center

DATE:
October 1968

PROOF EDIT BY (IV):

DATE:

NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (II):

0

RECOVERED:

0

IDENTIFIED:

0

NUMBER OF BM(S) SEARCHED FOR (II):

0

RECOVERED:

0

IDENTIFIED:

0

NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III):

03

NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III):

Refer to field insp. report

REMARKS:


T-10384

COMPILATION RECORD	COMPLETION DATE	REMARKS
COMPILED (PRELIMINARY)	1955 or 1956	SUPERSEDED
Compiled (ADVANCE)	Jan. 1957	SUPERSEDED
Final Review	Oct. 1968	

SHORELINE MAPPING PROJECT PH- 87

Prince of Wales Island, Alaska

5



Project Ph-87 Official Mileage for Cost Accounts

Sheet No.	Area Sq.Mi.	Lin. Mi. Shoreline
9621	12	10
9622	16	11
9623	15	7
9624	17	12
9625	21	11
9626	4	5
9627	15	15
9628	14	2
9629	5	6
9630	7	6
11100	32	16
11101	9	8
11102	18	10
11103	16	15
10380	6	4
10381	5	10
10382	8	2
10383	6	8
10384	7	5
10385	4	8
10386	9	1
10387	6	7
10388	3	6
10389	7	12
10390	6	16
10391	4	12
10392	8	7
10393	12	10
10394	2	4
10395	5	8
10396	2	4
10397	1	1
10398	3	5
10399	4	11
10400	6	8
10401	1	2
10402	2	3
10403	3	6
11427	1	1
10404	5	10
10405	2	2
10406	8	1
10407	8	2
10408	5	7
10409	10	10

10570	1	1
10571	1	1
10572	5	6
10573	8	2
10574	3	4
10575	2	1
10576	7	2
10577	1	1
10578	2	2
10579	4	6
10580	2	2
10581	12	9
10582	2	6
10583	2	5

TOTAL 432 378

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT T-10384

Shoreline survey T-10384 is one of 58 similar surveys in project PH-87. It covers a large part of shoreline of Token Bay on the south shore of Kosciusko Island. The primary purpose of the survey was to provide new shoreline for nautical charts and photo-hydro support data for hydrographic surveys.

The survey was originally compiled as a preliminary manuscript. In 1955 and 1956 additional horizontal control was identified and shoreline inspection was accomplished. In January 1957 the manuscript was corrected in accordance with field inspection notes and classified Advance.

Compilation was at 1:10,000 scale by graphic methods using the nine-lens photography of August 1953. A cronaflex copy of the manuscript along with a blueline tracing, ozalid copies and specially prepared photographs were subsequently provided for preparation of the boat sheet, location of photo-hydro signals and field edit use.

The manuscript is a vinylite sheet 3 3/4 minutes in latitude by 5 minutes in longitude which was smooth drafted and reproduced on cronaflex. One cronaflex positive and one negative are provided for record and registry.

FIELD INSPECTION REPORT

FOR

DAVIDSON INLET, TOKEEN BAY

AND

MARBLE PASSAGE

1956 FIELD SEASON

MANUSCRIPTS 10382 to 10384 and 10387 to 10390 (Part)

2. AREAL FIELD INSPECTION:

The area covered by this report lies east and south of Kosciusko Island between Edna Bay and the east end of Token Bay and includes those shore and water areas that surround Marble Island.

Rock outcroppings are in general highly metamorphised limestone and shales. The limestone outcrops are distinguished by numerous solution holes which give them a pocked appearance, while the shales have maintained their stratification.

A black scale covers all alongshore rock outcroppings and boulders, that are exposed at high water. This scale varies in width according to the slope but is remarkably consistent in vertical span, beginning, as it does, approximately at the high water line and extending to an elevation of from four to six feet above it.

The "Falls Creek Lumber Company" at Edna Bay is the only occupied settlement within the area covered by this report.

The "Alcoa Mining Company" camp on the north shore of Edna Bay has been abandoned and is in ruins.

The Token and Missionary Quarries on Marble Island, are completely destroyed. Two buildings, near collapse, remain standing at Token and none at Missionary. There is a small trappers cabin directly across from Missionary Quarry.

In the water areas, shoals and kelp, which were generally easily discernable, were noted on photographs.

Photographic coverage was poor over some area due to elongated shadows and to the varying density of the photographic prints.

3. HORIZONTAL CONTROL:

d. Station WOLF 1903 was not reidentified as the time required for the establishment of a new sub station in an area adequately covered by more readily identified stations, was deemed unwarranted.

4 & 5. Inapplicable.

6. WOODLAND COVER:

Large lumbering operations on Kosciusko Island have left large patches, covered with low brush, in the coniferous forest. Other open areas are muskeg.

7. SHORELINE AND ALONGSHORE FEATURES:

- a. The shoreline was inspected from the beach at all photo-hydro signals and from the boat at all other locations.
- b. The low water line corresponds with the offshore edge of the light color tone on alongshore and offshore shoal features.
- c. The foreshore consists of rock and boulders with a few areas of sand and gravel at the head of bights.
- d. No bluffs or cliffs are noteworthy.
- e. The floating pier and pipeline of the "Falls Creek Lumber Company" in Edna Bay was located and redrawn on the manuscript.

The inshore end of the Alcoa pier on the north side of Edna Bay has collapsed. This was noted on the manuscript.

Only onshore vestigial remains could be found of piles and piers around Token; Marble Passage - Preliminary, Review Number 5; and Holbrook Arm - Preliminary Review Number 6.

8. OFFSHORE FEATURES:

All apparent offshore features were visited, and where it was feasible landings were made. All foul and kelp areas were delineated on the field photographs. Visible rocks were located and their heights or depths, times and dates or reference to MLLW, were noted. All heights were estimated and depths measured.

Many rocks which were not visible on the photographs, were located by the hydrographer. A few floating kelp patches were mistakenly identified by the compilers as growing. There were also a few instances of floating debris being mistaken for rocks.

9. LANDMARKS AND AIDS:

The two fixed and one floating aid to navigation in this area are:

1. Edna Bay Entrance Light
2. Edna Bay Inner Light
3. Edna Bay Buoy Number 2

10. Inapplicable.

11. OTHER CONTROL:

Following this paragraph is a list of photo-hydro signals and marked photo-topo stations. The method used for their location is also given. The information necessary for the location of signals is shown on the back of the photographs. All marked photo-topo stations are denoted by the year (1956).

<u>NAME</u>	<u>METHOD LOCATED</u>	<u>PHOTO NO.</u>	<u>MANUSCRIPT NO.</u>
FOG	Photo direct	41492	T-10382
CAS	" "	41515	"
ANN	Angle & dist.	41535	T-10383
BED	Photo direct	"	"
CAR	" "	"	"
DIG	" "	"	"
HEX	" "	41515	"
INK	" "	"	"
JUT	" "	"	"

NAME	METHOD LOCATED	PHOTO NO.	MANUSCRIPT NO.
LEO	Angle & Dist.	41514	T-10383
MAL	" " "	"	"
NAG	Photo direct	41536	"
OLD	" "	"	"
PAL	" "	41514	"
ROC	" "	"	"
SID	" "	"	"
TIM	" "	41515	"
TUB	" "	"	"
UNA	" "	"	"
VAL	" "	"	"
WAX	" "	41535	"
ZAG	" "	"	"
ACE	" "	41599	T-10384
AIM	" "	41600	"
BIG	Angle & Dist.	41534	"
CAB	Photo direct	41600	"
DIP	Angle & Dist.	"	"
EBB	Photo direct	41535	"
EEL	" "	41600	"
END	" "	41599	"
FEW	" "	41600	"
GAD	" "	41535	"
GAL	" "	41600	"
HER	" "	41535	"
HUG	" "	41534	"
IVY	" "	41600	"
JAP	Angle & Dist.	"	"
JOE	Photo direct	41534	"
JOY	Angle & Dist.	"	"
KIME 1956	Photo direct	41535	"
LAM	" "	41534	"
LAY	" "	41600	"
MAG	" "	41534	"
MAN	" "	41600	"
NAT	" "	41535	"
OIL	Angle & Dist.	"	"
RAG	Photo direct	41600	"
RID	" "	41599	"
SAY	" "	41600	"
SIS	Angle & Dist.	"	"
TAN	Photo direct	"	"
TRY	" "	"	"
VEX	Angle & Dist.	"	"
WOO	" " "	"	"
ZOO	Photo direct	"	"
ANN	Photo direct	41452	T-10387
BED	" "	"	"
FAT	" "	41481	"
OWL	" "	41487	"
PYL	" "	41452	"
RAN	" "	41687	"

NAME	METHOD LOCATED	PHOTO NO.	MANUSCRIPT NO.
SAD	Photo direct	41687	T-10387
TOP	" "	"	"
VAN	" "	41451	"
WET	" "	41452	"
YES	" "	"	"
ABE	" "	41492	T-10388
AVA	" "	41482	"
BOG	" "	"	"
BUT	Angle & Dist.	41492	"
CAT	" " "	"	"
DOG	Photo direct	"	"
EGG	" "	"	"
FIE	" "	41490	"
TRI	" "	41687	"
VET	" "	"	"
VON	" "	"	"
WAS	" "	"	"
WAT 1956	" "	41482	"
ZIP	" "	41687	"
AGO	Angle & Dist.	41519	T-10389
ALL	" " "	41516	"
ARM	" " "	41518	"
BEN	Photo direct	41516	"
COO	Photo direct	"	"
CON	" "	41518	"
CUE	" "	"	"
DAY	" "	41491	"
DIF	" "	41519	"
EAR	Angle & Dist.	41490	"
EGO	Photo direct	41518	"
ELF	" "	41516	"
FEE	" "	41490	"
GAG	" "	"	"
GEL	" "	41518	"
HAM	" "	41490	"
HID	" "	41518	"
ICE	" "	41490	"
ION	" "	"	"
ISI	Angle & Dist.	41533	"
JOK	Photo direct	41490	"
JON	" "	41518	"
KEN	" "	41489	"
LAD	" "	41490	"
LEG	" "	41518	"
LUX	" "	41534	"
MAR	Angle & Dist.	"	"
MOO	" " "	41490	"
NEO	Photo direct	41518	"
NIG	" "	41489	"
NIP	" "	41534	"
NOT	Angle & Dist.	41516	"
NOW	Photo direct	41491	"
OAK	" "	41518	"
ORA	" "	41516	"

NAME	METHOD LOCATED	PHOTO NO.	MANUSCRIPT NO.
PAD	Photo direct	41518	T-10389
PIX	" "	41533	"
POT	" "	41518	"
PUP	" "	41535	"
QUO	" "	41518	"
RAT	" "	41535	"
ROC	" "	41518	"
ROT	" "	"	"
ROY	" "	"	"
RUM	" "	"	"
SAD	" "	"	"
SAL	" "	41535	"
SAX	" "	41516	"
SKY	Angle & Dist.	41489	"
SLY	Photo direct	41518	"
SUB	" "	"	"
TAP	" "	"	"
TOM	" "	"	"
TOY	" "	41535	"
VAN	Angle & Dist.	41518	"
VET	" " "	"	"
VIA	Photo direct	41516	"
WAD	" "	"	"
WAS	" "	"	"
YAM	" "	41519	"
YES	" "	41516	"
ZIG	Angle & Dist.	"	"
ADD	Photo direct	41534	T-10390
ADO	" "	41533	"
AMP	" "	"	"
BAG	" "	"	"
BAH	" "	"	"
BLU	" "	"	"
BOA	" "	"	"
BOB	" "	"	"
BRA	" "	"	"
CAM	" "	"	"
COD	Angle & Dist.	"	"
DAW	Photo direct	"	"
DIM	Angle & Dist.	"	"
DIX	Photo direct	"	"
DRY	" "	"	"
DUD	" "	41534	"
EAT	" "	41533	"
EVA	" "	"	"
FIG	" "	41599	"
FOR	" "	41533	"
GAM	" "	"	"
GEO	" "	"	"
GIN	Angle & Dist.	"	"
GUM	Photo direct	"	"
HEM	" "	"	"
HOE	" "	"	"
HON	" "	"	"
IDA	" "	"	"
IRK	" "	"	"

NAME	METHOD LOCATED	PHOTO NO.	MANUSCRIPT NO.
JAY	Photo direct	41533	T-10390
JUG	" "	"	"
KID	" "	"	"
LOP	" "	"	"
LUG	" "	"	"
MAX	Angle & Dist.	"	"
MID	Photo direct	"	"
MUG	Angle & Dist.	"	"
NIX	Photo direct	41534	"
NUT	Angle & Dist.	41533	"
ORB	" " "	"	"
OUT	Photo direct	41534	"
OWL	" "	"	"
PIE	Angle & Dist.	"	"
PIN	" " "	41599	"
RAM	Photo direct	41534	"
RIG	" "	41599	"
SHE	" "	"	"
SKI	" "	41533	"
TAX	" "	"	"
VAL	" "	"	"
WED	" "	41599	"
WEE	" "	41534	"
WET	" "	41533	"
WIT	" "	41534	"
YOU	" "	41533	"

12. Inapplicable.

13. GEOGRAPHIC NAMES:

A special report on Geographic Names will be forwarded.

14. SPECIAL REPORTS AND SUPPLEMENTAL DATA:

a. To be forwarded at a later date:

1. Hydrographic Sheets HO-1256; HO-1456; HO-1556.
2. Hydrographic Descriptive Reports HO-1256; HO-1456; HO-1556.

b. Forwarded to Director:

1. Control Station and Topographic station Identification Cards forwarded 16 Oct. 1956 via transmitting letter HDG-56-13.
2. Blackline and Blue-line Manuscripts - forwarded 16 Oct. via transmitting letter HDG-56-13.
3. Nine Lens Office Photographs - forwarded 16 Oct. 1956 via transmitting letter HDG-56-13.

4. Nine Lens Field Photographs - forwarded 22 Oct. via transmitting letter HDG-56-14.

5. Tidal Data

15. NOTES TO THE COMPILOR:

The shoreline as shown on these manuscripts was quite accurate except in the large and numerous shadowed areas. All shadowed shoreline was either cut in by planetable or by sextant angles and located on the photographs or the manuscripts.

Numerous rocks must be inserted and a few deleted from the manuscripts. These are located on photographs and boat sheets.

No important jumps were noted in the sounding lines.

Respectfully submitted,

James P. Randall
James P. Randall,
Lt. (jg), USC&GS

Approved and forwarded:

Robert A. Earle
Robert A. Earle,
CDR, USC&GS
Comdg., Ship HODGSON

PRELIMINARY PHOTOGRAMMETRIC PLOT REPORT

Project 6087

Surveys T-10383 thru T-10385,

T-10389 thru T-10391,

T-10397, T-10398, T-10399, T-11100,

and T-11127

21. AREA COVERED

This preliminary radial plot covers the area of the surveys listed above.

The geographic area encompassed by these shoreline surveys includes Token Bay on the north, Davidson Inlet on the west, El Capitan Passage on the east, and Sea Otter Sound on the south.

22. METHOD - RADIAL PLOT

Map Manuscripts:

Vinylite sheets with polyconic projections in black and U.T.M. Alaska grid in red at a scale of 1:10,000 were furnished by the Washington Office.

All control stations and substitute stations were plotted using the meter bar and beam compass.

Base sheets were prepared in this office.

A sketch showing the layout of surveys and distribution of control and photograph centers is attached to this report.

Photographs:

There are forty-six (46) nine-lens, unmounted photographs at a scale of 1:10,000 used in this plot, numbered as follows:

41483 thru 41490

41514 thru 41521

41529 thru 41537

41594 thru 41602

41637 thru 41641

41648 thru 41652

52034 and 52035

Templets:

Vinylite templets were made for all the photographs using a master templet to correct for errors due to paper distortion and chamber displacement.

Closure and Adjustment to Control:

This radial plot is an extension to the east of the plot for surveys T-9629, T-9630, T-10388, T-10383, T-10388, T-10393 thru T-10396, T-10400, and T-10401. Although much dependence had to be placed on the office - identified control throughout the plot, it was possible to effect a

/ Closure and Adjustment to Control: (cont'd)

bridge from field-identified control on surveys T-10383 and T-10389 in the northwest to field-identified control on survey T-11100 in the southeast corner of the plot. This is a somewhat lengthy bridge and additional field-identified control is essential in order to ensure attaining the horizontal accuracy requirements, particularly on surveys T-10304 and T-10385.

A comparison between the radially plotted positions of the office-identified control and the geographic positions indicates that the probable horizontal error does not exceed 1.0 mm in the weakest portions of the plot.

Transfer of Points:

Each map manuscript was placed over the finished plot, oriented, and the positions of all pass points and photograph centers were then pricked on the manuscript.

Of these manuscripts, only surveys T-10383, T-10389, T-10398, and T-11427 were inked and passed on to the compilers. The pass points and photograph centers on the other surveys were not inked. Unless further instructions are received from the Washington office, these surveys numbered T-10304, T-10385, T-10386, T-10390, and T-10391 will not be inked or compiled until field identified control is available and the plot is relaid.

*
SEE
NOTE
Page 17

23. ADEQUACY OF CONTROL

This was a preliminary radial plot based for the most part on office-identified control. A layout on which is indicated the control stations which should be identified was submitted to the field party. With these stations identified, there should be adequate control for a final radial plot.

24. SUPPLEMENTAL DATA

None.

25. PHOTOGRAPHY

The photographic coverage and definition of photographs used in this plot were good.

26. CONTROL STATION OFFICE NOTES

A cahier numbered "No. 2 of 2" containing a card for each office-identified station within the limits of this plot was submitted to the field party. These cards should aid the field man in recovering and identifying the triangulation stations. On each card is a sketch of the area near the probable location of the station, as well as photographic data and the published description.

25. CONTROL STATION OFFICE NOTES (cont'd)

The sketch on the card is generalized. A sketch made by the field man while at the station site is preferred.

Respectfully submitted
4 April 1956

E. L. Williams

E. L. Williams
Carto. (Photo.)

NOTE:


The subject map (T-10484) was ^{apparently} never replotted; however, the field work accomplished in 1956 seems to constitute an edit. Refer to the field inspection report and to the final review report.

SEB

NOTE: Page 18 removed - not applicable to the subject map. SGB

PROJECT 6087
SURVEYS: T-10383 thru T-10386
T-10389 thru T-10392
T-10398, T-10399, T-10404, T-11100
T-11427

NOTE: A BETTER COPY
OF THIS SKETCH IS IN-
CLUDED IN THE DES-
SCRIPTIVE REPORT
FOR T-10391



- ☐ Nine lens office photographs
- ☐ Control skeletons (front side & back in plot)
- ☐ Control skeletons (not identified)
- ☒ Post punch near skeleton
- ☐ Post punch within distance of skeleton
- ☐ Not Held in Plot (Field Ident.)

X Lost

MAP T. 10384	PROJECT NO. 27070 (6087)	SCALE OF MAP	1:10,000	SCALE FACTOR

[illegible]

1 FT. = 30.48006 METER				COMM. DC-5784
COMPUTED BY: H. R. Rudolph	DATE 16 January 1956	CHECKED BY: A. Queen	DATE 19 January 1956	

COMPILATION REPORT
T-10382,
T-10383 &
T-10384

Field Inspection Reports:

1. Field Inspection Report for maps T-9623 through T-9630, combined operations - USC&GS Ship LESTER JONES, Project 1347 (Ph-87), G. A. Nelson commanding. (See Descriptive Report for survey T-9624.)
2. Field Inspection Report for maps T-10382 to T-10384 and T-10387 to T-10390 (part). (See page 7.)

31. DELINEATION

These manuscripts were delineated by graphic methods. In areas where the shoreline was obscured by shadows or relief displacement, the shoreline was shown with a broken line where field inspection was not furnished.

32. CONTROL

Refer to the Photogrammetric Plot Report.

33. SUPPLEMENTAL DATA

A copy of Boat Sheet H-8290 (HO-1556) was available for purposes of comparison.

34. CONTOURS AND DRAINAGE

Contours: Inapplicable.
Drainage: No comment.

35. SHORELINE AND ALONGSHORE DETAILS

These manuscripts were delineated by office interpretation and corrected using field inspection obtained during the 1956 season. See item 15 of the field report.

The stages of tide at the time of photography were computed to be near high tide. The edge of the water was delineated as the shoreline. The low water lines shown were furnished by the field party. All the ledge areas visible on the photographs were delineated.

36. OFFSHORE DETAILS

Refer to item 8 of the field report. The foul and kelp lines have been revised to show the delineation furnished by the field party.

37. LANDMARKS AND AIDS

None.

38. CONTROL FOR FUTURE SURVEYS

Forms 524 have been submitted for four recoverable topographic stations. Three of these were not listed in item 11 of the field report: SIDE, 1956, ZAGI, 1956 (T-10383) and MANI, 1956 (T-10384).

Refer to item 11 of the field report for a list of the fifty-four photo-hydro signals located on the blackline impressions of these manuscripts by the field party.

39. JUNCTIONS

Junctions among these surveys and with adjacent surveys in this project have been made.

40. HORIZONTAL AND VERTICAL ACCURACY

Refer to Photogrammetric Plot Report.

41 - 45 Inapplicable.

46. COMPARISON WITH EXISTING MAPS

Comparison was made with USGS Craig quadrangle, scale 1:250,000, edition of 1952.

47. COMPARISON WITH CHARTS

Comparison was made with the following charts:

<u>Number</u>	<u>Scale</u>	<u>Edition</u>	<u>Corrected to:</u>
8120	1:20,000	May 1954	10/15/55
8171	1:40,000	Jan 1956	---

Respectfully submitted
8 January 1957

Judson Y. Council
Carto. Photo. Aid

Approved and forwarded

William F. Deane,
CDR, C&GS
Baltimore District Officer

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-87 (Sumner Strait, Alaska)

T-10384

Kosciusko Island

Tenass Pass

Token Bay

Approved by:

A. J. Wraight
A. Joseph Wraight
Chief Geographer

Prepared by:

Frank W. Pickett
Frank W. Pickett
Cartographic Technician

PHOTOGRAMMETRIC OFFICE REVIEW

T-10382 thru T-10384

1. Projection and grids ☒ 2. Title ☒ 3. Manuscript numbers ☒ 4. Manuscript size ☒

CONTROL STATIONS

5a. Classification label ☒5. Horizontal control stations of third-order or higher accuracy ☒ 6. Recoverable horizontal stations of less than third-order accuracy (topographic stations) ☒ 7. Photo hydro stations ☒ 8. Bench marks ☒ 9. Plotting of sextant fixes ☒ 10. Photogrammetric plot report ☒ 11. Detail points ☒

ALONGSHORE AREAS

(Nautical Chart Data)

12. Shoreline ☒ 13. Low-water line ☒ 14. Rocks, shoals, etc. ☒ 15. Bridges ☒ 16. Aids to navigation ☒ 17. Landmarks ☒ 18. Other alongshore physical features ☒ 19. Other along shore cultural features ☒

PHYSICAL FEATURES

20. Water features ☒ 21. Natural ground cover ☒ 22. Planetable contours ☒ 23. Stereoscopic instrument contours ☒ 24. Contours in general ☒ 25. Spot elevations ☒ 26. Other physical features ☒

CULTURAL FEATURES

27. Roads ☒ 28. Buildings ☒ 29. Railroads ☒ 30. Other cultural features ☒

BOUNDARIES

31. Boundary lines ☒ 32. Public land lines ☒

MISCELLANEOUS

33. Geographic names ☒ 34. Junctions ☒ 35. Legibility of the manuscript ☒ 36. Discrepancy overlay ☒ 37. Descriptive Report ☒ 38. Field inspection photographs ☒ 39. Forms ☒40. R. G. Glasser Joseph Steinberg
Reviewer Supervisor, Review Section or Unit

41. Remarks (see attached sheet)

* On black-line impressions

FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT

42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.

Compiler

Supervisor

43. Remarks:

M-2623-12

REVIEW REPORT T-10384
SHORELINE
OCTOBER 18, 1968

61. GENERAL STATEMENT:

See Summary accompanying the Descriptive Report.

There is no field edit report or field edit sheet for this survey. Shoreline inspection was accomplished after preliminary compilation, the manuscript was then corrected in accordance with field inspection notes.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Comparison was made with a copy of Registered Survey No. 2691, 1:20,000 scale made in 1904. The shoreline of the two surveys are not in agreement. Survey T-10384 supersedes survey No. 2691 for nautical chart construction purposes.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Comparison was made with USGS PETERSBURG (A-5), ALASKA, 15 x 20 minute, 1:63,360 scale quadrangle, edition of 1953. The two surveys are in good general agreement.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with copies of reviewed surveys H-7987 and H-8290. Rocks at the following positions on H-8290 are not visible on the photographs and are not shown on T-10384:

<u>LATITUDE</u>	<u>LONGITUDE</u>
56° 00' 01"	133° 23' 16"
56° 00' 01"	133° 23' 27"
56° 00' 02"	133° 23' 27"
56° 00' 11"	133° 23' 08"
56° 00' 15"	133° 23' 07"
56° 00' 17"	133° 22' 19"
56° 00' 20"	133° 22' 21"
56° 00' 27"	133° 22' 32"

The discrepancies that exist in the heights of rocks, above the sounding datum, between the two surveys could not be resolved by the final reviewer. Field photographs containing the shoreline inspection data are no longer available.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with chart 8171, 7th edition, June 22, 1964. Rocks located at the following positions do not appear on the chart:

<u>LATITUDE</u>	<u>LONGITUDE</u>
56° 00' 05"	133° 20' 32"
56° 00' 05"	133° 20' 33"
56° 00' 10"	133° 20' 28"
56° 00' 11"	133° 20' 24"

Rocks that appear on the chart but are not visible on the photographs are as follows:

<u>LATITUDE</u>	<u>LONGITUDE</u>	
56° 00' 01"	133° 23' 16"	
56° 00' 01"	133° 23' 27"	only one rock shown as awash at MLLW
56° 00' 15"	133° 23' 07"	shown as awash at MLLW
56° 00' 27"	133° 22' 32"	
56° 00' 41"	133° 22' 48"	shown as awash at MLLW
56° 00' 25"	133° 22' 44"	only one rock shown on chart

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

* This survey complies with instructions and meets the National Standards of Map Accuracy.

* REFER TO PLOT REPORT PAGE 16 AND NOTE ON PAGE 17 DxB

The only field photograph available at the time of final review was 41535. This photograph contained very little data applicable to T-10384. Office photographs 41534, 41535, and 41599 thru 41601 were available and examined at this time.

Approved by:

Howard S. Cole

Howard S. Cole, Capt. USESSA
Director, Atlantic Marine Center

Reviewed by:

Leo F. Beugnet

Leo F. Beugnet

Approved by:

Everett W. Ramsey

Chief, Photogrammetric Branch *W.B.*

R.H. Houlston

Chief, Photogrammetry Division

Chief, Nautical Chart Division