# 10513

Original

100110

Diag.	Cht.	No.	l.

Form 504

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

### DESCRIPTIVE REPORT

Type of Survey PLANIMETRIC

Field No. Ph-170 Office No. T-10513

LOCALITY

State LOUISIANA

General locality ATCHAFALAYA RIVER

Locality ALABAMA BAYOU

CHIEF OF PARTY

Ira R. Rubottom, Chief of Field Party Arthur I. Wardwell, Tampa District Office

**LIBRARY & ARCHIVES** 

DATE \_\_\_\_\_May 1963

USCOMM-DC 5087

#### DESCRIPTIVE REPORT - DATA RECORD

T\_ 10513

Project No. (II): Ph-170

Quadrangle Name (IV):

Field Office (II): Opelousas, La.

Chief of Party: Ira R. Rubottem

Photogrammetric Office (III): Tampa, Fla.

Officer-in-Charge: Arthur L. Wardwell

Instructions dated (II) (III): Field: 4 Dec. 1956 Supplement 1 (Field) 15 Jan. 1957 Copy filed in Division of Photogrammetry (IV)

14 Mar. 1957

Office:21 Jan. 1957

Ammendment (Office)

2 April 1959

Method of Compilation (III): Graphic

Manuscript Scale (III): 1:20,000

Stereoscopic Plotting Instrument Scale (III): Inapplicable

Scale Factor (III):

None

Date received in Washington Office (IV): Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV):

Publication Scale (IV):

Publication date (IV):

Geographic Datum (III): N.A. 1927

Vertical Datum (III): MHW Meanwage love except as follows: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water

Reference Station (III): 258 USE 1952

Lat.: 30°23'57.692" (1776.5 m)

'L2 'OL . L81"

Adjusted

Plane Coordinates (IV):

State:

Zone:


Y=

X=

Roman numerals Indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.

U.S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY



Areas contoured by various personnel (Show name within area)
(II) (III)

Inapplicable

#### DESCRIPTIVE REPORT - DATA RECORD

Field Inspection by (II): M. C. Moody

L. F. Beugnet

Date: May-July 1957

Planetable contouring by (II): Inapplicable

Date:

Completion Surveys by (iI):

Inapplicable

Date:

Mean High Water Location (III) (State date and method of location): Air phote compilation Date of photography: 15 Oct. 1956

Projection and Grids ruled by (IV): J. B. Phillips (W.O.)

Date: June 1957

Projection and Grids checked by (IV): J. B. Phillips (W.O.)

Date: June 1957

Control plotted by (III): Portland Photo Office

Date: Aug. 1958

Control checked by (III): Portland Photo Office

Date: Aug. 1958

Radial Plot and team proprie

Ozzakowskienskieg by (III): Portland Photo Office

Date:

Planimetry

Date:

Stereoscopic Instrument compilation (III): Contours Inapplicable

Date:

Manuscript delineated by (III): R. Dossett

of compilation

Photogrammetric Office Review by (III): R. R. Wagner

Date: Nov. 1959

Date: March 1959

Elevations on Manuscript

Date:

checked by (II) (III): Inapplicable

U.S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY

Camera (kind or source) (III):

C&GS 9-lens

			PHOTOGRAPHS	(III)	
Number		Date	Time	Scale	Stage of Tide
54892	15 0c	t. 1956	12:46	1:20,000	NO
54893	11 11		12:47	8	TIDE
54935	0 0	Ħ	13:42		DATA
54936	ù a	Ħ	13:43	á	
54937	# #	Ħ	13:44	tt .	

Tide (III)

No tide data Reference Station:

Subordinate Station: Subordinate Station:

Date: Washington Office Review by (IV):

Final Drafting by (IV): R. Dossett, Tampa

\* Reviewed by: I. I. Saperstein, Tampa

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III): 59

Shoreline (More than 200 meters to opposite shore) (III): 80

Control Leveling - Miles (II): None

Number of Triangulation Stations searched for (II): 5

Number of BMs searched for (II):

Recovered: 2 Recovered:

Identified: 1 Identified:

Date:

Date:

Ratio of Mean | Spring

Range

Date: April 1960

Range


Ranges

Number of Recoverable Photo Stations established (III): None

Number of Temporary Photo Hydro Stations established (III): None

Remarks:

COMM- DC- 57842



#### FIELD INSPECTION REPORT PROJECT 170 MAP T-10513

Please refer to the Field Inspection Report for Map 10512 for all data pertaining to this map.

Submitted:

Leo F. Beugnet Cartographer

Approved:

Ira R. Rubottom Chief of Party

3

FORM 164 (4-23-54)

U.S. DEPARTMENT OF COMMERCE
DESCRIPTIVE REPORT

DAST AND GEODETIC SURVEY
ONTROL RECORD

Value of I Minute FROM GAID OR PROJECTION LINE -FROM-OND-ON-DAGE-TION-THAE
IN METERS
IN METERS COMM- DC- 57843 (BACK) FORWARD 1847.6 19476 7.6481 16016 16016 1601.6 SCALE FACTOR..... 374.4 (1227.2) 94.9" (1752,7) (1562.1) 76.1) (BACK) (1539.0) N.A. 1927-DATUM 1776.5 FORWARD 30° 50° 62. 62. 2.1771 SCALE OF MAP 1: 20,000 Meters CORRECTION 30.793. 30 793 Second 26.694 30.793 26.694 OR PROJECTION LINE IN METERS DISTÂNCE FROM GRID IN FEET, 810/10 (BACK) CHECKED BY: FORWARD MAP T. 10513 PROJECT NO. Ph-170 LONGITUDE OR x-COORDINATE LATITUDE OR P-COORDINATE 03.082 14.025 57.692 01:48 42 24 3 42 23 42 ō Ŋ 3 ē õ SOURCE OF CHEORMATION CHOEK) X.A. 1927 = WARL shee#5 11 258(456) 1952 1 FT. = 3048006 METER STATION COMPUTED BY:  $D_1+to$ 

#### COMPILATION REPORT

#### T-10513

#### PHOTOGRAMMETRIC PLOT REPORT

Submitted by Portland Office. Desc. Report T10527

#### 31. DELINEATION

The graphic method was used.

The photographs were of good scale and sufficiently clear to insure correct interpretation.

The field inspection was adequate.

#### 32. CONTROL

See Photogrammetric Plot Report.

#### 33. SUPPLEMENTAL DATA

None.

#### 34. CONTOURS AND DRAINAGE

Contours inapplicable (Planimetric).

All drainage visible on the photographs has been delineated. The density of the woodland hindered complete interpretation of some streams.

#### 35. SHORELINE AND ALONGSHORE DETAILS

None.

#### 36. OFFSHORE DETAILS

None.

#### 37. LANDMARKS AND AIDS

None.

#### 38. CONTROL FOR FUTURE SURVEYS

None.

#### 39. JUNCTIONS

A satisfactory junction has been secured with T-10512 on the west, T-10511 on the north, T-10514 on the west and T-10516 on the south.

#### 40. HORIZONTAL AND VERTICAL ACCURACY

No statement required.

#### 46. COMPARISON WITH EXISTING MAPS

A comparison has been made with U. S. Army Corps of Engineers topographic quadrangle \*OSCA, LOUISIANA\*, edition of 1959, scale 1:62,500, compiled from aerial photographs of Jan. 1959. Field checked May 1959.

The only major change is the formation of a large lake as seen on the 1959 quadrangle. On the 1956 photographs the area is all swamp, no lake being visible.

#### 47. COMPARISON WITH NAUTICAL CHARTS

No published chart of this area.

#### ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

#### ITEMS TO BE CARRIED FORWARD

None.

Rudolph Doesett Carto-photo Aid

Approved and Forwarded:

Arthur L. Wardwell Chief of Party 49. NOTES FOR THE HYDROGRAPHER
None.

50.

### PHOTOGRAMMETRIC OFFICE REVIEW of ADVANCE MANUSCRIPT T- 10513

·
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT  42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.
41. Remarks (see attached sheet)
40. I bying T. Sandratein Milton M. Slavney  Reviewer Supervisor, Review Section or Onit
overlay XX 37. Descriptive Report IIS 38. Field inspection photographs IIS 39. Forms IIS
33. Geographic names <u>ITS</u> 34. Junctions <u>ITS</u> 35. Legibility of the manuscript <u>ITS</u> 36. Discrepancy
MISCELLANEOUS
31. Boundary lines XX 32. Public land lines XX
BOUNDARIES
CULTURAL FEATURES  27. Roads IIS 28. Buildings IX 29. Railroads IX 30. Other cultural features IIS
Instrument contours XX 24. Contours in general XX 25. Spot elevations XX 26. Other physical features IIS
20. Water features IIS 21. Natural ground cover IIS 22. Planetable contours XX 23. Stereoscopic
PHYSICAL FEATURES
shore cultural featuresIS. Other alongshore physical resturesIS. Other alongshore
12. Shoreline IIS 13. Low-water line XX 14. Rocks, shoals, etc. XX 15. Bridges IIS 16. Alds to navigation XX 17. Landmarks XX 18. Other alongshore physical features XX 19. Other along-
(Nautical Chart Data)
ALONGSHORE AREAS
9. Plotting of sextant fixes XX 10. Photogrammetric plot report 11. Detail points IIS
than third-order accuracy (topographic stations)
5. Horizontal control stations of third-order or higher accuracy IIS 6. Recoverable horizontal stations of less
CONTROL STATIONS
13 Classification label _unclassified
1. Projection and grids I.I.S. Title IIS 3. Manuscript numbers IIB 4. Manuscript size IIS

43. Remarks:

#### 48. Geographic Names:

Alabama Bayou Atchafalaya Basin Floodway Atchafalaya Basin Main Channel Atchafalaya River Bay Denny Bayou Burron Bayou des Glasses Bayou des Ourses Bayou Johnson Bayou Manuel Bayou Stiff Bob Tail Bayou Coswell Bayou Courtableau Bayou Indian Bayou Lake Comeaux Lake Valerie Little Alabama Bayou Lost Bayou Offa Bayou Opelousas Bay Whiskey Bay Pilot Channel

> eographic Names Section 27 November 1962

## REVIEW REPORT of PLANIMETRIC NAMESCRIPTS T-10510 thru T-10514, T-10516 and T-10517

#### January 1963

#### 61. General Statement

These are seven (7) planimetric maps of Project PH-170, Atchafalaya River, La. These maps were prepared as basks for Mautical Charts and future Hydrographic Surveys.

62. Comparison with Registered Tepographic Surveys

Yone

#### 63. Comparison with Mans of Other Agencies

Cow Bayou, La.	1:24,000	V.S.G.3.	1953
Maringouin, La.	1:62,500	U.S.G.3.	1959
Armaudville, La.	1:62,500	O of E	1940
Pordoche, La.	1:62,500	C of B	1959
Palmette, La.	1:62,500	8 of B	1959

The above maps are in close agreement and no differences of importance exist.

64. Comparison with Contemporary Hydrographic Surveys

Tene

65. Comparison with Mautical Charte

Sone

66. Accuracy of Results and Pature Surveys

These maps were prepared as bases for Hautical Charts and are within the standards of map accuracy.

Reviewed by

L. C. Lande

Approved by:

Cartagraphic Bra

Chief. Mautical Chart Division

Chier, Manalest Chart Hanselon

Chief, Photogrammetry Division Chief, Operations Division

#### NAUTICAL CHART DIVISION

#### **RECORD OF APPLICATION TO CHARTS**

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

#### **INSTRUCTIONS**

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

  1. Letter all information.

  2. In "Remarks" column cross out words that do not apply.

  3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART_	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
_			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
<u></u> .			
		····	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	.,,		Full Part Before After Verification Review Inspection Signed Via
		<u>.</u>	Drawing No.
		<del></del>	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		-	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	<u></u>	<del></del>	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Drawing 1101
			Full Part Before After Verification Review Inspection Signed Via
		····	Drawing No.
	·- <u>-</u>		