10880

(gri

10880

Diag. Cht. No. 6157 Inset.

Form 504

U. S. DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

Type of Survey Shoreline						
Field No. Ph- 5807 Office No. T-10880						
LOCALITY						
State Oregon & Washington						
General locality Columbia River						
Locality Blalock Island						
1959						
CHIEF OF PARTY						
Lorne G. Taylor, Photogrammetric Office						
LIBRARY & ARCHIVES						
DATE May 1962						

USCOMM-DC 5087

DESCRIPTIVE REPORT - DATA RECORD

T - 10880

Project No. (II): Ph-5807

Quadrangle Name (IV):

Field Office (II): Umatilla, Oregon

Chief of Party:

Lorne G. Taylor

Unit Chief:

K. W. Jeffers

Photogrammetric Office (III): Portland, Oregon

Officer-in-Charge: Lorne G. Taylor

Instructions dated (II) (III):

Undated

Copy filed in Division of

Field and Office

Photogrammetry (IV)

Modification: Letter 73/rrj dated 9 March 1959

Letter 831/es dated 12 March 1959

Letter 732/rrj dated 21 May 1959

Method of Compilation (III):

Kelsh Stereoscopic Instrument

Viewing Scale

Manuscript Scale (III):

1:10,000

Stereoscopic Plotting Instrument Scale (III): 1:6000

Pantograph Scale

Scale Factor (III):

None

1:10,000

Date received in Washington Office (IV):

Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV): 19 June 1961

Publication Scale (IV):

Publication date (IV):

Refer to datum pro-

Geographic Datum (III):

N.A. 1927

Vertical Datum (III):file on manuscript. Mean sea level except as follows: Elevations shown as (25) refer to mos⇔high Elevations shown as (5) refer to sounding-datum

U. S. Engineers Columbia River

Zone:

Low-Water Profile.

Reference Station (III):

HAZE (USE) 1942

Lat.:

450 551 34.503"

Long.:

1190 371 37.224"

Adjusted X

Unadjusted

Plane Coordinates (IV):

State: Oregon


North

825,002.51

2,222,159,14

Roman numerals indicate whether the Item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only,



COMM- DC- 57842

U.S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT - DATA RECORD

Field Inspection by (II):

C. H. Bishop (Shoreline)
W. V. Hull (Interior)

Date: 4-13 & 14-59

Sept. 1959

Planetable contouring by (II):

Date:

Completion Surveys by (II):

Date:

Shoreline Mean-High Water Location (III) (State date and method of location): Located by field inspection on 4-13 & 14-59 on single lens ratio prints taken 8-28-58 and delineated by Kelsh Stereoscopic Instrument on models of same photography. The shoreline is the normal gradient of the Columbia River at 110,000 cfs.

Projection and Grids ruled by (IV):

P. Dempsey

Date: 7-24-59

Projection and Grids checked by (IV):

Shoup

Date: 8-3-59

Control plotted by (III):

J. L. Harris

Date: 8-27-59

Control checked by (III):

C. C. Harris

Date: 9-30-59

Radial Plot or Stereoscopic

John D. Perrow, Jr.

Date: June 1959

Control extension by (III):

Planimetry L. L. Graves

Date: 10-19-59

Stereoscopic Instrument compilation (III):

Contours

Date:

Manuscript delineated by (III):

W. V. Hull (Scribing)
C. C. Harris (Stick-up)

Date: 1-5-60

2-23-60

Photogrammetric Office Review by (III):

J. L. Harris (Rough Draft)

Date: 10-26-59

J. L. Harris (Advance)

3-31-60

Elevations on Manuscript checked by (II) (III):

Date:

COMM - DC - 57842

DESCRIPTIVE REPORT - DATA RECORD

Camera (kind or source) (III): U.S.C.& G.S. Single lens 58-S

	PHOTOGRAPHS (III)			The Dalles Dam
Number	Date	Time	Scale	The Dalles Dam Stage of Tide (Forebay)
58-S-7610A & 7611A	8-28-58	9:07	1:30,000 contact 1:10,000 ratio	159.81 above M.S.L.
58-S-7621A thru 7623A	8-28-58	9:22	D)	Arlington Gage and Paterson Gage River flow was 107,000 cfs.

Tide (III)

Reference Station:

Subordinate Station:

Not Applicable

Subordinate Station:

Washington Office Review by-(IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by. (IV):

11 Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III): 11 statute miles Shoreline (Less than 200 meters to opposite shore) (III): 1 Statute mile

Control Leveling · Miles (II):

Number of Triangulation Stations searched for (II): 1

Number of BMs searched for (II): None

Recovered:

Recovered: 1

Identified: 1 Identified:

|Ratio of | Mean | Spring |

Range

Range

Ranges

Number of Recoverable Photo Stations established (III): None

Number of Temporary Photo Hydro Stations established (III): None

Remarks:

COMM- DC- 57842

SUMMARY to accompany Shoreline Map Manuscripts T-10870 through T-10885

The sixteen (16) subject surveys represent the eastern portion of project Ph-5807. The project consists of forty-nine (19) shoreline surveys of the Columbia River (Ore.-Wash.) from Eonneville eastward to Umatilla end was designed to aid in the construction of a new series of nautical charts. T-10870 thru T-10885 extend from Arlington to Umatilla, which are covered by a stereoplanigraph bridging plot done in the Washington Office in June 1959.

The map manuscripts were compiled by Kelsh stereoscopic instruments in the Portland Photogrammetric Office from photography of August 1958 and field inspection information (shoreline - April 59, interior - September 59).

The completed compilations as submitted to the Washington Office are the result of adequately scribed sheets and suitable for the direct reproduction of registration copies.

A cronar film positive at the compilation scale of 1:10,000 and the Descriptive Report of each will be registered and filed in the Bureau Archives.

May 1961

FIELD INSPECTION REPORT

Map Manuscript T-10880

Project Ph-5807

Refer to the Field Inspection Report for T-10876 thru T-10880 which is included in the Descriptive Report for T-10876 (1959).

PHOTOGRAMMETRIC PLOT REPORT

Map Manuscript T-10880

Project Ph-5807

Refer to the Photogrammetric Plot Report (Stereoplanigraph Bridge) for T-10870 thru T-10885 which is included in the Descriptive Report for T-10870 (1959).

DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE

PROJECT NO. Ph-5807

MAP T. 10880....

COAST AND GEODETIC SURVEY NTROL RECORD SCALE FACTOR None FROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS (BACK) 9 Con Lan FORWARD 883.8) 865.9) (1519.7)(1511.3)842.6) (1523.2)N.A. 1927 - DATUM FORWARD 0,8 4.3 640.2 658.1 12,7 681.4 DATUM SCALE OF MAP. 1:10,000 OR PROJECTION LINE IN METERS (4997.49)(2840,86) (4985.79)(2899.71)(4958.31)(2764,30)DISTANCE FROM GRID IN FEET. (BACK) FORWARD 41.69 14.21 2235.70 2100,29 2,51 2159,14 LONGITUDE OR x-COORDINATE LATITUDE OR V-COORDINATE 2,222,100,29 825,041,69 2,222,235,70 2,222,159.14 825,014,21 825,002,51 SOURCE OF INFORMATION DATUM 1927 N.A. = = Oreg.N. (INDEX) Pg. 74 Sub Station "A" Sub Station "B" STATION 1942 (WASH) HAZE (USE) 8

COMM- DC- 57843

1-8-59

DATE.

J.L.H.

CHECKED BY.

12-22-58

DATE

J.E.D.

1 FT. = .3048006 METER

COMPUTED BY



COMPILATION REPORT

Map Manuscript T-10880

Project Ph-5807

31. Delineation:

The Kelsh Stereoscopic Instrument was used to compile the planimetry.

The C&GS Photography of 8-28-58 was adequate to compile the planimetry to the detail limits indicated on the project index.

Refer to last paragraph Item 31, Delineation, of the Descriptive Report for T-10837 (1959).

32. Control:

Refer to the Photogrammetric Plot Report (Stereoplanigraph Bridge) T-10870 thru T-10855 which is included in the Descriptive Report for T-10870 (1959).

33. Supplemental Data:

None.

34. Contours and Drainage:

Contours are not applicable.

The drainage shown on the manuscript was delineated from field inspection notes supplemented by minute examination of the Kelsh Models for drainage and by visual inspection of the U.S.G.S. topographic quadrangle, "Blalock Island", Oreg. - Wash., Scale 1:125,000, published 1906.

35. Shoreline and Alongshore Details:

The shoreline shown on this map manuscript is at the normal river gradient of 110,000 cfs flow. A graph showing this gradient from which the elevation of the shoreline may be determined for any place along the river is shown on the manuscript.

Refer to correspondence included in the Descriptive Report for T-10837 (1959) for a detailed report on this feature.

36. Offshore Details:

Refer to remarks under this heading in the Descriptive Report for T-10865 (1959).

37. Landmarks and Aids:

None.

38. Control for Future Surveys:

None.

39. Junctions:

A satisfactory junction was made with T-10878 on the west, T-10881 on the south and T-10882 on the east. There is no contemporary survey to the north.

40. Horizontal and Vertical Accuracy:

Refer to remarks under this item in the Descriptive Report for T-10837 (1959).

46. Comparison with Existing Maps:

Comparison was made with U.S.G.S. 30 minute "Blalock Island", Oreg. - Wash. quadrangle, Scale 1:125,000, published 1906.

47. Comparison with Nautical Charts:

Refer to remarks under this heading in the Descriptive Report for T-10853 (1959).

Approved:

Lorne G. Taylor

CDR, C&GS

Officer-in-Charge

Respectfully submitted:

J. Edward Deal Cartographer

C&GS

48. GEOGRAPHIC NAMES LIST

Benton County Blalock Island

*Columbia River Coyote Island

Morrow Island County

Oregon

Spokane, Portland & Seattle

Telephone Island

Washington

* B.G.N. Decision

GEORAPHIC NAVIES SECTION 17 MAY 1960

PHOTOGRAMMETRIC OFFICE REVIEW

T- 10880

	CONTROL STATIONS
5 Horizontal conti	ol stations of third-order or higher accuracy 6. Recoverable horizontal stations
	curacy (topographic stations) None 7. Photo hydro stations None 8. Bench marks_
	nt fixes None 10. Photogrammetric plot report X 11. Detail points X
5. Flotting of Boxu	,
	ALONGSHORE AREAS
	(Nautical Chart Data)
12. Shoreline	X 13. Low-water line None 14. Rocks, shoals, etc. X 15. Bridges None 1
to navigation No	19 17. Lendmarks None 18. Other alongshore physical features X 19. Other
shore cultural feat	· · · · · · · · · · · · · · · · · · ·
	PHYSICAL FEATURES
20. Water features	X 21. Natural ground cover X 22. Planetable contours None 23. Stere
	s None 24. Contours in general None 25. Spot elevations None 26. Other p
features X	
	CULTURAL FEATURES
27. Roads <u>X</u>	28. BuildingsX 29. RailroadsX 30. Other cultural featuresX
	BOUNDARIES
31. Boundary lines	BOUNDARIES
31. Boundary lines	
;	32. Public land lines None
33. Geographic nar	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discriptive Report X 38. Field inspection photographs X 39. Forms No.
33. Geographic na	X32. Public land linesNone MISCELLANEOUS nesX34. JunctionsX35. Legibility of the manuscriptX36. Discr
33. Geographic nat	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discr 7. Descriptive Report X 38. Field inspection photographs X 39. Forms No. To Raward Deel Reviewer Supervisor, Review Section or Unit
33. Geographic national overlay None 3	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discr 7. Descriptive Report X 38. Field inspection photographs X 39. Forms No. To Raward Deel Reviewer Supervisor, Review Section or Unit
33. Geographic national overlay None 3	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discr 7. Descriptive Report X 38. Field inspection photographs X 39. Forms No. To Raward Deel Reviewer Supervisor, Review Section or Unit
33. Geographic narroverlay None 3 40 41. Remarks (see	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discr 7. Descriptive Report X 38. Field inspection photographs X 39. Forms No. I
33. Geographic nar overlay None 3 40 41. Remarks (see 42. Additions and	MISCELLANEOUS mes X 34. Junctions X 35. Legibility of the manuscript X 36. Discr 7. Descriptive Report X 38. Field inspection photographs X 39. Forms No. 1. Reviewer Supervisor, Review Section or Unit attached sheet) FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT corrections furnished by the field completion survey have been applied to the manuscrip

43. Remarks:

REVIEW REPORT OF SHORELINE MAP MANUSCRIPTS T-10870 through T-10885 May 1961

62. Comparison with Registered Topographic Surveys:

There are no registered topographic surveys of this area.

63. Comparison with Maps of Other Agencies:

ARLINGTON, ORE.-WASH. 1:125,000, 1916, U.S. Geological Survey BLALOCK IS., ORE.-WASH. 1:125,000, 1906, U.S. Geological Survey UMATILLA, ORE.-WASH. 1:125,000, 1908, U.S. Geological Survey

Because of scale difference a detailed comparison is impractical.

64. Comparison with Comtemporary Hydrographic Surveys:

There are no contemporary hydrographic surveys of subject area.

65. Comparison with Nautical Charts:

The first nautical charts of this portion of the Columbia River are being constructed now. Incomplete compilations are not available for comparison.

66. Adequacy of Results and Future Surveys:

T-10870 through T-10885 have been compiled according to instructions and meet the adequacy and accuracy requirements for this type of survey.

Josef/J. Streif/er

Approved by:

Chief, Review & Drafting Sec.

Photogrammetry Division

Chief. Nautical Chart Division

Chief Hhotogrammetry Div.

Chief. Operations Division

NAUTICAL CHARTS BRANCH

SURVEY NO. T-10880

Record of Application to Charts

CHART	CARTOGRAPHER	REMARKS
6161	D. CORDTS	Before After Verification and Review
		Dupersoled Lug T-13215, 13216, 12150
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		Before After Verification and Review
		· ·
<u> </u>		
	<u> </u>	
	<u></u>	

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.