

T-11698

T-11698

Form 504	
U. S. DEPARTMENT OF COMMERCE	
COAST AND GEODETIC SURVEY	
DESCRIPTIVE REPORT	
Type of Survey	SHORELINE
Field No.	Office No. T-11698
CLASS II a. 111	
LOCALITY	
State	VIRGINIA
General locality	NORTHAMPTON COUNTY
Locality	MAN AND BOY MARSH
1959-62	
CHIEF OF PARTY	
G. F. Wirth, Chief of Field Party	
W. E. Randall, Baltimore District Office	
V. Ralph Sobieralski, Tampa District Office	
LIBRARY & ARCHIVES	
JUL 1975	
DATE	

DESCRIPTIVE REPORT - DATA RECORD

T--11698

PROJECT NO. (II):

PH-5907 (21021)

FIELD OFFICE (II):

Kellen, Va.

CHIEF OF PARTY

G. F. Wirth

PHOTOGRAMMETRIC OFFICE (III):

Baltimore, Maryland
Tampa, Florida

OFFICER-IN-CHARGE

W. E. Randall
V. Ralph Sobieralski

INSTRUCTIONS DATED (II) (III):

Field: October 20, 1959
Field, Amendment 1: April 26, 1960
Office: December 28, 1960
Office, Amendment 1: August 10, 1961
Office, Amendment 2: September 29, 1961

METHOD OF COMPILATION (III):

Graphic

MANUSCRIPT SCALE (II):

1:10,000

STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III):

Inapplicable

DATE RECEIVED IN WASHINGTON OFFICE (IV):

DATE REPORTED TO NAUTICAL CHART BRANCH (IV):

APPLIED TO CHART NO.

DATE:

DATE REGISTERED (IV):

GEOGRAPHIC DATUM (II):

N. A. 1927

VERTICAL DATUM (III): MHW

~~MEAN SEA LEVEL~~ EXCEPT AS FOLLOWS:
Elevations shown as (25) refer to mean high water
Elevations shown as (5) refer to sounding datum
i.e., mean low water or mean lower low water

REFERENCE STATION (III):

BOY, 1933

LAT.:

37°17'12.857" (396.4m.)

LONG.:

75°50'05.276" (130.0m.)

☒ ADJUSTED☐ UNADJUSTED

PLANE COORDINATES (IV):

= 358,120.87 Ft. x = 2,775,265.59 Ft.

STATE

Florida

ZONE

South

ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE,
OR (IV) WASHINGTON OFFICE.

WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.

FORM C&GS-181b
(12-61)

U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT - DATA RECORD

FIELD INSPECTION BY (II): G. F. Wirth, R. S. Tibbetts, P. C. Specht		DATE: April 1960
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION): Air photo compilation Date of photographs: October 1959 and April 1962		
PROJECTION AND GRIDS RULED BY (IV): RAC		DATE Dec. 1960
PROJECTION AND GRIDS CHECKED BY (IV): JDC		DATE Jan. 1961
CONTROL PLOTTED BY (III): J. C. Richter		DATE Jan. 1961
CONTROL CHECKED BY (III): F. J. Tarcza		DATE Jan. 1961
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III): H. R. Rudolph		DATE Feb. 1961
STEREOSCOPIC INSTRUMENT COMPILATION (III): Inapplicable	PLANIMETRY	DATE
	CONTOURS	DATE
MANUSCRIPT DELINEATED BY (III): J. C. Richter (Baltimore) I. I. Saperstein and R. E. Smith (Tampa) Reviewed by: I. I. Saperstein		DATE June 1961 July 1962 July 1962
SCRIBING BY (III): Reviewed by: P. W. Leikhim R. R. Wagner		DATE July 1963 Sept. 1963
PHOTOGRAMMETRIC OFFICE REVIEW BY (III): W. H. Shearouse		DATE Nov. 1963
REMARKS:		

FORM C&GS-181c
(12-61)U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT - DATA RECORD

CAMERA (KIND OR SOURCE) (III):

C&GS 9-lens and Wild "W"

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
60547	10-13-59	11:26	1:10,000	0.0ft above MLW
60548	"	11:26	"	0.0 " "
60560	"	11:34	"	0.1 " "

Predicted TIDE (III)

	RATIO OF RANGES	MEAN RANGE	SPRING RANGE
REFERENCE STATION: Sandy Hook	-	4.6	5.6
SUBORDINATE STATION: Sand Shoal Inlet (C. G. Station)	Hi-0.5 Lo-0.0	4.1	4.9
SUBORDINATE STATION:			

Atlantic Marine Center
WASHINGTON, D.C. REVIEW BY (IV):

C. H. Bishop

DATE: Dec. 1973

PROOF EDIT BY (IV):

DATE:

NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (III):

4

RECOVERED:

2

IDENTIFIED:

1

NUMBER OF BM(S) SEARCHED FOR (III):

0

RECOVERED:

IDENTIFIED

NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III):

0

NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III):

0

REMARKS:

COMPILATION RECORD

COMPLETION DATE

REMARKS


Compiled	Jan. 1962	Superseded
Shoreline revised from April 1962 photographs. Manuscript complete pending field edit.	July 1962	Superseded
Final Review	Dec 1973	

PH-5907

● CAPE CHARLES TO ASSATEAGUE, VA

Planimetric Mapping Scale 1:10,000

OFFICIAL MILEAGE
FOR COST ACCOUNTS



Sheet No.	Area Sq. Mi.	Lin. Mi. Shoreline
11660	6	10
11661	6	15
11662	13	19
11663	7	23
11664	8	16
11665	17	0
11666	16	8
11667	7	8
11668	1	1
11669	1	4
11670	16	1
11671	8	15
11672	17	0
11673	16	5
11674	8	16
11675	1	4
11676	16	0
11677	13	10
11678	8	16
11679	16	8
11680	11	32
11681	4	10
11682	8	15
11683	11	15
11684	2	3
11685	16	4
11686	4	15
11687	6	20
11688	6	15
11689	13	11
11690	1	11
11691	4	16
11692	2	3
11693	11	11
11694	6	16
11695	4	19
11696	4	9
11697	11	20
11698	6	16
11699	4	13
11700	8	16
11701	8	14
11702	4	11
11703	6	23
TOTALS	369	543

T-12132

T-10887 5

TOTALS 369 543

11-9-61

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT T-11698

This 1:10,000 scale shoreline manuscript is one of 43 maps that comprise Project PH-5907, Cape Charles to Assateague, Virginia. The project diagram on page 5 indicates the location of this map in the project.

Field inspection before compilation was done in May, 1960.

Compilation was done graphically, using 9-lens photographs taken in October, 1959. Control was based on a radial plot using the 9-lens photography. Compilation was revised in July, 1962, using ratio prints of single lens photography taken in April, 1962, after the March, 1962 hurricane. Revision was from office interpretation of the photos without the benefit of field inspection.

No field edit of this map was accomplished.

Final review was done at the Atlantic Marine Center in December, 1973.

The compilation manuscript was a vinylite sheet 3 minutes 45 seconds in latitude by 3 minutes 45 seconds in longitude.

A cronaflex copy of the final reviewed manuscript and a negative have been forwarded for record and registry.

* The registration map copy was labeled Class II
The extent of revision with 1962 photography
is unknown

Field Inspection Report

PH-5907

Eastern Shore of Virginia

2. Areal Field Inspection

This report covers the southern seven maps in Northampton County, sheets 11697 thru 11703.

Most of the area is salt marsh which covers at high water. There are many deep channels through the marshes, but most of these channels are choked at the ocean or where they enter large bays. The ocean beach is lined with various sized sand dunes.

The photography was satisfactory.

A shack under construction on Black Rock Channel, at Goodwin Island, should be investigated by the field edit party.

The hydro party should investigate a charted wreck on Wreck Island. See section 8 of this report for details.

3. Horizontal Control

Stations not recovered, which were control requirements:

Magothy Bay, Channel Light No. 6

Smith
Smith 2
Smith Hydrographic
Smith's Island North 2
Mink
Mink 2
Ship Shoal 3
Wreck 3
Sand Shoal Inlet, the Spit Beacon
Sand Shoal Inlet, Running Channel Black Beacon
Cobb 3

None of these stations could be found. Many stations bordering the ocean were lost due to erosion. The shacks were destroyed by fire or hurricanes.

All the stations on the sheets that had not been previously reported as lost were reported on Form 526 at this time.

Reported As Lost On Form 526:

Magothy Bay Channel Light No 6, 1954
Smith Hydrographic, 1929
New Inlet, East Gable, East Shack, 1934
House on Flats, Center, 1934
Wreck No 3, 1933
Spit Light, Sand Shoal Channel Red Beacon, 1933
Sand Shoal Channel, Black Beacon (Fl W)
Running Channel, 1933
Shack On Piles, Northeast Gable, 1934

All C&GS control in the area was searched for.

4. Vertical Control

The recovery of tidal Bench Marks was required for the Project.

Bench Marks recovered:

BM 1 (U.S.E.) (Oyster)
BM Morgan 2 (Oyster)
BM R-86 (Oyster)
BM 2, 1934 (Cobb Island Coast Guard)

Bench Marks reported lost:

BM 1, 1943 (Cobb Island C.G.)
BM 3, 1934 (Cobb Island C.G.)

5. Contours and Drainage

No contours were required.

Drainage is in the form of small streams and ditches. Drainage was delineated and swampy areas outlined. All drainage was examined under the stereoscope and little difficulty should be encountered in picking it out.

6. Woodland Cover

Tree areas and orchards were identified and labeled on the photos. Most of the woodland cover consists of slash pine and various hard woods, often intermixed.

7. Shoreline and Alongshore Features

Most of the area is salt marsh which is covered at high water. Fast ground is indicated by the presence of trees, sand dunes, or clumps of small bushes which show as a light gray grainy texture on the photos (see notes on photos). The MHWL has been delineated on the

photos.

The apparent MHWL is usually found at the edge of the marsh grass. The marsh grass shows as a darker gray even texture on the photos, as compared with the mud banks, which show lighter gray with a wrinkled texture. The apparent MHWL has been delineated where it is not self evident. The apparent MHWL along the west side of Mockhorn Island on sheet 11700 was extremely hard to delineate due to poor contrast on the photos. It was noted on the 9 lens photos by walking the shoreline.

The outer chain of islands is covered with sand dunes, which wash and drift back over the marsh. In some areas the sand has washed back and exposed the old marsh on the ocean side. The dunes are covered with sparse tough grass, and small bushes.

The outer islands are changing rapidly. A comparison with 1942 maps shows that Wreck Island has had about $\frac{1}{2}$ mile of its southern end eroded away while the northern end has built up. Build up has also taken place on Smith Island; and Bungalow Inlet has shifted northeastward.

Signs marking shore ends of submarine cables have been identified and labeled.

All other features have been noted on the photos.

8. Offshore Features

The low water line has been delineated on the photos where possible. Much of the area is very flat, and the low water line does not show very well.

Many oyster shell piles are scattered throughout the shallow bays, and alongside the channels. They present a definite hazard to small boats attempting to cross them. The piles show as small white areas on the photos, and have been labeled.

No trace of the wreck charted at lat. $37^{\circ}17.0'$ long. $75^{\circ}47.5'$ could be found. This is right near the beach so it could have been washed away or buried. The hydro party should investigate this item.

9. Landmarks and Aids

Landmarks and aids for nautical and aeronautical charts were investigated and reported on Form 567. The black and white prints of the color photography were field edited and labeled. Fixed aids which did not show up on the photos were located by ground survey methods from photo points and triangulation stations.

10. Boundaries, Monuments, and Lines

There are no boundaries, monuments or lines to be mapped in the area.

11. Other Control

All previously marked Topographic stations that could be of value to hydrography were searched for and reported on form 524.

The following were recovered:

SUN 1942

CUT 1942

The following were reported lost or destroyed:

BAT 1942

EIT 1942

BUN 1942

Cobb Island Coast Guard Sta Tidal BM 1 (1942)

FOX 1942

INK 1942

KIT 1942

LAP (1942)

LOT 1942

NAP 1942

POT 1942

PUN 1942

REC 1942

The following monumented topographic stations were established:

BM R 86 (1960)

COBB BM 2, 1934 (1960)

To meet the minimum spacing requirements of a recoverable station every 2 miles, stations should have been established at about lat. $37^{\circ}15.8'$, long. $75^{\circ}47.9'$ (Wreck Island) and Lat. $37^{\circ}15.8'$, Long. $75^{\circ}51.6'$ (New Marsh).

Due to lack of time a Topographic station was not established in these areas. It is not felt necessary to revisit the area to establish these

stations, since many stations (such as Cobb Island Coast Guard Station, Cape Charles Lighthouse) are clearly visible from up to 10 miles.

Photo points 001, 003 thru 009 were used to locate topographic stations and fixed aids.

12. Other Interior Features

Roads used only for access to fields have been labeled "FS", for Farm Service.

There were no bridges or cable clearances required in the area.

All other features were noted on the photos.

13. Geographic Names

Local inquiry disclosed no discrepancies of geographic names in the area.

14. Special Reports and Supplemental Data

Coast Pilot Report - The following changes should be made in "U.S.C.P. 3-Atlantic Coast- Sandy Hook to Cape Henry-Sixth(1953) Edition":

Page 214 - line 43 should read;


A newly dredged channel, with a controlling depth of 3 feet in April 1959, leads from Chesapeake Bay across the southeasterly tip of Cape Charles in to deep water in Magothy Bay. The entrance to this inlet from the Chesapeake Bay is now choked with sand. Surf breaks over the entrance in rough weather along a north-south line through Light "34". Magothy is a village on the west side.....

Page 215 - lines 4-5-6 should be deleted

A power cable overclearance of 19 feet.

A Coast Pilot Report was also submitted under separate cover 7 June 1960. — G.F.W.

Respectfully Submitted
7 June 1960



George F. Wirth, Chief of Party

PHOTOGRAMMETRIC PLOT REPORT
Project Ph-5907
Surveys Nos. T-11697 thru T-11703

21. AREA COVERED

This radial plot covers the total area of surveys Nos. T-11700 through T-11703 and the central and southern portions of surveys Nos. T-11697 through T-11699. These are planimetric surveys along the Atlantic Coast from Cape Charles northward to Sand Shoal Inlet, and extending westward to just west of Magothy Bay.

22. METHOD-RADIAL PLOT

Map Manuscripts:

Vinylite sheets with polyconic projections in black and Virginia State Grid, South Zone in red were furnished by the Washington Office.

The positions of all horizontal control stations and substitute points were plotted on the manuscripts with the Coordinatograph.

A sketch showing the layout of the surveys, distribution of control, and photograph centers is attached to this report.

Photographs:

Thirty (30) nine-lens photographs taken in October 1959 at a scale of 1:10,000 were used in the plot, numbered as follows:

60402 through 60410

60545 through 60560

60586 through 60590

Templets:

Vinylite templets were made for each ^{photograph} ~~templet~~ using the master templet to correct for chamber displacement.

Closure and Adjustment to Control:

The manuscripts for the plot were joined together by matching common grid lines.

The plot was laid directly on the map manuscripts.

The templets for 60555 and 60556 were laid first since they contained the most control. The rest of the flight, 60554 through 60560, was then laid followed by the flight 60586 through 60590. The other two flights were then laid and with very few minor adjustments to the templets a satisfactory plot was constructed. While laying the templets for 60405, 60406, and 60407 it was noted that one control station, SHIP SHOAL ISLAND WHITE PYRAMID NO. 6 1959, which had not been identified by the field party could be office identified. This point was pricked and the station held in the

plot. CHERITON WEBSTER CANNING CO. STACK 1939 and CHERITON WEBSTER CANNING CO. TANK 1939 were also identified in this office and held in the plot. Only one identified control station, SAND SHOAL INLET MIKES SAND BEACON 1933, was not held in the plot.

Transfer of Points:

The positions of all passpoints, photograph centers and radially plotted positions of control were pricked on the top templets and drilled through the templets and map manuscripts.

23. ADEQUACY OF CONTROL

The density and distribution of control was adequate. The field identification of control was good.

One identified control station could not be held in the plot.

SAND SHOAL INLET MIKES SAND BEACON 1933 - The radially plotted position falls approximately 7.8 mm SE of its grid position. This beacon has been identified on nine-lens photograph No. 60546 as SAND SHOAL INLET BLACK BEACON 1934. However, on single lens photograph 59-W-9804 the same image has been identified as an Aid to Navigation, SAND SHOAL INLET MIKES SAND LIGHT. There is no coordinate or geographic position available to this office for SAND SHOAL INLET BLACK BEACON 1934, and also there is no description for SAND SHOAL INLET MIKES SAND BEACON 1933. However, on page 20 of cahier 376 the description for SAND SHOAL INLET BLACK BEACON 1933 recovered 1934 states, "This beacon carried away in storm of August 1933 and since rebuilt. It was relocated by this party in 1934". Since no other beacon appears on the photographs, it is believed that MIKES SAND BEACON 1933 no longer exists and that the radially plotted position is the position of SAND SHOAL INLET BLACK BEACON 1934.

MAGOTHY CHANNEL DAYBEACON NO. 3 1934, had been plotted on the margin of survey T-11700. This station should be considered lost as the only Aid in this vicinity is Ship Shoal Channel to Fisherman's Inlet Light 20 as identified by the field party and also as shown on chart 1222.

The radially plotted positions of two (2) shacks that were identified as landmarks fell so close to the positions of 1959 control that the radially plotted position of the landmarks have not been shown. They are as follows:

SHACK (East Gable) Ht. 21 (23) - Approximately 0.1 mm east of

OLD HOUSE CREEK HOUSE NO. 1 1959.

SHACK (NW Gable) - too close to measure to RED DRUM BRAIN

SHACK NO. 3 1959

24. SUPPLEMENTAL DATA

None used.

25. PHOTOGRAPHY

Adequate.

Respectfully submitted
27 February 1961

H. R. Rudolph
H. R. Rudolph
Carto. (Photo.)

Plotted by ✓ C R Date 11/16/61
Checked by ✓ J M Date 11/16/61

MAP T.....17698.....PROJECT NO.....PH-5907.....SCALE OF MAP.....1:10000.....SCALE FACTOR.....

SCALE OF MAP..... 1:10000

PROJECT NO. A4-5907

MAP T.....11698.....

STATION

SOURCE OF
INFORMATION
(INDEX)

DATUM

LATITUDE OR *y*-COORDINATE
LONGITUDE OR *x*-COORDINATE

DISTANCE FROM GRID IN FEET,
OR PROJECTION LINE IN METERS

FORWARD (BACK)

DATUM	CORRECTION
-------	------------

N.A. 1927 - DATUM
DISTANCE
FROM GRID OR PROJECTION LINE
IN METERS
FORWARD (BACK)

FACTOR DISTANCE
FROM GRID OR PROJECTION LINE
IN METERS

FORWARD (BACK)

ARMSTRONG	1911	VAS	NA	363 281.44	Destroyed	110.72.8.40
ARMSTRONG	1913	VAS	NA	2770 766.82	No 376 Sub P-34	844, 531.39

BOY 1933	49	1927	358	120.87	109, 155, 45 ✓
	VA S ✓				
			2775	265.59	845, 908.62 ✓

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

1 FT. = 3048006 METER	DATE	CHECKED BY	M. 2388-12
304	11/1/61	VCP	11/2/61
COMPUTED BY:			

1 FT. = 3048006 METER
COMPUTED BY:

DATE _____

13/11/11

CHECKED BY: *VER*

1

M-2388-12

Landmarks and aids have been listed on form 567. Transmittals of these forms were made March 27, 1961 by the Baltimore District Office and February 2 and 5, 1962 by Tampa District Office.

38. CONTROL FOR FUTURE SURVEYS

Six forms 524 are being submitted for stations not recovered by the field party. Two are submitted with T-11697, one with T-11698 and 3 with T-11699.

Three topographic stations have been established and are listed under item 49. Forms 524 for two are submitted, one with T-11697, the other with T-11699. The third station is a house gable and no form 524 was submitted.

39. JUNCTIONS

Junctions have been made as follows:

T-11697 junctioned with T-11693 to north, T-11698 to east and T-11700 to south. Manuscript T-11245 in Project PH-119 to west not available for junction.

T-11698 junctioned with T-11694 to north, T-11699 to east, T-11701 to south and T-11697 to west.

T-11699 junctioned with T-11695 to north, open waters to east, T-11702 to south and T-11698 to west.

40. HORIZONTAL AND VERTICAL ACCURACY

No comment.

41 THROUGH 45

Inapplicable.

46. COMPARISON WITH EXISTING MAPS

Comparison has been made with U.S.G.S. CHERITON quadrangle, scale 1:24,000, dated 1955, and U.S.G.S. COBB ISLAND quadrangle, scale 1:24,000, dated 1942.

47. COMPARISON WITH NAUTICAL CHARTS

Comparison has been made with nautical chart 1222, scale 1:80,000, 19th edition, dated December 1961.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

M. M. Slawney
for John C. Richter (in part)
Cartographer (Photo)

Completed by:

William H. Shearouse
William H. Shearouse
Cartographer (Photo.)

APPROVED AND FORWARDED 17 JAN 1964

V. Ralph Sobieralski
V. Ralph Sobieralski
Tampa District Officer

June 22, 1972

GEOGRAPHIC NAMES


FINAL NAME SHEET

PH-5907 (Virginia)


T-11698

Cobb
Cockle Point Creek
Eckichy Channel
Elkins Marsh
Man and Boy Channel
Man and Boy Marsh
Mockhorn Island
New Marsh
New Marsh Channel
Running Channel
Sand Shoal Channel
South Bay
Two Mouths Creek

Approved:


A. Joseph Wraight
Chief Geographer

Prepared by:


Frank W. Pickett
Cartographic Technician

T-11798

49. NOTES FOR THE HYDROGRAPHER

None.

FORM 182 (3-61)		PHOTOGRAMMETRIC OFFICE REVIEW T. 11698		U.S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY	
1. PROJECTION AND GRIDS WHS		2. TITLE WHS		3. MANUSCRIPT NUMBERS WHS	
		4. Classification label Unclassified		4. MANUSCRIPT SIZE WHS	
CONTROL STATIONS	5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY WHS		6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (TOPOGRAPHIC STATIONS) WHS		
	7. PHOTO HYDRO STATIONS XX	8. BENCH MARKS XX	9. PLOTTING OF SEXTANT FIXES XX	10. PHOTOGRAMMETRIC PLOT REPORT MMS	
	11. DETAIL POINTS WHS				
ALONGSHORE AREAS (Nautical Chart Data)	12. SHORELINE WHS	13. LOW-WATER LINE WHS	14. ROCKS, SHOALS, ETC. WHS	15. BRIDGES XX	
	16. AIDS TO NAVIGATION WHS	17. LANDMARKS WHS	18. OTHER ALONGSHORE PHYSICAL FEATURES WHS		
	19. OTHER ALONGSHORE CULTURAL FEATURES WHS				
PHYSICAL FEATURES	20. WATER FEATURES WHS		21. NATURAL GROUND COVER WHS		
	22. PLANETABLE CONTOURS XX		23. STEREOSCOPIC INSTRUMENT CONTOURS XX		
	24. CONTOURS IN GENERAL XX		25. SPOT ELEVATIONS XX		
	26. OTHER PHYSICAL FEATURES WHS				
CULTURAL FEATURES	27. ROADS XX	28. BUILDINGS XX	29. RAILROADS XX		
	30. OTHER CULTURAL FEATURES WHS				
BOUNDARIES	31. BOUNDARY LINES XX		32. PUBLIC LAND LINES XX		
MISCEL- LANEOUS	33. GEOGRAPHIC NAMES WHS		34. JUNCTIONS WHS		
	35. LEGIBILITY OF THE MANUSCRIPT WHS	36. DISCREPANCY OVERLAY XX		37. DESCRIPTIVE REPORT WHS	
	38. FIELD INSPECTION PHOTOGRAPHS WHS		39. FORMS WHS		
	SIGNATURE OF REVIEWER <i>William H. Shearouse</i>		SIGNATURE OF SUPERVISOR REVIEW SECTION OR UNIT <i>William H. Shearouse</i>		
40. FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT - Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted in remarks on reverse side.					
SIGNATURE OF COMPILER			SIGNATURE OF SUPERVISOR		

~~Coast Pilot Branch~~

~~TO BE CHARTED~~
~~TO BE REVIEWED~~
~~TO BE DELETED~~

STRIKE OUT TWO

NON-CASTING AIDS OR LANDMARKS FOR CHARTS

January 29, 1962

Tampa District Office

I recommend that the following objects which have *(hasseous)* been inspected from seaward to determine their value as landmarks be charted on *(deleted from)* the charts indicated.

The positions given have been checked after listing by

R. Dosselt

V. R. Sobleralski Chief of Party.

[illegible]

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and *nonfloating aids* to navigation, if redetermined, shall be reported on this form. Revisions shall show both the old and new positions. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

*** TABULATE SECONDS AND METERS**

USCOMM-DC 27126

Nautical Chart Branch

NONFLOATING AIDS GRADIENT MARKS FOR CHARTS

February 2, 19 62

Tampa District Office

I recommend that the following objects which have ~~(been)~~ been inspected from seaward to determine their value as landmarks be charted on ~~(be based from)~~ the charts indicated.

The positions given have been checked after listing by

Greenland 2 September

I. I. Saperstein

- J. Ralph Sobieralsky, Chief of Police, District 3, San Francisco

[illegible]

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and *nonfloating* aids to navigation, if redetermined, shall be reported on this form. Revisions shall show both the old and new positions. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

† TABULATE SECONDS AND METERS

1108507

A. H. Goldberg

Chief of Party.

*** TABULATE SECONDS AND METERS**

REVIEW REPORT T-11698

SHORELINE

December 7, 1973

61. GENERAL STATEMENT

See Summary on page 6 of this Descriptive Report.

An ozalid comparison print, showing differences noted in Par. 62, is bound with the original of this report.

Map sources used in Par. 62 and Par. 63 were compared with each other. No differences were found to exist between the two maps.

T-11698 supersedes previous topographic surveys for nautical chart construction purposes.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

A comparison was made with Survey T-8178, 1:20,000 scale, dated 1942. Significant differences were shown in blue on the comparison print.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with USGS Quadrangle COBB ISLAND, VA, 1:24,000 scale, dated 1942. Differences noted were the same as noted on T-8178 and were shown on the comparison print with the same blue line.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

No contemporary hydrographic surveys were available for comparison.

65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with Chart 1222, 1:80,000 scale, 36th edition, dated June 30, 1973. No significant shoreline differences were noted. Names and numbers of fixed aids to navigation have been changed. They are shown on T-11698 as they existed in May, 1960.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with project instructions and meets the requirements for the National Standards of Map Accuracy.

Reviewed by:

Charles H. Bishop

Charles H. Bishop
Cartographer

Approved for forwarding:

Jeff Carlen

Jeffrey G. Carlen, CDR, NOAA
Chief, Coastal Mapping Division, AMC

Approved:

Alfred C. Holmes

Alfred C. Holmes, RADM, NOAA
Director, Atlantic Marine Center

Approved:

AKA [Signature]


Chief, Photogrammetric Branch

James Collins

Chief, Coastal Mapping Division

COMPARISON PRINT

Blue - T-8178 & USGS



75° 52'

30

COMPARISON PRINT

Blue = T-8178 & USGS

SAND SHOAL CHANNEL DAYBEACON 7, 1960

y=360.000 FT.

17'30"

37'17'

y=355.000 FT.

16'30"

mud

mud

mud and shells

mud

mud

mud

mud

N
O

N
E
W

T-11698

1:10,000

75° 51'

56' 30"

31'

mud

COMPARISON PRINT

Blue = T-8178 & USGS

RUNNING CHANNEL

mud

62-W-3926

MAN

16' 30"

mud

mud

mud

NOTE:

"The photogrammetric location and delineation offshore from the mean high-water line on the map may not be complete or final. The contour lines shown are based on the reviewed hydrographic survey of the area which should be consulted for the final delineation."

37° 16'

T-11698
1:10,000


62-W-3927

62-W-3925

49°30"

75°49'

32



mud

MAN AND BOY CHANNEL

shells

37°17'

COMPARISON PRINT

Blue - T-8178 & USGS

BOY MARSH

mud

Oys

mud

60547

mud

62-W-4018

mud

mud

Oys

mud


mud

mud

oyster beds

T-11698
1:10,000

f features
survey
orary
e available,
ion."



COMPARISON PRINT
Blue = T-8178 & USGS

51'

$x=2,770,000$

51'30"

52'

$x=2,765,000$ FT.

75°52'30"

37°15'00"

$=345,000$ FT.


15'30"

Recon
Recon
Appr
The li
appro
Date
Date
Date
Date
Date

Class II Map

This map is based on aerotriangulation that meets the requirements for National Standards of Map Accuracy and a pre-compilation field inspection of the mapping photography. It is subject to correction by field edit and final review. Landmarks and aids to navigation were investigated during field inspection.

INDEX TO ADJOINING SHEET
PROJECT-5907



T-11698
1:10,000