

11869 (2)

11869(2)

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline (Revision)
Job No. ..PH-6702..... Map No. T-11869(2)
Classification No. Edition No. ...2.....
FIELD EDITED MAP * See below

LOCALITY

State California.....
General Locality ..Pacific..Ocean..Coastline..
Locality ..Bas..Flores.....

~~1972 TO 1975~~
1966 TO 1972

REGISTRY IN ARCHIVES

DATE

★ U.S. GOVERNMENT PRINTING OFFICE: 1973-761-775

* Mean high water and mean lower low water
lines delineated from office interpretation
of the photographs. Scope of map revision
outlined in SUMMARY.

TYPE OF SURVEY

- ☐ ORIGINAL
☐ RESURVEY
☒ REVISED

SURVEY T-11869(2)MAP EDITION NO. (2)

MAP CLASS

JOB PH. 6702

DESCRIPTIVE REPORT - DATA RECORD

PHOTOGRAMMETRIC OFFICE

Atlantic Marine Center

OFFICER-IN-CHARGE

Alfred C. Holmes, Director

LAST PRECEDING MAP EDITION

TYPE OF SURVEY

- ☐ ORIGINAL
☐ RESURVEY
☐ REVISED

JOB PH. 6011MAP CLASS FIELD EDITED

SURVEY DATES:

19 60 TO 19 62

I. INSTRUCTIONS DATED

1. OFFICE

Revision Compilation 8/23/66
Revision Compilation Amend #1 12/8/66
Revision Compilation Amend #2 2/17/67
Revision Compilation Amend #3 12/7/67
Revision Compilation Amend #4 8/10/72
" " " #5 9/23/74

2. FIELD

FIELD EDIT, dated Sept. 2, 1969
FIELD - SUPP. 1, dated Feb. 25, 1972
FIELD EDIT INSTRUCTIONS included
in OPR (Hydro) Instructions

II. DATUMS

1. HORIZONTAL:

☒ 1927 NORTH AMERICAN

OTHER (Specify)

2. VERTICAL:

☒ MEAN HIGH-WATER
☐ MEAN LOW-WATER
☒ MEAN LOWER LOW-WATER
☐ MEAN SEA LEVEL

OTHER (Specify)

3. MAP PROJECTION

Polyconic

4. GRID(S)

STATE
CaliforniaZONE
6

5. SCALE

1:10,000

STATE

ZONE

III. HISTORY OF OFFICE OPERATIONS

OPERATIONS		NAME	DATE
1. AEROTRIANGULATION	BY	See Project Completion	
METHOD: None	LANDMARKS AND AIDS BY	Report	Mar, 1968
2. CONTROL AND BRIDGE POINTS	PLOTTED BY	See Project Completion	
METHOD: None	CHECKED BY	Report	Mar, 1968
3. STEREOSCOPIC INSTRUMENT	PLANIMETRY BY	NA	
COMPILATION	CHECKED BY	NA	
INSTRUMENT: None	CONTOURS BY	NA	
SCALE:	CHECKED BY	NA	
4. MANUSCRIPT DELINEATION	PLANIMETRY BY	B. Wilson	Mar, 1968
	CHECKED BY	R. Pate	Mar, 1968
	CONTOURS BY	NA	
	CHECKED BY	NA	
METHOD: Graphic	HYDRO SUPPORT DATA BY	B. Wilson	Mar, 1968
SCALE: 1:10,000	CHECKED BY	R. Pate	Mar, 1968
5. OFFICE INSPECTION PRIOR TO FIELD EDIT	BY	R. Pate	Mar, 1968
6. APPLICATION OF FIELD EDIT DATA	BY	L. Neterer, Jr. * See	Jul, 1972
	CHECKED BY	R. White below	Jul, 1972
7. COMPILATION SECTION REVIEW	BY	R. White	Jul, 1972
8. FINAL REVIEW	BY	Bernard Kurs, AMC * *	Feb, 1975
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH	BY	* No record of application of 1970	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH	BY	field edit data (refer page 3, 12 & 16)	SB Apr. 1975
11. MAP REGISTERED - COASTAL SURVEY SECTION	BY	R. Cator	JULY 1975

* * Refer to Summary, page 6, concerning revision work by B. Kurs in 1974 and 1975

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "S"		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR X (P) PANCHROMATIC (I) INFRARED X		ZONE	<input checked="" type="checkbox"/> STANDARD
<input checked="" type="checkbox"/> PREDICTED TIDES (1966 Photography) * <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY 1972 Photography See Remarks				MERIDIAN	<input type="checkbox"/> DAYLIGHT
				8th	120th
NUMBER AND TYPE	DATE	TIME (mean)	SCALE	STAGE OF TIDE	
66S-4682I and 4683I	8/7/66	13:11 PST	1:30,000	0.3 ft. below MHW	
66S-4694I and 4695I	8/7/66	13:11 PST	1:30,000	0.3 ft. below MHW	
66S(C)-4537A - 4541A	8/7/66		1:20,000		
72-L-2427R - 2431R	3/23/72	13:00 PST	1:20,000	MLLW (0.0 ft.)	

REMARKS TIDE STATION FOR 1972 PHOTOGRAPHY - OCEARNSIDE, CALIF.
* THE 1966 PHOTOGRAPHY USED IN THE FIRST REVISION ACTIVITY (Class III Manuscript)

2. SOURCE OF MEAN HIGH-WATER LINE:

1:20,000 scale infrared photography, dated March 23, 1972 (listed above)
Note: Line office interpreted subsequent to field edit.

3. SOURCE OF MEAN LOWER LOW-WATER LINE:

1:20,000 infrared photography, dated March 23, 1972 (listed above)
Note: Line office interpreted subsequent to field edit.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
T-11868	No survey	T-11870	No survey

REMARKS

HISTORY OF FIELD OPERATIONS

* See below

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	G.E. Haraden, CAPT	Mar., 1972
2. HORIZONTAL CONTROL	RECOVERED BY H.W. Herz-G.E. Haraden	4/70-3/72
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY G.H. Endrud	May, 1970
	LOCATED (Field Methods) BY N.W. Wright-N.W. Franklin	12/71-3/72
	IDENTIFIED BY	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY H.W. Herz	Apr., 1970
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY R.B. Melby-L.L. Riggers	Mar., 1972

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED None	2. VERTICAL CONTROL IDENTIFIED N.A.		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
	No Form 76-36C available. Field edit accomplished in 1970 (refer to pages 2 & 16) * THIS COMPOSITE, REFLECTING SEPARATE OPERATIONS (1970 & 1972) WAS APPARENTLY PREPARED BY THE COMPILATION ACTIVITY		

3. PHOTO NUMBERS (Clarification of details)

None

(See page 16)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
Not Ident.	CAMP PENDLETON NORTH LIGHT		
Not Ident.	CAMP PENDLETON SOUTH LIGHT		
See page 2 and Form 76-36C (page 20) See Forms 76-40 (pages 26 & 27)			

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Field Edit Ozalid

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation Complete	Dec, 1963	Superseded		
Shoreline Revised for Hydro	Mar, 1968	CLASSIFIED - RS-SURVEY (CLASS III MANUSCRIPT) Superseded	APRIL 1968	DATE
APRIL 1970 FIELD EDIT APPLIED	DATE UNKNOWN	RECLASSIFIED - 2ND MAP EDITION	in Sept 1969	UNKNOWN
March 1972 Field Edit Applied	Jul, 1972	(CLASS I MANUSCRIPT) Superseded	NONE	NONE
Final Review	Feb, 1975			

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
			See Forms 76-40, pages 26 & 27

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____
3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. ☐ BRIDGING PHOTOGRAPHS; ☐ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.
2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____
- FIELD EDIT OZALID
F.E. PHOTOS (1970) - REFER TO F.E. REPORT FOR 1970 WORK

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



OFFICIAL MILEAGE
For Cost Accounts---

Sheet Nos.	Area Sq. Mi.
T-11864 (2)	2
T-11865 (2)	1
T-11866 (2)	3
T-11867 (2)	3
T-11868 (2)	1
T-11869 (2)	3
T-11870 (2)	3
T-11871 (2)	3
T-11872 (2)	2
T-11873 (2)	2
T-11874 (2)	2
T-11875 (2)	2
T-11876 (2)	3
T-11877 (2)	6
T-11878 (2)	2
T-11879 (2)	5
T-11881 (2)	2
T-11882 (2)	4
T-11892 (2)	5
T-11893 (2)	2
Total	56

JOB PH - 6702
CALIFORNIA COAST
MEXICO TO
DANA POINT

REVISION OF
SHORELINE MAPPING
SCALE, 1:10,000

⑥

Summary (Revised) to Accompany Descriptive Reports
Job PH-6702

This job consists of twenty 1:10,000-scale revised shoreline maps covering the area from Dana Point, California, to the Mexican border. The original (registered) maps were produced as a part of PH-6011.

Revision, using 1966 photography, by graphic method, was accomplished by the Coastal Mapping Section, AMC, during 1967 and 1968.

As indicated in Descriptive Report records, copies of the twenty (20) Class III map manuscripts were furnished to the Marine Chart Division in 1968. At that time the map manuscripts were designated as "RS" manuscripts (Nos. 842 through 861).

Field edit was accomplished from 1968 to 1972. In September 1969 the 20 map manuscripts were redesignated as second editions of the original registered maps (produced as a part of PH-6011).

All field edit data was applied by the Coastal Mapping Section, AMC.

Revision of the Class I (field edited) manuscripts with tide-coordinated infrared photographs taken in 1972 was originally assigned to the Revision Survey Section, Rockville. This work was completed by the final review activity, AMC, in 1974 and 1975.

Interior details were revised in Rockville; the MHW line and features seaward from the line (including the MLLW line) were revised at the AMC. Interior features were not examined by the final review activity (AMC).

Comments concerning application of the 1972 tide-coordinated photographs to the map manuscripts, which were included in the "Summary" prepared by the final reviewer follow: "Revision was by graphic methods. In places where 1972 photography could not be held to previous control or planimetry, additional control, using common points with 1966 photography, were cut in to control the infrared photographs".

"In comparison with (those) contemporary hydrographic survey sheets (available the time of final review) it was found that the soundings stopped at the breaker line, leaving no conflicts with the photogrammetric surveys. Most of the foreshore area consisted of sand, pebbles, and boulders with the exception of the Point Loma area. This is an inherent stable shoreline extensively made up of ledge on the seaward site. Since

breakers are almost continuous throughout the project, the seaward limits of the ledges, (the MLLW line) were difficult to determine. However, it is felt by the reviewer that they are adequate (as shown). These limits were not determined by the field editor."

There was considerable surf action at the time of photography. The interpretation and delineation of the MHW and MLLW lines were not verified during the examination of job data by the quality control activity, Rockville. Based on an earlier examination of the photography in Rockville and the final reviewer's evaluation, above, these lines are considered adequate for nautical navigational purposes. Photographs taken when there is less surf action or photographs supplemented by foreshore profiles are required for a more accurate determination of these lines.

Conflicts in recorded information as well as omissions of information were found to exist in records upon examination of the Descriptive Reports and the Job Completion Report in the Rockville Office. It is believed that this resulted from (1) the long operational period for the job, (2) the division of responsibilities between several activities and the several field edit operations for some maps in the job. Some records were lost. The Descriptive Reports and Job Completion Report Records were corrected insofar as practicable during this examination.

No record for the submission of Form 76-40 (Landmarks and Aids to Navigation) to the Marine Chart Division was found. Available forms were submitted to the Marine Chart Division in April 1975.

Att. Charles Smith

8

FIELD INSPECTION REPORT

There was no field inspection prior to compilation.

(9)

REVISION REPORT
PH-6702
DANA POINT, CALIF. TO MEXICO

Twenty manuscripts were revised and photo hydrographic support data were prepared. Work was started at the south end of the project and progressed to the north.

PHOTOGRAPHY

All revision was by graphic methods using photography taken in 1966 with the "S" type camera. These were 1:30,000 scale with infrared at mean high water and 1:20,000 scale color at mean lower low water. Some difficulty was noted in defining the exact centers of the ratio prints from the M.L.L.W. color photography. (See attached "Notes for the Hydrographer" explaining this deficiency and Resolution.)

CONTROL

Direct or stereo transfer of identifiable horizontal control (triangulation, original bridge pass points, landmarks and/or aids) was made from any remaining original photography (office of field prints) to the 1966 color ratios and infrared ratios. The infrared ratios were first determined from points common to the manuscripts and the infrared contact prints. These ratios (in cronapaque only) were then processed and new points intersected common to the color contact prints. These distances then determined the ratio factor for the color ratios (in black and white).

In areas of the project where control such as identifiable triangulation stations, original bridge pass points, or landmarks and/or aids, were scarce or no longer in existence for transfer to the new photography; an alternative method of identifying common points of details was used. i.e.: Street intersections, R.R. and street crossings, or any other well defined point of detail.

SHORELINE AND ALONGSHORE DETAILS:

In as much as project instructions called for shoreline revision only, with a few exceptions, such as new landmarks, and new highways within the compilation limits; the M.L.L.W.L., foreshore area, and alongshore area was revised from the M.L.L.W. photos. The M.H.W.L. was revised from the infrared photos. All revisions were made in red plastic ink, office reviewed and appropriate data prepared for hydro support and further field edit. Nine survey sheets, with hydro support data and edit ozalids have been forwarded to the Pacific Marine Center. Of these, only two have been returned with pertinent field edit data. They are T-11892 and T-11893. * See below (See attached copies of transmittals.) One cronaflex copy and one ozalid copy of each of the twenty revised sheets have also been forwarded to Mr. Lewis Evans, III for his files.

* all manuscripts were designated as "RS" surveys at that time.

(10)

The remaining eleven revised surveys, with all hydro support data were forwarded to Mr. Fitzgerald's office for storage until future ship assignment. All remaining data is forwarded to Mr. Wolfe for adequate and safe storage.

LANDMARKS AND AIDS

Two new landmarks were photogrammetrically established. They are: Standpipe, 1966 on T-11873, and Tank, 1966 on T-11872. These were identified on original field inspection photos 60-S-456A and 60-S-516A, dated 12/8/61 and 12/1/61. Neither were delineated on the original compilations, nor were they previously charted. Forms 567 were requested of any future field edit party.

FINAL REVIEW

All twenty surveys or manuscripts are subject to a final review and completion of reports, after application of any future field edit. Further scribing or smooth draft for final registration in Bureau Archives is a subject for future discussion and decision.

Submitted by

Albert C. Rauck, Jr.

Albert C. Rauck, Jr.
Supervisory Cartographer
Coastal Mapping
Atlantic Marine Center,
Norfolk, Virginia

March 29, 1968

11

PROJECT SUMMARY

This revision of PH-6011, under revision instructions for PH-6702, consisted of 20 shoreline manuscripts. These "Manuscripts" were black-line impressions on vinylite of the original PH-6011 smooth drafted surveys.

The purpose of this project was to revise the "New Base" manuscripts graphically with new 1966 photography and to provide new hydrographic support data.

Albert C. Rauck, Jr.
Albert C. Rauck, Jr.
Supervisory Cartographer

DANA POINT, CALIFORNIA TO MEXICO

ADDENDUM TO COMPLETION REPORT - FIELD EDIT

The field edit of these 20 revised map manuscripts was accomplished during the field seasons from February 1970 through March 1972.

The following tabulated list of manuscripts indicate dates of edit and application.

<u>Map No.</u>	<u>Date of Field Edit</u>	<u>Date of Application</u>
T-11864	March, 1972	July, 1972
T-11865	March, 1972	July, 1972
T-11866	March, 1972	July, 1972
T-11867	March, 1972	July, 1972
T-11868	March, 1972	July, 1972
T-11869	March-April 1970, March 1972 *	July, 1972
T-11870	Mar.-Apr. May, 1970, Dec. 1971	July, 1972
T-11871	Mar.-Apr. May, 1970, Dec. 1971	July, 1972
T-11872	March-April, 1970	July, 1972
T-11873	March-April, 1970, Dec. 1971	July, 1972
T-11874	March-April, 1970,	July, 1972
T-11875	Feb. 1970	July, 1972
T-11876	Feb. Mar. Apr. 1970, Feb. 1968	Dec. 1968 and Aug. 1972
T-11877	Feb. Mar. Apr. 1970	April 1968 and July 1972
T-11878	Feb. Mar. Apr. 1970, Feb. 1968	April 1968 and July 1972
T-11879	Feb. 1970, Feb. 1968	Dec. 1968 and July 1972
T-11881	Feb. 1970, Feb. 1968	Dec. 1968 and July 1972
T-11892	Feb. 1970, Feb. 1968	May 1967, Dec. 1968 Aug. 1972
T-11893	Feb. 1970, Feb. 1968	May 1967, Dec. 1968 Aug. 1972

*OK See below *
it is believed that
the 1970 EDIT DATA
WAS APPLIED EARLIER*

Field edit was applied from data furnished on the field edit ozalids and the field ratio photographs. Landmarks and non-floating aids to navigation, when photo identified or when positions were determined by field methods, were plotted or verified on each map.

There are 12 form 76-40 and 5 form 567 submitted by the various field edit parties throughout the several field seasons. Those which were out of the project limits, were not plotted and the forms were so indicated.

** No 2 to Summary Page (Form 76-40) is included in the Descriptive Report for the field edit accomplished in 1970. Field Edit Reports for both the 1970 and 1972 work are included. The final reviewer noted in "Addendum to the Summary" (Job Completion Report) that only one Field Edit Sheet was found. This is apparently a composite reflecting both edit operations.*

Both Field Edit Reports mention the location of two aids to navigation. Copies of Form 76-40 are included in this Descriptive Report. Apparently the field editor (1972) verified data for mapping the aids shown on the Field Edit Sheet by the editor in 1970. (refer to Field Edit Sheet).

During the intervening years of the span of field seasons, there were duplications of forms for landmarks and/or aids, and many aids were moved or renamed. An attempt to clarify these items, necessitated pencil notations on the forms as an assist to the Chart Revision Section if future revision is to be necessary. The field editor of March, 1972, made reference to 1972 photography, which was not made available to the Atlantic Marine Center. It is believed that these photos will be utilized to further revise the M.H.W.L.

There were many Triangulation Stations recovered during the field seasons. Forms 526 were submitted by the field editors and these were checked against those control stations previously plotted on the maps. Those for which no positions were available were not plotted, as no geodetic control was furnished the AMC compilation office during the revision of this project.

Several measured distances to the MHWL were given by the field editor. These could not be used, when drastic changes were indicated and it was deemed advisable to have these incorporated with future revision from the 1972 photographs. A few of the measurements were in agreement with the 1966 revised MHWL.

The most noted difficulty encountered in applying the field edit, concerned the location of lights and beacons on Map T-11882. The field editor submitted form 567 for a group of non-floating aids in Glorietta Bay and Coronado Cay Channel for which he gave no positions.

The lights in these areas are triangulated and the beacons were located by sextant fixes from the lights, but without the geodetic positions of the lights, the beacons could not be plotted.

There is an overlap of 1'15" in longitude between Map T-11864 of Project PH-6702 and Map TP-00415 of Project PH-7107. This was necessary due to the change of format size between the projects.

Shoreline and other details were made to agree in the overlap junction by delineating T-11864 to conform with TP-00415 which was compiled with later photography.

Submitted by:

Albert C. Rauck, Jr.

Albert C. Rauck, Jr.
Supervisory Cartographer
Coastal Mapping Division
Atlantic Marine Center
Norfolk, VA 23510
August 9, 1972

26 August 1974

GEOGRAPHIC NAMES

FINAL NAME SHEET

Ph-6702 (Southern California Coastline)

T-11869 (2)

Atchison Topeka and Santa Fe (RR)

Camp Joseph H. Pendleton Naval Reservation

Cockleburrr Canyon

Don

Gulf of Santa Catalina

Las Flores


Las Flores Creek

Las Flores Mission

Pacific Ocean

Stuart

Approved by:


Chas. E. Harrington
Staff Geographer-C51x2

49. NOTES FOR THE HYDROGRAPH

Two sets of photographs were used in the compilation of the revised shoreline on these surveys.

One set of infrared photographs at MLM were used in the delineation of the MLM line. The second set, in color, were taken at MLM and were used only for the delineation of the MLM line and other low water features. Both sets of photos were ratioed to the scale of the maps.

Some difficulty was encountered in defining the exact centers of the ratio photos made from the MLM color photos which are furnished to you. The original photos were of such quality that the fiducial marks did not produce well and did not appear on the contact prints nor the ratioed prints. Several attempts or methods were made to define these fiducial marks, but without success. It was, therefore, necessary to locate these photo centers by a method that at best is only approximate. This information is made available to you, should you encounter any difficulty in laying these photos to their respective centers on the map sheets while "cutting in" your photo hydro stations.

Appropriate notes will be found on the "FIELD EDIT OZALID" calling your attention to items in need of further clarification and/or edit.

(16)

FIELD EDIT REPORT
MAP T-11869
Southern California
OPR-411
April 1970

Field edit of map T-11869 was done by Ens. Howard W. Herz in April, 1970.

METHOD

Field photographs and a copy of the field edit ozalid were taken into the field. Verification was done primarily by visual inspection in the field and on foot from a vehicle. The MHWL was paced and distances are given to the base of the bluff in all cases. Specific items of question, as listed on the field edit ozalid, were visited for verification. Landmarks were identified and listed on the accompanying Form 567.

Notes have been made in violet on the field photographs and have been cross-referenced on the field edit ozalid by circling the photograph numbers. Notes have been made on the following photographs:

66 S 4537 A
66 S 4538 A
66 S 4539 A
66 S 4540 A

Answers to questions are written on the field edit ozalid in blue pencil.

ADEQUACY OF COMPILATION

Compilation of this map appears to be adequate. Field inspection of this map is complete.

(17)


RECOMMENDATIONS

It is recommended that the map be revised in accordance with the notes on the photographs and the ozalid, and that the map be accepted as an advance manuscript.

LOCATION OF LIGHTS

As requested, lights located near stations DON, 1933 and SPADE, 1887 have been located. Sketches of the relative positions of the lights have been included. Location was made by sextant angles and tape measurements. The lights have been listed on Form 567.

Respectfully submitted,


Howard W. Herz
Ens., USESSA

18

FIELD EDIT REPORT

OPR-411 1972

T-11864^{THEO} - T-11869, TP-00415

SOUTHERN CALIFORNIA COAST

DANA POINT TO OCEANSIDE

NOAA SHIP RAINIER

G.E. HARADEN, CAPT, NOAA

COMMANDING

CONTENTS

INTRODUCTION.....

ADEQUACY OF COMPILATION.....

DISCUSSION & RECOMMENDATIONS.....

SKETCH SHOWING FIELD EDIT AREA.....

RECOVERY NOTES.....

NOAA FORM 76-40, NONFLOATING AIDS OR LANDMARKS
FOR CHARTS.....

APPROVAL SHEET.....

INTRODUCTION

The enclosed field edit was accomplished primarily by Mr. R.B. Melby and Mr. L.L. Riggers 16-20 March 1972 (J.D. 076-080). Additional details seaward of the high water line were added from hydrographic surveys H-9275, H-9276, and H-9277, NOAA Ship RAINIER.

The field edit was started at Camp Pendleton north of Oceanside, California on field edit ozalid T-11869, in latitude 33° 15' 00"N, to join the field edit done by the NOAA Ship DAVIDSON in 1970. The field edit extends northward including manuscripts T-11869, T-11868, T-11867, T-11866, T-11865, T-11864, and terminates on TP-00415 in latitude 33° 30' 00"N north of Dana Point, California. All additions and corrections are noted in blue, orange, and purple on the field edit ozalids. Deletions from the ozalids are noted in green. Photos used in this edit were from color cronopaques from PH-1707 and black and white matte ratios from PH-6702.

The field edit was conducted from land with additional notes added by the hydrographer. Values given for distances from the MHWL and heights of rocks were estimated. All time references are 120°W longitude.

ADEQUACY OF COMPILATION

In general the compilation of the manuscripts was very complete. Any discrepancies are noted on the field edit ozalids. For final compilation of the manuscripts, photos from PH-6702, 1972 should be used. These will show the completed configuration of the Interstate Highway (I-5) which will appear on all of the map manuscripts edited.

DISCUSSION AND RECOMMENDATIONS

T-11869⁽²⁾

The beach in this area is sand with scattered pebbles and stones. The majority of the beach is backed by a high bluff from 30-60 meters from the MHWL. Notes for the location of Camp Pendleton South Light and Camp

Pendleton North Light are shown on the ~~manuscript~~ ^{field edit sheet (refer to footnote page 12)}. For further information see NOAA Form 76-40 in the appendix. The Interstate Highway (I-5) shown under construction is now complete and compilation should be taken from PH-6702, 1972. A submerged rock covered 2.6 fathoms at 1113 3/14/72 (120°W), was found in Lat. 33° 18.7' and Long 117° 29.8' and two submerged rocks, covered 3.3 fathoms at 1532 4/14/72 (120°W) were found in Lat. 33° 17.3' and Long. 117° 28.6' by the hydrographer.

T-11868 (2)

The beach area is sand with scattered pebbles and stones. No kelp or dangers to navigation are in this area. Triangulation station RED WATER TANK WEST OF FLORES RR SIDING, 1933 has been removed and should be deleted from the manuscript.

T-11867 (2)

The shoreline in this area is sand and gravel with intermittent boulders. The rock shown in Lat. 33° 20' 17"N, Long. 117° 30' 41"W was not found by the hydrographer or the field editor and should be deleted from the manuscript. A rock was observed in the surf zone at Lat. 33° 20' 55"N, Long. 117° 31' 40"W at 1520 on 17 March 1972 (Time Ref. 120°W). A submerged rock was located in Lat. 33° 18.7'N, Long 117° 29.8'W. A least depth of 2.6 fathoms was observed in an area of 5.0 fathoms at 1113, 14 March 1972.

The large white spherical roof of the San Onofre Nuclear Power Plant, labeled as "DOME" on the manuscript is a valuable landmark as it provides an excellent navigational aid. A small smaller circular building with a white curved roof east of the dome also provides a good landmark. This building is adequately mapped on the manuscript.

Two obstructions exist in Lat. 33° 21' 45"N, Long. 117° 33' 45"W (For reference see pre-survey review item No. 3 D.E.W. 11/10/69, or survey H-9275). These obstructions are the intake and discharge structures for the San Onofre Nuclear Power Plant. Leadline soundings were used to determine the intake least depth of 2.3 fathoms at 1005 on 19 March 1972. The intake appeared to be a covered structure in Lat. 33° 21' 43"N, Long. 117° 33' 47"W. The intake is marked by a red naviga-

tion buoy (Lighted, white, qk. Fl.). Soundings on the discharge indicated a least depth of 2.1 fathoms at 1125 on 19 March 1972. The structure is open and discharging upward causing a significant outward current from the structure in Lat. 33° 21' 48"N, Long. 117° 33' 43"W. Although the general depth in the area of the discharge structure is 4 fathoms, the fathogram indicates that the discharge itself comes from a depth of 8.4 fathoms, being the depth at which the discharge carrier is buried. The structure is marked by a white navigation buoy with a red horizontal stripe. (See NOAA Form 76-40 in Appendix).

The ledge areas indicated on T-11867 in Lat. 33° 22' 20"N do not exist and should be deleted from the manuscript. These are stone and pebble patches in the sand.

The area south of the San Onofre Nuclear Power Plant is now the San Onofre State Beach. For further information contact:

California Dept. of Parks and Recreation
P.O. Box 2390
Sacramento, California 95811

ATTN: Mr. George Rackelman

T-11866 (2)

The foreshore area is made up of sand and pebbles. Kelp and foul areas exist as indicated on the field edit ozalid. Triangulation station WATER TANK 3/4 MILE NORTH OF SAN ONOFRE RR DEPOT, 1933 has been removed and should be deleted from the manuscript. An area of kelp at Lat. 33° 22' 8" and Long. 117° 36.3' has been delineated on the manuscript. Kelp in this area cannot be seen on the photograph.

T-11865 (2)

The beach in this area is made up of sand and pebbles. Kelp and rocks are as shown on the field edit ozalid. For rock heights see photo 4498.

(2)
T-11864, TP-00415

The foreshore area on these sheets is made up of sand, gravel and boulders. Several triangulation stations and other coastal features have been removed as shown on the field edit ozalid.

Some compilation differences have been noticed on the overlapping areas of these sheets, T-11864 (1968), TP-00415 (1971). Since construction activity in this area has been significant only the most recent photos should be used. For shoreline use photo 71L1505 and 71L1506 or photos taken in 1972. The new boat slips in Dana Pt. Harbor will appear on March 1972 infrared MLLW photography. Also, these slips have been shown on the boatsheet for H-9274 (RA-5-1-72).

It should be noted that the rocks shown on T-11864 in Lat. $33^{\circ} 26.7'$ between Long. $117^{\circ} 39.4'$ and $117^{\circ} 40.0'W$ were not verified on this field edit. Since hydrography has not been accomplished in this area, it is recommended that the hydrographer verify these rocks as soon as possible.

Respectfully submitted,

Nelson M. Franklin

Nelson M. Franklin
LTjg, NOAA

REVIEW REPORT

T-11869(2)

Feb., 1975

61. GENERAL STATEMENT:

See Summary which is included in the Descriptive Report.

62. COMPARISON WITH REGISTERED SURVEYS:

Comparison was made with two prior registered surveys, at 1:10,000 scale. T-11869, final reviewed in 1965 has no significant shoreline differences. The interior now has the San Diego Freeway added. T-5414, using 1934 photography is the same as the above.

T-11869(2) supersedes the two previous mentioned surveys and should be used for nautical chart construction.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A visual comparison was made with U.S.G.S. Quadrangle Las Pulgas Canyon, California. The Quad. is at 1:24,000 scale and dated 1968. There is good general agreement.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

None available at this time.

65. COMPARISON WITH NAUTICAL CHARTS:

Visual comparison was made with chart 5101, dated Oct. 6, 1973, at 1:234,270 scale. The scale of the chart precludes any real comparison.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This survey complies with project instructions and meets the National Standards of Map Accuracy. Refer to SUMMARY, page 6.

25

Reviewed by:

Bernard Kurs

Bernard Kurs
Cartographer

Approved for forwarding:

Victor E. Serena

Victor E. Serena
Chief, Photogrammetric Branch, AMC

Approved:

W. H. H. H. H.

Chief, Photogrammetric Branch, B

Wesley Hull

Chief, Coastal Mapping Div.

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

TO BE CHARTED
TO BE REVISED
TO BE DELETED

STRIKE OUT TWO

19 May 1970

I recommend that the following objects which have ~~(been)~~ been inspected from seaward to determine their value as landmarks be charted on ~~(detached from)~~ the charts indicated.

The positions given have been checked after listing by G. H. F.

Ray E. Moses
Cdr. Ray E. Moses

Chief of Party.

STATE	CHARTING NAME	DESCRIPTION	SIGNAL NAME	POSITION						METHOD OF LOCATION AND SURVEY No.	DATE OF LOCATION	HARBOR CHART	INSHORE CHART	OFFSHORE CHART	CHARTS AFFECTED
				LATITUDE *		LONGITUDE *		DATUM							
				° ' "	D. M. METERS	° ' "	D. M. METERS								
CAMP PENDLETON	SOUTH LIGHT	Wooden tower located on bluff		33 15	793.	117 26	209.	NA	1927	T-11869	1970	X			5101
		Fl. W., 4s Listed as light													
		No. 7.03 in Vol. III, Light													
		List of the Pacific Coast & Pacific Is. Height above water 53 ft.													
CAMP PENDLETON	SOUTH LIGHT <i>North</i>	Wooden tower located on bluff. Fl. W., 6s(15fl.)		33 18	1183.	117 28	1408.	NA	1927	T-11869	1970	X			5101
		Listed as light No. 7.05													
		in vol. III, Light List of the Pacific Coast & Pacific Is.													
		Height above water 63 feet.													
<i>Copy of forms submitted to NED at time of the Rockville</i>															
<i>Office examination, April 1975</i>															
<i>(See Page 27)</i>															

This form shall be prepared in accordance with Hydrographic Manual, Publication 20.2, Sec. 1-55, 2-39, 6-36, 7-18 to 22 inclusive, and Fig. 79. Positions of charted landmarks and *nonfloating aids* to navigation, if redetermined, shall be reported on this form. Revisions shall show both the old and new positions. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

* TABULATE SECONDS AND METERS

NOAA FORM 12-71

PRESCRIBED BY

PHOTOGRAMMETRY INSTRUCTION NO. 64.

U.S. DEPARTMENT OF COMMERCE-NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

☒ TO BE CHARTED
☐ TO BE DELETEDORIGINAL INSPECTION
NOAA SHIP RAINIER

DATE 3/20/72

ORIGINATING ACTIVITY

☐ FIELD INSPECTION☒ FIELD EDIT☐ COMPILATION☐ FINAL REVIEW☐ QUALITY CONTROL AND REVIEW
(See reverse for responsible personnel)

The following objects have (have not) been inspected from seaward to determine their value as landmarks:

JOB NUMBER
PHX

OPR-411

SURVEY NUMBER
T-11889

TP-

STATE:

DATUM
NA-1927

POSITION

METHOD AND DATE OF LOCATION
(See instructions on reverse of this form)CHARTING
NAME

DESCRIPTION

0

LATITUDE

DM. METERS

0

LONGITUDE

DM. METERS

FIELD
INSPECTION

COMPILATION

FIELD EDIT

CHARTS
AFFECTEDLight
List #7.03
Camp Pendelton
South Light

33 15 25.75 117 26 8.07

3/16/72

F.1

C&GS
5101Light
List #7.05
Camp Pendelton
North Light

33 18 38.40 117 28 54.43

3/16/72

F.1

C&GS
5101Field verification of previous
Field position (see page 26)

NMC

27