11875(2)



NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreli	ue (KEnieroM)
Job No. PH-6702	Map No. T-11875(2)
Classification No. FIELO EDITED HAP X See below	Edition No2
LOCALIT	Ύ
StateCalifornia	
General Locality Pacific Oc	ean Coastline
Locality Los Penasquito	
1 9 -70 TO	-19-74 -
7966 70	(972
REGISTRY IN A	RCHIVES
DATE	

☆ U.S. GOVERNMENT PRINTING OFFICE: 1972-761-152

* MEAN HIGHWATER AND MEAN LOWER LOW WATER LINES WERE DELINEATED FROM OFFICE INTERPRETATION OF THE PHOTOGRAPHS, Scope of HAP REVISION CUTLINEO IN "SUMMARY".

			0
NOAA FORM 76-36A (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOS PHERIC ADMIN.	TYPE OF SURVEY	SURVEY	TP- T-11875
	ORIGINAL	MAP EDITI	(2) ION NO. (2)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLAS	
The same of the sa	T REVISED		PH- 6702
PHOTOGRAMMETRIC OFFICE			
Atlantic Marine Center	TYPE OF SURVEY		PH- 6011
OFFICER-IN-CHARGE	ORIGINAL		FIELD EDITED
	RESURVEY	SURVEY D	
Alfred C. Holmes - Director	REVISED	19 <u>60</u> TO 19	29.62
I. INSTRUCTIONS DATED			
1. OFFICE	2. 1	FIELD	
Revision Compilation 8/23/66	FIELDEDIT, date	d Sept.	2 1969
Revision Compilation Amend #1 12/8/66	FIELD - SUPP. I, das	tood Feb.	25 1077
Revision Compilation Amend #2 2/17/67	FIELD GOLT	wo tee.	23,1912
Revision Compilation Amend #3 12/7/67	IN OPR (HYPRO) IN	ICTIONS L	HOLDDED
Revision Compilation Amend #4 8/10/72	("[##0]11	A STROCTI	045
" 45 9/23/74			
II. DATUMS	OTHER (Specify)		
1. HORIZONTAL: 1927 NORTH AMERICAN	OTHER (Specify)		
A MEAN HIGH-WATER	OTHER (Specify)		
MEAN LOW-WATER			+
2. VERTICAL: MEAN LOWER LOW-WATER			
MEAN SEA LEVEL			
3. MAP PROJECTION	4. G	RID(S)	
Polyconic	California	ZONE 6	
5. SCALE 1:10,000	STATE	ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS	NAME		DATE
1. AEROTRIANGULATION BY	See Project Comp	letion	
METHOD: NONe LANDMARKS AND AIDS BY	Report		Mar. 1968
	See Project Comp	letion	
	Report		Mar. 1968
	NA NA		
	NA NA		
	NA NA		
	B. Wilson		Dec. 1967
	R. Smith		Dec. 1967
CONTOURS BY	NA		200. 1707
METHOD: Chonhia	NA		
	B. Wilson		Dec. 1967
	R. Smith		Dec. 1967
	R. Smith		Dec. 1967
6. APPLICATION OF FIELD EDIT DATA	K. Maki(2/68) C. R. White	Blood	Jul. 1972
	R. White		Jul. 1972 Jul. 1972
	Bernard Kurs, AM	C-X	Dec. 1974
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY			
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	5. Blanke baker		Apr. 1075
11. MAP REGISTERED - COASTAL SURVEY SECTION BY	R. Cator		JUN 1975
NOAA FORM 76-36A SUPERSEDES FORM C&GS 181 SERIES		THE SHEET, SHEET	MARKET STATE OF THE STATE OF TH



NOAA	FORM	76-36B
10 701		

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY CAMERA(S)				T	
Wild RC-8 "S"		TYPES OF PI	OTOGRAPHY END		E REFERENCE
TIDE STAGE REFERENCE		(C) COLOR X		ZONE	
PREDICTED TIDES (1966 PA		(P) PANCHRON	ATIC	8th	Z STANDAF
TIDE CONTROLLED PHOTOGRAPHY (SEE Remerks)		(I) INFRARED	х	120th	DAYLIGH
NUMBER AND TYPE	DATE	TIME	SCALE	ST	AGE OF TIDE
66s-4720I - 4723I	8/7/66	13:11 PST	1:30,000	0.3 ft.	below MHW
72-L-2544R thru 2457R	3/23/72	13:15 PST	1:20,000	MLLW (+	0.1 F+.)
REMARKS TIDE ST	ATION FOR 197	2 PHOTOGRA	647 - OCED	HSIDE, CA	U.F.
* THE 1966	PHOTOGRAPHY US	EDIN FIRST D	EVISION ACTU	TY CLASSIII	HAP MANUSCRIPT)
2. SOURCE OF MEAN HIGH-WATI			- TOTAL ME ITO		
1:20,000 scal	a infrared	nhotogranh	hateh T	Manch 23	1072 (histed as
1:20,000 scar	e Illitated	huo nogi apri	, adood	1101 011 -	, -/-
NOTE: Line	e office interpre	eted subsequ	ent to tiel	dedit.	
	R OR MEAN LOWER L	OW-WATER LINE:			
3. SOURCE OF MEAN LOW-WATE					
3. SOURCE OF MEAN LOW-WATE			ad March	23. 1972	(listed cubove)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed, March	23, 1972	(listed above)
3. SOURCE OF MEAN LOW-WATE		raphy, date	ed, March	23, 1972	(visted above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 € 3 \ + .	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 ≅3,⊁.	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 Edit.	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 €3*.	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 ≅3.⊁.	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 ⋐ 3 .⊁.	(listed above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 €3.⊁.	(Insted above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed March	23, 1972 €3.⊁.	(Insted above)
3. SOURCE OF MEAN LOW-WATE	ared photog	raphy, date	ed, March	23, 1972 €3.⊁.	(listed above)
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line	eared photog	raphy, date	t to Field	€4,4,	
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line	eared photogrametrice witerpret	raphy, date	that are sources for	photogrammetric	survey information.)
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line	eared photog	raphy, date	that are sources for	€4,4,	
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line 4. CONTEMPORARY HYDROGRA	eared photog: office witerpret	raphy, date	that are sources for	photogrammetric	survey information.)
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line 4. CONTEMPORARY HYDROGRA	eared photog: office witerpret	raphy, date	that are sources for	photogrammetric	survey information.)
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line 4. CONTEMPORARY HYDROGRA SURVEY NUMBER DATE(S) 5. FINAL JUNCTIONS	PHIC SURVEYS (List	only those surveys the	that are sources for	photogrammetric	survey information.) SURVEY COPY USED
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line 4. CONTEMPORARY HYDROGRA SURVEY NUMBER DATE(S) 5. FINAL JUNCTIONS NORTH	PHIC SURVEYS (List SURVEY CO	only those surveys the	that are sources for	photogrammetric DATE(S) WEST	survey information.) SURVEY COPY USED
3. SOURCE OF MEAN LOW-WATE 1:20,000 infr Note: Line 4. CONTEMPORARY HYDROGRA SURVEY NUMBER DATE(S) 5. FINAL JUNCTIONS	PHIC SURVEYS (List	only those surveys the	that are sources for	photogrammetric DATE(S) WEST	survey information.) SURVEY COPY USED

	1		
5	-		
	- 4	~	
		•	
v	1.	-1	
•			_

N	0	A	A	F	0	R	M	7	6	_	3	6	C
10	,	7	21										

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

HISTORY OF FIELD OPERATIONS F.E. 1968 - See page 18 4


		D- 3
I. FIELD INSPECTION OPERATION X FIEL	D EDIT OPERATION	
OPERATION	NAME	DATE
		Mar. Apr.
1. CHIEF OF FIELD PARTY	R.E. Moses, CDR	1970
RECOVERED BY	None	
2. HORIZONTAL CONTROL ESTABLISHED BY	None	
PRE-MARKED OR IDENTIFIED BY	None	
RECOVERED BY	NA	
3. VERTICAL CONTROL ESTABLISHED BY	NA	
PRE-MARKED OR IDENTIFIED BY	NA	
RECOVERED (Triangulation Stations) BY	J.R. Faris	Dec. 1971
4. LANDMARKS AND LOCATED (Field Methods) BY	None	
AIDS TO NAVIGATION IDENTIFIED BY	None	
TYPE OF INVESTIGATION	· 在 10 自然 10 年 10 日	
5. GEOGRAPHIC NAMES COMPLETE		-
INVESTIGATION SPECIFIC NAMES ONLY		
X NO INVESTIGATION		
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	R.B. Melby	Feb. 1970
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	None	
II. SOURCE DATA		
1. HORIZONTAL CONTROL IDENTIFIED	2. VERTICAL CONTROL IDENTIFIED	
None	NA	
PHOTO NUMBER STATION NAME	PHOTO NUMBER STATION DE	SIGNATION
3. PHOTO NUMBERS (Clarification of details) 66S-4722I 4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED		
PHOTO NUMBER OBJECT NAME	PHOTO NUMBER OBJECT	NAME
Not Ident. S.E. RANGE	567 & 76-40 included in this v	
5. GEOGRAPHIC NAMES: REPORT NONE	6. BOUNDARY AND LIMITS: REPO	RT XNONE
7. SUPPLEMENTAL MAPS AND PLANS		
None	wed to the Goodest District	
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submi-	trea to the Geodesy Division)	
Field Edit Ozalid		



NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

I. MANUSCRI					1 3 3 4 4 5 4	
		MPILATION STAGES	S T		DATE MANUSCRI	
DA	TA COMPILED	DATE	REM	MARKS	MARINE CHARTS	HYDRO SUPPORT
Compile	ation Complete	Dec. 1963	Superse	led		
For Hyd	184 - F.E APPLIED 1968	Dec. 1967	Supersed	2nd MAP	APRIL 1968	
Edit Ap	ar, Apr, Field pplied (1978	Jul. 1972	CLASS I HY	led np m n nuscenpt		
REVISE	ED FROM 1972 PHOTOS	1974	SUPERSEDE	P		
Final R	leview	Dec. 1974				
II LANDMAE	RKS AND AIDS TO NAVIGA	TION				
	RTS TO MARINE CHART DI		DATA BRANCH			
II ILEFO	CHART LETTER	DATE	DA . 11 D	The state of the state of the		
NUMBER	NUMBER ASSIGNED	FORWARDED		REM.	ARKS	
			REFER TO	"SUMMARY"	PAGET	
			CLAST	"SUMMARY" (PARAGRAPH)		
	EPORT TO MARINE CHART					
3. RE	PORT TO AERONAUTICAL	L CHART DIVISION,				
III. FEDERA	L RECORDS CENTER DAT	A				
1. BI	RIDGING PHOTOGRAPHS;	DUPLICATE	BRIDGING REPOR	T; COMPUTE	R READOUTS.	
Land State of the land	ONTROL STATION IDENTI					
			RDS; FORM NOS 567 SUBMITTED BY FIELD PARTIES. SE REPORT) AS LISTED IN SECTION II, NOAA FORM 76-36C. PHOTOGRAPH RHO FIELD FORT SHEET			
	CCOUNT FOR EXCEPTION					-
4. 🗆 D	ATA TO FEDERAL RECOR	RDS CENTER. DAT				
	EDITIONS (This section s			edition is registered		
TY: JOKYE.	SURVEY NUMBER				TYPE OF SURVEY	
SECOND	TP	(2) PH		☐ RE	VISED RES	URVEY
EDITION	DATE OF PHOTOGRAPH	date of fi	ELD EDIT	□n. □m.	MAP CLASS	FINAL
	SURVEY NUMBER	JOB NUMBER	R		TYPE OF SURVEY	
THIRD	TP -	(3) PH		RE	VISED RES	URVEY
EDITION	DATE OF PHOTOGRAPH	Y DATE OF FI	ELD EDIT	□n. □m.	MAP CLASS	FINAL
	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY	
FOURTH	TP -				VISED RES	DRVEY
EDITION	DATE OF PHOTOGRAPH	DATE OF FI	ELD EDIT		MAP CLASS	Пени
		STATE OF THE PARTY			□1.v. □v.	LIFINAL





Summary (Revised) to Accompany Descriptive Reports Job PH-6702

This job consists of twenty 1:10,000-scale revised shoreline maps covering the area from Dana Point, California, to the Mexican border. The original (registered) maps were produced as a part of PH-6011.

Revision, using 1966 photography, by graphic method, was accomplished by the Coastal Mapping Section, AMC, during 1967 and 1968.

As indicated in Descriptive Report records, copies of the twenty (20) Class III map manuscripts were furnished to the Marine Chart Division in 1968. At that time the map manuscripts were designated as "RS" manuscripts (Nos. 842 through 861).

Field edit was accomplished from 1968 to 1972. In September 1969 the 20 map manuscripts were redesignated as second editions of the original registered maps (produced as a part of PH-6011).

All field edit data was applied by the Coastal Mapping Section, AMC.

Revision of the Class I (field edited) manuscripts with tide-coordinated infrared photographs taken in 1972 was originally assigned to the Revision Survey Section, Rockville. This work was completed by the final review activity, AMC, in 1974 and 1975.

Interior details were revised in Rockville; the MHW line and features seaward from the line (including the MLLW line) were revised at the AMC. Interior features were not examined by the final review activity (AMC).

Comments concerning application of the 1972 tide-coordinated photographs to the map manuscripts, which were included in the "Summary" prepared by the final reviewer follow: "Revision was by graphic methods. In places where 1972 photography could not be held to previous control or planimetry, additional control, using common points with 1966 photography, were cut in to control the infrared photographs".

"In comparison with (those) contemporary hydrographic survey sheets (available the time of final review) it was found that the soundings stopped at the breaker line, leaving no conflicts with the photogrammetric surveys. Most of the foreshore area consisted of sand, pebbles, and boulders with the exception of the Point Loma area. This is an inherent stable shoreline extensively made up of ledge on the seaward site. Since

breakers are almost continuous throughout the project, the seaward limits of the ledges, (the MLLW line) were difficult to determine. However, it is felt by the reviewer that they are adequate (as shown). These limits were not determined by the field editor."

There was considerable surf action at the time of photography. The interpretation and delineation of the MHW and MLLW lines were not verified during the examination of job data by the quality control activity, Rockville. Based on an earlier examination of the photography in Rockville and the final reviewer's evaluation, above, these lines are considered adequate for nautical navigational purposes. Photographs taken when there is less surf action or photographs supplemented by foreshore profiles are required for a more accurate determination of these lines.

Conflicts in recorded information as well as omissions of information were found to exist in records upon examination of the Descriptive Reports and the Job Completion Report in the Rockville Office. It is believed that this resulted from (1) the long operational period for the job, (2) the division of responsibilities between several activities and the several field edit operations for some maps in the job. Some records were lost. The Descriptive Reports and Job Completion Report Records were corrected insofar as practicable during this examination.

No record for the submission of Form 76-40 (Landmarks and Aids to Navigation) to the Marine Chart Division was found.

Available forms were submitted to the Marine Chart Division in April 1975.



There was no field inspection prior to compilation.

REVISION REPORT PH-6702 DANA POINT, CALIF. TO MEXICO

Twenty manuscripts were revised and photo hydrographic support data were prepared. Work was started at the south end of the project and progressed to the north.

PHOTOGRAPHY

All revision was by graphic methods using photography taken in 1966 with the "S" type camera. These were 1:30,000 scale with infrared at mean high water and 1:20,000 scale color at mean lower low water. Some difficulty was noted in defining the exact centers of the ratio prints from the M.L.L.W. color photography. (See attached "Notes for the Hydrographer" explaining this deficiency and Resolution.)

CONTROL

Direct or stereo transfer of identifiable horizontal control (triangulation, original bridge pass points, landmarks and/or aids) was made from any remaining original photography (office of field prints) to the 1966 color ratios and infrared ratios. The infrared ratios were first determined from points common to the manuscripts and the infrared contact prints. These ratios (in cronapaque only) were then processed and new points intersected common to the color contact prints. These distances then determined the ratio factor for the color ratios (in black and white).

In areas of the project where control such as identifiable triangulation stations, original bridge pass points, or landmarks and/or aids, were scare or no longer in existance for transfer to the new photography; an alternative method of identifying common points of details was used. i.e.: Street intersections, R.R. and street crossings, or any other well defined point of detail.

SHORELINE AND ALONGSHORE DETAILS:

In as much as project instructions called for shoreline revision only, with a few exceptions, such as new landmarks, and new highways within the compilation limits; the M.L.L.W.L., foreshore area, and alongshore area was revised from the M.L.L.W. photos. The M.H.W.L. was revised from the infrared photos. All revisions were made in red plastic ink, office reviewed and appropriate data prepared for hydro support and further field edit. Nine survey sheets, with hydro support data and edit ozalids have been forwarded to the Pacific Marine Center. Of these, only two have been returned with pertinent field edit data. They are T-11892 and T-11893. (See attached copies of transmittals.) One cronaflex copy and one ozalid copy of each of the twenty revised sheets have also been forwarded to Mr. Lewis Evans, III for his files.

The remaining eleven revised surveys, with all hydro support data were forwarded to Mr. Fitzgerald's office for storage until future ship assignment. All remaining data is forwarded to Mr. Wolfe for adequate and safe storage.

LANDMARKS AND AIDS

Two new landmarks were photogrammetrically established. They are: Standpipe, 1966 on T-11873, and Tank, 1966 on T-11872. These were identified on original field inspection photos 60-S-456A and 60-S-516A, dated 12/8/61 and 12/1/61. Neither were delineated on the original compilations, nor were they previously charted. Forms 567 were requested of any future field edit party.

FINAL REVIEW

All twenty surveys or manuscripts are subject to a final review and completion of reports, after application of any future field edit. Further scribing or smooth draft for final registration in Bureau Archives is a subject for future discussion and decision.

Submitted by

Albert C. Rauck, Jr.
Supervisory Cartographer
Coastal Mapping
Atlantic Marine Center,

albut C. Rouck

Norfolk, Virginia

March 29, 1968

PROJECT SUMMARY

一川海北京中華 門門寺門 大学工作

This revision of PH-6011, under revision instructions for PH-6702, consisted of 20 shoreline manuscripts. These "Manuscripts" were blackline impressions on vinylite of the original PH-6011 smooth drafted surveys.

The purpose of this project was to revise the "New Base" manuscripts graphically with new 1966 photography and to provide new hydrographic support data.

Albert C. Rauck, Jr.

Supervisory Cartographer

PH-6702

DANA POINT, CALIFORNIA TO MEXICO

ADDENDUM TO COMPLETION REPORT - FIELD EDIT

The field edit of these 20 revised map manuscripts was accomplished during the field seasons from February 1970 through March 1972.

The following tabulated list of manuscripts indicate dates of edit and application.

Map No.	Date of Field Edit	Date of Application
T-11864(2) T-11865(2) T-11866(2) T-11868(2) T-11869(2) T-11879(2) T-11871(2) T-11873(2) T-11875(2) T-11875(2) T-11876(2) T-11876(2) T-11877(2)	March, 1972 March, 1972 March, 1972 March, 1972 March, 1972 March, 1972 March-April 1970, March 1972 MarApr.May, 1970, Dec. 1971 MarApr.May, 1970, Dec. 1971 March-April, 1970 March-April, 1970, Dec. 1971 March-April, 1970, Dec. 1971 March-April, 1970, Feb. 1968 Feb. Mar.Apr. 1970, Feb. 1968 Feb. 1970, Feb. 1968	July, 1972 Dec. 1968 and Aug. 1972 April 1968 and July 1972 April 1968 and July 1972 Dec. 1968 and July 1972 Dec. 1968 and July 1972 Dec. 1968 and July 1972 May 1967, Dec. 1968 Aug. 1972 May 1967, Dec. 1968 Aug. 1972

Field edit was applied from data furnished on the field edit ozalids and the field ratio photographs. Landmarks and non-floating aids to navigation, when photo identified or when positions were determined by field methods, were plotted or verified on each map.

There are 12 form 76-40 and 5 form 567 submitted by the various field edit parties throughout the several field seasons. Those which were out of the project limits, were not plotted and the forms were so indicated.

During the intervening years of the span of field seasons, there were duplications of forms for landmarks and/or aids, and many aids were moved or renamed. An attempt to clarify these items, necessitated pencil notations on the forms as an assist to the Chart Revision Section if future revision is to be necessary. The field editor of March, 1972, made reference to 1972 photography, which was not made available to the Atlantic Marine Center. It is believed that these photos will be utilized to further revise the M.H.W.L.

There were many Triangulation Stations recovered during the field seasons. Forms 526 were submitted by the field editors and these were checked against those control stations previously plotted on the maps. Those for which no positions were available were not plotted, as no geodetic control was furnished the AMC compilation office during the revision of this project.

Several measured distances to the MHWL were given by the field editor. These could not be used, when drastic changes were indicated and it was deemed advisable to have these incorporated with future revision from the 1972 photographs. A few of the measurements were in agreement with the 1966 revised MHWL.

The most noted difficulty encountered in applying the field edit, concerned the location of lights and beacons on Map T-11882. The field editor submitted form 567 for a group of non-floating aids in Glorietta Bay and Coronado Cay Channel for which he gave no positions.

The lights in these areas are triangulated and the beacons were located by sextant fixes from the lights, but without the geodetic positions of the lights, the beacons could not be plotted.

There is an overlap of 1'15" in longitude between Map T-11864 of Project PH-6702 and Map TP-00415 of Project PH-7107. This was necessary due to the change of format size between the projects.

Shoreline and other details were made to agree in the overlap junction by delineating T-11864 to conform with TP-00415 which was compiled with later photography.

Submitted by:

Albert C. Rauck, Jr.

Supervisory Cartographer Coastal Mapping Division Atlantic Marine Center

albert C. Rauch

Norfolk, VA 23510

August 9, 1972

23 August 1974

GEOGRAPHIC NAMES

FINAL NAME SHEET

Ph-6702 (Southern California Coastline)

T-11875 (2)

Atchison Topeka and Santa Fe (RR)

Del Mar Terrace

Gulf of Santa Catalina

Los Penasquitos Creek

Pacific Ocean

San Diego

Sorrento Valley

Torrey Pines State Park

Approved by:

Chas. E. Harrington

Staff Geographer-C51x2



19. MOTES FOR THE EXPECTAPILE

Two sets of photographs were used in the compilation of the revised phoreline on these surveys.

One set of influered photographs at NIM were used in the delineation of the NHM line. The second set, in color, were taken at MLDM and were used only for the delineation of the MLDM line and other low water features. Both sets of photos were raticed to the scale of the maps.

Some difficulty was encountered in defining the exact centers of the ratio photos made from the MLM color photos which are furnished to you. The original photos were of such quality that the fiducial marks did not produce well and did not appear on the contact prints nor the ratioad prints. Several attempts or muthods were made to define those fiducial marks, but without success. It was, thursfore, necessary to locate those photo centers by a method that at best is only approximate. This information is two evailable to you, should you encounter any difficulty in laying those photos to their respective centers on the map sheets while "cutting in" your photo hydro stations.

Appropriate notes will be found on the "FIELD EDIT OZALID" calling your attention to items in need of further clarification and/or edit.

FIELD EDIT REPORT FOR FE IN 1268
CHART TOPOGRAPHY SEE PAGE 18 A

CHART TOPOGRAPHY
California Coast
Mexico to Dana Point
February 1970
Map Manuscripts T-11875(2) 11876(2) 11877(2)
11878(2) 11879(1) 11881(2) 11882(2) 11892(2) 11893(2)
Project PH-6702

This report covers the portion of the project that was field editted during the month of February 1970, commencing at the United States - Mexico border and progressing northward along the coast to the vicinity of the southern section of the city of Del Mar.

The shoreline was inspected by using a skiff, motor vehicle or by foot. The field edit copies (discrepancy prints) of the map manuscripts were used as the index for the field corrections and the field photographs containing corrections were cross-referenced to the field edit copies. The field edit annotations for the 1970 season were entered in red ink to differentiate from any previous field edit notes.

Adequacy of Compilation:

The extent and accuracy of the maps appear to be reasonably accurate and complete, considering the time span between the original field inspection and the field edit.

Methods and General Information:

All shoreline features, aids to navigation and landmarks were indicated using red ink. Features recommended for deletion are in green ink.

The shoreline is generally of a sandy composition, except in the areas of coastal bluffs or where the shoreline consists of the usual harbor developments.

Bluffs are evident in the vicinity of Point Loma and La Jolla northward. Wave action and the usual erosion cause the bluffs to be in a constant state of sloughing. The bluffs are particularly unstable due to their geological structure. "Solid" bed rock is not in evidence, although ledges adjacent to the bluffs are quite common.

The southern portion of the field inspected area is San Diego Bay with the Silver Strand and the port facilities of the City of San Diego. Northward of San Diego Bay is Mission Bay with its park development and the Sea World Oceanarium. Continuing northward on the outer coast several piers are in evidence extending seaward from the shoreline.

Offshore features are in the form of rocks, piling, dolphins and numerous mooring buoys in the San Diego Bay area. Several submerged cable crossing areas can be found on the Mission Bay area. The highway bridge connecting the city of Coronado with the city of San Diego has been completed and it is now in use by vehicular traffic.

Fixed aids to navigation were inspected. Any new aids or aids that did not appear on the field edit sheets were determined by photogrammetric, triangulation intersection or by sextant fixes. The new aids have been listed on form 567.

Five new land marks for charts were located. One was revised and one was recommended to be deleted. All have been listed on their respective form 567.

Rocks were investigated and their elevations in relationship to the date and stage of tide have been recorded. Ledges were also investigated.

Sheet T-11875(2)

In the vicinity of the Torrey Pines Municipal Golf Course are four towers that mark a measured nautical mile course. The towers were previously located as triangulation stations. A new glider launching strip has been indicated on photograph 66S4722.

Sheet T-11876(2)

Several changes were noted in the foreshore area. The configuration of some of the ledges were changed. It is recommended that two of the foul areas should be compiled as ledges.

Sheet T-11877(2)

The foul area in the vicinity of False Point should be compiled a ledge.

Mission Bay South Jetty Light was rebuilt in a position that differs slightly from the triangulation position. See the recovery note for triangulation station Mission Bay South Jetty Light 1962.

Eight aids to navigation (lights) were photo identified in the Mission Bay area.

A new landmark "SKY TOWER" was located by triangulation methods at the Sea World Oceanarium.

Sheet T-11878(2)

This coastal area is chiefly a bluff area with ledges, rocks and foul areas in the foreshore. The area was inspected at zero tide

(8)

Sheet T-11893(2)

A double row of small steel piling marking an abandoned sewer outfall have been indicated on the field edit sheet.

Recommendation: It is recommended the Silver Strand from the U. S. Naval Amphibious Base southward to the vicinity of Coronado Heights should be photographed after 1 July 1970. By this date the Coronado Cay Development should have completed Phase 1 and 2 of their construction. This would permit shoreline revision and the location of the additional aids to navigation scheduledfor construction. Also the change in shoreline north of the construction area where dredging spoil is being pumped (Sheet T-11882) will be completed.

Respectfully submitted,

Robert B. Melby Chief, Field Unit, PMC

Field Edit application PH-6703 Shareline Aurung California

Field edit work, accomplished in February 1968 was applied in the Rockville, Ind. Compilation fection to eight Devision Lury maps of Pryet PH-6702. Revisions resulting from this field edit were few in number. The eight majorare in 75-853 — 7-11876 7-11876 7-11876 7-11879

- 858 T- (1881) - 859 T- (1882) - 860 T- (1892) - (861 T- (1893)

Kh Make 2/1969

(8 A)

REVIEW REPORT

T-11875(2)

December, 1974

61. GENERAL STATEMENT:

See Summary which is included in the Descriptive Report.

62. COMPARISON WITH REGISTERED SURVEYS:

Comparison was made with three prior registered surveys. Surveys T-5410 and 5375 were accomplished using 1933 photography. Survey T-11875 was reviewed in 1965. There are no significant differences.

T-11875(2) supersedes the aforementioned surveys and should be used for nautical chart construction.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A visual comparison was made with U.S.G.S. Quadrangle Del Mar, California, dated, 1967, at 1:24,000 scale. There are no significant differences.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with boat sheet H-9107, at 1:10,000 scale, dated 1970. The hydrography ceases at the breaker line. There is no conflict with this survey.

65. COMPARISON WITH NAUTICAL CHARTS:

A visual comparison was made with chart 5060, at 1:100,000 scale, dated December 23, 1973. There are no significant differences.



66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This survey conforms to project instructions and meets the National Standards of Map Accuracy. REFER TO SUMMARY, Page 6

Reviewed by:

Bernard Kurs Cartographer

Bernard Lura

Approved for forwarding:

Victor E. Serena

Chief, Photogrammetric Branch, AMC

Approved;

Chief, Photogrammetric Branch

Chief, Coastal Mapping Div.

ENVIRONMENTAL SCIENCY VICES ADMINISTRATION COAST AND & C SURVEY

5-663 C&GS-567



29 March

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

STRIKE OUT TWO TO BE DELETED TO MEYCHARTIED

I recommend that the following objects which have (have not) been inspected from seaward to determine their value as landmarks be CHARGEN CACLETED from) the charts indicated.

B.W.F.

The positions given have been checked after listing by

Chief of Party.

CHARTS T-1187/ 5060 OFFSHORE CHART TEAMS SHORE THAND ROBRAN LOCATION 1933 LOCATION AND SURVEY No. 1185 1927 DATUM 1927 M 20,610 535.3 D.P.METERS LONGITUDE * 717 15 POSITION 117 14 . . D.M.METERS 10.723 330.3 LATITUDE # 52.7 -57 . 32 32 BIGNAL CENTER OF DOUBLE WATER TANKS BACK OF DESCRIPTION (destroyed) STATE California DEL MAR 1933 CHARTING TANK

This form shall be prepared in accordance with Hydrographic Manual, Publication 20.2, Sec. 1-55, 2-39, 6-36, 7-18 to 22 inclusive, and Fig. 79. Positions of charted The data should be landmarks and nonflosting sids to navigation, if redetermined, shall be reported on this form. Revisions shall show both the old and new positions. considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given. * TABULATE SECONDS AND METERS

USCOMM-DC 36485-P66

NO A A CO DA 74 AD	75.40		100 100		100	CMA	Sid a Hos Cart	NOITEGENING A DISCOURT AND DINABLE IN PAGE AND THE PAGE AND STATE OF THE PAGE AND T	YTIVITUR BUILDANIUMO	TIVITY
(2-71)	0+=0/	U.S. DEPARIME		Z (יסואר סכו					NOI L
PRESCRIBED BY	PRESCRIBED BY PHOTOGRAMMETRY INSTRUCTION NO. 64.	NONFL	OATING	AIDS OR	LANDWA	RKS FO	NONFLOATING AIDS OR LANDMARKS FOR CHARTS	,	FIELD EDIT	
X 10 B		ORIGINATING LOCATION NOAA Shib RAINIER	RAINI	ER			ı	DATE 12-21-71	COMPILATION	_ ~
P P	TO BE DELETED	•							OUALITY CON	QUALITY CONTROL AND REVIEW
The followin	The following objects have (have not) been inspected from seaward to	en inspected from se	eaward to d	determine their value as landmarks	ir value as	landmarks			(See reverse for responsible personnel)	ponsible personne
JOB NUMBER PH-		SURVEY NUMBER T - 11875	DATUM North	h American		1927	METHC	METHOD AND DATE OF LOCATION	F LOCATION	
STATECEL	STATE CHILIOFNIA T				l		(See inst	(See instructions on reverse of this form)	se of this form)	
CHARTING	DESCRIPTION	Z O	LATIT	TUOE	LONGITUDE	TUDE	FIELD	COMPILATION	, FIELD EDIŢ	CHARTS AFFECTED
S.E. Range	6" pipe, white, with triangular	78' high target.	32053	34.594 25.34 1065.7	3/10/11	1-1-	Triang. Rec. 10-71	-71		
S.W. Range	6" pipe, white, with triangular	110' high target	320531	34.603117011156.676 1065.9	17011		Triang. Rec. 10-71	-71	,	
N.E. Range	6" pipe, white,	74° high target	32°54 1	34.768 11.7014 37.471	17011		Triang. Rec. 10-71	12-0		
N.W. VRange	6" pipe, white,	126' high	320541	1071.4	17015		Triang. Rec. 10-71	-71		
					<u> </u>					
							,			
					<u> </u>					
							:	,		(2)
			2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		* (*)			r		9
									checked	5100 : En
				4						

INSTRUCTIONS FOR METHOD AND DATE OF LOCATION' SECTION

NOTE: 'Photogrammetric Positions' are dependent entirely, or in part, upon control established by photogrammetric methods, Field Positions' are determined by field observations based entirely upon ground control.

FIELD INSPECTION FIELD EDIT COMPILATION COLUMN TITLE AND 1. New Position Determined-Enter the applicable data by symbols as indicated below: a. For 'Field Positions' enter the date of location. Immediately beneath the data described above, enter the following: identify the object! Applicable to office identified and located objects only. Enter the number and date of the photograph used to Triangulation F - Field2. Traverse 4. Resection Intersection c. Sextant b. Planetable a. Theodolite THOUGHT ! TYPE OF ENTRIES P - Photogrammetric Sextant 2. Theodolite 3. Planetable 1. Field identified F. 3.c P.2 EXAMPLES:

2. Triangulation Station Recovered - Enter 'Triang. Rec. mo/day/yr.'

b. For 'Photogrammetric Positions' enter the date of field work; and, if a photograph

was used in locating the object or the object was identified on a photograph, enter the number of the photograph used.

Position Verified - Enter 'Verif. mo/day/yr.'

