

T- 11998

T-11998

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline
Job No. PH-6013 Map No. ... T-11998 ...
Classification No. Final Map Edition No. ... 1

LOCALITY

State Alaska
Cook Inlet,
General Locality ... Kalgin Island to Anchorage ...
Locality Baluga River

1966 TO 1977

REGISTRY IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Atlantic Marine Center, Norfolk, VA		SURVEY TR-T-11998 MAP EDITION NO. 1 MAP CLASS Final Map JOB PH-6013	
OFFICER-IN-CHARGE Jeffrey G. Carlen, Cdr.		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH- _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation 9/15/66 Compilation, Supplement 3 4/26/67 Compilation, Supplement 4 9/11/67		Supplement 1 8/8/66 Field 6/6/66	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Polyconic		4. GRID(S) STATE Alaska ZONE 4	
5. SCALE 1:20,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: Stereoplanigraph LANDMARKS AND AIDS BY		P. Hawkins	Apr 1967
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Manual CHECKED BY		L. O. Neterer, Jr. R. R. White	Jul 1967 Jul 1967
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Kelsh Plotter SCALE: 1:20,000 CONTOURS BY CHECKED BY		L. O. Neterer, Jr. R. White NA NA	Jul 1967 Jul 1967
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smoothdrafted CONTOURS BY CHECKED BY SCALE: 1:20,000 HYDRO SUPPORT DATA BY CHECKED BY		L. L. Graves R. J. Pate NA NA L. L. Graves R. J. Pate	Jul 1967 Jul 1967 Jul 1967 Jul 1967
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		R. J. Pate	Jul 1967
6. APPLICATION OF FIELD EDIT DATA BY CHECKED BY		I. Perkinson C. Blood	Jan 1978 Jan 1978
7. COMPILATION SECTION REVIEW BY		C. Blood	Jan 1978
8. FINAL REVIEW BY		J. Byrd/C..Blood	May 1986
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		J. Bryd	Sept 1986
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		P. Damprey	Oct. 1986
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E.L. DAUGHERTY	DEC '86

ESSA FORM 76-36b (2-70)		U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION COAST AND GEODETIC SURVEY			
T-11998 COMPILATION SOURCES					
1. COMPILATION PHOTOGRAPHY					
CAMERA(S) ~ Wild RC-8" L"		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR ✓ (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE ZONE ~ Alaska MERIDIAN ~ 150th	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
66L6651-66L6653	8/14/66	08:14	1:40,000	1.6 ft. above MLLW 2.6 ft. above MLLW	
66L6667-66L6668	8/14/66	08:42	1:40,000		
REMARKS					
2. SOURCE OF MEAN HIGH-WATER LINE:					
The mean high water line was compiled from the above listed compilation photography.					
3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:					
None compiled.					
4. CONTEMPORARY HYDROGRAPHIC SURVEYS <small>(List only those surveys that are sources for photogrammetric survey information.)</small>					
SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
5. FINAL JUNCTIONS					
NORTH	EAST	SOUTH	WEST		
No survey	T-11999	T-12010	No survey		
REMARKS					

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-11998
HISTORY OF FIELD OPERATIONSI. ☒ FIELD INSPECTION OPERATION None ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	A. Wardwell	1961
2. HORIZONTAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE BY	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
None		NA	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
3. PHOTO NUMBERS (Clarification of details)			
None			
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED			
None			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE		6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE	
7. SUPPLEMENTAL MAPS AND PLANS			
None			
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)			
None			

NOAA FORM 76-36C
(3-72)

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-11998
HISTORY OF FIELD OPERATIONS1. ☒ FIELD INSPECTION OPERATION *Premarking* ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Melby	1966
2. HORIZONTAL CONTROL	RECOVERED BY A. C. Weymann, III	1966
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE BY	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

None

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	B. I. Williams	July 1977
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	NA NA NA
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	R. Crowell
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Field edit data volume
Field edit ozalid, Map T-11998

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATIONT-11998
RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete, pending field edit.	7/67	Class III manuscript	None	5/15/73
Field edit applied. Compilation complete.	1/78	Class I manuscript	2/1/78	2/1/78
Final Review	5/86	Final Map		

II. LANDMARKS AND AIDS TO NAVIGATION None

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____
3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:
4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	


JOB PH-6013 SHORELINE MAPPING COOK INLET, ALASKA KALGIN ISLAND TO ANCHORAGE 1:20,000 & 1:10,000 SCALE

REVISED 8-24-74 RWN
REVISED 3-11-77 AG



61°

152° 151° 150° 149°



Sheet No. 4 SQ. Miles

Sheet No.	SQ. Miles
11998	4
11999	6
12000	9
12001	5
12002	3
12003	2
12004	2
12005	4
12006	2

12018	12019	12020	12021
12038	12039	12040 (2)	12041
12042	12043	12044	12045 (2)
12046 (2)	12047	12048	12049
12050	12051	12052	12053
12054	12055	12056	12057
12058	12059	12060	12061
12062	12063	12064	12065
12066	12067	12068	12069
12070	12071	12072	12073
12074	12075	12076	12077
12078	12079	12080	12081
12082	12083	12084	12085
12086	12087	12088	12089
12090	12091	12092	12093
12094	12095	12096	12097
12098	12099	12100	12101
12102	12103	12104	12105
12106	12107	12108	12109
12110	12111	12112	12113
12114	12115	12116	12117
12118	12119	12120	12121
12122	12123	12124	12125
12126	12127	12128	12129
12130	12131	12132	12133
12134	12135	12136	12137
12138	12139	12140	12141
12142	12143	12144	12145
12146	12147	12148	12149
12150	12151	12152	12153
12154	12155	12156	12157
12158	12159	12160	12161
12162	12163	12164	12165
12166	12167	12168	12169
12170	12171	12172	12173
12174	12175	12176	12177
12178	12179	12180	12181
12182	12183	12184	12185
12186	12187	12188	12189
12190	12191	12192	12193
12194	12195	12196	12197
12198	12199	12200	12201
12202	12203	12204	12205
12206	12207	12208	12209
12210	12211	12212	12213
12214	12215	12216	12217
12218	12219	12220	12221
12222	12223	12224	12225
12226	12227	12228	12229
12230	12231	12232	12233
12234	12235	12236	12237
12238	12239	12240	12241
12242	12243	12244	12245
12246	12247	12248	12249
12250	12251	12252	12253
12254	12255	12256	12257
12258	12259	12260	12261
12262	12263	12264	12265
12266	12267	12268	12269
12270	12271	12272	12273
12274	12275	12276	12277
12278	12279	12280	12281
12282	12283	12284	12285
12286	12287	12288	12289
12290	12291	12292	12293
12294	12295	12296	12297
12298	12299	12300	12301
12302	12303	12304	12305
12306	12307	12308	12309
12310	12311	12312	12313
12314	12315	12316	12317
12318	12319	12320	12321
12322	12323	12324	12325
12326	12327	12328	12329
12330	12331	12332	12333
12334	12335	12336	12337
12338	12339	12340	12341
12342	12343	12344	12345
12346	12347	12348	12349
12350	12351	12352	12353
12354	12355	12356	12357
12358	12359	12360	12361
12362	12363	12364	12365
12366	12367	12368	12369
12370	12371	12372	12373
12374	12375	12376	12377
12378	12379	12380	12381
12382	12383	12384	12385
12386	12387	12388	12389
12390	12391	12392	12393
12394	12395	12396	12397
12398	12399	12400	12401
12402	12403	12404	12405
12406	12407	12408	12409
12410	12411	12412	12413
12414	12415	12416	12417
12418	12419	12420	12421
12422	12423	12424	12425
12426	12427	12428	12429
12430	12431	12432	12433
12434	12435	12436	12437
12438	12439	12440	12441
12442	12443	12444	12445
12446	12447	12448	12449
12450	12451	12452	12453
12454	12455	12456	12457
12458	12459	12460	12461
12462	12463	12464	12465
12466	12467	12468	12469
12470	12471	12472	12473
12474	12475	12476	12477
12478	12479	12480	12481
12482	12483	12484	12485
12486	12487	12488	12489
12490	12491	12492	12493
12494	12495	12496	12497
12498	12499	12500	12501
12502	12503	12504	12505
12506	12507	12508	12509
12510	12511	12512	12513
12514	12515	12516	12517
12518	12519	12520	12521
12522	12523	12524	12525
12526	12527	12528	12529
12530	12531	12532	12533
12534	12535	12536	12537
12538	12539	12540	12541
12542	12543	12544	12545
12546	12547	12548	12549
12550	12551	12552	12553
12554	12555	12556	12557
12558	12559	12560	12561
12562	12563	12564	12565
12566	12567	12568	12569
12570	12571	12572	12573
12574	12575	12576	12577
12578	12579	12580	12581
12582	12583	12584	12585
12586	12587	12588	12589
12590	12591	12592	12593
12594	12595	12596	12597
12598	12599	12600	12601
12602	12603	12604	12605
12606	12607	12608	12609
12610	12611	12612	12613
12614	12615	12616	12617
12618	12619	12620	12621
12622	12623	12624	12625
12626	12627	12628	12629
12630	12631	12632	12633
12634	12635	12636	12637
12638	12639	12640	12641
12642	12643	12644	12645
12646	12647	12648	12649
12650	12651	12652	12653
12654	12655	12656	12657
12658	12659	12660	12661
12662	12663	12664	12665
12666	12667	12668	12669
12670	12671	12672	12673
12674	12675	12676	12677
12678	12679	12680	12681
12682	12683	12684	12685
12686	12687	12688	12689
12690	12691	12692	12693
12694	12695	12696	12697
12698	12699	12700	12701
12702	12703	12704	12705
12706	12707	12708	12709
12710	12711	12712	12713
12714	12715	12716	12717
12718	12719	12720	12721
12722	12723	12724	12725
12726	12727	12728	12729
12730	12731	12732	12733
12734	12735	12736	12737
12738	12739	12740	12741
12742	12743	12744	12745
12746	12747	12748	12749
12750	12751	12752	12753
12754	12755	12756	12757
12758	12759	12760	12761
12762	12763	12764	12765
12766	12767	12768	12769
12770	12771	12772	12773
12774	12775	12776	12777
12778	12779	12780	12781
12782	12783	12784	12785
12786	12787	12788	12789
12790	12791	12792	12793
12794	12795	12796	12797
12798	12799	12800	12801
12802	12803	12804	12805
12806	12807	12808	12809
12810	12811	12812	12813
12814	12815	12816	12817
12818	12819	12820	12821
12822	12823	12824	12825
12826	12827	12828	12829
12830	12831	12832	12833
12834	12835	12836	12837
12838	12839	12840	12841
12842	12843	12844	12845
12846	12847	12848	12849
12850	12851	12852	12853
12854	12855	12856	12857
12858	12859	12860	12861
12862	12863	12864	12865
12866	12867	12868	12869
12870	12871	12872	12873
12874	12875	12876	12877
12878	12879	12880	12881
12882	12883	12884	12885
12886	12887	12888	12889
12890	12891	12892	12893
12894	12895	12896	12897
12898	12899	12900	12901
12902	12903	12904	12905
12906	12907	12908	12909
12910	12911	12912	12913
12914	12915	12916	12917
12918	12919	12920	12921
12922	12923	12924	12925
12926	12927	12928	12929
12930	12931	12932	12933
12934	12935	12936	12937
12938	12939	12940	12941
12942	12943	12944	12945

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

T-11998

This 1:20,000 scale Final shoreline map is one of 44 maps designated as project PH-6013 Cook Inlet, Kalgin Island to Anchorage, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation in the 1961 field season consisted of recovery of horizontal control and limited field inspection. Field work in 1966 consisted of premarking of horizontal control for aerotriangulation.

This area was photographed in August 1966 with the RC-8 "L" camera using panchromatic film at 1:40,000 scale.

Bridging was performed in the Washington office in April 1967.

This map was compiled at the Norfolk office in July 1967.

Field edit was performed for T-11998 during the 1977 field season. Field edit data was applied at AMC in January 1978.

Final review was performed at the Atlantic Marine Center in 1986.

This Descriptive Report contains all pertinent information used to compile this Final Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION REPORT

COOK INLET, ALASKA

PROJECT SP-1-61 1961

USC&GS Ship PATHFINDER

Arthur L. Wardwell, CAPT., Comdg.

MANUSCRIPTS:-

12049, 12046, 12045, 12040, 12031, 12032, 12026, 12027, 12028, 12020, 12021, 12022, 12017, 12015, 12016, 12014, 12013, 12008, 12007, 12006, 12003, 12004, 12005, 12002, 12001, 12000, 12012, 11999, 12011, 11998, 12010, 12009, 12019, 12018, 12023, 12025, 12024, 12029, 12030, 12035, 12034, 12033, 12037, 12036

AERIAL FIELD INSPECTION:-

Areas inspected were as follows: Manuscripts No. 12049, 12046, 12045, 12040, Kenai to Boulder Point, all shoreline and alongshore features. Balance of above listed manuscripts were used only for horizontal control identification.

The area is primarily moderately timbered with spruce, fir, alder and bear claw above the mean high water line. Shoreline varies from fine black silt at the mouth of the Kenai River mouth to large fragmented boulders at Boulder Point. Most of the beachline is sand and shingle interspersed with boulders of varying sizes. Numerous underground springs and some small creeks discharge small quantities of silt and water and are subject to constant change.

The area was inspected by cruising alongshore by launch and by walking the beach and bluff line. Foul areas now indicated on Chart No. 8553 are adequate. Two primary foul areas were noted as follows:

Kenai River Mouth

East Foreland to Moose Point

Quality of photographs was excellent. Areas of shadow were limited to the shoreline east of East Foreland and upper Knik Arm. No attempt was made to sketch in the mean high water line. Enough open areas in shadowed areas are available to adequately delineate mean high water line.

HORIZONTAL CONTROL:-

Four additional second-order triangulation stations were established between Kenai and East Foreland to supplement existing control in the area of hydrography. They were identified as follows:

AUDRY 1961	Manuscript No. 12049	Photo No. 1397
LOUISE 1961	" " 12049	" " 1402
BOO 1961	" " 12045	" " 1420
HELEN 1961	Traverse from East Foreland Light 1960.	

Additional horizontal control recovery was made in upper Cook Inlet in accordance with project instructions. All stations were searched for and approximately 75 percent were recovered. Most of the stations not recovered are considered lost. It is recommended that the next vessel assigned to this project be given a Tellurometer. Simple traverse between recovered triangulation stations would adequately control presently un-controlled flight lines.

In many cases the listed triangulation station was not recovered and a U.S. Engineers' triangulation station was used as a substitute. It appears that the U.S. Engineers could not recover listed C&GS control and substituted their own stations.

Great assistance was rendered by the 5040 Air Transport Squadron at Elmendorf AFB in furnishing helicopter service. Three days of flying enabled personnel to cover shoreline control stations over the greater part of upper Cook Inlet.

If additional control is required in the vicinity of Elmendorf AFB, use can be made of triangulation now being observed by a C&GS geodetic party. Triangulation station DORF 1961 (in the vicinity of LOOP 2) is to be set in the roof of a building on the base. By use of the description written by the observing party, an accurate office identification can be made.

Triangulation not plotted on the Photo Index was identified where it was on photographs. This control was established by G.W.M. in 1959 and H.G.C. in 1960.

VERTICAL CONTROL:-

None recovered or established.

CONTOURS AND DRAINAGE:-

No contouring was attempted.

Primary drainage features are the Kenai, Matanuska, Little Susitna, Susitna, Beluga, Kustitan, and Drift Rivers. Tidal sweep keeps some of the rivers from building up deltaic features. An extremely flat foreshore on the Matanuska, Little Susitna, Susitna and Beluga rivers give rise to wide deltas that change seasonally. Many small streams discharge around Cook Inlet but have no apparent seasonal change.

WOODLAND COVER:-

The major portion of the area is wooded and interspersed with muskeg and open grassy areas. These are easily identifiable on the photographs. In areas of increasing cultural activity, the woodland cover is being removed. No attempt was made to indicate these areas.

SHORELINE AND ALONGSHORE FEATURES:-

The mean high water line is adequately delineated on manuscripts 12049, 12046, 12045, 12040. In the area of photo hydro signals IVY and EGG, east of East Foreland, the mean high water line is as follows:

IVY 30 meters inside MHW
EGG on piles at MHW

- (3) -

Most of the shoreline signals are located at MHW along the beach. Many of the fishing huts set on piles at the base of the bluff were used as signals.

No attempt was made to delineate the low water line. Hydrography in the area should be satisfactory.

The foreshore area is primarily sand, small stones and boulders. The normal gradation from stones at MHW to sand at MLW exists in all areas, except south of the Kenai River. In this area a heavy layer of silt is found in the tide zone.

OFFSHORE FEATURES:-

All offshore features are located by the hydrographer.

LANDMARKS AND AIDS:-

There are two fixed aids to navigation within the limits of the hydrographic project:

EAST FORELAND LIGHT

KENAI RIVER ENTRANCE RANGE

Both are located on Chart No. 8553.

One floating aid is also located on Chart No. 8553. Another can buoy is maintained by the oil company and is located just north of the pier.

One landmark for charts is recommended in the Descriptive Report for SP-1-61. This landmark is identified as follows:

KENAI TANK 1959, located by G.W.M. and identified on Photo No. 60N1400.

BOUNDARIES, MONUMENTS AND LINES:-

None shown.

OTHER CONTROL:-

Photo hydro signals were located in accordance with standard instructions. Signal IVY was found in error and relocated photogrammetrically, then verified by hydrographic cuts. Final location is shown on manuscript 12045.

Final location of photo hydro signals will remain in their relative position with the shoreline. Final compilation will cause a datum shift which will move both hydrography and signals the same relative amount.

DATUM DIFFERENCES:-

Radial plotting of photo identified control stations was made in the field. The following discrepancies were noted between plot positions and geographic positions.

EAST FORELAND LIGHT 1960	Lat.	-13.8 meters
	Long.	-75.4 meters
BOULDER (USE)	Lat.	-37.0 meters
	Long.	-45.2 meters
KENAI CHURCH STEEPLE 1909	Lat.	-15.3 meters
	Long.	-23.6 meters

-(4)-

CULTURAL FEATURES:-

Numerous fishing shacks are located along high water line in the area of hydrography. These huts are subject to damage by winter storms and are in a constant state of transition. No attempt was made to locate current huts.

The Nikiski Oil Pier was under construction at the time of photography. The completed dimensions are available from a blueprint of the structure submitted with descriptive report for Project SP-1-61.

Respectfully submitted,

Robert E. Williams,
Lieut. Comdr., C&GS

Gerald C. Saladin
Gerald C. Saladin
LTJG, C&GS

Arthur L. Wardwell
Arthur L. Wardwell,
Captain, C&GS
Comdg., Ship PATHFINDER

PHOTOGRAMMETRIC PLOT REPORT
Job PH-6013
Cook Inlet, Alaska

April 13, 1967

21. Area Covered

The area covered by this report extends from the Redoubt Bay-East Foreland area to Anchorage, Alaska. Included in this area are T-sheets 11998 thru 12001, 12009 thru 12012, 12018, 12019, 12021, 12025 thru 12030, 12038, 12039, 12042 thru 12044, 12047, 12048 and 12987.

22. Method

Five strips were bridged on the C-8 and C-5 stereoplanigraph. Strip #1 (66-L-6602 thru 6623) was adjusted on four triangulation stations with tie points used as checks. Strip #2 (66-L-6629 thru 6634) was adjusted on two triangulation stations plus tie points from Strip #1. Strip #3 (66-L-6641 thru 6653) was adjusted on three triangulation stations plus ties. Strip #4 (66-L-6667 thru 6677) was adjusted on three triangulation stations plus ties. Strip #9 (66-L-6713 thru 6725) was adjusted on three triangulation stations.

23. Adequacy of Control

The control, being premarked, was very good insofar as being able to see it clearly; however, in several cases, the 1:40,000 scale photography completely missed the stations. It should be noted that all strips were adjusted with minimum control, and as such, no positive proof can be provided that the adjustments are correct other than by means of tie points and residuals of adjustment. The tie points and residuals do indicate a good adjustment on all strips. Strip #4 had to be terminated at station SIT 1966 due to lack of control beyond this point. (Port McKenzie could not be seen on the 1:40,000 scale photography.) Attempts were made to provide a tie point for the terminal station on the east end of this strip by bridging three models south of Anchorage, dropping points onto Strip #1. This met with complete failure. Strip #6 had to be terminated on the southern end at station GRAY CLIFF 1909 since the station at East Foreland was not covered by the 1:40,000 scale photography.

24. Supplemental Data

Local USGS quads were used to provide vertical control used in the bridging adjustment.

The coverage of 1966 photography falls short of being sufficient to show the shallow mud areas which are near lower-low water level in the area of the Susitna River Delta. To provide for the delineation of the limiting line of this feature, scale points have been selected which are common to 61M photography which does show the limiting line. Ratios of these photographs will be provided for the graphic delineation of the limiting line only. The compiler should select whatever additional points are necessary for correct delineation. A holiday exists on some of the shoreline along Strip #9. A flight of 60W photography provides coverage and three ratio photos were provided for compilation of this area.

All points on the bridged plates were drilled by PUG methods. Plate 66-L-6719 was broken after bridging. A new plate was provided but it does not contain any drilled points. It is suggested that the models on either side be compiled and pass points be dropped on this plate for compilation.

25. Photography

Photography was adequate as to definition and overlap but was not adequate as to coverage. The 1:40,000 scale photos did not cover either the shoreline or the marked control on the east end of Strip #4 or the southwest end of Strip #9. A portion of the shoreline along the part of Strip #9 which was bridged also lacks coverage.

Submitted by:

Paul Hawkins
by JEP

Paul Hawkins

Approved by:

John D. Perrow, Jr.
John D. Perrow, Jr.

COMPILATION REPORT

T-11998

31. DELINATION:

Delineation was by the Kelsh Plotter, using 1:40,000 scale panchromatic photographs. Photography was adequate.

32. CONTROL:

See Photogrammetric Plot Report dated April 13, 1967.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable.

Drainage was delineated from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The shoreline of the Theodore and the Lewis Rivers was compiled.

36. OFFSHORE DETAILS:

Inapplicable.

37. LANDMARKS AND AIDS:

No charted landmarks or aids were located during compilation.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

Junctions are in agreement with T-11999 to the east and T-12010 to the south. There is no contemporary survey to the west and to the north.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with USGS Quadrangle TYONEK (B-3), ALASKA, scale 1:63,360, dated 1958.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with USC&GS Chart 8553 (Cook Inlet, Northern Part), scale 1:194,154, dated May 17, 1965, 7th Edition.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

Submitted by:

Albert C. Rauck, Jr. For
L. Graves
Cartographic Technician
July 1967

Approved:

Albert C. Rauck, Jr.
Albert C. Rauck, Jr.
Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6013 (Cook Inlet)

T-11998

Beluga River


Grants

Lewis River


Pretty Creek

Theodore River

Approved by:


A. J. Wraight
Chief Geographer

Prepared by:


Frank W. Pickett
Cartographic Technician

Field Edit Report
Number Three Bay to Miller Creek
Tyonek to Ivan River
OPR-469-FA-77

GENERAL

This report covers the following manuscripts:

T-11998 T-11999 T-12009 T-12010 T-12011 T-12019
T-12020 T-12028 T-12029 T-12030 T-12041 T-12042

Field work is essentially complete on all maps.

The northern shore between North Foreland and Shorty Creek is characterized by sand and gravel beaches, backed by dirt bluffs in some areas, with small mud flats in the vicinity of the Tyonek Timber Company pier and Shorty Creek which are exposed at low tides. The rest of the northern shore is low and gently sloping with marshy areas above high water and extensive mud flats exposed at low tide.

The entire southern shore is littered with rocks and boulders, often to considerable distances from shore. Beach areas are sand and gravel with occasional areas of mud flats, not as extensive as found on the northern shore. Dirt bluffs line most of the beach.

A total of 153 fixes were taken to locate significant features along 44 nautical miles of shoreline. Each was assigned a number with the format DDD-FF, where DDD represents the julian day of the fix and FF represents the sequential fix number for that day.

All fix information is recorded in the field edit data volume. Fix times are given in Greenwich mean time. All height information is noted on the master field edit ozalid. Information on all signals and stations used for control is included with this report. Deletions are noted in green ink, additions and changes in red ink, verifications in violet ink. All are noted on the master field edit ozalid.

METHOD

Field edit along the southern shoreline was done by LTJG Neal Millett and ENS Robert Crowell during the month of June, 1977. Work was performed at low tidal stages using a 17 foot skiff equipped with a Mini-ranger console and transceiver. Copies of the field edit ozalids and corresponding photographs were examined in the field. General features, including the mean high water line, were verified by visual comparison of the field edit ozalid

and the areas concerned.

Detached positions and heights were obtained on the more significant rocks. Control for fixes was by range-range and range-azimuth. In several instances sextant angles were also taken. Heights were estimated by comparison to a boathook of known length.

Field edit along the northern shoreline was done by LTJG Neal Millett and ENS Robert Crowell during the month of July, 1977. Initial field edit was done by helicopter at a low tidal stage. Copies of the field edit ozalids and corresponding photographs were examined in the field. Verification of general features, including the mean high water line, was done by visual comparison of the field edit ozalid and the area concerned. No control was used for this phase.

Follow-up field edit was done in those areas where detached positions were needed. Work was done using a 29 foot launch equipped with Raydist electronic positioning equipment. Control for fixes was a combination of range-range, used to locate the launch, and visual. Three lines of position were determined to each object by taking horizontal sextant angles from the launch. The position of the launch was provided by the Raydist system. Heights were estimated by comparison to nearby objects of known size.

ADEQUACY OF COMPILATION

Compilation of the maps is generally adequate. Not all existing rocks on the southern shore were located due to their large numbers. Photography at low tidal stages would best accomplish this.

MAP ACCURACY

The positions of horizontal control stations as they plotted on the maps were compared to surrounding features, in some cases by measurement. These comparisons generally gave good results. Fix accuracy, as indicated by check fixes, was good.

RECOMMENDATIONS

It is recommended that the maps be revised as noted on the master field edit ozalid and then be accepted as advanced manuscripts. Improved photography, both in coverage and quality, would aid all stages of field edit.

INDIVIDUAL MANUSCRIPTS

Details specific to each manuscript are included in the following individual reports.

Map T-11998
Beluga River

METHOD

Initial field edit from the air revealed that no follow-up was necessary.

MAP ACCURACY

No checks on horizontal accuracy were performed. Accurate verification of the mean high water line would be impractical due to the gentle slope of the beach area and the extreme tidal range.

RECOMMENDATIONS

This map can be accepted as an advanced manuscript without revision.

Submitted by:

Robert B Crowell

Robert B Crowell
LTJG, NOAA

Approved by:

Bruce I Williams

Bruce I Williams
Commanding Officer
NOAA Ship Fairweather

REVIEW REPORT
T-11998

SHORELINE

61. GENERAL STATEMENT

See Summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Not applicable.

65. COMPARISON WITH NAUTICAL CHARTS


A comparison was made with the following NOS chart:
16660, scale 1:194,154, 22nd edition, May 8, 1982.

There were no major conflicts.


66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.


Submitted by



James L. Byrd, Jr.
Final Reviewer

Approved for forwarding


Billy H. Barnes
Chief, Photogrammetric Section

Approved


J. A. Cherry
Chief, Photogrammetric Production Sec.


Ronald K. Brewer
Chief, Photogrammetry Branch

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]