

T-12008 (2)

T-12008 (2)

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline
Job No. CM-7310 Map No. T-12008(2)
Classification No. Final Edition No. ..2.....

Field Edited Map

LOCALITY

State Alaska
General Locality Knik Arm-- Anchorage
Locality Sixmile Creek

1973 TO 1974

REGISTRY IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input checked="" type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Atlantic Marine Center, Norfolk, VA OFFICER-IN-CHARGE Jeffrey G. Carlen, Cdr., NOAA		SURVEY TR-12008(2) MAP EDITION NO. (2) MAP CLASS Final JOB CM -7310	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Atlantic Marine Center, Norfolk, VA OFFICER-IN-CHARGE Jeffrey G. Carlen, Cdr., NOAA		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH. 6013 MAP CLASS I SURVEY DATES: 1963 TO 1964	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Compilation 12/73		Field 5/73 Supplement 1 6/73	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH-AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input checked="" type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Polyconic		4. GRID(S) STATE Alaska ZONE 4	
5. SCALE 1:10,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	
DATE			
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		R. Kelly 1/74 R. Kelly 1/74	
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Calcomp CHECKED BY		Robertson 1/74 Robertson 1/74	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: CONTOURS BY SCALE: 1:15,000 CHECKED BY		L. O. Neterer, Jr. 2/74 R. R. White 2/74 NA NA	
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smooth Drafted CONTOURS BY CHECKED BY SCALE: 1:10,000 HYDRO SUPPORT DATA BY CHECKED BY		Heidi Bazell 3/74 G. R. Vanderhaven 3/74 NA NA Heidi Bazell 3/74 G. R. Vanderhaven 3/74 G. R. Vanderhaven 3/74	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		J. Desch 1/75	
6. APPLICATION OF FIELD EDIT DATA CHECKED BY		Frank Margiotta 1/75	
7. COMPILATION SECTION REVIEW BY		Frank Margiotta 1/75	
8. FINAL REVIEW BY		Jim Byrd 4/79	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		Jim Byrd 7/79	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		E.L. Rolle 9/79	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E L DAUGHERTY NOV 1979	

NOAA FORM 76-368
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-12008(2)
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "E" & "K"		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE Alaska	<input checked="" type="checkbox"/> STANDARD
<input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				MERIDIAN 150th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
**73E(C) 9342 thru 9345	6/29/73	13:15	1:30,000	1.0 ft. above MLLW	
*73E(C) 9504	7/15/73	13:39	1:30,000	0.2 ft. of MLLW	
*73E(C) 9477	7/13/73	12:10	1:30,000	0.2 ft. of MLLW	
*73K(I) 8834 and 8835	7/13/73	12:10	1:30,000	0.2 ft. of MLLW	
*73K(I) 8862	7/15/73	13:39	1:30,000	0.2 ft. of MLLW	
*73E(C) 9485 and 9486	7/15/73	12:52	1:15,000	0.2 ft. of MLLW	
*73K(I) 8843 and 8844	7/15/73	12:52	1:15,000	0.2 ft. of MLLW	

REMARKS

*Tide controlled photography at MLLW.

2. SOURCE OF MEAN HIGH-WATER LINE:

**The mean high water line was compiled from the above listed photographs.

3. SOURCE OF ~~MEAN LOW-WATER LINE~~ MEAN LOWER LOW-WATER LINE:

*The mean lower low water line was compiled from the above listed photography.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH T-12004(2)	<input checked="" type="checkbox"/> EAST No Survey	<input checked="" type="checkbox"/> SOUTH No Survey	<input checked="" type="checkbox"/> WEST T-12007(2)
---------------------	---	--	--

REMARKS

T-12008(2)

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Melby	6/73
2. HORIZONTAL CONTROL	RECOVERED BY R. Melby	6/73
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY L. Riggers	6/73
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
73E(C) 9344	GLOBE B.I.E. (USE), 1961		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

None

T-12008(2)
HISTORY OF FIELD OPERATIONSI. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	K. Jeffers	5-8/74
2. HORIZONTAL CONTROL	RECOVERED BY G. Stroble	5-8/74
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE BY	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY G. Stroble	5-8/74
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED
None2. VERTICAL CONTROL IDENTIFIED
NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

73K-8835

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 Field Edit Ozalid
1 Field Edit Report

T-12008(2)
RECORD OF SURVEY USEU. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

54

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete, pending field edit.	3/74	Class III Manuscript Superseded	3/74	3/74
Field edit applied. Compilation complete.	1/75	Class I Manuscript	2/75	
Final Review	4/79	Final	7/79	

II. LANDMARKS AND AIDS TO NAVIGATION None

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____


IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - 12008 (2)	JOB NUMBER PH - CM-7310	TYPE OF SURVEY <input type="checkbox"/> REVISED <input checked="" type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input checked="" type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY 6/29/73 - 7/15/73	DATE OF FIELD EDIT 6/73	
THIRD EDITION	SURVEY NUMBER TP - (3)	JOB NUMBER PH -	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - (4)	JOB NUMBER PH -	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

Official Mileage for Cost Accounts:

at No.	Sq. Miles
T-12003(2)	2.0
T-12004(2)	1.0
T-12005(2)	3.0
T-12006(2)	0.5
T-12007(2)	3.0
T-12008(2)	2.0
TP-00515	2.0
T-12015(2)	3.0
T-12016(2)	1.0
T-12017(2)	3.0

Total 20.5



JOB CM-7310
 KNIK ARM-ANCHORAGE, ALASKA
 SHORELINE MAPPING
 SCALE 1:50,000

LEGEND:
 Δ HORIZONTAL CONTROL STATION

SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORTS

T12003(2) Thru T12008(2), T12015(2), T12016(2), T12017 and
TP00515

Project CM-7310 covers Knik Arm--Anchorage, Alaska from Point Campbell Northeasterly to Goose Creek and including Eagle Bay.

There were ten maps assigned in this project T-12003(2) thru T-12008(2), T-12015(2), T-12016(2), T-12017 were at scale 1:10,000. One sheet TP-00515 was at 1:5000 scale. The purpose of these maps as a second edition of job PH 6013 was to provide contemporary shore-line data in the support of hydrographic operations and to aid in nautical chart revision.

Field work prior to compilation in May - June 1973 consisted of paneling horizontal control stations in advance of aerial photography and also all field operations required to provide ground support needed to obtain the tide coordinated photography.

The area was flown in June 1973 with a combination of 1:15,000 and 1:30,000 scale "E" camera, "K" scale photography with both color and tide controlled infrared.

Analytic aerotriangulation was performed at the Washington Science Center in January 1974.

The maps were compiled at AMC in February and March 1974.

Field edit was completed in October 1974 on all sheets except for T-12017 for which only a partial field edit was performed (Landmarks and Aids). It was applied to the maps at AMC in January and February 1975.

Final Review was performed at AMC in April-July 1979. The original second edition base maps and all pertinent data was forwarded to the Washington Science Center for final Registration. Sheet T-12017 was reviewed and will be registered as a Class III Map since the field edit was "cancelled" at time of final review.

FIELD INSPECTION

T-12008(2)

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

Photogrammetric Plot Report
Knik Arm - Anchorage, Alaska
Job CM-7301
January 1974

21. Area Covered

This report covers nine 1:10,000 sheets, T-12003(2), T-12004(2), T-12005(2), T-12006(2), T-12007(2), T-12008(2), T-12015(2), T-12016(2), T-12017(2), and one 1:5,000 sheet, TP-00515 of Knik Arm - Anchorage, Alaska.

22. Method

Three strips 1:30,000 scale color photography were bridged by analytic aerotriangulation methods and adjusted to ground on Alaska State plane coordinate system, Zone 4. Bridge points were used on 1:15,000 and 1:30,000 scale infrared photography for ratioing photography to be used in compiling the mean low and mean high-water line. Ratio prints of infrared photography covering mean low and mean high water were ordered. (One each of cronapacue.) One cronapacue and one matte each were ordered of the bridging photographs. For the 1:5,000 scale sheet pass points were determined and positioned to control models of the 1:15,000 scale strip of photography. Data for plotting manuscripts for compilation were assembled for ruling and plotting by the Coradomat.

23. Adequacy of Control

The horizontal control provided was adequate and held well within the accuracy required by National Standards of Map Accuracy at 1:5,000 and 1:10,000 scale. Tie points and airport control were used to augment datum tie.


24. Supplemental Data

U.S. Geological Survey quadrangles were used to provide elevations for vertical adjustments of bridges.


25. Photography

RC-8 color film positives were adequate as to coverage, overlay, and definition.

Approved and forwarded:



John D. Ferrow
Chief, Aerotriangulation

Submitted by:


Robert B. Kelly

Sq. Miles

Total	20.5
-------	------



NUMBER CONTROL

- 1 BAY(USE) 1964
- 2 ARM(USE) RM 3, 1964
- 3 MULE, 1973
- 4 GLOBE BIE (USE) 1961
- 5 PT. MACKENZIE LIGHT, 1973
- 6 SPENARD, 1964
- 7 VANCE, 1964
- 8 PT. 2(USE) 1964
- 9 PAL 2 , 1973
- 10 SITE PT. RADOME
- 11 SITE BAY, RADOME, 1964
- 12 ANCHORAGE, RADIO SATION KENI, TOWER, 1954
- 13 ANCHORAGE, ACS MICROWAVE RELAY TOWER, 1960
- 14 ANCHORAGE, TV STATION KTVA, TOWER, 1964
- 15 ANCHORAGE, MERRILL FIELD, CONTROL TOWER, 1964
- 16 ELMENDORF AFB WATER TANK BEACON, 1964

COMPILATION REPORT

T-12008(2)

31. DELINEATION:

Delineation was ^{on}by the Wild B-8 stereoplotter. The details were compiled on the Wild B-8 stereoplotter, using color photography at 1:30,000 scale. The mean lower low water line was compiled graphically, using 1:30,000 scale infrared photographs.

32. CONTROL:

See the attached Photogrammetric Plot Report dated January 1974.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are not applicable to the project. Drainage was delineated ^{on}by the Wild B-8 stereoplotter and by office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

Alongshore details were delineated using the Wild B-8 stereoplotter and by office interpretation of the photographs.

The mean high water line was delineated from the photographs.

36. OFFSHORE DETAILS:

Offshore detail was compiled by office interpretation of the photographs.

37. LANDMARKS AND AIDS:

No charted landmarks or aids were noted during compilation.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See the attached Form 76-36B, Item #5, of the Descriptive Report concerning junctions.

40. HORIZONTAL AND VERTICAL CONTROL:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with the following USGS Quadrangle: ANCHORAGE (B-8), ALASKA, scale 1:63,360, dated 1953.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with the following National Ocean Survey Chart: No. 8557, scale 1:40,000, 13th edition, dated October 9, 1971.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Albert C. Rauck, Jr. FOR
Heidi Bazell
Cartographic Aid
March 1, 1974

Approved for forwarding:

Albert C. Rauck, Jr.
Albert C. Rauck, Jr.
Chief, Coastal Mapping Section, AMC

T-12008(2)

49. NOTES FOR THE HYDROGRAPHER:

These are noted on the Master Film Field Edit Ozalid.

April 12, 1979

GEOGRAPHIC NAMES

FINAL NAME SHEET


CM-7310 (Knik Arm - Anchorage, Alaska)

TP-12008 (2)

Knik Arm

Sixmile Creek

Approved by:


Charles E. Harrington
Chief Geographer, C3x5

FORM C&GS-1002 (9-66)		U.S. DEPARTMENT OF COMMERCE E33A COAST AND GEODETIC SURVEY	
PHOTOGRAMMETRIC OFFICE REVIEW			
T- 12008(2)			
1. PROJECTION AND GRIDS GV	2. TITLE GV	3. MANUSCRIPT NUMBERS GV	4. MANUSCRIPT SIZE GV
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY GV	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) NA		7. PHOTO HYDRO STATIONS NA
8. BENCH MARKS NA	9. PLOTTING OF SEXTANT FIXES FM	10. PHOTOGRAMMETRIC PLOT REPORT GV	11. DETAIL POINTS GV
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE GV	13. LOW-WATER LINE GV	14. ROCKS, SHOALS, ETC. GV	15. BRIDGES GV
16. AIDS TO NAVIGATION GV	17. LANDMARKS GV	18. OTHER ALONGSHORE PHYSICAL FEATURES GV	19. OTHER ALONGSHORE CULTURAL FEATURES GV
PHYSICAL FEATURES			
20. WATER FEATURES GV	21. NATURAL GROUND COVER NA		22. PLANETABLE CONTOURS NA
23. STEREOSCOPIC INSTRUMENT CONTOURS NA	24. CONTOURS IN GENERAL NA	25. SPOT ELEVATIONS NA	26. OTHER PHYSICAL FEATURES GV
CULTURAL FEATURES			
27. ROADS GV	28. BUILDINGS GV	29. RAILROADS GV	30. OTHER CULTURAL FEATURES GV
BOUNDARIES			
31. BOUNDARY LINES NA		32. PUBLIC LAND LINES NA	
MISCELLANEOUS			
33. GEOGRAPHIC NAMES GV	34. JUNCTIONS GV		35. LEGIBILITY OF THE MANUSCRIPT GV
36. DISCREPANCY OVERLAY GV	37. DESCRIPTIVE REPORT GV	38. FIELD INSPECTION PHOTOGRAPHS NA	39. FORMS GV
40. REVIEWER <i>Albert C. Rauck, Jr. FOR</i> Gary R. Vanderhaven 3/04/74		SUPERVISOR, REVIEW SECTION OR UNIT <i>Albert C. Rauck, Jr.</i> Albert C. Rauck, Jr.	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER J. Desch <i>Joanne Desch</i> 1/75	SUPERVISOR <i>Albert C. Rauck, Jr.</i> Albert C. Rauck, Jr.		
Reviewer <i>Frank Margiotta</i> 1/75			
43. REMARKS See Form 76-360, Item 8.			

FIELD EDIT REPORT

OPR-469-RA-1974

UPPER COOK INLET, KNIK ARM

ALASKA

T-12000 thru T-12008

T-12012 thru T-12016

T-12021

T-12031

TP- 00515

NOTE: Maps T-12003 thru T-12008
and T-12015 & T-12016, in
Job CM-7310, referred to
in this Field Edit Report,
are Second Edition maps.

E. Rolle

9/11/79

NOAA Ship RAINIER

CDR K. William Jeffers

Commanding

INTRODUCTION

Field edit was completed on selected "minus tide days" during the period from mid-May through the end of August. Work was carried out on shore and land.

Field edit was started in the Port of Anchorage and continued north up Knik Arm to Latitude $61^{\circ}22.0'$, the northern limit of shoreline control. Field edit was completed on the north side of Cook Inlet westward to Longitude $150^{\circ}37.0'$. Shoreline around Fire Island was inspected on the northwest side from North Point to West Point. Approximately 3 miles of shoreline were inspected in the immediately vicinity of Pt. Possession.

Photographs used in the field edit are from jobs CM-7310 and PH-6013. Height data on all rocks was estimated. Times were referenced to 0° Longitude.

Adequacy of Compilation

All rocks and offshore features are labeled on the field edit ozalids, and wherever possible, verified on the field photos. Compilation of the MHWL was excellent on the manuscripts. Verification of MLLW was done by launch hydrography and is clearly delineated on the boat-sheets.

Shoreline Summaries

T-12000, T-12001, T-12002, T-12012, T-12013 (Northern Half), T-12014 (Northern Half)

This group of manuscripts includes the northern part of Cook Inlet from Susitna River to Pt. Mackenzie. The area is one of extensive mud flats. One discrepancy was noted on the shoreline junction between T-12002 (1966 shoreline manuscript) and T-12006 (1973 shoreline manuscript). The 1973 shoreline manuscript extended the shoreline up to the forest edge. The MHWL is along a marsh that extends south from the forest edge. Therefore the shoreline was adjusted to follow the MHWL along the marsh.

T-12013 and T-12014 (southern Half)

The shoreline in this area covers Fire Island. The shoreline of Shelter Bay is muddy. The northern side of the island has a rocky beach with some detached rocks, none extending more than a quarter mile off shore. The southern and eastern side of Fire Island was not field edited, therefore, the Field Edit Ozalids should be returned to the RAINIER as soon as possible.

T-12021 and T-12031

The vicinity of Point Possession is foul with offshore rocks. The west side of Pt. Possession is very foul with rocks extending out 3/4 mile. This area was not completely field edited, therefore, the manuscripts and field edit ozalids should be returned to the RAINIER as soon as possible.

T-12006, T-12015, T-12016, TP-00515

This area includes Anchorage Harbor and the area extending westward to Pt. Mackenzie and Pt. Woronzof. The southern shore is primarily mud flats, almost entirely free of offshore rocks. The northern shore has many offshore rocks awash at MLLW. TP-00515 is a 1:5,000 scale inset of Anchorage Proper. Pier heights and additional data were recorded on the Field Edit Ozalid.

T-12007, T-12008

Lower Knik Arm-- The east and west shore are foul with many rocks and boulders awash at MLLW.


T-12003, T-12004, T-12005

This area includes upper Knik Arm to the extent of the 1973 photo coverage. The east and west shores are mud with very few dangerous rocks.

Recommendations

Much of the area included in this survey project lacked good photo support. The 1973 photo support in Knik Arm and Anchorage Harbor was excellent, however, the 1966-1967 coverage westward into Cook Inlet was very sparse. Of special concern is the fact that the T-sheet and flight-line index showed many flight lines of photos which were never received and would have aided our field operations considerably. If these flight lines or even parts of them are not available, a complete inventory should be supplied for our records.

respectfully submitted,


(Garth Stroble LTJG, NOAA

MANUSCRIPT-PHOTO INDEX

T-SHEET

T-12000
T-12003 (2)
T-12004 (2)
T-12005 (2)
T-12007 (2)
T-12008 (2)
T-12014
T-12015 (2)
T-12016 (2)
T-12021
TP-00515

PHOTOS

66L-6673
73K-8871, 8872
73K-8863
73K-8863, 8864, 8865
73K-8832, 8833, 8872, 8873
73K-8835
66W-1328
73K-8828, 8831
73K-8831, 8832, 8848
66L-6725
73K-8846, 8847,

UNRANGED STATIONS		CODE	ELEV	LATITUDE		LONGITUDE	
101	ZCF 1974	4-2-4-3	48 M	61 12	15.360	150 00	49.560
102	ANCHOR 1964 (ECC)	2-1	29 M	61 13	11.376	149 54	05.541
103	MAC RM3 1947 RM1 1960	3	28 M	61 14	19.454	149 59	05.884
104	KEN 1974	3	28 M	61 14	20.461	149 58	56.770
105	FIFE 1974	1-4	53 M	61 18	23.838	149 54	32.781
106	DAVE 1974	2	21 M	61 18	39.504	149 49	02.638
107	SKI 1974	1	44 M	61 19	24.330	149 47	05.491
108	ARM USE 1941 1964	3	60 M	61 21	38.890	149 53	20.460
109	LAD 1974	4	40 M	61 22	13.504	149 42	59.924
110	FOSE 1914 1964	2	24 M	61 25	22.216	149 40	45.257
111	PETERS W BAGE 1922 1964	4	16 M	61 25	40.302	149 29	19.288
112	SIT 1966	2	17 M	61 15	51.370	150 12	37.662
113	RACE POINT RM3 1964	1	*53 M	61 10	04.988	150 13	21.466
114	NISEPY 3 1944	4	25 M	61 16	38.012	150 28	14.734
115	FIRE ISLAND LT 1966	3-2-4	12 M	61 07	35.754	150 16	48.087
116	POSSESSION 1969	2-3	37 M	61 02	16.381	150 23	43.391
117	PHILLIPS PLATFORM A 1974	2	36 M	61 04	36.172	150 56	53.605
118	BIRCH HILL USE 1941	4	48 M	60 55	16.723	150 44	58.088
119	MOOSE POINT LT 1966	4	12 M	60 57	22.872	150 41	01.945
120	RACE POINT LT 1966	1	61 M	61 10	17.462	150 12	35.026

*50 M PRIOR TO 13JUL74

VISUAL SIGNALS		LATITUDE		LONGITUDE	
201	SITE POINT RADOME 1964	61 09	34.034	150 01	54.683
202	PT MORONZOF 6 1969	61 12	11.079	150 00	50.182
203	ANCH RADIO STA KENI TWR 1954 1964	61 12	25.181	149 55	20.367
204	ANCHORAGE TV STA KENI MAST 1964	61 12	07.869	149 53	32.868
205	ANCH TV STA KTVA TOWER 1954 1964	61 13	09.991	149 52	31.162
206	ANCHOR 1964	61 13	12.285	149 54	03.699
207	ANCHORAGE MUNICIPAL TANK 1964	61 13	46.513	149 52	35.348
208	ANCH ACS MICROVAE TOWER 1960 1964	61 13	55.988	149 52	21.661
209	PT MACKENZIE LIGHT 1973	61 14	19.534	149 59	06.010
210	SANDZAC 1960 1964	61 14	40.491	149 52	21.193
211	SANDET 2 USE 1963 1964	61 15	13.767	149 50	56.051
212	GLOBE BIE USE 1961 1964	61 17	01.974	149 49	22.604
213	WULE 1973	61 19	05.814	149 54	57.722
214	BIRCH USE 1941 1964	61 19	23.850	149 47	06.044
215	ARM USE RM3 1964	61 21	38.149	149 53	20.857
216	PAL 2 1973	61 22	19.513	149 43	06.059
217	SITE BAY RADOME 1964	61 23	48.762	149 51	10.551
218	AIRPORT BEACON ELMENDORF AFB 1968	61 15	40.264	149 49	44.198
219	RACE PT LIGHT 1966 - SAME AS 120	61 10	17.462	150 12	35.026
220	PT POSSESSION LT 1974	61 02	03.927	150 24	10.774
221	PT MORONZOF INTAKE TANK 1974	61 12	15.438	150 01	00.889
222	FIRE ISLAND FAA RADOME 1974	61 08	36.166	150 12	53.478
223	WEST POINT BARGE HYDRO SIGNAL 1974	61 07	43.480	150 16	32.666
224	SHELTER BAY HYDRO SIGNAL 1974	61 08	04.144	150 14	42.380
225	PT MORONZOF RANGE FRONT LT 1974	61 12	09.025	150 01	11.115
226	PT MORONZOF RANGE REAR LT 1974	61 12	10.372	150 00	53.363
227	PT MACKENZIE RANGE FRONT LT 1974	61 14	22.600	149 59	17.331
228	PT MACKENZIE RANGE REAR LT 1974	61 14	29.172	149 58	52.579
229	FIRE ISLAND RANGE FRONT LT 1974	61 10	22.877	150 11	51.555
230	FIRE ISLAND RANGE REAR LT 1974	61 10	15.509	150 12	19.148

REVIEW REPORT T-12008(2)

SHORELINE

April 9, 1979

61. GENERAL STATEMENT:

See Summary, which is page ⁷6 of the Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

A comparison was made with verified copy of H-9440. Although rock heights varied slightly, no significant differences were noted.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with Chart 16660 scale 1:194,154 19th Ed. September 10/77 and Chart 16664 scale 1:40,000 16th Ed. May 28/77. No significant differences were noted.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with Project instructions, and meets the requirements for Bureau Standards and National Standards of Map Accuracy.

Submitted by:

Jan Byrd

Final Reviewer

Approved for forwarding:

Billy H. Bann

Chief, Photogrammetric Branch, AMC

Approved:

John D. Perrow Jr.
Chief Photogrammetric Branch

A.K. Henry FOR
Chief, ~~Coastal~~ ^{Photogrammetry} Mapping Division