

12053

Dring

Diag. Cht. No. 6450-2.

Form 504

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT

Type of Survey SHORELINE (PHOTOGRAMMETRIC)

Field No. Ph-6101 Office No. T-12053

LOCALITY

State WASHINGTON

General locality ADMIRALTY INLET

Locality ROCKY POINT

1960 - 1962

CHIEF OF PARTY

FRED NATELLA

LIBRARY & ARCHIVES

DATE May 1964

USCOMM-DC 5087

12053

DESCRIPTIVE REPORT - DATA RECORD

T - 12053

PROJECT NO. (II): PH-6101			
FIELD OFFICE (II): PORT TOWNSEND, WASHINGTON		CHIEF OF PARTY UNIT CHIEF FRED NATELLA R. B. MELBY	
PHOTOGRAMMETRIC OFFICE (III): PORTLAND, OREGON		OFFICER-IN-CHARGE FRED NATELLA	
INSTRUCTIONS DATED (II) (III): 14 MARCH 1961 II, III AMENDMENT 1: 8 MAY 1961 II, III AMENDMENT 1: 17 MAY 1961 II, III AMENDMENT 4: 14 DECEMBER 1962 II, III			
METHOD OF COMPILATION (III): KELSH INSTRUMENT			
MANUSCRIPT SCALE (III): 1:10,000		STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III): 1:6000 PANTOGRAPH SCALE: 1:10,000	
DATE RECEIVED IN WASHINGTON OFFICE (IV):		DATE REPORTED TO NAUTICAL CHART BRANCH (IV):	
APPLIED TO CHART NO.		DATE:	DATE REGISTERED (IV):
GEOGRAPHIC DATUM (III): N.A. 1927		VERTICAL DATUM (III): MEAN SEA LEVEL EXCEPT AS FOLLOWS: X Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water	
REFERENCE STATION (III): BOULDER, 1870, 1962			
LAT.: 48° 05' 48.913"	LONG.: 122° 58' 29.001"	<input checked="" type="checkbox"/> ADJUSTED <input type="checkbox"/> UNADJUSTED	
PLANE COORDINATES (IV): 407,402.83 x = 1,476,780.49		STATE WASHINGTON	ZONE NORTH
ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE, OR (IV) WASHINGTON OFFICE. WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.			

DESCRIPTIVE REPORT - DATA RECORD

FIELD INSPECTION BY (II):		DATE:
R. B. MELBY		Aug.-Oct. 1962
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION):		
Aug.-Oct. 1962 BY FIELD INSPECTION. COMPILATION BY KELSH INSTRUMENT.		
PROJECTION AND GRIDS RULED BY (IV):		DATE
A. R.		12-26-62
PROJECTION AND GRIDS CHECKED BY (IV):		DATE
W. M.		12-27-62
CONTROL PLOTTED BY (III):		DATE
J. L. HARRIS		1-23-63
CONTROL CHECKED BY (III):		DATE
L. L. GRAVES		1-23-63
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III):		DATE
HENRY P. EICHERT		Dec. 1962
STEREOSCOPIC INSTRUMENT COMPILATION (III):	PLANIMETRY	DATE
	L. L. GRAVES	3-18-63
	CONTOURS	DATE
	NONE	
MANUSCRIPT DELINEATED BY (III):		DATE
SMOOTH DRAFT: R. H. MEYER		3-29-63
SCRIBING BY (III):		DATE
STICK-UP: D. N. WILLIAMS		5-1-63
PHOTOGRAMMETRIC OFFICE REVIEW BY (III):		DATE
ROUGH DRAFT: J. L. HARRIS		3-27-63
ADVANCE: J. L. HARRIS		5-7-63
REMARKS:		

DESCRIPTIVE REPORT - DATA RECORD

CAMERA (KIND OR SOURCE) (III):

C&GS SINGLE LENS "W"

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
60 W 1956 THRU 1958	9-21-60	11:09	1:30,000	2.0 FT. ABOVE M.L.L.W.
RATIO PRINTS OF ABOVE AT 1:10,000.				
				COMPUTED FROM PRE- DICTED TIDE TABLES.

TIDE (III)

		RATIO OF RANGES	MEAN RANGE	DIURNAL SPRING RANGE
REFERENCE STATION:	PORT TOWNSEND, WASHINGTON		5.1	8.3
ORDINATE STATION:				
SUBORDINATE STATION:				
WASHINGTON OFFICE REVIEW BY (IV):		DATE:		
PROOF EDIT BY (IV):		DATE:		
NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (II):	4	RECOVERED:	3	IDENTIFIED: 0
NUMBER OF BM(S) SEARCHED FOR (II):	0	RECOVERED:		IDENTIFIED
NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III): 0				
NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III): 0				

REMARKS:

FIELD INSPECTION REPORT

MAP MANUSCRIPT T-12053

PROJECT PH-6101

REFER TO THE FIELD INSPECTION REPORT FOR T-12050 THRU T-12056
AND T-12059 THRU T-12063 INCLUDED WITH THE DESCRIPTIVE REPORT FOR
T-12050.

PHOTOGRAMMETRIC PLOT REPORT

MAP MANUSCRIPT T-12053

PROJECT PH-6101

REFER TO THE PHOTOGRAMMETRIC PLOT REPORT No. 2 BY HENRY P.
EICHERT, DECEMBER 1962, AND INCLUDED WITH THE DESCRIPTIVE REPORT
FOR T-12050.

SCALE FACTOR

COMM-DC-57843

DATE 1-17-63

COMPILATION REPORT
MAP MANUSCRIPT T-12053
PROJECT PH-6101

ITEMS 31 THRU 33:

REFER TO THE COMPILATION REPORT FOR T-12065.

34. CONTOURS AND DRAINAGE:

CONTOURS ARE NOT APPLICABLE.

DRAINAGE WAS COMPILED AS FIELD INSPECTED AND CONFIRMED ; BY
COMPARISON WITH THE U.S.G.S. QUADRANGLE. X

35. SHORELINE AND ALONGSHORE DETAILS:

REFER TO THE COMPILATION REPORT FOR T-12052.

36. OFFSHORE DETAILS:

NONE.

37. LANDMARKS AND AIDS:

NO LANDMARKS OR AIDS ARE SHOWN ON THIS MAP.

38. CONTROLS FOR FUTURE SURVEYS:

NONE.

39. JUNCTIONS:

SATISFACTORY JUNCTIONS WERE MADE WITH T-12054 TO THE EAST,
WITH T-12060 TO THE SOUTH AND WITH T-12052 TO THE WEST. THE
STRAIT OF JUAN DE FUCA LIES TO THE NORTH.

40. HORIZONTAL AND VERTICAL ACCURACY:46. COMPARISON WITH EXISTING MAPS:

COMPARISON WAS MADE WITH THE U.S.G.S. $7\frac{1}{2}$ MINUTE GARDNER, WASHINGTON QUADRANGLE, SCALE 1:24,000, EDITION 1953.

47. COMPARISON WITH NAUTICAL CHARTS:

COMPARISON WAS MADE WITH NAUTICAL CHART 6403, SCALE 1:40,000, 5TH EDITION, OCT. 23, 1941, REVISED 6-20-60.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

NONE.


ITEMS TO BE CARRIED FORWARD:

NONE.

APPROVED:


FRED NATELLA, CAPT, C&GS
PORTLAND DISTRICT OFFICER

RESPECTFULLY SUBMITTED:


JAMES L. HARRIS
CARTOGRAPHER

48.- GEOGRAPHIC NAME LIST:

THE GEOGRAPHIC NAMES ON THIS MANUSCRIPT ARE LISTED BELOW, AND WERE FURNISHED BY THE WASHINGTON OFFICE ON A FINAL NAME SHEET, A COPY OF THE U.S.G.S..GARDINER, WASHINGTON, 7 $\frac{1}{2}$ MINUTE QUADRANGLE, SCALE 1:24,000, EDITION 1953.

DALLAS BANK
KANEM POINT
MILLER PENINSULA
PROTECTION ISLAND
ROCKY POINT
STRAIT OF JUAN DE FUCA
THOMPSON SPIT

George S. Ball
Geographic Names Section
20 August 1963

49: NOTES FOR THE HYDROGRAPHER;

NONE.

PHOTOGRAMMETRIC OFFICE REVIEW

T-1013-12053

1. PROJECTION AND GRIDS ✓	2. TITLE ✓	3. MANUSCRIPT NUMBERS ✓	4. MANUSCRIPT SIZE ✓
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY ✓	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) None		7. PHOTO HYDRO STATIONS None
8. BENCH MARKS None	9. PLOTTING OF SEXTANT FIXES None	10. PHOTOGRAMMETRIC PLOT REPORT ✓	11. DETAIL POINTS None
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE ✓	13. LOW-WATER LINE ✓	14. ROCKS, SHOALS, ETC. ✓	15. BRIDGES None
16. AIDS TO NAVIGATION None	17. LANDMARKS None	18. OTHER ALONGSHORE PHYSICAL FEATURES ✓	19. OTHER ALONGSHORE CULTURAL FEATURES ✓
PHYSICAL FEATURES			
20. WATER FEATURES ✓	21. NATURAL GROUND COVER ✓		22. PLANETABLE CONTOURS Not Applicable
23. STEREOSCOPIC INSTRUMENT CONTOURS Not Applicable	24. CONTOURS IN GENERAL Not Applicable	25. SPOT ELEVATIONS None	26. OTHER PHYSICAL FEATURES ✓
CULTURAL FEATURES			
27. ROADS ✓	28. BUILDINGS ✓	29. RAILROADS None	30. OTHER CULTURAL FEATURES ✓
BOUNDARIES			
31. BOUNDARY LINES None		32. PUBLIC LAND LINES None	
MISCELLANEOUS			
33. GEOGRAPHIC NAMES ✓	34. JUNCTIONS ✓		35. LEGIBILITY OF THE MANUSCRIPT ✓
36. DISCREPANCY OVERLAY None	37. DESCRIPTIVE REPORT ✓	38. FIELD INSPECTION PHOTOGRAPHS ✓	39. FORMS ✓
40. REVIEWER James L. Harris		SUPERVISOR, REVIEW SECTION OR UNIT	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER		SUPERVISOR	
43. REMARKS			

COMPILATION RECORD	COMPLETION DATE	REMARKS
Interior details added Compilation complete	5/1/63	SUPERCEDED
FIELD EDIT APPLIED	9/13/67	* }
REMAINING FIELD EDIT FROM BOAT SHEET APPLIED	4/26/68	

* APPLIED TO RS 874
See Addendum

Review Report
Shoreline Maps
T-12030 thru T-12035
September 1963

61. General Statement

There are six (6) shoreline maps of project PH-6101, Admiralty Inlet, Washington. These maps were prepared primarily for the location of non-floating aids and landmarks for use in the revision of our Nautical Charts and for control of proposed hydrographic surveys.

62. Comparison with Registered Topographic Surveys

T-4189	1:10,000	1926
T-4190	1:10,000	1926
T-4191	1:10,000	1926
T-6084b	1:10,000	1941

There are cultural and shoreline differences but in general the agreement is good. There are some offshore rock differences that should be reconciled when the hydrographic surveys are made.

63. Comparison with Maps of Other Agencies

Port Townsend (North)	1:24,000	1953
Port Townsend (South)	1:24,000	1953
Sequin	1:24,000	1956
Gardiner	1:24,000	1953

64. Comparison with Contemporary Hydrographic Surveys

None.

65. Comparison with Nautical Charts

6403	1:40,000	revised to July 1963
6405	1:20,000	revised to Feb. 1962

Differences exist. However there are no items to be applied immediately.

66. Accuracy of Results and Future Surveys

These surveys were prepared according to project instructions and are within the required accuracy for Nautical Charting.

Reviewed by

L. C. Lande
L. C. Lande

Approved by:

Charles H. Hume
Chief, Photogrammetric Branch

J. E. Waugh 5/26/64
Chief, Photogrammetry Division

ADDENDUM TO DESCRIPTIVE REPORT T-12053, JOB PH-6106
REVISION SURVEY RS-874, JOB PH-6714.
ADMIRALTY INLET, WASHINGTON
APRIL 24, 1968

The revision of this survey was confined to the selection and positioning of shoreline pass points as an aid to the Hydrographer to establish additional hydrographic signal sites; and the subsequent application of additional field edit.

In as much as the original hydro support data was inadvertently mis-placed and new photography was not available, nor planned; cronapaque ratio prints of the original photography were furnished and processed for additional hydro. signal site location, if required.

Control for this revision and the processing of hydro. support data was adequate and consisted of previously established photo-hydro stations and other office identified control. Revision and support data was done graphically with good results.

Appropriate standard hydro. support data and a field edit ozalid with Notes for the Hydrographer were forwarded to the USC&GS Ship PATHFINDER on February 28, 1967.

The field edit ozalid was prepared after comparison of this survey was made with USC&GS Chart No. 6403, scale 1:40,000, rev. July 29, 1963.

Field edit for this revision was received September 5, 1967 and was applied September 13, 1967. Additional field edit information in the form of boat sheet data and fixes from hydrographic volumes were required to complete the application of edit data. This was not available at the time of application.

In April, 1968, this additional information became available and was applied to the revised sheet in the form of additional offshore rock data, hydro. signal sites for plotting fixes, wreck locations and other pertinent data.

Other fix data in the form of hydrographic volumes have been or will be applied to the hydrographic sheet by the hydrographic processing unit.

An amended copy of the "Notes for the Hydrographer", a page size diagram and a copy of the Field Edit Report is included with this addendum.

Respectfully submitted:

Albert C. Rauck, Jr.

Albert C. Rauck, Jr.
Supervisory Cartographer


SHEET NO. AREA SQ. MI. LINEAR SHORELINE

(T-12050)RS-872	2	2
T-12051	2	4
(T-12052)RS-873	3	11
(T-12053)RS-874	7	14
(T-12054)RS-875	4	10
(T-12055)RS-876	10	3
T-12056	9	6
T-12057	4	12
T-12058	1	11
(T-12059)RS-877	5	11
(T-12060)RS-878	1	5
(T-12061)RS-879	4	11
(T-12062)RS-880	9	17
T-12063	11	3
T-12064	6	4
T-12065	2	17
T-12066	11	4
T-12067	11	5
T-12068	10	11
T-12069	11	22
T-12070	5	5
T-12071	1	3
T-12072	1	2
T-12073	6	6
TOTAL	124	245

JOB PH-6714

ADMIRALTY INLET

SHORELINE MAPPING
SCALE 1:10000



T-12053
RS-874

49. NOTES FOR THE HYDROGRAPHER

A discrepancy or field edit ozalid has been prepared for this revision survey. On it there may be noted items requiring your further attention for clarification or verification.

There are no pre-selected hydro signal sites for this survey. Horizontal control station BOULDER, 1870 may be recovered and used as a signal, should additional sites be required.

UNITED STATES GOVERNMENT

Memorandum

U.S. DEPARTMENT OF COMMERCE
ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
COAST AND GEODETIC SURVEY

TO : Chief, Photogrammetry Division

DATE: August 23, 1967

In reply refer to:

FROM : Commanding Officer,
USC&GS Ship HODGSON

SUBJECT: Field Edit Report: Projects Job PH-6714, Admiralty
Inlet, and PH-6706, Dungeness Bay, Wn.


In accordance with Project Instructions OPR 412-Port Discovery - to Dungeness Bay dated 6 February 1967 the above subject assigned field editing was accomplished.

Under separate cover are submitted field edit ozalids and photographs for OPR 412 and subject projects. Signals were located by standard photo-grametric methods and all location of photo-hydro signals are considered final.

Final verification of preliminary control overlays is now being undertaken. After final control verification the mylar cronaflex copies of the "T" sheets will be forwarded to your office.

Attached with this report is a summary per "T" sheet of field editing accomplished. All notes are in purple ink. Little photo-identification of rocks was accomplished on the southern part of the subject survey area because of heavy shadowing. Hydrographic fixes were plotted on all "T" sheets to aid in the final varification of questioned items and uncharted rocks.

The HODGSON is being deactivated as of 25 August 1967. All field data that is remaining aboard will be transferred to Chief Processing, Seattle, Washington.


Walter F. Forster II

Enclosure: Summaries of accomplished
field editing



BUY U.S. SAVINGS BONDS REGULARLY ON THE PAYROLL SAVINGS PLAN

Attachment

23 August 1967

OPR 412 PORT DISCOVERY TO DUNGENESS BAY WASHINGTON
SUMMARIES OF ACCOMPLISHED FIELD
EDITING

T-12050

Verification of this entire sheet was accomplished. In addition, the most important rocks off Middle Point are shown on the paper field ozalid. This area is mostly foul with boulders.

Cross reference was made to 60W 1961

T-12052

Verification of this entire sheet is complete. The middle ground in Sequim Bay does exist and its final extent will be shown on smooth sheet H-8928. The sunken barge was located by fixes 1a and 2a HO-10-1-67. Rocks and other items found not to exist on chart 6403 are also shown.

Cross reference was made to photos 60W 1955.

1a Sunken Barge

Lat 48 04.88N
Long 123 01.77W

Sunken Barge bares 2 feet @ 0927 on 4/26/67

T-12053

All field varification is complete for this sheet. Note hydrographic fixes plotted for uncharted rocks.

Cross reference is made to photo 60W 1957.

T-12054

Field varification on questioned items is complete. All new uncharted rocks have been plotted on the manuscript for reference.

Cross reference note was made to:

60W 1959

60W 1961

60W 1982

60W 1983

T-12055

Field varification of this sheet is considered complete. At approx
Lat. $48^{\circ} 06.8N$ Long. $122^{\circ} 52.25W$ rocks and boulders in this area are
quite numerous.

Cross reference was made to Photo 60W 1961

T-12059

Field varification of this sheet is considered complete. Numerous uncharted rocks and piles are plotted on the sheet using hydrographic fixes. Fix 12c changes the position of 4 piles in a row approx Lat $48^{\circ} 01.8N$ Long $123^{\circ} 01.1W$.

Cross reference is made to Photo 60W 1986.

T-12060

Verification of all questioned items are complete. One deadhead was found in this area and its position is shown on the field edit ozalid.

Cross reference to Photo 60W 1980 was made on T-12060.

T-12061

All field varification is considered complete.

12062

Varification of this sheet considered complete. Additional deadheads
fixes 13 b & 14 b were plot on the sheet. No photo identification was
made of these items.

JOB PH-6706

T-13097

Verification of T-13097 is complete. All notes to the verifier are on the field edit ozalid attached. Field edit was made only within the area of the hydrographic survey, these limits are shown on the ozalid. The MLLW line will be developed in its final correct position on smooth sheet H-8930.

JOB PH-6706

T-13098

All requested items were verified in the field. In addition, 9 piles, one sunken wreck, and an obstruction was found and their location transferred to the paper ozalid in purple ink. Field editing was accomplished for the entire sheet.

Cross reference was made to photos 66S 32 93A and 66S 32 56A. Appropriate notes may be found on these photos.