

F-12375

F-12375

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. T-12375	Edition No. 1
Job No. PH-6303	
Map Classification FINAL FIELD EDITED MAP	
Type of Survey SHORELINE	
LOCALITY	
State ALASKA	
General Locality CLARENCE STRAIT	
Locality THORNE RIVER	
19 63 TO 19 69	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY ☒ ORIGINAL ☐ RESURVEY ☐ REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Atlantic Marine Center, Norfolk, VA		SURVEY TR. <u>12375</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>Final</u> JOB <u>PH-6303</u>	
OFFICER-IN-CHARGE Jeffrey G. Carlen		LAST PRECEDING MAP EDITION TYPE OF SURVEY ☐ ORIGINAL ☐ RESURVEY ☐ REVISED JOB <u>PH-_____</u> MAP CLASS <u>_____</u> SURVEY DATES: 19 <u> </u> TO 19 <u> </u>	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation Jan. 9, 1967 Compilation March 20, 1967 Compilation Supplement 1 Nov. 6, 1970 Compilation Supplement 2 Nov. 23, 1970 Compilation Supplement 3 Nov. 5, 1971 Compilation Amendment 1 Dec. 7, 1971		Field Feb. 10, 1966	
II. DATUMS			
1. HORIZONTAL: ☒ 1927 NORTH AMERICAN		OTHER (Specify) _____	
2. VERTICAL: ☒ MEAN HIGH-WATER ☐ MEAN LOW-WATER ☐ MEAN LOWER LOW-WATER ☐ MEAN SEA LEVEL		OTHER (Specify) _____	
3. MAP PROJECTION Polyconic		4. GRID(S) STATE <u>Alaska</u> ZONE <u>1</u>	
5. SCALE 1:10,000		STATE _____ ZONE _____	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY _____ METHOD: Stereoplanigraph LANDMARKS AND AIDS BY _____		J. Perrow	March 1967
2. CONTROL AND BRIDGE POINTS PLOTTED BY _____ METHOD: Coradomat CHECKED BY _____		A. Roundtree	Feb. 1967
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY _____ COMPILATION CHECKED BY _____		C. Blood	June 1967
INSTRUMENT: Keish & Graphically CONTOURS BY _____ SCALE: 1:6,000 CHECKED BY _____		A. C. Rauck, Jr.	June 1967
4. MANUSCRIPT DELINEATION PLANIMETRY BY _____ CHECKED BY _____		R. White	June 1967
METHOD: Smooth Drafted CONTOURS BY _____ CHECKED BY _____		L. Graves	June 1967
SCALE: 1:10,000 HYDRO SUPPORT DATA BY _____ CHECKED BY _____		R. White	June 1967
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY _____		L. Graves	June 1967
6. APPLICATION OF FIELD EDIT DATA BY _____ CHECKED BY _____		F. Margiotta	Sept. 1970
7. COMPILATION SECTION REVIEW BY _____		B. Wilson	Oct. 1970
8. FINAL REVIEW BY _____		L. O. Neterer, Jr.	Oct. 1987
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY _____		L. O. Neterer, Jr.	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY _____		P. Dempsey	Jan 1988
11. MAP REGISTERED - COASTAL SURVEY SECTION BY _____		J. Wilson	July 1988

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-12375
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild R.C. 8 "W"		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR X(P) PANCHROMATIC (I) INFRARED		ZONE Pacific	☒ STANDARD ☐ DAYLIGHT
☒ PREDICTED TIDES ☐ REFERENCE STATION RECORDS ☐ TIDE CONTROLLED PHOTOGRAPHY				MERIDIAN 120th	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
63W-7271	Jul 2, 1963	10:40	1:30,000	11.4 ft. above MLLW	
63W-7665-7666	Jul 2, 1963	15:40	1:15,000	4.6 ft. above MLLW	

REMARKS

2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high water line was compiled from the above listed photography.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

None compiled.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
T-12372	No Survey	T-12379	T-12376

REMARKS

T-12375

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	B. Williams	May 1966
2. HORIZONTAL CONTROL	RECOVERED BY R. Melby	May 1966
	ESTABLISHED BY R. Melby	May 1966
	PRE-MARKED OR IDENTIFIED BY R. Melby	May 1966
3. VERTICAL CONTROL	RECOVERED BY N/A	
	ESTABLISHED BY N/A	
	PRE-MARKED OR IDENTIFIED BY N/A	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION ☐ COMPLETE BY ☐ SPECIFIC NAMES ONLY ☒ NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N/A

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

Photoidentified

2. VERTICAL CONTROL IDENTIFIED

N/A

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
63W7271	THOR, 1966		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

2- Forms 152

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

T-12375

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Moses	Oct 1969
2. HORIZONTAL CONTROL	RECOVERED BY: None ESTABLISHED BY: None PRE-MARKED OR IDENTIFIED BY: None	
3. VERTICAL CONTROL	RECOVERED BY: NA ESTABLISHED BY: NA PRE-MARKED OR IDENTIFIED BY: NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY: None LOCATED (Field Methods) BY: None IDENTIFIED BY: None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION ☐ COMPLETE BY ☐ SPECIFIC NAMES ONLY ☒ NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY: G. Tornberg	Oct 1967
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY: NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

PHOTO NUMBER

STATION NAME

PHOTO NUMBER

STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

63W 7663-7665

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER

OBJECT NAME

PHOTO NUMBER

OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

2 Field Edit Ozalids

1 Field Edit Report

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

T-12375

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	June 1967	Class III	July 7, 1967	July 30, 1968
Field edit applied compilation complete	Oct. 1970	Class I	Sept. 14, 1973	Aug. 19, 1971
Final Review	Oct. 1987	Final Field Edited Map	June 1987	

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: None3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA


1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

REVISED 9/23/76 RWW
REVISED 10/9/86 D.B.
T-13240 CANCELED
REVISED 12/11/86 JDM
T-13381 CANCELED (1976)



SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

T-12375

This 1:10,000 scale shoreline map is one of thirty-four maps that comprise project PH-6303, Clarence Strait, Alaska. This project encompasses Clarence Strait and Ernest Sound, latitude 55° 28' 45" north to latitude 56° 00' 00" and longitude 131° 55' 00" west to longitude 132° 45' 00".

Photographic coverage was provided in July 1963 using the "W" camera (focal length 153.02 millimeters) at 1:15,000 and 1:30,000 scale. Black and white panchromatic film was used at both scales.

Field work prior to compilation consisted of photoidentification of horizontal control for aerotriangulation in May 1966.

Analytic aerotriangulation was performed at the Washington Science Center in March 1967.

Compilation was performed at the Atlantic Marine Center during June 1967.

Field edit was accomplished during October 1969.

Application of field edit and advancing this map to Class I status was achieved in October 1970.

Final review was completed at the Atlantic Marine Center during October 1987.

This Descriptive Report contains all pertinent information used to compile this Final Field Edited Map.

The original base map and all pertinent data were forwarded to the Washington Science Center for registration.

FIELD INSPECTION REPORT

Project PH-6303

Shoreline Mapping, Clarence Strait & Ernest Sound Alaska

May, 1966

Shoreline Manuscripts T-11982 and T-12363 thru T-12387

The area of the project is along the shores of Clarence Strait and the entrance of Ernest Sound, including Tolstoi Bay and Union Bay.

The area is in a remote section of southeast Alaska, accessible only by ship or airplane.

There are three communities, Meyers Chuck, Thorne Bay and Ratz Harbor. The latter two are logging camps.

The interior areas are covered with a dense growth of coniferous timber, chiefly spruce, hemlock and cedar.

Horizontal control consisted of the photo-identification of the required triangulation stations. New station were established by triangulation or traverse utilizing the electronic distance measuring instruments (Fairchild MC-8 Electrochains).

The shoreline is mostly rocky and irregular. Numerous ledges extend seaward from the rocky headlands and points. The strata formation of many of the ledges are in vertical or incline planes making the ledges quite irregular and jagged. The shoreline of occasional small bights will be of a gravel, stone or boulder composition.

The shoreline was field inspected at landing sites, these locations usually being at the site of triangulation stations. The interpretation of the mean high water line on photography taken at low water can be distinguished in the following manner. Adjacent to the existing water level at the time of photography will be a white area. This is mostly barnacles and similiar marine

life that reflects a white tone. This will appear as a white band paralleling the shoreline. This is followed by a dark, nearly black color tone. This area receives only occasional wave action during storms. This appears on the photography as a dark band adjacent to and next in elevation above the white band of barnacles. Above the dark band will usually be seen a greyish color tone, extending to the tree line. This is composed of grass, lichens and debris on the bedrock. The mean high water line is at the junction of the white barnacle band and the dark band. An example of this can be noted by observing contact photograph 65 L 5129 in the vicinity of the field identification of station OVAL, 1916.

Approved:

Bruce I. Williams
Bruce I. Williams Lt. ESSA

C.O. Ship PATTON

Respectfully submitted

Robert B. Melby
Robert B. Melby

Surveying Technician, C & GS

PHOTOGRAMMETRIC PLOT REPORT

Job PH-6303

Clarence Strait, Alaska

Part I - Southern Half

March 15, 1967

21. Area Covered

The area covered in this report is along both the east and west shoreline of Clarence Strait, Alaska. Included are all, or part, of T-sheets 12372 thru 12387, at 1:10,000 scale.

22. Method

Five strips were bridged on the stereoplanigraph and adjusted by the IBM 1620 methods. Strip #1 (63-W-7205 thru 7211) was adjusted on three control stations with tie points from Strip #2 as checks. Strip #2 (63-W-7223 thru 7233) was adjusted on four control stations using tie points from Strip #1 and #3 as checks. Strip #3 (63-W-7240 thru 7250), was adjusted on four control stations with tie points from Strip #2 as checks. Strip #5 (63-W-7262 thru 7271) was adjusted on four control stations with tie points from Strip #6 as checks. Strip #6 (63-W-7275 thru 7285) was adjusted on four control stations with tie points from Strip #6 as checks.

All plates were drilled on the PUG. All tie points between strips were averaged.

23. Adequacy of Control

Horizontal control was adequate and complied with project instructions. All stations held within National Map Accuracy Standards with the following exceptions:

- (1) MAN 2, HUB A (temp.) 1930, SS "A", SS "B", SS "C"

None of the three substations could be held in either Strip #1 or #2. Since the field report stated, "instrument #307 giving erratic readings," plus the fact that two positions could be computed for any of the substations (depending on which azimuth station was used) the entire station was dropped from both strips.

(2) JAY 1924, SS "C" Strip #2)

This substation could not be seen clearly in Strip #1 due to overhang. It was held in Strip #2, but was dropped from Strip #1.

(3) NIBLACK 1915, SS "A" (Strip #2)

This substation could not be seen clearly. Since SS "B" and SS "C" held together in the bridge, SS "A" was dropped from the strip.

(4) LEM 1916, SS "B" (Strip #3)

This substation was of very poor quality and was dropped from the bridge. Substation "A" and SS "C" held in the bridge.

(5) THOR 1966, SS "B" (Strip #5)

This substation was of very poor image point and could not be held in the bridge.

(6) JERK 1966, SS "B" (Strip #5)

This substation was of very poor image quality and was dropped from the bridge.

(7) NAR 1915, SS "B" (Strip #6)


This substation was of poor image quality and was dropped from the bridge.

In general, the photo quality of most of the substations was very poor. It is realized that the field was working in a very difficult area and fortunately provided three substations for most control stations. For this reason the above were dropped from the bridge with no fear of detracting from the overall accuracy.


25. Photography

Photography was adequate as to coverage, overlap and definition.

Approved by:


John D. Perrow, Jr.

Submitted by:


Paul Hawkins

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETTIC DATUM		ORIGINATING ACTIVITY		REMARKS
					COORDINATES IN FEET STATE ALASKA ZONE 1	NA 1927	Geographic Position ϕ LATITUDE λ LONGITUDE	Division, Norfolk, Va.	
T-12375	PH-6303								
THOR, 1966	G.P. VOL III pg. 1041				X=	ϕ 55 41 35.24735		1090.1 (765.5)	
					Y=	λ 132 35 06.79154		118.6 (929.6)	
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
					X=	ϕ			
					Y=	λ			
COMPUTED BY	A. C. Rauck, Jr.								DATE
LISTED BY									DATE
HAND PLOTTING BY									DATE

COMPUTATION CHECKED BY

DATE 12/18/70

LISTING CHECKED BY

DATE

HAND PLOTTING CHECKED BY

DATE

COMPILATION REPORT

T-12375

31. DELINEATION:

Compilation was accomplished with the KELSH plotter using 1:30,000 scale photographs. The shoal areas were delineated by graphic methods. The photography was adequate.

32. CONTROL:

See Photogrammetric Plot Report dated March 15, 1967.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

Shallow and shoal areas were delineated from office interpretation of the photographs. No low water line was shown.

36. OFFSHORE DETAILS:

No statement.

37. LANDMARKS AND AIDS:

None.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See Form 76-36B, item 5 included with this report.

T-12375

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with USGS quadrangle CRAIG (C-2), Alaska, scale 1:63,360, dated 1949 with minor revisions in 1962.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with Chart 8102, scale 1:229,376, dated December 20, 1965, 8th edition.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.


ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:


L. L. Graves
Cartographic Technician
June 1967

Approved and forwarded:


A. C. Rauok, Jr.
Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6303 (Clarence Strait, Alaska)

T-12375


Deer Creek

Prince of Wales Island

Thorne Bay

Thorne River

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division
Charting and Geodetic Services

FIELD EDIT REPORTS

Map T-12375

Thorne River

Alaska

October 1969

Field edit of map T-12375 was done by LTJG Gordon Tornberg, LTJG Glenn Endrud, ENS Richard Baker, ENS Warren Taguchi, and ENS Don Suloff during October 1969. Inspection was done from a small boat and on foot when fixes on land were required.

METHOD

Field photographs and a copy of the field edit ozalid were examined in the field. The mean high water line was verified by visual comparison of the beach area and the ozalid in the field, and by estimated distances of the MHWL from photo-identifiable objects. Isolated rocks and reefs were located by sextant fixes and plotted on boat sheet DA-10-6-69 and then compared with the photogrammetric position. Ledge limits were compared with those on the ozalid and extended on the field photographs and map where necessary. Notes of the heights of rocks, reefs, and pier locations have been made on the field photographs.

Notes have been made in violet ink on the field photographs and have been cross-referenced on the Field Edit Ozalid by the photograph number. All times are based on 105°W meridian. Notes are on photographs numbered 63W7663 and 63W7665.

ADEQUACY OF COMPILATION

Compilation of this map is good in the area covered; however, the upper reach of the river was inaccessible due to the state of the tide at the time of inspection. The area at Lat. 55°41.8'N, Long. 132°34.5'W was not verified as to the existence of an islet; however, there were no prominent features in this marshy mud flat area. Hydrographic location of features compares well to photogrammetric location.

RECOMMENDATIONS

It is recommended that the map be revised in accordance with the notes on the photograph and that it be accepted as an advance manuscript.

Respectfully submitted,

Gordon F. Tornberg

Gordon F. Tornberg
LTJG, USESSA

REVIEW REPORT
SHORELINE

T-12375

61. GENERAL STATEMENT:

See Summary included with this Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A comparison was made with U.S. Geological Survey Quadrangle: CRAIG (C-2), Alaska, scale 1:63,360, dated 1949, minor revisions 1962.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

A comparison was made with registered Hydrographic Survey H-9084, scale 1:10,000.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following charts:

17420, 23rd edition, dated March 16, 1985, scale 1:229,376, and
17423, 11th edition, dated January 3, 1981, scale 1:40,000.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Lowell O. Neterer, Jr.

Lowell O. Neterer, Jr.

Final Reviewer

October 15, 1987

Approved for forwarding:

Billy H. Barnes

Billy H. Barnes

Chief, Quality Assurance Group, AMC

Approved:

Greg O. Roberson

Chief, Photogrammetric Production Sect.

G. Y. Bryson

Chief, Photogrammetry Branch
Rockville

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]