

T-12544

T-12544

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. T-12544	Edition No. 1
Job No. PH-6401	
Map Classification FINAL, FIELD EDITED MAP	
Type of Survey SHORELINE	
LOCALITY	
State HAWAII	
General Locality HAWAII ISLAND, WEST COAST UPOLO POINT TO KAILUA	
Locality KEAUHOU BAY	
1963 TO 1972	
REGISTERED IN ARCHIVES	
DATE	

<b>NOAA FORM 76-36A</b> (3-72)		<b>U. S. DEPARTMENT OF COMMERCE</b> NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
<b>DESCRIPTIVE REPORT - DATA RECORD</b>		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Center Norfolk, VA		SURVEY TP. <u>12544</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>Final</u> JOB PH. <u>6401</u>	
OFFICER-IN-CHARGE  Richard Houlder		<b>LAST PRECEDING MAP EDITION</b> TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
<b>I. INSTRUCTIONS DATED</b>			
<b>1. OFFICE</b>		<b>2. FIELD</b>	
Compilation Sept. 12, 1968 Supplement No. 1 Feb. 11, 1969  Compilation March 11, 1969 Supplement No. 2 Dec. 11, 1969		Control/Field Inspection Apr 29, 1964	
<b>II. DATUMS</b>			
<b>1. HORIZONTAL:</b> <input type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify) Old Hawaiian Datum	
<b>2. VERTICAL:</b> <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
<b>3. MAP PROJECTION</b>  Polyconic		<b>4. GRID(S)</b> STATE _____ ZONE _____	
<b>5. SCALE</b> 1:5,000		STATE <u>Hawaii</u> ZONE <u>1</u>	
<b>III. HISTORY OF OFFICE OPERATIONS</b>			
<b>OPERATIONS</b>		<b>NAME</b>	<b>DATE</b>
<b>1. AEROTRIANGULATION</b> BY METHOD: stereoplanigraph LANDMARKS AND AIDS BY		<u>J. Perrow</u> <u>H. Eichert</u>	<u>Feb 1969</u> <u>Feb 1969</u>
<b>2. CONTROL AND BRIDGE POINTS</b> PLOTTED BY METHOD: coradomat CHECKED BY		<u>J. Perrow</u> <u>H. Eichert</u>	<u>Feb 1969</u> <u>Feb 1969</u>
<b>3. STEREOSCOPIC INSTRUMENT</b> PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 SCALE: 1:5,000 CONTOURS BY CHECKED BY		<u>L. Neterer</u> <u>R. Smith</u> <u>N.A.</u> <u>N.A.</u>	<u>Jan 1970</u> <u>Jan 1970</u> <u>--</u> <u>--</u>
<b>4. MANUSCRIPT DELINEATION</b> PLANIMETRY BY CHECKED BY METHOD: smooth drafted CONTOURS BY CHECKED BY SCALE: 1:5,000 HYDRO SUPPORT DATA BY CHECKED BY		<u>L. Neterer</u> <u>R. Smith</u> <u>N.A.</u> <u>N.A.</u> <u>L. Neterer</u> <u>R. Smith</u>	<u>Jan 1970</u> <u>Jan 1970</u> <u>--</u> <u>--</u> <u>Jan 1970</u> <u>Jan 1970</u>
<b>5. OFFICE INSPECTION PRIOR TO FIELD EDIT</b> BY		<u>R. Smith</u>	<u>Jan 1970</u>
<b>6. APPLICATION OF FIELD EDIT DATA</b> BY CHECKED BY		<u>C. Parker/I. Perkinson</u> <u>C. Blood</u>	<u>May 74/Apr 80</u> <u>Jul 1980</u>
<b>7. COMPILATION SECTION REVIEW</b> BY		<u>C. Blood</u>	<u>Jul 1980</u>
<b>8. FINAL REVIEW</b> BY		<u>J. Hancock</u>	<u>Feb 1987</u>
<b>9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH</b> BY		<u>J. Hancock</u>	<u>Mar 1987</u>
<b>10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH</b> BY		<u>P. Dempsey</u>	<u>May 1987</u>
<b>11. MAP REGISTERED - COASTAL SURVEY SECTION</b> BY		<u>E. L. DAUGHERTY</u>	<u>MAY 1987</u>

T-12544  
COMPILATION SOURCES

## 1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild R.C. 8"S", S=152.29mm		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE Hawaii	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 150th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
63S(C)8158-8160**	Sep 1, 1963	10:35	1:15,000	1.1 ft above MLLW	
63S(P)8068-8069*	Sep 1, 1963	9:10	1:30,000	0.4 ft above MLLW	
63S(C)8198-8201**	Sep 1, 1963	***	1:15,000		
63S(C)8181-8183**	Sep 1, 1963	***	1:15,000		
Mean Tide Range = 1.4 ft					

## REMARKS

\* Bridging photographs, \*\* Compilation photographs \*\*\* Flight cards were not made available

## 2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high water line was compiled from office interpretation of the compilation photographs using stereo instrument methods.

## 3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

No mean lower low water line was compiled.

## 4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
H-9335	surveyed 1972	registered			

## 5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
*T-12543	No survey	*T-12545	No survey

## REMARKS

\*This inset map is contained within the limits of 1:10,000 scale maps T-12543 and T-12545

T-12544  
HISTORY OF FIELD OPERATIONSI. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Newsom	Jun/Jul 1964
2. HORIZONTAL CONTROL	RECOVERED BY E. Cline	Jun/Jul 1964
	ESTABLISHED BY E. Cline	Jun/Jul 1964
	PRE-MARKED OR IDENTIFIED BY E. Cline	Jun/Jul 1964
3. VERTICAL CONTROL	RECOVERED BY none	--
	ESTABLISHED BY none	--
	PRE-MARKED OR IDENTIFIED BY none	--
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY none	--
	LOCATED (Field Methods) BY none	--
	IDENTIFIED BY E. Cline	Jun/Jul 1964
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE BY <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY E. Cline	Jun/Jul 1964
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY none	--

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

none

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
63(S) 8069*	POINT, 1928 (Paneled direct and Sub pt identified)		
	*Section of ratio photo submitted.		

## 3. PHOTO NUMBERS (Clarification of details)

63S(C) 8158-8160 (Cronapaque Contacts, 1:15,000 scale)

63S(P) 8088, 8090 (Matte Contacts, 1:30,000 scale)

## 4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
63(S) 8090	Keauhou Bay Light		

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

## 7. SUPPLEMENTAL MAPS AND PLANS

none

## 8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 form 152 (CSI)

NOAA FORM 76-36C  
(3-72)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEYT-12544  
HISTORY OF FIELD OPERATIONS1. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	(NOAA Ship RAINIER) G. Haraden	Oct 1972
2. HORIZONTAL CONTROL	RECOVERED BY S. Hollinshead	Oct 1972
	ESTABLISHED BY none	--
	PRE-MARKED OR IDENTIFIED BY none	--
3. VERTICAL CONTROL	RECOVERED BY none	--
	ESTABLISHED BY none	--
	PRE-MARKED OR IDENTIFIED BY none	--
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY none	--
	LOCATED (Field Methods) BY none	--
	IDENTIFIED BY S. Hollinshead	Oct 1972
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY S. Hollinshead	Oct 1972
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NONE	--

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

none

2. VERTICAL CONTROL IDENTIFIED

none

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

63(S) 8158-8160 (Matte Ratios, 1:5,000 scale)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
63(S)8158	Keauhou Bay Light		

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

none

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 Field Edit Report, 1 form 76-40, 1 Field Edit Paper Print

T-12544

## RECORD OF SURVEY USE

## I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Jan 1970	Class III manuscript		Jan 1970
Partial Field Edit Applied	May 1974	Class III manuscript		May 1974
Field Edit Applied, Compilation Complete	Jul 1980	Class I manuscript	Aug 1980	Aug 1980
Final Review	Feb 1987	Final Map	mar 1987	mar 1987

## II. LANDMARKS AND AIDS TO NAVIGATION

## 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

PAGES NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1		mar 1987	Aid for Charting

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: \_\_\_\_\_3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: \_\_\_\_\_

## III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.  
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☒ FORM NOS 567 SUBMITTED BY FIELD PARTIES.  
3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.  
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: \_\_\_\_\_




## IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

<u>Sheet No.</u>	<u>Area</u> <u>Sq. Mi.</u>
T-12527	1
T-12528	3
T-12529	3
T-12530	3
T-12531	2
T-12532	2
T-12533	3
T-12534	2
T-12535	2
T-12536	3
T-12537	4
T-12538	2
T-12539	4
T-12540	4
T-12541	4
T-12542	2
T-12543	3
T-12544	2
T-12545	3
T-12635	2
T-13131	2
T-13132	2
T-13154	2
T-13382	<u>1</u>

Total 61

JOB PH-6401  
SHORELINE MAPPING  
HAWAII IS. WEST COAST  
UPOLO POINT TO KAILUA  
SCALE 1:5,000 & 1:10,000



SUMMARY TO ACCOMPANY  
DESCRIPTIVE REPORT

T-12544

This 1:5,000 scale final shoreline inset map is one of twenty-three maps that comprise PH-6401, Hawaii Island, Hawaii, West Coast, Upolo Point to Kailua. The project consists of seventeen 1:10,000 scale maps (T-12527 thru T-12541, T-12543, T-12545) and six 1:5,000 scale inset maps (T-12542, T-12544, T-12635, T-13131, T-13132, T-13382).

The purpose of this inset map was to provide a large scale portrayal of Keauhou Bay and vicinity for support of hydrographic operations and marine chart maintenance.

Photo coverage for the project was adequately provided in August/September 1963 using the Wild RC-8 "S" camera. Photography consisted of 1:30,000 scale panchromatic photographs used for field inspection and aerotriangulation. The 1:20,000 and 1:15,000 scale color photographs were used for compilation and hydro support. The 1:20,000 scale photo coverage was obtained for the 1:10,000 scale maps and the 1:15,000 scale photographs provided coverage of the 1:5,000 scale inset maps. Additional color photographs at 1:15,000 scale were obtained in February 1969 with the Wild RC-8"E" camera. These photographs were bridged and a supplemental plot report was prepared in order to compile three 1:5,000 scale inset maps (T-13131, T-13132 and T-12635). The stage of tide for all project photographs was based upon predicted tide data. No infrared photographs were provided.

Field work prior to aerotriangulation consisted of the recovery and establishment of horizontal control by photoidentification methods. In addition, a field inspection was performed for the project area utilizing the 1:30,000 scale photographs. This activity was conducted in June/July 1964.

Analytic aerotriangulation was adequately provided by the Washington Science Center in three phases. Initial bridging activity was accomplished for seven of the northern project maps in June 1966. The second phase was conducted for the remaining project maps in February 1969. A final bridge was provided in October 1971 for the 1969 photo coverage of three 1:5,000 scale inset maps. Aerotriangulation activity included ruling the base manuscripts and also provided ratio photographs for the compilation and hydrographic/field edit operations.

Compilation for this map was performed at the Coastal Mapping Section, Atlantic Marine Center in January 1970. Delineation of detail was compiled in conjunction with the common smaller scale map T-12543, and T-12545 which encompasses this inset map. Copies of the manuscript and hydrographic support data were forwarded to the hydrographer for field edit.



T-12544

Field edit was conducted in conjunction with hydrographic survey H-9335 by NOAA Ship RAINIER personnel in October 1972.

Application of field edit was accomplished at the Atlantic Marine Center in July 1980 and the manuscript was advanced to Class I. Copies of the Class I manuscript were forwarded to the Hydrographic Surveys Branch and the Marine Charts Section.

Final review was performed at the Atlantic Marine Center in February 1987. A comparison was made with the common nautical chart and hydrographic survey. The original base manuscript and related data along with a final Chart Maintenance Print and a Hydrographic Print were forwarded to the Washington Science Center for registration and distribution.

FIELD INSPECTION  
T-12544

Field activity prior to compilation included a field inspection of the shoreline and the recovery/photoidentification of horizontal control necessary for project aerotriangulation. Results of the 1964 field inspection were submitted on the 1:30,000 scale contact photographs.

# Photogrammetric Plot Report

PH-6401

Hawaii Island, Hawaii

Feb.4, 1969

## 21. Area Covered

The area covered by this report is along the northwest coast of Hawaii Island. T-sheets in this area are numbered 12534 thru 12541, 12543, and 12545 at 1:10,000 scale. T-sheets 12542, 12544, 12635, 13131 and 13132 at 1:5,000 scale. Sheets T-12527 thru 12533 and 13154 were covered by a previous report on Strips #1 and #2.

## 22. Method

All strips were bridged on the stereoplanigraph and adjusted by IBM 1620 methods. Strip #3 was adjusted on four stations with two additional stations as checks. Strip #4 was adjusted on seven stations with two additional stations as checks. Strip #6 was adjusted on two control points plus 7 tie points. Strip #7 was adjusted on one control station and three tie points. Strip #8 was adjusted on three control stations and three tie points. All tie points between strips were averaged. Points were drilled using the Wild PUG.

## 23. Adequacy of Control

The control provided by the field was adequate after reidentification of Anaehoomalu 1913, Lana Cone, 1913 and the identification of Hand, 1928 and Nawai 1928. The following stations could not be held in the bridging adjustments.

1. LAVA CONE, 1913, SS #A and SS #B ("NEAR"). By holding four triangulation stations and floating substitute stations "NEAR A AND B", a 1 ft. check was achieved between these substitute stations and placed LAVA CONE, 1913 80 ft. north of survey mark "NEAR" and on the high point of the immediate area. This bares out the field recovery note for station LAVA CONE 1913 that the survey mark "NEAR" and intersection station LAVA CONE, 1913 are not one and the same. Geodesy Division has been notified of our findings and the bridging information added to their files.

2. KEEI SOUTH BASE, 1948 SS #1 and SS #2 could not be held in Strip #4 by 11' and 16' respectively. It is believed these errors are due to bad identification, since seven other stations were held in the adjustment. This station falls in Strip #4 but is outside of the PH-6401 area of compilation.

24. Supplemental Data

Local USGS quads were used to provide vertical points needed for the strip adjustment program.

25. Photography


Photography was not adequate to provide coverage of the 1:5,000 scale sheets with the exception of T-12542. This inadequate coverage was caused by a change in the limits of the 1:5,000 areas after bridging was nearing completion. Photography was adequate in regard to definition and overlap.

Submitted by,

*John D. Perrow Jr.*  
John D. Perrow, Jr.

Approved by,

*Henry P. Eichert*  
Henry P. Eichert  
Chief, Aerotriangulation Section



1. KEPUNI 2, 1948
2. KEPUNI, 1913
3. KEALAHEWA 2, 1948
4. LORAN TOWER, 1948
5. PUU ULA, 1913
6. RED TANK, 1948
7. KEAWANUI, 1948
8. PUU KAMALI, 2, 1928
9. KAWAIAE LT. 1928
10. PUAKO, 1873
11. PUAKO NEW, 1948
12. ANAETHOOMALU, 1913
13. HAND, 1928
14. NAWAT, 1928
15. LAVA CONE, 1913
16. KEAHOLE 2, 1948
17. KEAHOLE, 1882
18. KEARUOLU PT. N.W. RANGE MARKER, 1948
19. KAILUA, 1887
20. KAHALO, 1882
21. POINT, 1928
22. KEALAKEKUM KONA CH. SPIRE, 1948
23. KEEI SOUTH BASE, 1948
24. HONANAU ST. BENEDICT CATH. CHURCH SPIRE, 1948
25. MC CANDLESS, 1948

**JOB PH-6401**

**SHORELINE MAPPING**

**HAWAII IS. WEST COAST**

**UPOLO POINT TO KAILUA**

**SCALE 1:5,000 & 1:10,000**

## DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETTIC DATUM		ORIGINATING ACTIVITY		
					Old Hawaiian COORDINATES IN FEET STATE <u>Hawaii</u> ZONE <u>1</u>	Geographic Position $\phi$ LATITUDE $\lambda$ LONGITUDE	Coastal Mapping Unit, AMC	REMARKS	
T-12544	PH-6401								
TARGET, 1928	G.P. pg 69				X=	$\phi$ 19 33 28.265			
					Y=	$\lambda$ 155 58 06.752			
SIGNAL, 1928	"				X=	$\phi$ 19 34 04.129			
					Y=	$\lambda$ 155 58 07.091			
POINT, 1928	pg 31				X=	$\phi$ 19 33 42.326			
					Y=	$\lambda$ 155 58 08.207			
KEAUHOU COAST, 1948	pg 15				X=	$\phi$ 19 33 23.387			
					Y=	$\lambda$ 155 58 10.189			
					X=	$\phi$			
					Y=	$\lambda$			
					X=	$\phi$			
					Y=	$\lambda$			
					X=	$\phi$			
					Y=	$\lambda$			
					X=	$\phi$			
					Y=	$\lambda$			
					X=	$\phi$			
					Y=	$\lambda$			
					X=	$\phi$			
					Y=	$\lambda$			
COMPUTED BY A. Rauck					COMPUTATION CHECKED BY R.J.P.				DATE Jan, 22, 1970
LISTED BY					LISTING CHECKED BY				DATE
HAND PLOTTING BY					HAND PLOTTING CHECKED BY				DATE

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

COMPILATION REPORT  
T-12544

31 - DELINEATION

Delineation was by instrument methods using the Wild B-8 stereoplotter and 1:15,000 scale color photographs. The 1:30,000 scale panchromatic field inspection photographs were used during compilation; however, several of the field identified rocks were not discernible when viewing the 1:15,000 scale color compilation photographs. Rocks that were not clearly identifiable were not compiled.

Compilation ratio photographs were processed for hydro support and were used graphically to assist in delineation of minor details. Photo coverage and quality were adequate.

32 - CONTROL

Refer to the Photogrammetric Plot Report, dated February 4, 1969.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

Contours are inapplicable. Drainage was delineated from the compilation photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The shoreline was delineated from office interpretation of the mapping photographs and from the annotated photographs resulting from the precompilation field inspection. Because of the small tide range, no mean lower low water line was compiled.

36 - OFFSHORE DETAILS

Compilation of offshore detail performed as indicated in item No. 31.

37 - LANDMARKS AND AIDS

Appropriate data was prepared for field edit.

38 - CONTROL FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

T-12544

40 - HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report dated February 4, 1969.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with U.S.G.S Quadrangle:  
Kealahou, Hawaii, dated 1960, scale 1:24,000.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with USC&GS Charts:  
4140, scale 1:80,000, (1:5,000 scale inset) 3rd edition, dated  
Jan. 24, 1966.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

Submitted by

*Jimmy L. Hancock*

for L. Neterer, Jr.  
Cartographic Technician  
January 1970

Approved

*Jimmy L. Hancock*

for Albert C. Rauck, Jr.  
Chief, Coastal Mapping Section



ADDENDUM TO THE COMPILATION REPORT

T-12544

Field edit for this inset map was performed in conjunction with hydrographic survey H-9335 in October 1972. Insufficient data was submitted to compile a new landmark (Hotel) at Lat 19° 33.7', Long 155° 58.1' as recommended by the field editor. A building in the same vicinity was delineated from the photographs as a map feature.

Adequate field edit data was furnished to advance the manuscript to Class I.

## GEOGRAPHIC NAMES

## FINAL NAME SHEET

PH-6401 (Hawaii)

T-12544

Honalo Bay

Kaukalaelae Point

Kualanui Point


Kuamoo Point

Maihi Bay

Pacific Ocean

Heeia Bay *gkh*Haikuua *gkh*Keauhou *gkh*Keauhou Bay *gkh*

Approved by:

A. Joseph Wraight  
Chief Geographer

Prepared by:

Frank W. Pickett  
Cartographic Technician

FIELD EDIT REPORT

OPR-419, 1972

T-12539 through T-12550 \$  
T-13332 T-11746

Kona Coast, Hawaii.

NOAA Ship RAINIER

CAPT G.E. HARADEN  
Commanding

## INTRODUCTION - METHODS

Field edit was accomplished between 14 September and 26 October 1972 by personnel of the NOAA Ship RAINIER. Work was performed from a 16 foot skiff. Landings were made where necessary to verify shoreline character.

The field edit started approximately 0.4 mile north-east of Puialoa Point, Hawaii and extended southward to Puoa Point (see appendix). Editing was completed on Manuscripts T-12539, T-12540, T-12541, T-12542, T-13382, T-12543, T-12544, T-12545, T-11796, T-12546, T-12548, and T-12549. Field edit was begun but not completed on Manuscript T-12550. No field edit was done on Manuscripts T-12547 and T-11797.

All additions and corrections were noted in purple on the field edit ozalids. Deletions were accented in green. Photos used in this edit were from PH-6401 and 6402. Values given for distances from MHWL and heights of rocks were estimated. All time references were made to 150° W longitude.

To aid in cross-referencing, A "Manuscript Reference Index" and a "Position Abstract" are included in the appendix. Also included in the appendix are: 1) List of detached positions, 2) A complete signal tape listing, 3) Listing of Triangulation Stations recovered, established, and re-established.

### ADEQUACY OF COMPILATION

The compilation of the MHWL on the edited manuscripts was excellent and required very few corrections. In general the compilation of off-shore features was also excellent. Time and height data for rocks not identified on the manuscripts has been included on the photographs.

### DISCUSSION AND RECOMMENDATIONS

#### T-12539 (completed) Mahailua Bay

The shoreline in this area is primarily composed of steep cliffs 20' high, interspersed with sandy beach. The northern and southern-most buildings at Mahailua Bay are the only two prominent objects in the vicinity and therefore are of landmark value. The wooden windmill located at  $19^{\circ} 47' 13.35''$  N and  $156^{\circ} 02' 22.50''$  W, is no longer standing and should be deleted from C&GS Chart 4140. Further information is furnished on NOAA Form 76-40 (see appendix).

#### T-12540 (completed) Makako Bay

The shoreline in this area is composed primarily of low bluffs and sandy beach with marsh surrounding fish ponds.

Keahole Point Lighthouse is of landmark value. The lighthouse was field identified from photo 63-S-7943. Further information is provided on NOAA Form 76-40 (see appendix).

T-13382 (completed) Honokohau Bay

The shoreline in this area is composed primarily of gently sloping lava flows with interspersed sandy beach and marsh surrounding Kaloko Fish Pond.

Keahuolu Point Northeast Range Marker, 1948, is of landmark value. Keahuolu Point Northwest Range Marker, 1948\*, has fallen over and is no longer visible from seaward. Four new navigational lights mark the entrance to the new boat basin at Honokohau, located just south of Maliu Point. Further information is provided on NOAA Form 76-40 (see appendix).

T-12541 (completed) Kailua Bay

The shoreline in this area is composed primarily of sloping lava rock with marsh surrounding small ponds and fish ponds at Honokohau Bay.

\* NOTE: Keahuolu Point Northeast Range Marker, 1948, and Keahuolu Point Northwest Range Marker, 1948, are located on Manuscripts T-12541 and T-13382.

The northern-most building at Honokohau, although small, is of landmark value as a navigational aid when entering the Honokohau boat basin. Keahuolu Point Northeast, Keahuolu Point Southeast, and Keahuolu Point Southwest Range Markers are very faded and weathered but are of landmark value. The building located at Honokohau (approximate location, latitude  $19^{\circ}40'25.85''$  N and longitude  $156^{\circ}01'44.83''$  W) and Keahuolu Point Northwest Range Marker are not visible from seaward and should be deleted. Further information is provided on NOAA Form 76-40 (see appendix).

T-12542 (completed) Kailua Bay

The shoreline in this area is composed primarily of low bluffs interspersed with sandy beach.

The facade of the Kona Hilton Hotel, which is illuminated yellow at night, and Kailua Lighthouse are of landmark value; both were intersected using second order, class II methods. A crane lighted at night by a floodlight and used by fishermen as a navigational aid and the Kailua Mokuauikaia Church spire are also of landmark value.

The cattle pens, small craft warning mast, and building on the Kailua pier have been removed and should be deleted. The tanks located at latitude  $19^{\circ}38'34.80''$  N, and longitude  $156^{\circ}00'03.46''$  W, and the Kona Airport Airway Beacon have been removed and should be deleted. The church spire, latitude  $19^{\circ}38'24.22''$  N and longitude  $155^{\circ}59'37.05''$  W, is

present as described but is obscured by vegetation. Further information is provided on NOAA Form 76-40 (see appendix).

T-12543 (completed) Keauhou Bay

This area is composed primarily of rocky shoreline interspersed with sandy beaches.

New buildings at latitude 19°35'52.50 " N, longitude 155°58'31.50" W and latitude 19°34'39.60" W, longitude 155°58'12.60" W are not of landmark value. A hotel just south of Kalaau o Kalakani and a blue church building at Kahaluu Bay are of landmark value.

A spire at Kahaluu Bay is not visible and should be deleted. Further information is provided on NOAA Form 76-40 (see appendix).

~~T-12544~~ (completed) Keauhou Bay

The shoreline in this area is primarily composed of lava bluffs 30 feet high.

Keauhou Bay Light and Keauhou Bay Entrance Directional Light (both lights on the same structure) and the Kona Surf Hotel (approximate position scaled) are of landmark value. Further information is provided on NOAA Form 76-40 (see appendix).

T-12545 (completed) Keikiwaha Point

The shoreline in this area is composed of low lava bluffs approximately 10 feet high. There are no objects of landmark value.



T-12546 (completed) Keawekahaka Bay

The shoreline in this area is primarily composed of lava bluffs approximately 30 feet high.

There are no objects of landmark value.

T-11796 (completed) Kealakekua Bay

The shoreline in this area consists of low lava bluffs six to ten feet high with rocky beaches and a steep cliff (160 feet high) on the northeast side of the bay.

Napoopoo, Kahikolu Church Spire, 1913, Napoopoo Lighthouse, and Captain Cook's Monument are all of landmark value. Further information is provided on NOAA Form 76-40 (see appendix).

T-12547 (incomplete) Kealakekua Bay

No field edit was done on this manuscript.

T-11797 (incomplete) Honaunau Bay

No field edit was done on this manuscript.

T- 12548 (completed) Kauhako Bay

The shoreline in this area is composed of bluffs approximately 40-60 feet high with interspersed sandy beach. Buildings in the area indicated on the manuscript at Kauhako Bay are of landmark value. (building locations were not determined by the field editor or located by the compiler - see manuscript).

A church steeple located near Palianihi Point no longer exists and should be deleted.

Further information is provided on NOAA Form 76-40 (see appendix).

T-12549 (completed) Kauluoa Point

The shoreline in this area is composed of cliffs from 10 to 60 feet high interspersed with gravel, sand, and rocky beaches. There are no objects of landmark value.

T-12550 (incomplete) Puoa Point

The shoreline in this area is composed of lava bluffs approximately 40-60 feet high. There are no objects of landmark value. Field edit was completed to Puoa Point.

Respectfully submitted,

*Steven J. Hollinshead*  
Steven J. Hollinshead  
LTJG, NOAA

## MANUSCRIPT REFERENCE INDEX

OPR-419

FIELD EDIT

MANUSCRIPT NUMBER	REFERENCE PHOTO NUMBERS	REFERENCE DETATCHED POSITIONS
T-12539 Mahailua Bay	63-S-7948 63-S-8060	
T-12540 Makako Bay	63-S-7943 63-S-8063*	
T-12541 Kailua Bay	63-S-8063* 63-S-8094	
T-13382 Honokohau Bay	69-E-9255 69-E-9254	
T-12542 Kailua Bay	63-S(C)-7913 63-S(C)-7915 63-S(C)-7917	Detatched Positions 10/05/72
T-12543 Keauhou Bay	63-S-8067 63-S-8068	
<del>T-12544</del> Keauhou Bay	63-S(C)-8158 63-S(C)-8159 63-S(C)-8160	

\*NOTE: Photo 63-S-8063 used on T-Sheets T-12540  
and T-12541

MANUSCRIPT NUMBER	REFERENCE PHOTO NUMBERS	REFERENCE DETATCHED POSITIONS
T-12545 Keikiwaha Point	63-S-8088 63-S-8087*	
T-12546 Keawekahoka Bay	63-S-8087*	
T-11796 Kealakekua Bay	63-S-8138	Detatched Position 9/14/72
T-12547 Kealakekua Bay	**	
T-11797 Honaunau Bay	**	
T-12548 Honaunau Bay	63-S(C)-8027 63-S(C)-8026 63-S(C)-8025	
T-12549 Kauluoa Point	63-S(C)-8024 63-S(C)-8023 63-S(C)-7888 63-S(C)-7887 63-S(C)-7886	
T-12550	63-S(C)-7884	

\*NOTE: Photo 63-S-8087 used on T-Sheets T-12545 and T-12546

\*\*NOTE: No field edit done

REVIEW REPORT  
T-12544

SHORELINE

61 - GENERAL STATEMENT

Final review for this final Class III 1:5,000 scale inset map was accomplished at the Atlantic Marine Center in February 1987. The field inspection was performed in conjunction with two common smaller scale maps, T-12543 and T-12545, which encompasses this inset map. For a schedule of the office and field operations, refer to the Summary included with this Descriptive Report.

62 - COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63 - COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U.S.G.S Quadrangle:  
Kealakekua Hawaii, dated 1960, scale 1:24,000.

64 - COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison made with a registered copy of H-9335, RA-10-8-72, 1:10,000 scale, surveyed in 1972 did not reveal any significant differences.

65 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS charts 19327, scale 1:80,000 (1:5,000 scale inset), 8th edition, September 5, 1981.

This comparison indicated a difference of 25 meters (approx.) in the 1:5,000 scale charted position for Keauhou Bay Light.

66 - ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by

*Jerry L. Hancock*  
Jerry L. Hancock  
Final Reviewer

Approved for forwarding

*Billy H. Barnes*

Billy H. Barnes  
Chief, Photogrammetric Section, AMC

Approved *Jerry O. Baker*  
Chief, Photogrammetric Production Sec.

*D. Y. Bryan*  
Chief, Photogrammetry Branch

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	S. Hollinshead
POSITIONS DETERMINED AND/OR VERIFIED	S. Hollinshead
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	C. Blood
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'	
(Consult Photogrammetric Instructions No. 64.)	
<b>OFFICE</b> <b>I. OFFICE IDENTIFIED AND LOCATED OBJECTS</b> Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	<b>FIELD (Cont'd)</b> <b>B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object.</b> EXAMPLE: P-8-V 8-12-75 74L(C)2982
<b>FIELD</b> <b>I. NEW POSITION DETERMINED OR VERIFIED</b> Enter the applicable data by symbols as follows: F - Field L - located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection P - Photogrammetric Vis - Visually 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75	<b>II. TRIANGULATION STATION RECOVERED</b> When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 <b>III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH</b> Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75
<b>**FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.</b> <b>**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.</b>	



