

T- 12999

T- 12999

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. T-12999	Edition No. 1
Job No. PH-6411	
Map Classification CLASS III (FINAL) (PARTIALLY FIELD EDITED)	
Type of Survey SHORELINE	
LOCALITY	
State ALASKA	
General Locality VALDEZ ARM	
Locality BOULDER BAY	
19 65 TO 19	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY		SURVEY NO T-12999	
DESCRIPTIVE REPORT - DATA RECORD				<input checked="" type="checkbox"/> ORIGINAL		MAP EDITION NO. (1)	
				<input type="checkbox"/> RESURVEY		MAP CLASS III (FINAL)	
				<input type="checkbox"/> REVISED		JOB PH. 6411	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Atlantic Marine Center, Norfolk, VA				LAST PRECEDING MAP EDITION			
OFFICER-IN-CHARGE Jeffrey G. Carlen, CDR				TYPE OF SURVEY		JOB PH. _____	
				<input type="checkbox"/> ORIGINAL		MAP CLASS _____	
				<input type="checkbox"/> RESURVEY		SURVEY DATES:	
				<input type="checkbox"/> REVISED		19__ TO 19__	
I. INSTRUCTIONS DATED							
1. OFFICE				2. FIELD			
Compilation (Prelin. Hydro Support) Dec. 30, 1964				Horizontal Control June 3, 1965			
Memo (Proj. Planning) May 28, 1965				(Premarking)			
Aerotriangulation Sept. 02, 1965							
Aerotriangulation (Amend I) Oct. 11, 1965							
Compilation (Suppl I) Nov. 09, 1965							
Compilation (Amend I) Feb. 07, 1966							
Aerotriangulation Nov. 08, 1966							
Compilation (Amend II) Jan. 09, 1967							
Compilation (Suppl. II) Feb. 07, 1972							
II. DATUMS							
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN				OTHER (Specify)			
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER				OTHER (Specify)			
<input type="checkbox"/> MEAN LOW-WATER							
<input type="checkbox"/> MEAN LOWER LOW-WATER							
<input type="checkbox"/> MEAN SEA LEVEL							
3. MAP PROJECTION				4. GRID(S)			
Polyconic Projection				STATE Alaska		ZONE 3	
5. SCALE 1:10,000				STATE		ZONE	
III. HISTORY OF OFFICE OPERATIONS							
OPERATIONS				NAME		DATE	
1. AEROTRIANGULATION BY				W. Heinbaugh		Nov. 1965	
METHOD: Stereoplanigraph LANDMARKS AND AIDS BY							
2. CONTROL AND BRIDGE POINTS PLOTTED BY				A. Roundtree		Nov. 1965	
METHOD: Coradomat CHECKED BY							
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY				A. Shands		May 1966	
COMPILATION CHECKED BY				L. O. Neterer, Jr.		May 1966	
INSTRUMENT: Kelsh				NA			
SCALE: 1:6,000				NA			
4. MANUSCRIPT DELINEATION PLANIMETRY BY				A. Shands		May 1966	
CHECKED BY				L. Graves		May 1966	
METHOD: CONTOURS BY				NA			
CHECKED BY				NA			
SCALE: 1:10,000 HYDRO SUPPORT DATA BY				A. Shands		May 1966	
CHECKED BY				L. Graves		May 1966	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY				L. Graves		May 1966	
6. APPLICATION OF FIELD EDIT DATA (Partial field edit) BY				C. Bishop		Nov. 1966	
CHECKED BY				A. C. Rauck		Nov. 1966	
7. COMPILATION SECTION REVIEW ADVANCED CLASS III BY				A. C. Rauck		Nov. 1966	
8. FINAL REVIEW FINAL CLASS III BY				J. Hancock		July 1984	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY				J. Hancock		Aug. 1984	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY				P. Hawkins		DEC 1984	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY				R.S. KORUSPAN		FEB 1985	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYR-12999
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "L" (L=152.21mm)		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR X (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Alaska	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 150th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
65 L(P) 4405 - 4407	7/06/65	09:25	1:30,000	4.7 feet above MLLW	
65 L(P) 4423 and 4424	7/06/65	09:40	1:30,000	4.3 feet above MLLW	
				Mean Tide Range =9.6 ft.	

REMARKS Compilation/bridging photographs based on predicted tide data are referenced to Reference Station Cordova, Alaska and Subordinate Station Rocky Point, Alaska.

2. SOURCE OF MEAN HIGH-WATER LINE:

The Mean High Water Line was compiled from office interpretation of the above listed compilation/bridging panchromatic photographs using stereo instrument methods.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

None compiled.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
H-8901	Oct. 1966	Registered			

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
T-12995	T-122996	T-13002	T-12998

REMARKS

T-12999

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION (PREMARKING) ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	J. Watkins, Jr.	June 1965
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	NA NA NA
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	None

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED None		2. VERTICAL CONTROL IDENTIFIED NA	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
3. PHOTO NUMBERS (Clarification of details) None			
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED None			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE		6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE	

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Field Report (2 pages)

T-12999

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION ☒ FIELD EDIT OPERATION (PARTIAL)

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY (USC&GS SHIP HODGSON)	Commanding Officer	August 1966
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	NA NA NA
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	BY
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	None

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 Paper Field Edit Print, Field Edit Report (remarks)

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATIONT-12999
RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete, pending field edit.	May 1966	Class III manuscript	June 1966	June 1966
Partial field edit applied. Compilation complete	Nov. 1966	Advanced Class III manuscript	Nov. 1966	Nov. 1966
Final Review, Class III	July 1984	Final Class III Map		

II. LANDMARKS AND AIDS TO NAVIGATION NONE

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS


2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:
 4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



JOB PH-6411 SHORELINE MAPPING

1:5,000, 1:10,000 & 1:20,000 SCALE

VALDEZ ARM
ALASKA

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT
T-12999

This 1:10,000 scale final Class III shoreline map is one of seventeen maps that comprise project PH-6411, Valdez Arm, Alaska. The project consists of two 1:20,000, three 1:5,000 and twelve 1:10,000 scale maps. The project originally pertained to the Port Valdez area but was extended south to include the east shore of Valdez Arm and Tatitlek Narrows.

The purpose of this map was to provide shoreline data in support of hydrographic operations.

This map portrays the shoreline of northern Boulder Bay and southern Galena Bay.

Photo coverage for this map was adequately provided by 1:30,000 scale panchromatic and 1:15,000 scale color photographs. All photography was taken for aerotriangulation, compilation, and photo-hydro support. The low altitude color photographs were used to assist the compiler in offshore interpretation.

Field work prior to compilation consisted of the recovery, establishment, and identification (premarking) of horizontal control necessary for aerotriangulation. Also, the field party was responsible for assisting in obtaining the aerial photography. This activity was performed in June/July 1965.

Analytic aerotriangulation was adequately provided by the Washington Science Center November 3, 1965. This activity also included ruling the base manuscripts and providing ratio photographs for compilation.

Compilation by interpretation of the 1:30,000 scale photographs was performed at the Coastal Mapping Section, Atlantic Marine Center, May 1965. Color contact photographs at 1:15,000 scale were used to assist in the interpretation of offshore features. Photo-hydro support data involving the original Class III manuscript was forwarded to the hydrographer.

Field edit was conducted August 1966 by the hydrographic party assigned to the USC&GS Ship Hodgson. The area of field edit performed was limited to the parameters of hydrographic survey H-8901. This partial field edit data was returned to the Coastal Mapping office and applied to the manuscript in November 1966. A copy of the advanced Class III manuscript was forwarded to the hydrographic processing unit for smooth sheet application.

Final review was performed at the Atlantic Marine Center July 1984. A Chart Maintenance Print was prepared and forwarded to the Marine Chart Branch.

This Descriptive Report contains all pertinent information used to compile this Final Class III map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

T-12999

There was no field inspection prior to the compilation of this map. Field work accomplished was limited to the recovery, establishment and identification (premarking) of the horizontal control necessary for the aerotriangulation of the project.

Project 21423(4)
Valdez, Alaska
June, 1965

All horizontal control stations required for photo control were identified with the exception of CROMBIE, 1941 (T-12656). This station was on a high ridge still covered with considerable snow. Identification would probably have been doubtful. Station FILL (temporary) was established by tellurometer traverse and its substitute stations are identifiable on the same flight line of photographs that would cover CROMBIE. Station PIT (temporary) was determined by triangulation methods. Stations PIT and FILL replaces VALDEZ SOUTHEAST BASE, 1941 and VALDEZ NORTHWEST BASE, 1941.

Station MAS (temporary) (t-12655) was determined by triangulation intersection methods. Station SPIT 2 (temp.) was determined by triangulation methods to replace station SPIT, 1901.

Station HUT 3, 1965 was identified in lieu of station HUT 2 which was reported lost. The unadjusted field position was not available at the time of identification as the geodetic party had only recently occupied the station.

Submitted:

RBW
RM Robert B. Melby

Approved:

John B. Watkins, Jr.
John B. Watkins, Jr.
Chief of Party

Project 21423(11)
Tatilek Narrows, Alaska
June 1965

All horizontal control stations required for photo control were identified and paneled. Two new stations were located by triangulation intersection methods and six by closed loop tellurometer traverse.

Station MAS (temp.) was located and its position is submitted with the Valdez, Alaska field data, project 21423(4). The recovery note for HUT3, 1965 was also submitted with the Valdez field data.

Submitted:

RBm

Robert B. Melby

Approved:

JBW
John B. Watkins, Jr., CDR, C&GS
Comdg., Ship HODGSON

Photogrammetric Plot Report
Tatitlek Narrows, Alaska
Job PH-6411

21. Area Covered

The project covers the east shore of Valdez Arm and all of Tatitlek Narrows area. The T-sheets in this area are: T-12991 through 12999 and T-13000 through T-13002.

22. Method

Six bridges were run on the stereoplanigraphs and adjusted by IBM 1620 methods. All tie points between strips were averaged. Tie points were also established in the area of Port Valdez Bay; to be bridged at a later date.

23. Adequacy of Control

The premarked control provided was adequate with the exception of BUSBY, 1942. The panels at this station blended into the background on the black and white photograph and could not be seen. The overhang and shadows of trees also made it difficult to see Busby Island Lt., 1947, which was in the immediate vicinity of BUSBY, 1942.

Strip #12 was based on a three point solution using stations JACK, 1901, OVAL, 1965 and SLIM, 1965. Stations OVAL and SLIM were established with very slim angles and no means of checking their accuracy was available. Although adjustment held all three stations with small errors of closure, an error may still exist in the area of Jacks Bay.

All additional control held within National Map Accuracy Standards for 1:10,000 scale mapping.

24. Supplemental Data

USGS Quads, Cordova D-8 and Valdez A-8, scale 1:63,360 were used to provide basic vertical control for bridging operations.

25. Photography

Photography was adequate in coverage, overlap and definition.

26. Plotting Constants

Plotting constants for 1:10,000 scale manuscripts were provided for all bridge points.

27. Ratios

Ratios for 1:10,000 scale photography were provided for all strips.


Submitted by:

Wallace J. Heinbaugh
Wallace Heinbaugh

Approved by:

November 3, 1965

John D. Perrow, Jr.
John D. Perrow, Jr.



TATITLEK NARROWS, ALASKA

PH-6411

Nov. 1965



NOAA FORM 76-41
(6-75)

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
U.S. DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO. T-12999	JOB NO. PH-6411	GEOGETIC DATUM NA 1927		ORIGINATING ACTIVITY Coastal Mapping Unit, Atlantic Marine Center, Norfolk, VA		
STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	COORDINATES IN FEET STATE <u>Alaska</u> ZONE <u>3</u>		GEOGRAPHIC POSITION ϕ LATITUDE λ LONGITUDE	REMARKS
NO CONTROL ON THIS MAP			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
COMPUTED BY		DATE	COMPUTATION CHECKED BY		DATE	
LISTED BY		DATE	LISTING CHECKED BY		DATE	
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE	

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

COMPILATION REPORT
T-12999

31 - DELINEATION

Delineation was accomplished using stereo instrument compilation methods. The Kelsh plotter was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:30,000 scale bridging/compilation panchromatic photographs.

All photographs used to compile this map are listed on NOAA Form 76-36B. The photography was adequate.

32 - CONTROL

Refer to the Photogrammetric Plot Report dated November 3, 1965.

33 - SUPPLEMENTAL DATA

Color contact photographs 65 L(C) 4597 - 4599 were provided at 1:15,000 scale to assist in the interpretation of alongshore and offshore detail.

34 - CONTOURS AND DRAINAGE

Contours are not applicable to this project. Drainage was compiled by office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The mean high water line was compiled from office interpretation of the compilation photographs. Shallow, ledge and foul limits were delineated as an aid to the hydrographer and should be evaluated during field edit.

No mean lower low water line was compiled due to the stage of tide of the compilation photographs being 4.3 and 4.7 feet above MLLW.

36 - OFFSHORE DETAILS

Offshore detail was compiled by instrument methods as described in item #31. Offshore rocks are to be verified by the field editor.

37 - LANDMARKS AND AIDS

There are no charted landmarks or navigational aids within the mapping limits of this manuscript.

38 - CONTROL FOR FUTURE SURVEYS

None.

T-12999

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

40 - HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report dated November 3, 1965.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S. Geological Survey Quadrangle: Cordova (D-7), Alaska, dated 1952, scale 1:63,360; and Cordova (D-8), Alaska, scale 1:63,360, dated 1952.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following U.S. Coast and Geodetic Survey Chart: 8519, 8th edition, dated May 17, 1965, scale 1:79,291.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.


ITEMS TO BE CARRIED FORWARD

None.

Submitted by,

for 
A. Shands
Cartographic Aid
May 1966

Approved,

for 
Albert C. Rauck, Jr.
Chief, Coastal Mapping Unit, AMC

T-12999

ADDENDUM TO THE COMPILATION REPORT

Partial field edit was performed on this map in August 1966.in conjunction with hydrographic survey H-8901. The edit was limited to the southern portion (Boulder Bay) of the map.

All field edit data was recorded on the field edit paper print.

Chief, Photogrammetry Division

October 27, 1966

CF3236

Commanding Officer
USCGC Ship HODGSON

Field edit, project PH-6411

Submitted under separate cover are field edit solids and photographs for subject project.

You will note that not all of the area covered by its maps was edited. Only the area within the hydrographic survey project limits was accomplished.

Hydrographic signals were located by photogrammetric methods and transferred from the photographs to the cronoflex theme to the boat sheet. As per project instructions all of these locations were final. Cronoflex with these signals have been retained for use in plotting the smooth sheet.

* It is requested that final shoreline for the smooth sheet, in the area edited, be furnished by January 15, 1967.

John B. Watkins, Jr.

CC: CF32

* A2

IF YOU CANT MAKE THIS NOTE
LET ME KNOW.

AR
11/2/66

Sheet T-12997

Field edit notes are found on the attached field ozalid. Only the area within the hydrographic project were edit as shown.

Control recovery was accomplished in 1965 and appropriate cards submitted

Sheet T-12998

Field edit notes are found on the attached field ozalid. Field inspection was made only within the hydrographic project limits as shown.

Two dolphins not shown on the manuscript were located at Lat. 60°53'47.5, Long. 146°42'06.0" and Lat. 60°53'31.5", Long. 146°42'06.0" during the hydrographic survey. This date from "A" day, sheet HO-10-1-66.

All control was recovered during the 1965 season and appropriate cards submitted.

Sheet T-12999

Field edit notes are found on the attached field edit ozalid. Edit was made only within the hydrographic project limits, these limits are shown on the ozalid.

Sheet T-13000

No field edit accomplished as this was not within the hydrographic project limits.

Sheet T-13001

Field edit notes are found on the field edit ozalid attached. Field edit was made only within the area of the hydrographic surveys, these limits are shown on the ozalid.

Two Two rocks awash were found at Lat. 60°49'51.0" Long. 146°41'43.5" and Lat. 60°49'48.0" Long. 146°41'54.0" and have 2 feet and $\frac{1}{2}$ foot at MLLW respectively. This data from D day, sheet HO-10-2-66.

All control recovery was accomplished during the 1965 field season and appropriate recovery cards submitted at that time.

REVIEW REPORT T-12999
SHORELINE61. GENERAL STATEMENT

Final review for this final Class III map was accomplished at the Atlantic Marine Center in June 1984. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following U.S.G.S. quadrangles Cordova, (D-7), Alaska, dated 1952, scale 1:63,360; and Cordova (D-8), Alaska, dated 1952, scale 1:63,360.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with a registered copy of the following contemporary hydrographic survey: H-8901; 1:10,000 scale, field surveyed October 1966.

Partial field edit of the shoreline map was accomplished by the hydrographer to that area common to the hydrographic survey limits. Field edit data was applied by the Coastal Mapping Section and a copy of the advanced Class III map was forwarded to the hydrographic processing office for smooth sheet application.

65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart: 16708, scale 1:79,291, 16th edition, dated October 3, 1981.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Jerry L. Hancock
Jerry L. Hancock
Final Reviewer

Approved for forwarding,

Billy H. Barnes
Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved,

Robert A. Bailey
Chief, Photogrammetric Section, Rockville

Ronald K. Brewer
Chief, Photogrammetry Branch
Rockville

June 11, 1984

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6411 (Valdez Arm - Tatitlek Narrows, Alaska)

TP-12999


Boulder Bay

Galena Bay

Galena Bay (locality)

Millard Creek

Approved by:



Charles E. Harrington
Chief Geographer
Nautical Charting Division

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Re-

[illegible]