

T-13001

T- 13001

NOAA FORM 76-35
(6-80)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Map No.

T-13001

Edition No.

1

Job No.

PH-6411

Map Classification

CLASS III (FINAL) (PARTIAL FIELD EDIT)21

Type of Survey

SHORELINE

LOCALITY

State

ALASKA

General Locality

VALDEZ ARM

Locality

CLOUDMAN BAY

19 65 TO 19

REGISTERED IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Center, Norfolk, VA		SURVEY XX T-13001 MAP EDITION NO. (1) MAP CLASS III (FINAL) JOB PH- 6411	
OFFICER-IN-CHARGE Jeffrey G. Carlen, CDR		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH- _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Compilation (Prel. Hydro Support) Dec. 30, 1964 Memo (Proj. Planning) May 28, 1965 Aerotriangulation Sept. 02, 1965 Aerotriangulation (Amend I) Oct. 11, 1965 Compilation (Suppl. I) Nov. 09, 1965 Compilation (Amend. I) Feb. 07, 1966 Aerotriangulation Nov. 08, 1966 Compilation (Amend II) Jan. 09, 1967 Compilation (Suppl II) Feb. 07, 1972		Horizontal Control June 3, 1965 (Premarking)	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Polyconic Projection		4. GRID(S) STATE Alaska ZONE 3	
5. SCALE 1:10,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: Stereoplanigraph LANDMARKS AND AIDS BY		W. Heinbaugh	Nov. 1965
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Cordamat CHECKED BY		A. Roundtree	Nov. 1965
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Kelsh CONTOURS BY SCALE: 1:6,000 CHECKED BY		A. Santillan L. Graves NA NA	May 1966 May 1966
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smooth drafted CONTOURS BY CHECKED BY SCALE: 1:10,000 HYDRO SUPPORT DATA BY CHECKED BY		A. Santillan L. Graves NA NA A. Santillan L. Graves	May 1966 May 1966 May 1966 May 1966
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		L. Graves	May 1966
6. APPLICATION OF FIELD EDIT DATA (Partial field edit) BY CHECKED BY		C. Bishop	Nov. 1966
7. COMPILATION SECTION REVIEW ADVANCED CLASS III BY		A. C. Rauck	Nov. 1966
8. FINAL REVIEW FINAL CLASS III BY		W. McLemore/J. Hancock	June 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		J. Hancock	Aug. 1984
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		P. Hawkins	DEC 1984
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		R S KORNSPAN	FEB 1985

T-13001
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "L" (L=152.21mm)		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE Alaska	<input checked="" type="checkbox"/> STANDARD
<input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				MERIDIAN 150th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
65 L(P) 4415 - 4417 ✓	7/06/65	09:34	1:30,000	4.5 ft. above MLLW	
65 L(P) 4423 - 4424 ✓	7/06/65	09:40	1:30,000	4.3 ft. above MLLW	
				Mean Tide Range = 9.5 ft.	

REMARKS Compilation/bridging photographs based on predicted tide data are referenced to Reference Station Cordova, Alaska and Subordinate Station Snug Corner Cove, Port Fidalgo, Alaska.

2. SOURCE OF MEAN HIGH-WATER LINE:

The Mean High Water Line was compiled from office interpretation of the above listed compilation/bridging panchromatic photographs using stereo instrument methods.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

None compiled.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
H-8901	1966	Registered			
H-9636	1976	Registered			

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
T-12998	T-13002	No survey	T-13000

REMARKS

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-13001
HISTORY OF FIELD OPERATIONSI. ☒ FIELD ~~MARKING~~ OPERATION (PREMARKING) ☐ FIELD EDIT OPERATION.

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	J. Watkins, Jr.	June 1965
2. HORIZONTAL CONTROL	RECOVERED BY R. Melby and JMC ESTABLISHED BY None PRE-MARKED OR IDENTIFIED BY R. Melby and JMC	June 1965
3. VERTICAL CONTROL	RECOVERED BY NA ESTABLISHED BY NA PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None LOCATED (Field Methods) BY None IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY None	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
Premarked (Paneled)		NA	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
65 L(P) 4417	BLIGH, 1901 (Paneled direct)		
65 L(P) 4423	CENT, 1901 (Paneled direct)		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

2 Forms 152 (CSI Cards), Field Report (2 pages)

T-13001

HISTORY OF FIELD OPERATIONS

1. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION. (PARTIAL)

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY (USC&GS SHIP HODGSON)	Commanding Officer	August 1966
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	NA NA NA
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	None

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☒ REPORT ☐ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 Paper Field Edit Print, Field Edit Report (remarks)

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

T-13001

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete, pending field edit.	May 1966	Class III manuscript	June 1966	June 1966
Partial field edit applied. Compilation complete.	Nov. 1966	Advanced Class III manuscript	Nov. 1966	Nov. 1966
Final Review, Class III	June 1984	Final Class III Map		

II. LANDMARKS AND AIDS TO NAVIGATION NONE

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



Sheet No.	Square Miles
T-12655	12
T-12656	13
T-12657	2
T-12658	3
T-12659	3
T-12991	3
T-12992	4
T-12993	5
T-12994	4
T-12995	2
T-12996	1
T-12997	2
T-12998	4
T-12999	2
T-13000	5
T-13001	4
T-13002	3
Total	72

JOB PH-6411 SHORELINE MAPPING

1:5,000, 1:10,000 & 1:20,000 SCALE

VALDEZ ARM
ALASKA

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT
T-13001

This 1:10,000 scale final Class III shoreline map is one of seventeen maps that comprise project PH-6411, Valdez Arm, Alaska. The project consists of two 1:20,000, three 1:5,000 and twelve 1:10,000 scale maps. The project originally pertained to the Port Valdez area but was extended south to include the east shore of Valdez Arm and Tatitlek Narrows.

The purpose of this map was to provide shoreline data in support of hydrographic operations.

This map portrays a portion of Tatitlek Narrows between Bligh Island and Tatitlek and features the eastern shoreline of Bligh Island and Cloudman Bay.

Photo coverage for this map was adequately provided by 1:30,000 scale panchromatic and 1:15,000 scale color photographs. All photography was taken July 6, 1965 with the RC-8 (L) camera. The panchromatic photographs were used for aerotriangulation, compilation, and photo-hydro support. The low altitude color photographs were used to assist the compiler in offshore interpretation.

Field work prior to compilation consisted of the recovery, establishment, and identification (premarking) of horizontal control necessary for aerotriangulation. Also, the field party was responsible for assisting in obtaining the aerial photography. This activity was performed in June/July 1965.

Analytic aerotriangulation was adequately provided by the Washington Science Center November 3, 1965. This activity also included ruling the base manuscripts and providing ratio photographs for compilation.

Compilation by interpretation of the 1:30,000 scale photographs was performed at the Coastal Mapping Section, Atlantic Marine Center, February 1967. Color contact photographs at 1:15,000 scale were used to assist in the interpretation of offshore features. Photo-hydro support data involving the original Class III manuscript was forwarded to the hydrographer.

Field edit was conducted August 1966 by the hydrographic party assigned to the USC&GS Ship Hodgson. The area of field edit performed was limited to the parameters of hydrographic survey H-8901 except along the southern shoreline of Bligh Island where the edit extended westward to longitude 146°43'30". This partial field edit data was returned to the coastal mapping office and applied to the manuscript in November 1966. A copy of the advanced Class III manuscript was forwarded to the hydrographic processing unit for smooth sheet application.

Final review was performed at the Atlantic Marine Center July 1984. A Chart Maintenance Print was prepared and forwarded to the Marine Chart Branch.

This Descriptive Report contains all pertinent information used to compile this Final Class III map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

T-13001

There was no field inspection prior to compilation of this map. Field work accomplished was limited to the recovery and identification (premarking) of the horizontal control necessary for the aerotriangulation of the project.

Project 21423(4)
Valdez, Alaska
June, 1965

All horizontal control stations required for photo control were identified with the exception of CROMBIE, 1941 (T-12656). This station was on a high ridge still covered with considerable snow. Identification would probably have been doubtful. Station FILL (temporary) was established by tellurometer traverse and its substitute stations are identifiable on the same flight line of photographs that would cover CROMBIE. Station PIT (temporary) was determined by triangulation methods. Stations PIT and FILL replaces VALDEZ SOUTHEAST BASE, 1941 and VALDEZ NORTHWEST BASE, 1941.

Station MAS (temporary) (t-12655) was determined by triangulation intersection methods. Station SPIT 2 (temp.) was determined by triangulation methods to replace station SPIT, 1901.

Station HUT 3, 1965 was identified in lieu of station HUT 2 which was reported lost. The unadjusted field position was not available at the time of identification as the geodetic party had only recently occupied the station.

Submitted:

JBW
R Robert B. Melby

Approved:

John B. Watkins, Jr.
John B. Watkins, Jr.
Chief of Party

Project 21423(11)
Tatilek Narrows, Alaska
June 1965

All horizontal control stations required for photo control were identified and paneled. Two new stations were located by triangulation intersection methods and six by closed loop tellurometer traverse.

Station MAS (temp.) was located and its position is submitted with the Valdez, Alaska field data, project 21423(4). The recovery note for HUT3, 1965 was also submitted with the Valdez field data.

Submitted:

R.B.M.

Robert B. Melby

Approved:

J.B.W.
John B. Watkins, Jr., CDR, C&GS
Comdg., Ship HODGSON

Photogrammetric Plot Report
Tatitlek Narrows, Alaska
Job PH-6411

21. Area Covered

The project covers the east shore of Valdez Arm and all of Tatitlek Narrows area. The T-sheets in this area are: T-12991 through 12999 and T-13000 through T-13002.

22. Method

Six bridges were run on the stereoplanigraphs and adjusted by IBM 1620 methods. All tie points between strips were averaged. Tie points were also established in the area of Port Valdez Bay; to be bridged at a later date.

23. Adequacy of Control

The premarked control provided was adequate with the exception of BUSBY, 1942. The panels at this station blended into the background on the black and white photograph and could not be seen. The overhang and shadows of trees also made it difficult to see Busby Island Lt., 1947, which was in the immediate vicinity of BUSBY, 1942.

Strip #12 was based on a three point solution using stations JACK, 1901, OVAL, 1965 and SLIM, 1965. Stations OVAL and SLIM were established with very slim angles and no means of checking their accuracy was available. Although adjustment held all three stations with small errors of closure, an error may still exist in the area of Jacks Bay.

All additional control held within National Map Accuracy Standards for 1:10,000 scale mapping.

24. Supplemental Data

USGS Quads, Cordova D-8 and Valdez A-8, scale 1:63,360 were used to provide base vertical control for bridging operations.

25. Photography

Photography was adequate in coverage, overlap and definition.

26. Plotting Constants

Plotting constants for 1:10,000 scale manuscripts were provided for all bridge points.

27. Ratios

Ratios for 1:10,000 scale photography were provided for all strips.


Submitted by:

Wallace Heinbaugh
Wallace Heinbaugh

Approved by:

November 3, 1965

John D. Perrow, Jr.
John D. Perrow, Jr.



TATITLEK NARROWS, ALASKA

PH-6411

Nov. 1965

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	STATION NAME	JOB NO.	PH-6411	GEODETTIC DATUM		COORDINATES IN FEET	GEOGRAPHIC POSITION		ORIGINATING ACTIVITY		REMARKS	
				NA	1927		STATE	ALASKA	φ LATITUDE	λ LONGITUDE		Division, AMC, Norfolk, Virginia
						ZONE					FORWARD	BACK
LACK, 1901						X=	379,541.54	✓	φ		4542	(458)
						Y=	2,507,690.46	✓	λ		2690	(2310)
BARE, 1901						X=	372,206.09	✓	φ		2206	(2794)
						Y=	2,504,958.39	✓	λ		4958	(42)
TATUKLAK CHURCH CUPOLA, 1901						X=	379,095.24	✓	φ		4095	(905)
						Y=	2,508,626.05	✓	λ		3626	(1374)
TATUKLAK FLAGPOLE, 1901						X=	379,031.52	✓	φ		4032	(968)
						Y=	2,508,665.70	✓	λ		3666	(1334)
PEAK NO. 86, 1901						X=	368,308	✓	φ		3308	(1692)
						Y=	2,492,470	✓	λ		2470	(2530)
BLIGH, 1901						X=	372,888.47	✓	φ		2888	(2112)
						Y=	2,493,266.18	✓	λ		3266	(1734)
CENT, 1901						X=	378,072.46	✓	φ		3072	(1928)
						Y=	2,503,434.41	✓	λ		3434	(1566)
						X=			φ			
						Y=			λ			
						X=			φ			
						Y=			λ			
						X=			φ			
						Y=			λ			
COMPUTED BY	K. G. Boyle			DATE	5/20/66	COMPUTATION CHECKED BY	LLG				DATE	5/20/66
LISTED BY				DATE		LISTING CHECKED BY					DATE	
HAND PLOTTING BY				DATE		HAND PLOTTING CHECKED BY					DATE	

COMPILATION REPORT
T-13001

31 - DELINEATION

Delineation was accomplished using stereo instrument compilation methods. The Kelsh plotter was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:30,000 scale bridging/compilation panchromatic photographs.

All photographs used to compile this map are listed on NOAA Form 76-36B. The photography was adequate.

32 - CONTROL

Refer to the Photogrammetric Plot Report dated November 3, 1965.

33 - SUPPLEMENTAL DATA

Color contact photographs 65 L(C) 4494 - 4498, 4586 - 4589, 4591 - 4596 provided at 1:15,000 scale were used to assist in the interpretation of alongshore and offshore detail.

34 - CONTOURS AND DRAINAGE

Contours are not applicable to this project. Drainage was compiled by office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The mean high water line was compiled from office interpretation of the compilation photographs. Shallow, ledge and foul limits were delineated as an aid to the hydrographer and should be evaluated during field edit.

No mean lower low water line was compiled due to the stage of tide of the compilation photographs being 4.3 feet and 4.5 feet above mean lower low water.

36 - OFFSHORE DETAILS

Offshore detail was compiled by instrument methods as described in item #31. Offshore rocks are to be verified by the field editor.

37 - LANDMARKS AND AIDS

There are no charted landmarks or navigational aids within the mapping limits of this manuscript.

38 - CONTROL FOR FUTURE SURVEYS

None.

T-13001

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

40 - HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report dated November 3, 1965.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S. Geological Survey
Quadrangle: Cordova (D-8), Alaska, dated 1952, scale 1:63,360.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following U.S. Coast and Geodetic
Survey Chart: 8519, 8th edition, dated May 17, 1965, scale 1:79,291.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

Submitted by,

Geny L. Hancock

for A. Santillan
Cartographic Aid
May 1966

Approved,

Geny L. Hancock

for Albert C. Rauck, Jr.
Chief, Coastal Mapping Unit, AMC

ADDENDUM TO THE COMPILATION REPORT - T-13001

FIELD EDIT

Partial field edit was performed on this map in August 1966. The southern part of Bligh Island west of longitude $146^{\circ}43'30''$ and West Bay (Latitude $60^{\circ}51.4'$, Longitude $146^{\circ}44.8'$) were not edited.

All field edit notes were made on the field edit paper print. The positions for two rocks mentioned on the field edit paper print were found in the October 27, 1966 field edit report. The longitude values for these two rocks were interchanged in the field edit report. With the correct longitudes, the positions agree with rocks visible on the photographs.

Chief, Photogrammetry Division

October 27, 1966

CFS236

Commanding Officer
USC&GS Ship HODGSON

Field edit, project PH-6411

Submitted under separate cover are field edit ozalids and photographs for subject project.

You will note that not all of the area covered by its maps was edited. Only the area within the hydrographic survey project limits was accomplished.

Hydrographic signals were located by photogrammetric methods and transferred from the photographs to the cronoflex theme to the boat sheet. As per project instructions all of these locations were final. Cronoflex with these signals have been retained for use in plotting the smooth sheet.

* It is requested that final shoreline for the smooth sheet, in the area edited, be furnished by January 15, 1967.

John B. Watkins, Jr.

CC: CFS2

* AL

IF YOU CANT MAKE THIS DATE
LET ME KNOW.

AL
11/2/66

Sheet T-12997

Field edit notes are found on the attached field ozalid. Only the area within the hydrographic project were edit as shown.

Control recovery was accomplished in 1965 and appropriate cards submitted

Sheet T-12998

Field edit notes are found on the attached field ozalid. Field inspection was made only within the hydrographic project limits as shown.

Two dolphins not shown on the manuscript were located at Lat. 60°53'47.5, Long. 146°42'08.0" and Lat. 60°53'31.5", Long. 146°42'06.0" during the hydrographic survey. This date from "A" day, sheet HO-10-1-66.

All control was recovered during the 1965 season and appropriate cards submitted.

Sheet T-12999

Field edit notes are found on the attached field edit ozalid. Edit was made only within the hydrographic project limits, these limits are shown on the ozalid.

Sheet T-13000

No field edit accomplished as this was not within the hydrographic project limits.

Sheet T-13001

Field edit notes are found on the field edit ozalid attached. Field edit was made only within the area of the hydrographic surveys, these limits are shown on the ozalid.

Two Two rocks awash were found at Lat. 60°49'51.0" Long. 146°41'43.5" and Lat. 60°49'48.0" Long. 146°41'54.0" and have 2 feet and $\frac{1}{2}$ foot at MLLW respectively. This data from D day, sheet HO-10-2-66.

All control recovery was accomplished during the 1965 field season and appropriate recovery cards submitted at that time.

*Longitude values
are interchanged.
See Addendum
to Compilation Report*

J. Hancock

REVIEW REPORT T-13001
SHORELINE

61. GENERAL STATEMENT

Final review for this final Class III map was accomplished at the Atlantic Marine Center in June 1984. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following U.S.G.S. quadrangle: Cordova (D-8), Alaska, dated 1952, scale 1:63,360.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with registered copies of the following contemporary hydrographic surveys: H-8901, 1:10,000 scale, field surveyed October 1966; and H-9636, 1:10,000 scale, field surveyed July 1976.

Partial field edit of the shoreline map was accomplished by the hydrographer to that area common to the hydrographic survey limits of H-8901. Field edit data was applied by the Coastal Mapping Section and a copy of the advanced Class III map was forwarded to the hydrographic processing office for smooth sheet application.

During the original compilation, various shallow, ledge and foul limits were delineated as advisory information to the hydrographer. Those areas not verified during field edit were removed from the manuscript during final review.

65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart: 16708, scale 1:79,291, 16th edition, dated October 3, 1981, with 1:40,000 scale inset.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Jerry L. Hancock

Jerry L. Hancock
Final Reviewer


T-13001

Approved for forwarding,



Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved,


 Chief, Photogrammetric Section, Rockville
Chief, Photogrammetry Branch
Rockville

June 11, 1984

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6411 (Valdez Arm - Tatitlek Narrows, Alaska)

~~TP-12301~~

TP-13001 *GAH*

Bligh Island

Cloudman Bay


Port Fidalgo

Tatitlek

Tatitlek Narrows

West Bay

Approved by:



Charles E. Harrington
Chief Geographer
Nautical Charting Division

