NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Sl	noreline				
Job NoPH-6	306	Map No. T-13179			
Classification No.		Edition No			
Field Edited					
	LOCALIT	Υ			
_{State} Alaska					
General Locality Hoonah Sound & Peril Strait					
LocalitySouth Arm Hoonah Sound, Head Of					
		<u>.</u>			
	19 67 TO	1969			
Alfred C. Ho	lmes, Dire	ctor, AMC			
REGISTRY IN ARCHIVES					
DATE					

± U.S. GOVERNMENT PRINTING OFFICE: 1972-760-593

FORM C&GS-181a (3-66) U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT - DATA RECORD

· • • • • • • • • • • • • • • • • • •	-13179			
() DJECT NO. (II):				
PH-6306				
FIELD OFFICE (II):	,	CHIEF OF PARTY		
None				
PHOTOGRAMMETRIC OFFICE (III):		OFFICER-IN-CHARG	GE	
Atlantic Marine Center, Norfolk, VA		Alfred C. Ho	olmes, D	irector, AMC
INSTRUCTIONS DATED (II) (III):				
OFFICE CO.	n+ 17	1060		
OFFICE - Se	pu. 17,	1900		
• •				
METHOD OF COMPILATION (III):				
Wild B-8 Stereo-Plotter				
		COPIC PLOTTING INSTRUMENT SCALE (III):		
1:10,000		,000		
ATE RECEIVED IN WASHINGTON OFFICE (IV):	DATE REPO	DRTED TO NAUTICAL	CHART BRA	NCH (IV):
APPLIED TO CHART NO. DATE:			DATE REGIST	_
			MAR.	3, 1975
GEOGRAPHIC DATUM (III):		WEAN HIGH WA	(HI): IER Except as i	FOLLOWS:
		Elevations shown as		-
N.A. 1927		Elevations shown as i.e., mean low water		
REFERENCE STATION (III):			·	
None				
LAT.: LONG.:				
·		MADJUSTED UNADJUSTED		
PLANE COORDINATES (IV):		STATE		ZONE
27.21.21.11.11	· · · · ·	1	·	
Y = X =		Alaska		ı
MAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTE	RED BY (II) F	IELD PARTY, (III) PI	HOTOGRAMME	TRIC OFFICE,

DESCRIPTIVE REPORT - DATA RECORD

T-1.31.79

	T-131/9	
FIELD INSPECTION BY (II):		DATE:
None		
MEAN HIGH WATER LOCATION (III) (STATE DATE	AND METHOD OF LOCATION):	
Air Photo Compilation - June	3, 1967	
·		
PROJECTION AND GRIDS RULED BY (IV):		DATE
A. Bethea		Sept. 12, 1968
PROJECTION AND GRIDS CHECKED BY (IV):		DATE
L. F. Van Scoy		Sept. 23, 1968
CONTROL PLOTTED BY ((II):		DATE
R. White	,	Oct. 17, 1968
CONTROL CHECKED BY (III):		DATE
A. Shands		Oct. 17, 1968
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTE	ENSION BY (III):	DATE
I. I. Saperstein	•	Oct. 1968
STEREOSCOPIC INSTRUMENT COMPILATION (III):	PLANIMETRY By: R. White	DATE Nov. 1, 1968
	Reviewed By: A.L. Shands	Nov. 1, 1968
	CONTOURS	DATE
MANUSCRIPT DELINEATED BY (III):		DATE
R. White		Nov. 1, 1968
SCRIBING BY (III):		DATE
C. Parker	·	5/12/72
PHOTOGRAMMETRIC OFFICE REVIEW BY (III):		DATE
C.H. Bishop		12/13/68
REMARKS:		
		•
	•	

U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION COAST AND GEODETIC SURVEY

$\begin{array}{c} \textbf{DESCRIPTIVE REPORT - DATA RECORD} \\ T-13179 \end{array}$


Wild RC-8 Universal "L"

	PHO	TOGRAPHS (III)		
NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
67 L 3202	June 8, 1967	09:42	1:30,000	0.2 ft. above MLLW

Predicted TIDE (III)			I	Diurnal
		RATIO OF RANGES	MEAN RANGE	RANGE
REFERENCE STATION: Jumeau, Alaska			13.8	16.4
subordinate station: Nismeni Cove, Alaska		1	12.5	15.0
SUBORDINATE STATION:			l	
WASHINGTON OFFICE REVIEW BY (IV): Bernard Kurs, AMC		DATE: March	16, 19	73
PROOF EDIT BY (IV):		DATE:		•"
NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (II): NOne	RECOVERED: None	None	D:	
NUMBER OF BM(S) SEARCHED FOR (II): None	RECOVERED:	IDENTIFIE	D	, <u></u>
NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III):	None			
NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III):	None			
REMARKS:		····		

T-13179

COMPILATION RECORD	COMPLETION DATE	REMARKS
Alongshore Area For Hydro	Oct. 1968	Superseded
Field Edit Applied Compilation Complete	June 1970	Superseded
Final Review	March 1973	



SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORT

T-13178 thru 13190

Shoreline surveys T-13178 thru 13190 are part of project PH-6306. The project is located in southeastern Alaska in the Hoonah Sound area adjacent to Peril Straits.

There was no field work preceding the incomplete manuscripts.

Compilation was at 1:10,000 scale mostly by B-8 plotter the remainder by graphic methods. A copy of each manuscript classified "Incomplete" along with ozalids and specially prepared photographs were furnished for the preparation of the boat sheets, location of photo hydro signals and field edit use.

Surveys T-13187 thru T-13189 lacked field edit below 57° 35' and those portions of the manuscripts were declared Class III. Field edit was in 1969. After field edit was applied the manuscripts were scribed, stuck-up and reproduced on cronaflex. Final review was at AMC during March and April, 1973. One cronaflex and negative of the final reviewed manuscripts are being forwarded for record and registry.

FIELD INSPECTION

T-13179

There was no field inspection prior to compilation.

._...

Photogrammetric Plot Report (Part I) Job PH-6306 Hoonah Sound and Peril Strait, Alaska

October 1968

21. Area Covered

This report covers Hoonah Sound, Alaska, the area which is covered by 1:10,000 scale T-sheets only. There are thirteen (13) 1:10,000 scale T-sheets, T-13178 thru T-13190. Sheets T-11939 thru T-11942 will be bridged at a later date.

22. Method

Six (6) strips were bridged using analytical aerotriangulation methods. Strips 1 and 2 were 1:60,000 scale panchromatic and strips 4 thru 7 were 1:30,000 scale color. Numerous tie points were located to control the various strips due to lack of horizontal control.

The attached sketch of the strips bridged shows the placement of triangulation used in the final strip adjustments. Closures to horizontal control are shown for each strip on the IBM readouts, along with all bridge points on Alaska Zone 1 plane coordinates.

23. Adequacy of Control

All horizontal control was premarked, but sparse. Together with tie points the horizontal control is adequate to control the various strips.

It will be noted that this bridge was not run in accordance with instructions for this job. It was intended to bridge the 1:60,000 scale RC-9 "M" photography only and drop compilation points on the color photographs. However, upon examination of the "M" photography it was discovered that much of the premarked control could not be seen because of tree overhang. Some of the stations that were white-washed blended with the rock background and were not discernible.

It was therefore decided to bridge the 1:10,000 scale sheets using the color photography where the premarked stations could be seen.

24. Supplemental Data

Vertical control needed for the adjustment was taken from USGS quadrangles.

25. Photography

The definition and quality of the RC-9 "M" and RC-8 "L" color photography were good. Coverage was adequate to compile all sheets either by stereoscopic plotting instrument or graphically.

Cronapaque and matte ratio prints have been ordered from the 1:30,000 scale color photographs on black and white base.

Respectfully submitted,

I. I. Saperstein

Approved and forwarded,

Chief, Aerotriangulation Section

NOTES TO COMPILER

Photos 67-L(C)-3181, 3182, 3183 on Strip 5 could not be bridged because of water areas. However, points were dropped from Strip 1 common to points on the above photos so that several offshore islands can be compiled. Models 3181-3182-3183 can be set on the B-8 using positions for these points from Strip 1, (see photos 67-M-692, 693).

Photos 67-L(C)-3212 thru 3215, the southern extension of Strip 4 could not be bridged because of water areas. Sufficient common points between the above photos and Strip 1 were located and transferred to the ratio prints so that sheets T-13189 and T-13190 could be compiled graphically. Positions for these common points can be found on the IBM readout for Strip 1, (see photos 67-M-692 thru 694).

U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION COAST AND GEO TIC SURVEY

DESCRIPTIVE REPORT CONTROL RECORD PH-6306

FORM C&GS-164 (4-68) USCOMM-DC 50318-P68

MAP T- 13179 PROJECT NO.	r No. PH-6306	SCALE OF MAP 1:10,000		SCALE FACTOR None
STATION	SOURCE OF INFORMATION DA	LATITUDE OR Y COORDINATE LONGITUDE OR X COORDINATE	/ COORDINATE X COORDINATE	N.A. 1927 - DATUM DISTANCE FROM GRID OR PROJECTION LINE IN METERS (1 $Pt. = 3048006 \; meter)$ FORWARD (8ACK)
NONE				
COMPUTED BY A.C. Rauck, Jr.	DATE Oct. 25, 1968	CHECKED BY		DATE

COMPILATION REPORT

PH-6306

T-13179

31. DELINEATION

All details on the manuscript were compiled from the color photography taken at 0.2 ft. above mean lower low water using the Wild B-8 Stereoplotter. There was no field inspection.

32. CONTROL

See Photogrammetric Plot Report, Part 1, dated October, 1968.

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

Contours are inapplicable. Drainage was delineated from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS

See item 31. The mean high water line, the mean lower low water line, and all other details were compiled from office interpretation of the Photographs.

36. OFFSHORE DETAILS

No offshore details were compiled.

37. LANDMARKS AND AIDS

None

38. CONTROL FOR FUTURE SURVEYS

No statement.

39. JUNCTIONS

Junctions are in agreement with T-13178 scale 1:10,000, to the North; T-13180 scale 1:10,000 to the East; and T-13182 scale 1:10,000 to the South. There is no contemporary survey to the West.

40. HORIZONTAL AND VERTICAL ACCURACY

No statement.

46. COMPARISON WITH EXISTING MAPS

A comparison has been made with USGS Quadrangle SITKA (C-6) ALASKA scale 1:63,360 dated 1951.

47. COMPARISON WITH NAUTICAL CHARTS

A comparison has been made with USC&GS Chart 8252, CORONATION ISLAND TO LISIANSKI STRAIT, scale 1:217,828, dated Nov. 1965.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None

ITEMS TO BE CARRIED FORWARD

None

Submitted:

R. R. White

R. R. White

Cartographic Aid

11/4/68

Approved for forwarding:

Chief, Coestal Mapping Divison, AMC

Approved:

Alfred C. Holmes, FADM, NOAA

Director, Atlantic Marine Center

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6306 (Hoonah Sound and Peril Strait, Alaska) T-13179

- Chichagof Island
- North Arm Hoonah Sound
- South Arm Hoonah Sound

Approved by:

N Joseph Wraight Chief Geographer

Prepared by:

3-22-73

Frank W. Pickett Cartographic Technician T-13179

19. NOTES FOR THE HYDROGRAPHER:

NONE

FORM C&GS-1002 U.S. DEPARTMENT OF COMMERCE						
PHOTOGRAMMETRIC OFFICE REVIEW COAST AND GEODETIC SURVEY PHOTOGRAMMETRIC OFFICE REVIEW						
T.13179						
	-14	<u>.</u>				
1. PROJECTION AND GRIDS	2 TITLE		3. MANUSCRIPT NUMBERS	4. MANUSCRIPT SIZE		
СНВ	СНВ		СНВ			
CONTROL STATIONS						
5. HORIZONTAL CONTROL S' THIRD-ORDER OR HIGHER	TATIONS OF ACCURACY		SLE HORIZONTAL STATIONS AN THIRD-ORDER ACCURACY	7. PHOTO HYDRO STATIONS		
None		(Topographic	e stations) X	\ x		
8. BENCH MARKS	19. PLOTTING	F SEXTANT	10. PHOTOGRAMMETRIC	11. DETAIL POINTS		
	FIXES		PLOT REPORT			
X	X		CHB	CHB		
ALONGSHORE AREAS (Nautical Chart Data)						
12. SHORELINE	13. LOW-WATER	RLINE	14. ROCKS, SHOALS, ETC.	15. BRIDGES		
СНВ	CHB		CHB) χ		
16. AIDS TO NAVIGATION	17. LANDMARK	<u> </u>	18. OTHER ALONGSHORE	19. OTHER ALONGSHORE		
			PHYSICAL FEATURES	CULTURAL FEATURES		
None	None	•	CHB	(X		
PHYSICAL FEATURES	\		<u> </u>			
20. WATER FEATURES		21. NATURAL	GROUND COVER	22. PLANETABLE CONTOURS		
СНВ			X	None		
23. STEREOSCOPIC	24. CONTOURS	S IN GENERAL	25. SPOT ELEVATIONS	26 OTHER PHYSICAL FEATURES		
None	None	.	None	X		
	1,0110	, 	1.01.0			
27. ROADS	28. BUILDINGS		29. RAILROADS	30. OTHER CULTURAL		
X	X		X	30. OTHER CULTURAL FEATURES		
BOUNDARIES						
31. BOUNDARY LINES None None						
none -						
MISCELLANEOUS 33. GEOGRAPHIC NAMES		34. JUNCTION	<u> </u>	35. LEGIBILITY OF THE		
			ÓTTD.	MANUSCRIPT		
CHB]	CHB	CHB		
36. DISCREPANCY OVERLAY	37. DESCRIPTI	VE REPORT	38. FIELD INSPECTION PHOTOGRAPHS	39. FORMS		
CHB	CHB		None	СНВ		
40. REVIEWER	<u></u>		SUPERVISOR, REVIEW SECTI	ON OR UNIT		
10/17/60						
albert C. Manch. In						
41. REMARKS (See attached sheet)						
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT						
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.						
COMPILER C. Blood DATE 6/70 ISUPERVISOR						
Reviewer: A.C. Rauck, Jr. 6/70 Albert C. Rauck, J.						
43. REMARKS						
Field Edit Applied From: Field Edit Ozalid - T-13179 Photo 67 L 3191 Notes in Field Edit Report for T-13180 and on Field Edit Ozalid for T-13180						
Notes in Field Ed	it Report i	for T-13 [8	0 and on Field Edi	it Ozalid for T-13180		
led to shoreline change at head of South Arm of Hoonah Sound.						

for
FIELD EDIT
Hoonah Sound
Alaska
OPR-488

Field edit of the following manuscripts was accomplished under my supervision and are approved for submission.

T-13178 through T-13189

John B. Watkins, Jr. CAPT, USESSA

FIELD EDIT REPORT

Map T-13179

Hoonah Sound and Peril Strait

Head of South Arm, Hoonah Sound

Field edit of map T-13179 was accomplished during September, 1969. Inspection was done from a launch in conjunction with hydrography.

METHOD

Field ratio photographs and a copy of the field edit ozalid of the map manuscript were examined in the field. The mean high water line and shoreline features were verified by visual comparison of the shore area to the field photographs and field edit ozalid, and corrections noted. The submerged rock in the middle of the North Arm at the north end of the map was verified by sextant fix and its position confirmed on boat sheet FA-10-6-69.

Notes have been made in violet ink and pencil on the field edit ozalid.

ADEQUACY OF COMPILATION

Compilation of this map is good. Hydrographic location of features compares well to photogrammetric location.

Field inspection of the map is complete.

RECOMMENDATIONS

It is recommended that the map be revised in accordance with the notes and be accepted as an advance manuscript.

Respectfully submitted,

Martin R. Mulhern ENSIGN, USESSA

REVÍEW REPORT T-13179

SHORELINE

March 16, 1973

61. GENERAL STATEMENT

See Summary which is page 6 of the Descriptive Report.

62. COMPARISON WITH REGISTERED SURVEYS

There is no registered survey in this area.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A visual comparison was made with U.S.G.S. Quadrangle Sitka (C-6), Alaska dated 1951 and 1:63,360, scale. There is general agreement.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Comparison was made with Verified Survey H-9057 and H-9058 at 1:10,000 scale and dated Sept., 1969. They are in general agreement except for the mean lower low water line at the head of the bay. The photogrammetric mean lower low water line was taken from photos .2 above MLLW (predicted) and is retained on the survey for whatever use it may be to the chart compiler.

65. COMPARISON WITH NAUTICAL CHARTS

A visual comparison was made with chart 8252, 1 May 1971, at 1:217,828 scale. There is general agreement.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This survey meets with project instructions and the National Standards of Map Accuracy.

Reviewed by:

Bernard Kurs

Cartographer

Approved for forwarding:

Melvin J/VMBQCh CDR, NOAA Chief, Coastal Mapping Division, AMC

Approved:

RADM, NOAA

Director, Atlantic Marine Center

Approved:

Chief, Coastal Mapping Division