

13325

13325

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline (Photogrammetric) ..

Job No. PH-6306 Map No. T-13325

Classification No. Edition No.
Field Edited

LOCALITY

State ... Alaska

General Locality Hoonah Sound & Peril Strait

Locality Appleton Cove

1967 TO 1970

Alfred C. Holmes, Director, AMC

REGISTRY IN ARCHIVES

DATE

DESCRIPTIVE REPORT - DATA RECORD

T-13325

PROJECT NO. (II): PH-6306		
FIELD OFFICE (III): None		CHIEF OF PARTY
PHOTOGRAMMETRIC OFFICE (III): Atlantic Marine Center, Norfolk, VA		OFFICER-IN-CHARGE Alfred C. Holmes, Director, AMC
INSTRUCTIONS DATED (II) (III): OFFICE - Sept. 17, 1968 OFFICE - SUPPLEMENT I - Dec. 1969 OFFICE - AMENDMENT I - Mar. 26, 1970		
METHOD OF COMPILATION (III): Wild B-8 Stereo-Plotter and Graphic		
MANUSCRIPT SCALE (III): 1:10,000		STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III): 1:25,000 Pantographed to 1:20,000
DATE RECEIVED IN WASHINGTON OFFICE (IV):		DATE REPORTED TO NAUTICAL CHART BRANCH (IV):
APPLIED TO CHART NO.	DATE:	DATE REGISTERED (IV): MAR. 3, 1975
GEOGRAPHIC DATUM (III): N.A. 1927		VERTICAL DATUM (III): MEAN SEA LEVEL ^{HIGH WATER} EXCEPT AS FOLLOWS: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean lower low water
REFERENCE STATION (III): None		
LAT.:	LONG.:	<input checked="" type="checkbox"/> ADJUSTED <input type="checkbox"/> UNADJUSTED
PLANE COORDINATES (IV): Y = X =		STATE Alaska ZONE 1
MAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE, OR (IV) WASHINGTON OFFICE. WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.		

DESCRIPTIVE REPORT - DATA RECORD

T-13325

FIELD INSPECTION BY (II):		DATE:
None		
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION):		
Air Photo Compilation - June 3, 8, 17, 1967		
PROJECTION AND GRIDS RULED BY (IV):		DATE
Coradomat		Dec. 8, 1969
PROJECTION AND GRIDS CHECKED BY (IV):		DATE
Coradomat		Dec. 8, 1969
CONTROL PLOTTED BY (III):		DATE
Aerotriangulation - Coradomat on T-11940 R.R. White on T-13325		Dec. 8, 1969 Mar. 26, 1970
CONTROL CHECKED BY (III):		DATE
Aerotriangulation - Coradomat on T-11940 A.L. Shands on T-13325		Dec. 8, 1969 Mar. 26, 1970
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III):		DATE
I. I. Saperstein		Nov. 1969
STEREOSCOPIC INSTRUMENT COMPILATION (III):		DATE
PLANIMETRY By: L. Neterer Reviewed By: A. Rauck, Jr.		Mar. 16, 1970 Mar. 16, 1970
CONTOURS		DATE
Inapplicable		
MANUSCRIPT DELINEATED BY (III):		DATE
R. White		April 4, 1970
SCRIBING BY (III):		DATE
W. Gilbert		June 8, 1972
PHOTOGRAMMETRIC OFFICE REVIEW BY (III):		DATE
Compilation: A.C. Rauck, Jr. Field Edit: R.E. Smith Scribing and Stick Up:		April 10/70 Aug. 11/1970
REMARKS:		DATE
Field Edit By: M. R. Mulhern		May 1970

DESCRIPTIVE REPORT - DATA RECORD

T-13325

CAMERA (KIND OR SOURCE) (III):
Wild RC-8 "L" & "M"

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
67-L-(c)-3217	June 8, 1967	09:47	1:30,000	0.5 ft. above MLLW
67-L-(c)-3301 thru 3303	June 8, 1967	10:53	1:30,000	3.8 ft. above MLLW

Predicted Tide (III)

Diurnal

	RATIO OF RANGES	MEAN RANGE	MEAN RANGE
REFERENCE STATION: Juneau, Alaska		13.8	
SUBORDINATE STATION: Fairway Island, Alaska		11.6	
SUBORDINATE STATION:			

WASHINGTON OFFICE REVIEW BY (IV): Bernard Kurs, AMC

DATE:
May 1973

PROOF EDIT BY (IV):

DATE:

NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (II):

0

RECOVERED:

0

IDENTIFIED:

0

NUMBER OF BM(S) SEARCHED FOR (II):

0

RECOVERED:

0

IDENTIFIED:

0

NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III):

None

NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III):

None

REMARKS:

T-13325

COMPILATION RECORD

COMPLETION DATE

REMARKS

Compilation Complete Pending Field Edit	April 1970	Superseded
Field Edit Applied Compilation Complete	July 1970	Superseded
Final Review	May 1973	

SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORT

T-13325

Shoreline survey T-13325 is part of project PH-6306. This project is located in southeastern Alaska in the Hoonah Sound - Peril Straits area. This manuscript covers the area from just north of Pt. Elizabeth to just west of Pt. Benham.

There was no field work preceding the "Incomplete" Manuscript.

Compilation was at 1:10,000 scale by B-8 plotter and graphic methods. A copy of the "Incomplete" manuscript along with ozalids and specially prepared photographs was furnished for the preparation of the boat sheets, location of photo-hydro signals and field edit use.

The manuscript was field edited during April and May, 1970. After field edit was applied the manuscript was scribed, stuck-up and reproduced on cronaflex. Final review was at AMC during May, 1973. One cronaflex and negative of the final reviewed manuscript are being forwarded for record and registry.

FIELD INSPECTION

T-13325

There was no field inspection prior to compilation.

8

Photogrammetric Plot Report (Part II)
Job PH-6306
Hoonah Sound and Peril Strait, Alaska

November 1969

21. Area Covered

This report covers Hoonah Sound, Alaska, by the following eight (8) 1:10,000 scale shoreline T-sheets: T-13324 thru T-13331; three (3) 1:20,000 scale shoreline T-sheets: T-11940 thru T-11942 and by one (1) 1:40,000 scale sheet for chart topography T-11939 with 1:20,000 scale inset. (See Report Part I, October 1968 for strips previously bridged and sheets covered).

22. Method

Ten (10) strips were bridged using analytical aerotriangulation methods. Strips 1, 2, 3, 10, 11 and 13 are 1:60,000 scale panchromatic and strips 8, 9, 12 and 14 are 1:30,000 scale color.

Numerous tie points were located to control several of the strips due to the sparseness of horizontal control.

The attached sketch shows the strips bridged and the placement of triangulation used in the final strip adjustments.

Positions for all bridge points are shown for each strip on the IBM readout on the Alaska Zone 1 state plane coordinate system.

23. Adequacy of Control

All horizontal control was premarked. Together with tie points, it was adequate to control the various strips.

Horizontal point COVE, 1952 could not be positively identified and was not used. Horizontal point HOOFF 2, 1925 was held on Strip 3 but because of tree overhang could not be used on Strip 1.

-2-

24. Supplemental Data

Vertical control needed for the adjustment was taken from USGS quadrangles.

25. Photography

The definition and quality of the RC-9 "M" panchromatic and RC-8 "L" color photography were good. Coverage is adequate to compile all sheets by either the 1:60,000 or 1:30,000 scale photography.

Respectfully submitted,

I. I. Saperstein
I. I. Saperstein

Approved and forwarded,

Henry P. Eichert

Henry P. Eichert
Chief, Aerotriangulation
Section

Notes to Compiler

In order to compile the 1:10,000 scale sheets in Peril Strait, Rodman Bay and Saook Bay, it may be necessary to do so from the 1:30,000 scale photography. If so, order 1:30,000 color plates and contact photographs where necessary to locate compilation points from the 1:60,000 scale bridging photography. (See photo layout for plates required). All ratio prints should be ordered by the compilation office.

Bridge points will be plotted in Rockville by the Coradi on all sheets except T-11939.

JOB PH-6306

HOONAH SOUND & PERIL STRAIT ALASKA

Shoreline Mapping

Scale 1:10,000

Chart Topography
Scale 1:20,000

Scale 1:40,000

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

PART II

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

PART I

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

Δ HORIZONTAL CONTROL

1:60,000 PANCHROMATIC

1:30,000 COLOR

67M 788

67M 789

67M 790

67M 791

67M 792

67M 793

67M 794

67M 795

67M 796

67M 797

67M 798

67M 799

67M 800

67M 801

67M 802

67M 803

67M 804

67M 805

67M 806

67M 807

67M 808

67M 809

67M 810

67M 811

67M 812

67M 813

67M 814

67M 815

67M 816

67M 817

67M 818

67M 819

67M 820

67M 821

67M 822

67M 823

67M 824

67M 825

67M 826

67M 827

67M 828

67M 829

67M 830

67M 831

67M 832

67M 833

67M 834

67M 835

67M 836

67M 837

67M 838

67M 839

67M 840

67M 841

67M 842

67M 843

67M 844

67M 845

67M 846

67M 847

67M 848

67M 849

67M 850

67M 851

67M 852

67M 853

67M 854

67M 855

67M 856

67M 857

67M 858

67M 859

67M 860

67M 861

67M 862

67M 863

67M 864

67M 865

67M 866

67M 867

67M 868

67M 869

67M 870

67M 871

67M 872

67M 873

67M 874

67M 875

67M 876

67M 877

67M 878

67M 879

67M 880

67M 881

67M 882

67M 883

67M 884

67M 885

67M 886

67M 887

67M 888

67M 889

67M 890

67M 891

67M 892

67M 893

67M 894

67M 895

67M 896

67M 897

67M 898

67M 899

67M 900

67M 901

67M 902

67M 903

67M 904

67M 905

67M 906

67M 907

67M 908

67M 909

67M 910

67M 911

67M 912

67M 913

67M 914

67M 915

67M 916

67M 917

67M 918

67M 919

67M 920

67M 921

67M 922

67M 923

67M 924

67M 925

67M 926

67M 927

67M 928

67M 929

67M 930

67M 931

67M 932

67M 933

67M 934

67M 935

67M 936

67M 937

67M 938

67M 939

67M 940

67M 941

67M 942

67M 943

67M 944

67M 945

67M 946

67M 947

67M 948

67M 949

67M 950

67M 951

67M 952

67M 953

67M 954

67M 955

67M 956

67M 957

67M 958

67M 959

67M 960

67M 961

67M 962

67M 963

67M 964

67M 965

67M 966

67M 967

67M 968

67M 969

67M 970

67M 971

67M 972

67M 973

67M 974

67M 975

67M 976

67M 977

67M 978

67M 979

67M 980

67M 981

67M 982

67M 983

67M 984

67M 985

67M 986

67M 987

67M 988

67M 989

67M 990

67M 991

67M 992

67M 993

67M 994

</

DESCRIPTIVE REPORT CONTROL RECORD

MAP T- <u>13325</u>	PROJECT NO. <u>PH-6306</u>	SCALE OF MAP <u>1:10,000</u>	SCALE FACTOR <u>None</u>
---------------------	----------------------------	------------------------------	--------------------------

[illegible]

COMPILATION REPORT

T-13325

31. DELINEATION

The 1:60,000 scale M photography was used with the Wild B-8 to drop shoreline points common to both the 1:60,000 scale M and 1:30,000 scale photography on a 1:20,000 scale worksheet. These points were then plotted on the 1:10,000 scale manuscript using the coordinatorgraph. The manuscript was then compiled graphically using the 1:30,000 scale photography ratioed to 1:10,000 scale.

There was no field inspection.

32. CONTROL

See Photogrammetric Plot Report (Part II) dated November, 1969.

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

Contours are inapplicable.

All streams were compiled from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS

The mean high water line, ledge areas, and all other along-shore features were compiled from office interpretation of the photographs. Since there was no photography taken at mean lower low water, a shallow line was delineated in lieu of a mean lower low water line.

36. OFFSHORE DETAILS

None

37. LANDMARKS AND AIDS

No copies of form 567 for landmarks or aids were forwarded to the Rockville Office.

38. CONTROL FOR FUTURE SURVEYS

None

39. JUNCTIONS

A satisfactory junction was made with T-13326 scale 1:10,000 to the west, south of latitude $57^{\circ}29'45''$; T-11940 scale 1:20,000 to the north and east; T-13327 scale 1:10,000 to the south, east of longitude $135^{\circ}14'00''$. There is no contemporary survey to the south, west of longitude $135^{\circ}14'00''$ or to the west, north of latitude $57^{\circ}29'45''$.

40. HORIZONTAL AND VERTICAL ACCURACY

No statement.

46. COMPARISON WITH EXISTING MAPS

A comparison was made with USGS Quadrangles SITKA B-4 and C-4 ALASKA, scale 1:63,360 dated 1951.

47. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with Chart 8283 PERIL STRAIT, HOONAH SOUND TO CHATHAM STRAIT, scale 1:40,000 5th Edition, dated May 12, 1969.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None

ITEMS TO BE CARRIED FORWARD

None

Submitted:

Richard R. White

Richard R. White
Cartographic Technician
April 4, 1970

Approved for forwarding:

Melvin J. Umbach
Melvin J. Umbach, CDR, NOAA
Chief, Coastal Mapping Division, AMC

Approved:

Alfred C. Holmes
Alfred C. Holmes
RADM, NOAA
Director, Atlantic Marine Center

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6306 (Alaska)

T-13325

- . Andersen Island
- . Appleton Cove
- . Baranof Island
- . Duffield Peninsula
- . Peril Strait
- . Point Elizabeth
- . Prince Island
- . Rodman Bay
- ~~Rodman Rock~~

Approved by:



A. Joseph Wraight
Chief Geographer

Prepared by:

3-22-73

Frank W. Pickett
Cartographic Technician

T-13325

49. NOTES FOR THE HYDROGRAPHER

None. See Field Edit Ozalid

PHOTOGRAMMETRIC OFFICE REVIEW
T. 13325

1. PROJECTION AND GRIDS Coradomat ACR	2. TITLE ACR	3. MANUSCRIPT NUMBERS ACR	4. MANUSCRIPT SIZE ACR
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY ACR	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) XX		7. PHOTO HYDRO STATIONS
8. BENCH MARKS ACR	9. PLOTTING OF SEXTANT FIXES ACR	10. PHOTOGRAMMETRIC PLOT REPORT ACR	11. DETAIL POINTS ACR
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE ACR	13. LOW-WATER LINE ACR	14. ROCKS, SHOALS, ETC. ACR	15. BRIDGES XX
16. AIDS TO NAVIGATION	17. LANDMARKS	18. OTHER ALONGSHORE PHYSICAL FEATURES ACR	19. OTHER ALONGSHORE CULTURAL FEATURES ACR
PHYSICAL FEATURES			
20. WATER FEATURES ACR	21. NATURAL GROUND COVER XX		22. PLANETABLE CONTOURS XX
23. STEREOSCOPIC INSTRUMENT CONTOURS XX	24. CONTOURS IN GENERAL XX	25. SPOT ELEVATIONS XX	26. OTHER PHYSICAL FEATURES ACR
CULTURAL FEATURES			
27. ROADS ACR	28. BUILDINGS ACR	29. RAILROADS XX	30. OTHER CULTURAL FEATURES ACR
BOUNDARIES			
31. BOUNDARY LINES XX		32. PUBLIC LAND LINES XX	
MISCELLANEOUS			
33. GEOGRAPHIC NAMES ACR	34. JUNCTIONS ACR		35. LEGIBILITY OF THE MANUSCRIPT ACR
36. DISCREPANCY OVERLAY ACR	37. DESCRIPTIVE REPORT ACR	38. FIELD INSPECTION PHOTOGRAPHS None	39. FORMS ACR
40. REVIEWER A.C. Rauck, Jr. 4/10/70		SUPERVISOR, REVIEW SECTION OR UNIT <i>Albert C. Rauck Jr.</i>	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER R.J. Pate Aug. 4, 1970 reviewer: R.E. Smith Aug. 11, 1970		SUPERVISOR <i>Albert C. Rauck Jr.</i>	
43. REMARKS Field Edit Applied From: Field Edit Ozalid Field Photographs 67-L-3301, 67-L-3303 The majority of the questions asked by the compiler were answered. See Attached Page.			

FIELD EDIT REPORT

MAP T-13325

Peril Strait

Appleton Cove

Field edit of map T-13325 was accomplished during May, 1970. Inspection was done from a skiff in conjunction with photo-hydro signal identification and from a launch during hydrographic survey.

METHOD

The shoreline features and mean high water line were verified by visual comparison of the shore area to the field ratio photographs and field edit ozalid of the map manuscript. Notes have been made in violet pencil on the field edit ozalid and cross referenced where necessary to field ratio photographs 67L3301 and 67L3303. Positions of several offshore rocks have been transferred from boatsheet H-9126, FA-10-4-70. Unless otherwise indicated all shoreline features are correct as interpreted.

Times are based on 105°W and 120°W meridians as indicated.

ADEQUACY OF COMPILATION

Compilation of the map is good. Hydrographic location of features compares well to photogrammetric location. Several additional ledges should be indicated and corrections applied to the character of foreshore materials in several areas. Corrections and additional identifiable features have been indicated on the field edit ozalid and photographs.

Field inspection of the map is complete.

RECOMMENDATIONS

It is recommended that the map be revised in accordance with the notes and be accepted as an advance manuscript.

Respectfully submitted,

Martin R Mulhern

Martin R. Mulhern
ENSIGN, USESSA

REVIEW REPORT T-13325

SHORELINE

May, 1973

61. GENERAL STATEMENT

See summary which is page 6 of the Descriptive Report.

62. COMPARISON WITH REGISTERED SURVEYS

There is no registered survey in this area.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A visual comparison was made with USGS Quadrangles Sitka (B-4), Alaska and Sitka (C-4), Alaska, both dated 1951 and at 1:63,360 scale. They are in general agreement.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Comparison was made with a copy of "Advance" Boat Sheet H-9126 1:10,000 scale dated 1970. There is very good agreement. The photogrammetric lower low water line differs slightly in places but is being retained on the manuscript for whatever use the chart compiler may see fit. The photogrammetric MLLW line was interpreted from photography taken at 3.8 ft. above MLLW (predicted).

65. COMPARISON WITH NAUTICAL CHARTS

A visual comparison was made with chart 8283 dated July 17, 1971 at 1:40,000 scale. There is general agreement.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This survey meets with project instructions and the National Standards of Map Accuracy.


Reviewed by:

Bernard Kurs


Bernard Kurs
Cartographer

21


Approved for forwarding:



Melvin J. Umbach, CDR, NOAA
Chief, Coastal Mapping Division, AMC

Approved:


Alfred C. Holmes
RADM, NOAA
Director, Atlantic Marine Center

Approved:


D.K. Hargrove
Chief, Photogrammetric Branch


Charles Shuman
Chief, Coastal Mapping Division