

T-13341

ORIGINAL

T-13341

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline
Job No. PH-6909 Map No. T-13341
Classification No. Final Edition No. 1
Field Edited Map

LOCALITY

State Alaska
General Locality Sumner Strait
Locality Shingle Island

1969 TO 1971

REGISTRY IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.																	
DESCRIPTIVE REPORT - DATA RECORD		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">TYPE OF SURVEY</td> </tr> <tr> <td><input checked="" type="checkbox"/> ORIGINAL</td> <td></td> </tr> <tr> <td><input type="checkbox"/> RESURVEY</td> <td></td> </tr> <tr> <td><input type="checkbox"/> REVISED</td> <td></td> </tr> </table>		TYPE OF SURVEY		<input checked="" type="checkbox"/> ORIGINAL		<input type="checkbox"/> RESURVEY		<input type="checkbox"/> REVISED									
TYPE OF SURVEY																			
<input checked="" type="checkbox"/> ORIGINAL																			
<input type="checkbox"/> RESURVEY																			
<input type="checkbox"/> REVISED																			
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Norfolk, Va. OFFICER-IN-CHARGE Jeffrey Carlen CDR, NOAA		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">SURVEY TP- 13341</td> </tr> <tr> <td colspan="2" style="text-align: center;">MAP EDITION NO. (1)</td> </tr> <tr> <td colspan="2" style="text-align: center;">MAP CLASS Final</td> </tr> <tr> <td colspan="2" style="text-align: center;">JOB PH- 6909</td> </tr> </table>		SURVEY TP- 13341		MAP EDITION NO. (1)		MAP CLASS Final		JOB PH- 6909									
SURVEY TP- 13341																			
MAP EDITION NO. (1)																			
MAP CLASS Final																			
JOB PH- 6909																			
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Norfolk, Va. OFFICER-IN-CHARGE Jeffrey Carlen CDR, NOAA		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">LAST PRECEDING MAP EDITION</td> </tr> <tr> <td colspan="2" style="text-align: center;">TYPE OF SURVEY</td> </tr> <tr> <td><input type="checkbox"/> ORIGINAL</td> <td></td> </tr> <tr> <td><input type="checkbox"/> RESURVEY</td> <td></td> </tr> <tr> <td><input type="checkbox"/> REVISED</td> <td></td> </tr> <tr> <td colspan="2" style="text-align: center;">JOB PH- _____</td> </tr> <tr> <td colspan="2" style="text-align: center;">MAP CLASS _____</td> </tr> <tr> <td colspan="2" style="text-align: center;">SURVEY DATES: 19__ TO 19__</td> </tr> </table>		LAST PRECEDING MAP EDITION		TYPE OF SURVEY		<input type="checkbox"/> ORIGINAL		<input type="checkbox"/> RESURVEY		<input type="checkbox"/> REVISED		JOB PH- _____		MAP CLASS _____		SURVEY DATES: 19__ TO 19__	
LAST PRECEDING MAP EDITION																			
TYPE OF SURVEY																			
<input type="checkbox"/> ORIGINAL																			
<input type="checkbox"/> RESURVEY																			
<input type="checkbox"/> REVISED																			
JOB PH- _____																			
MAP CLASS _____																			
SURVEY DATES: 19__ TO 19__																			
I. INSTRUCTIONS DATED																			
1. OFFICE		2. FIELD																	
Aerotriangulation October 2, 1969 Compilation September 14, 1970 Compilation November 6, 1970 Compilation I November 20, 1970		Premarking May 14, 1969																	
II. DATUMS																			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)																	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input checked="" type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)																	
3. MAP PROJECTION Polyconic		4. GRID(S) <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">STATE Alaska</td> <td style="width: 50%;">ZONE 1</td> </tr> <tr> <td>STATE</td> <td>ZONE</td> </tr> </table>		STATE Alaska	ZONE 1	STATE	ZONE												
STATE Alaska	ZONE 1																		
STATE	ZONE																		
5. SCALE 1:10,000		STATE ZONE																	
III. HISTORY OF OFFICE OPERATIONS																			
OPERATIONS		NAME	DATE																
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		R. Kelly	Apr 1970																
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY		P. Dempsey	Aug 1970																
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY		A. L. Shands	Nov. 1970																
INSTRUMENT: Wild B-8 and graphic SCALE: 1:15,000		L. Graves	Nov 1970																
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY		A. Shands & F. Margiotta	Dec 1970																
METHOD: Smooth drafted SCALE: 1:10,000		R. Pate	Dec 1970																
HYDRO SUPPORT DATA BY CHECKED BY		NA																	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		R. Pate	Jan 1971																
6. APPLICATION OF FIELD EDIT DATA BY		T. Bulfer	Dec 1971																
7. COMPILATION SECTION REVIEW BY		C. Blood	Dec 1971																
8. FINAL REVIEW BY		C. Blood	Dec 1971																
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		A. L. Shands	Nov 1979																
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		A. L. Shands	Dec 1979																
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		F. R. WATTS	FEB 1980																
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E. A. DAUGHERTY	JUN 1980																

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-13341
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC 8 "E" & "K"		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Pacific	<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> DAYLIGHT
		MERIDIAN 120th			
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
69E(C) 1030 & 1031	8/5/69	13:28 PST	1:30,000	4.6 ft. above MLLW	
69E(C) 1008 & 1009	8/5/69	13:00 PST	1:30,000	3.1 ft. above MLLW	
69E(C) 2036, 2037, 2038	8/24/69	14:37 PST	1:20,000	7.6 ft. above MLLW	
*69E(C) 57 & 578	7/18/69	10:36 PST	1:20,000	0.2 ft. below MLLW	
*69K(I) 3753-3756	7/18/69	10:36 PST	1:20,000	0.2 ft. below MLLW	
*69E(C) 557-559	7/18/69	10:18 PST	1:20,000	0.5 ft. below MLLW	
*69K(I) 3731-3783	7/18/69	10:18 PST	1:20,000	0.5 ft. below MLLW	

REMARKS * Denotes tandem flights

Subord. Sta. LEVEL ISLANDS, SUMNER STRAIT, ALASKA

2. SOURCE OF MEAN HIGH-WATER LINE:

From the above list of photographs.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

From the above list of photographs.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
No surveys	T-13342	No survey	T-13339 T-13340

REMARKS

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-13341
HISTORY OF FIELD OPERATIONSI. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	G. Moses	Jun 1969
	GHE	Jun 1969
2. HORIZONTAL CONTROL		
RECOVERED BY	None	
ESTABLISHED BY	None	
PRE-MARKED OR IDENTIFIED BY	GHE	Jun 1969
3. VERTICAL CONTROL		
RECOVERED BY	None	
ESTABLISHED BY	None	
PRE-MARKED OR IDENTIFIED BY	None	
4. LANDMARKS AND AIDS TO NAVIGATION		
RECOVERED (Triangulation Stations) BY	None	
LOCATED (Field Methods) BY	None	
IDENTIFIED BY	None	
5. GEOGRAPHIC NAMES INVESTIGATION		
TYPE OF INVESTIGATION		
<input type="checkbox"/> COMPLETE		
<input type="checkbox"/> SPECIFIC NAMES ONLY		
<input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
69E(C) 1009	SHINGLE 1915		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

NA

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1-Form 152

NOAA FORM 76-36C
(3-72)

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-13341
HISTORY OF FIELD OPERATIONSI. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	G. Saladin	Jun 1971
2. HORIZONTAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None	
3. VERTICAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	NA NA NA	
4. LANDMARKS AND AIDS TO NAVIGATION RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None	
5. GEOGRAPHIC NAMES INVESTIGATION TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input checked="" type="checkbox"/> SPECIFIC NAMES ONLY BY <input type="checkbox"/> NO INVESTIGATION	G. Saladin	Jun 1971
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	H. Herz	Jun 1971
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	Na	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

NA

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

69E(C) 2038

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☒ REPORT ☐ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1-Field Edit Report
1-Field Edit Ozalid

T-13341
RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Dec 1970	Class III manuscript ungraded	2/10/71	1/27/71
Field Edit applied	Dec 1971	Class I manuscript	None	
Final Review	Nov 1979	Final	4-4-80 Dec 1979	

II. LANDMARKS AND AIDS TO NAVIGATION None

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



OFFICIAL MILEAGE FOR
COST ACCOUNTS

AREA

SHEET NO. SQ. MILES

T-13338	3
T-13339	3
T-13340	2
T-13341	4
T-13342	5
T-12462	4
T-12463	5
T-12464	2
T-12465	4
T-12466	6
T-12467	2
T-12468	3
T-12469	5
T-12470	3
T-13374	5
T-13375	3
T-13376	3
T-13377	1
T-13378	1
TOTAL	77

JOB PH-6909
SUMNER STRAIT, ALASKA

SHORELINE MAPPING

Scale 1:10,000

SUMMARY TO ACCOMPANY T-12462 THRU T-12470,
T-13338 Thru T-13342 and T-13374 Thru T-13378

This summary covers Project PH-6909 consisting of nineteen standard shoreline maps covering the area of Sumner Strait. The purpose of this job was to provide support for hydrographic operations conducted in the area during the 1971 and 1972 field seasons. Each map is 1:10,000 scale.

Photography of the area was flown during the summer of 1969. Flights of 1:60,000 and 1:30,000 scale color photography were flown for use in aerotriangulation and stereo instrument compilation. Tandem flights of 1:20,000 scale color and black and white infrared were used to supplement the instrument compilation photography.

There was no field inspection. Prior to compilation field work consisted of the recovery and identification of horizontal control for bridging which was conducted at the Rockville Office in April, 1970, by analytic methods.

All maps were compiled at the Atlantic Marine Center with the Wild B-8 stereoplotter. Shingle Island on T-13341 and Vichnefski Rock and White Rock on T-12464 were compiled graphically using control established in the bridge supplemented by control established in B-8 stereo models.

Field Edit was done for all maps in summer of 1971. Much of that data for the seven easternmost maps, T-12462 - T-12465 and T-13376, T-13378 was lost.

These maps were re-edited in the summer of 1975. Edit was applied to all maps at the Atlantic Marine Center.

Final review was performed at the Atlantic Marine Center. All pertinent data was forwarded to ^{the} Rockville, Maryland, office for reproduction and final registration.

FIELD INSPECTION

T-13341

There was no field inspection prior to compilation. Field activity prior to compilation was limited to the recovery and identification of control for bridging.

8

Aerotriangulation Report
PH-6909
Sumner Strait, Alaska

April 29, 1970

21. Area Covered

This report covers T sheets 12462 through 12470, T sheets 13338 through 13342 and T sheets 13374 through 13378 of Sumner Strait, Alaska, at 1:10,000 scale.

22. Method

Three strips of 1:60,000 scale color photography were bridged by analytical methods to provide horizontal control, compilation and ratio points for 1:30,000 scale photography. The attached sketch of the strips bridged shows the placement of triangulation used in the strip adjustment. A list of closures to control is part of this report. Positions of all compilation points (i.e. 900 points) and control stations have been plotted on the manuscripts by the Coradi, on the Alaska Zone 1 plane coordinate system.

23. Adequacy of Control

The horizontal control provided was adequate except for SPIT, 1927. The strip adjustment showed an error of -15 feet in the x direction. The adjacent project Keku Strait, Alaska, PH-6206 which used SPIT, 1927, also showed an error of -15 feet in the x direction. The reason for not obtaining a better closure is not known. Six tie points were used to augment datum tie between strip 1 of Sumner Strait and strips 1 and 11 of Keku Strait. Tie points were averaged between the three strips.

All other control held well within the accuracy required by National Standards of Map Accuracy at 1:10,000 scale.

24. Supplemental Data

U. S. Geological Survey quadrangles were used to provide elevations for vertical adjustment of the bridges.

-2-

25. Photography

Photography was adequate as to coverage, overlap and definition.

Submitted by,

Robert B. Kelly
Robert B. Kelly

Approved and forwarded,

Henry P. Eichert
Henry P. Eichert
Chief, Aerotriangulation
Section

NOTE TO COMPILER

Points 76901, 76902 and 76903 on photograph 69-E(C)-576 are to be transferred to the ratio prints 69-E(C)-576 and 577 in order to compile Shingle Island graphically, located on T-13341.



SUMNER STRAIT, ALASKA



CHOPLINE MAPPING

100,000

COMPILATION PHOTOS

STRIP 5

56° 31' 15"




56° 26' 15"

S U M M E R

S T R A I T

56° 22'



JOB PH-6909

SUMNER STRAIT, ALASKA

SHORT LINE MAPPING

Scale 1:10,000

1:20,000

1:50,000

LEGEND

- Δ CONTROL USED IN ADJUSTMENT
 () CLOSURES OF BRIDGE TO CONTROL SHOWN
 IN PARENTHESES
 Δ CONTROL USED AS CHECK.

STRIP 1

- Δ LUNG, 1929 (-0.9, +1.1) Ft.
 Δ NEXT, 1929 (+1.0, -1.9)
 Δ SHINGUE, 1915 (0.0, +1.0)
 Δ DARRIE 2, 1915 (+0.9, -3.3)
 Δ END, 1927 (+0.3, -0.4)

STRIP 2

- Δ FRANK, 1954 (0.0, -0.5)
 Δ QUEEN, 1954 (-0.5, +1.0)
 Δ SID, 1915 (+0.1, +0.5)
 Δ WEST, 1915 (-0.5, +0.3)
 Δ COLBOYE, 1886 (+0.2, -1.4)
 Δ JEFF, 1916 (-0.5, +0.4)

STRIP 3

- Δ JEFF, 1916 (0.0, +0.3)
 Δ MARZ 2, 1915 (-0.7, -0.3)
 Δ SAINT 2, 1915 (+2.1, +0.4)
 Δ VILNEFSKI ROCK LT, 1967 (-1.6, -0.6)

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	T-13341	JOB NO.	PH-6909	GEODETTIC DATUM		NA 1927		ORIGINATING ACTIVITY Coastal Mapping Division, Norfolk, VA.	
STATION NAME		SOURCE OF INFORMATION (Index)		AEROTRI- ANGULATION POINT NUMBER	COORDINATES IN FEET STATE Alaska ZONE 1		GEOGRAPHIC POSITION ϕ LATITUDE λ LONGITUDE		REMARKS FORWARD BACK
SHINGLE, 1915		G.P. VOL 1 203			$x=$	ϕ 56 26 17.424		538.9	1317.0
					$y=$	λ 133 23 29.834		511.3	516.8
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
					$x=$	ϕ			
					$y=$	λ			
COMPUTED BY	A. C. Rauck, Jr.			DATE	9/11/70	COMPUTATION CHECKED BY C. E. Blood		DATE	10/5/70
LISTED BY				DATE		LISTING CHECKED BY		DATE	
HAND PLOTTING BY				DATE		HAND PLOTTING CHECKED BY		DATE	

COMPILATION REPORT

T-13341

SHORELINE

31. DELINEATION:

The B-8 was used to delineate the mean high water line by office interpretation of the photography of August 5, 1969 taken at 3.1 feet and 4.6 feet of tide.

Low water details were delineated from office interpretation of photography taken July 18, 1969. ~~Infrared photography was taken at -0.5 ft. of tide and color photographs were taken at -0.2 feet tide.~~

*The MLLW was delineated graphically from low water infrared photography. See Form 76-36b page 2 of this descriptive report.
A.L.S.
11/9/79*

There was no field inspection prior to compilation.

32. CONTROL:

See Aerotriangulation Report, dated April 29, 1970.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from office interpretation of the stereo models.

35. SHORELINE AND ALONGSHORE DETAILS:

For delineation of the shoreline see Item 31. Foreshore and the MLLW line was delineated from office interpretation of color and infrared photographs. Color photography was taken at 0.2 feet below the datum plane and the infrared was taken at 0.5 feet below the datum plane. The infrared photographs showed a distinct line at the water line but didn't define kelp limits as well as the color photographs.

36. OFFSHORE DETAILS:

No statement.

37. LANDMARKS AND AIDS:

None.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

Satisfactory junctions were made with T-13342 to the east on the west with T-13340 to the south of Lat. $56^{\circ}27'30''$ and T-13339 to the north of $56^{\circ}27'30''$. There was no survey to the north or to the south.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

45. COMPARISON WITH PREVIOUS BUREAU SURVEY:

A comparison was made with previous bureau survey, Register No. 1749, scale 1:80,000, dated 1886 verified March 10, 1887.

46. COMPARISON WITH EXISTING MAPS:

Comparisons were made with USGS Quadrangles Petersburg (B-5) Alaska, scale 1:63,360, dated 1949 with minor revisions in 1963 and Petersburg (C-5), scale 1:63,360, dated 1951 with minor revisions in 1965.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with Chart 8201, scale 1:217,828, 15th edition, dated November 15, 1969.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Albert C. Rauch, Jr. for
L. L. Graves
Cartographic Tech.
January 22, 1971

Approved:

Albert C. Rauch, Jr.
A. C. Rauch, Jr.
Chief, Coastal Mapping Section

11
October 26, 1970

GEOGRAPHIC NAMES
FINAL NAME SHEET
PH-6909 (Alaska)


T-13341

- ✓ Kupreanof Island
- ✓ Little Totem Bay
- ✓ Shingle Island
- ✓ Sumner Strait
- ✓ Totem Bay

Approved by:


A. Joseph Wraight
Chief Geographer

Prepared by:


Frank W. Pickett
Cartographic Technician

PHOTOGRAMMETRIC OFFICE REVIEW

TP - 13341

1. PROJECTION AND GRIDS RJP		2. TITLE RJP		3. MANUSCRIPT NUMBERS RJP		4. MANUSCRIPT SIZE RJP	
CONTROL STATIONS							
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY RJP				6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) NA		7. PHOTO HYDRO STATIONS NA	
8. BENCH MARKS NA		9. PLOTTING OF SEXTANT FIXES CEB		10. PHOTOGRAMMETRIC PLOT REPORT RJP LLG		11. DETAIL POINTS RJP LLG	
ALONGSHORE AREAS (Nautical Chart Data)							
12. SHORELINE RJP LLG		13. LOW-WATER LINE RJP LLG		14. ROCKS, SHOALS, ETC. RJP LLG		15. BRIDGES NA	
16. AIDS TO NAVIGATION CEB		17. LANDMARKS CEB		18. OTHER ALONGSHORE PHYSICAL FEATURES RJP LLG		19. OTHER ALONGSHORE CULTURAL FEATURES RJP LLG	
PHYSICAL FEATURES							
20. WATER FEATURES RJP LLG				21. NATURAL GROUND COVER RJP LLG		22. PLANETABLE CONTOURS NA	
23. STEREOSCOPIC INSTRUMENT CONTOURS NA		24. CONTOURS IN GENERAL NA		25. SPOT ELEVATIONS NA		26. OTHER PHYSICAL FEATURES RJP LLG	
CULTURAL FEATURES							
27. ROADS RJP LLG		28. BUILDINGS RJP LLG		29. RAILROADS RJP LLG		30. OTHER CULTURAL FEATURES RJP LLG	
BOUNDARIES							
31. BOUNDARY LINES NA				32. PUBLIC LAND LINES NA			
MISCELLANEOUS							
33. GEOGRAPHIC NAMES RJP LLG				34. JUNCTIONS LLG RJP		35. LEGIBILITY OF THE MANUSCRIPT RJP LLG	
36. DISCREPANCY OVERLAY LLG RJP		37. DESCRIPTIVE REPORT LLG RJP		38. FIELD INSPECTION PHOTOGRAPHS CEB		39. FORMS LLG RJP	
40. REVIEWER <i>A. C. Rauck, Jr. For</i> R. J. Pate Dec. 1970 L. Graves Jan. 1971 <i>A. C. Rauck, Jr. For</i>				SUPERVISOR, REVIEW SECTION OR UNIT <i>Albert C. Rauck, Jr.</i> A. C. Rauck, Jr.			
41. REMARKS (See attached sheet)							
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT							
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.							
COMPILED <i>A. C. Rauck, Jr. For</i> T. J. Bulfer 12/20/71 Reviewed by: C. E. Blood 12/20/71				SUPERVISOR <i>Albert C. Rauck, Jr.</i> A. C. Rauck, Jr.			
43. REMARKS Field Edit applied from: See forms 76-36C Items 3, 7, & 8.							

FIELD EDIT REPORT

SUMNER STRAIT

SOUTHEAST ALASKA

OPR-448

APRIL-SEPTEMBER 1971

INTRODUCTION

Field edit reports are attached for the following maps:

T-12462	Mitchell Point
T-12463	Little Level Island
T-12464	Big Level Island
T-12465	Point St. John
T-12466	Port Protection
T-12467	Flicker Creek
T-12468	Buster Bay
T-12469	Mud Creek
T-12470	Red Bay (West)
T-13338	Yellow Island
T-13339	Little Totem Bay
T-13340	Totem Bay
T-13341	Shingle Island
T-13342	Moss Island
T-13374	Bell Island
T-13375	Red Bay (East)
T-13376	Point Colpoys
T-13377	Rookery Islands
T-13378	Macnamara Point

Field photographs and copies of the field edit ozalids were taken into the field. The mean high water line was verified by visual inspection of the shoreline and ozalids in the field. Isolated rocks, high points of ledges, ledge limits and some shoreline were located by three-point sextant fixes with check angles. Fixes were plotted on boatsheets:

DA-10-3-71	DA-10-7-71
DA-10-4-71	DA-10-8-71
DA-10-5-71	DA-10-9-71
DA-10-6-71	DA-5-1-71

Comparisons were made between boatsheets and ozalids.

Notes have been made on the appropriate photographs and have been cross referenced on the Field Edit Ozalids by photograph number. All times are based on 105°W meridian. Individual reports by manuscript are attached. Either processed or field photographs were used for notes as indicated in the individual reports.

ADEQUACY OF COMPILATION

The photographic coverage of the area was excellent. Compilation was excellent with the few exceptions as noted on individual sheets. Unfortunately, photographic and manuscript coverage was not available for Kak Sheets Bay north of the Level Islands. Shoreline on the northern section of boatsheet DA-10-9-71 (H9221) will have to be edited when manuscripts are available.

TIDE NOTES

The following tide stations were used for hydrography in the Sumner Strait area:

Pt. Baker
Red Bay

Totem Bay
Level Island

AIDS TO NAVIGATION

Non-floating Aids to Navigation within the area were located and are covered in a report titled "Non-floating and Floating Aids to Navigation OPR-448 - Sumner Strait, Southeast Alaska 1971." A copy of the above report is included in the appendix.

Respectfully submitted,

Howard W. Herz
Howard W. Herz
LTJG. NOAA

Approved,

Gelald C. Saladin
CDR. NOAA
Commanding Officer
NOAA Ship DAVIDSON

FIELD EDIT REPORT

MAP T-13341

SUMNER STRAIT - SHINGLE ISLAND

SOUTHEAST ALASKA

JUNE-JULY 1971

The field edit of map T-13341 was done by LTJG. Russell C. Arnold and ENS. Stephen A. Young on June 16 and July 22, 1971. Inspection was made with a small boat and on foot.

METHOD

Field photographs and a copy of the field ozalid were taken into the field. The MHWL was visually inspected with special attention given to areas in question on the ozalid. Changes to the MHWL and ledge limits have been delineated on the processed photographs. High points of rocks and ledges have been noted on the ozalid. All times given are 1050W meridian. All changes delineated on the photographs have been cross referenced on the ozalid. Notes were made on the following processed photograph: 69E(C)2038. See boatsheet DA-10-6-71 for foul area limits.

ADEQUACY OF COMPILATION

The compilation of this map was good. The MHWL is accurate in both configuration and location. Ledge limits and foul areas were in agreement except as noted. No fixed aids to navigation were located on this sheet. The field edit of this map is complete.

RECOMMENDATIONS

It is recommended that the map be revised in accordance with the notes on the field edit ozalid and photographs and the map be accepted as an advance manuscript.

Respectfully submitted,

Russell C. Arnold
Russell C. Arnold
LTJG. NOAA

Stephen A. Young
Stephen A. Young
ENS. NOAA

SPECIAL REPORT
ON
GEOGRAPHIC NAMES
OPR-448
SOUTHEAST ALASKA
SOUTH Keku STRAIT - SUMNER STRAIT

NOAA SHIP DAVIDSON
CDR GERALD C. SALADIN
CHIEF OF PARTY
1971

The enclosed USGS Petersburg (B-4), (B-5), (B-6), (C-4) and (C-6) Alaska quadrangle sheets were used for geographic names identification along with the enclosed charts 8174 and 8201.

On August 29, 1971 Mr. Clarence Louis and Mr. Harry Coulter, both of Wrangell, Alaska, were interviewed. Mr. Louis has been a resident of Wrangell for 77 years and has fished extensively throughout the Sumner Strait area. Mr. Harry Coulter has been a resident of Wrangell since 1900. He has fished and done extensive navigating aboard tugs and steamboats in the Sumner Strait area.

On August 30, 1971 Mr. Laurel Allen Woolery (Buckshot), owner of the B.S. Trading Post, Port Protection, Alaska, was interviewed. Mr. Woolery has resided at Port Protection for more than thirty years.

All of the above individuals were shown the USGS quadrangles and the NOS charts. Verified names have been underlined in red on the charts and quadrangles. New or questionable names have been noted and the following remarks apply:

(Note: "GSPP-567" refers to "Dictionary of Alaska Place Names, by Donald J. Orth, Geological Survey Professional Paper 567. Excerpts from the above are included in the appendix of this report.)

NOTE A: WOODEN WHEEL COVE (Port Protection: Lat. 56°18'35"N; Long. 133°36'25"W.) Named after a Wrangell resident who's fishing boat broke down in the cove. He fabricated a wheel out of wood and managed to get into Wrangell. He is since known by his friends as "Wooden Wheel" Johnson. (Clarence Louis-Wrangell)

NOTE B: JACKSON ISLAND (Port Protection: Lat. 56°19'32"N; Long. 133°36'45"W.) Named after Percy Jackson who had a boat shop on the island. (Laurel "Buckshot" Woolery-Port Protection)

NOTE C: EAST ROCK (Sumner Strait: Lat. 56°21'30"N; Long. 133°36'00"W.) Locally known as EAST ROCK (Woolery-Port Protection). Shown on USGS quadrangle Petersburg (B-5) as "TWIN I". Shown in GSPP-567 as EAST ROCK. EAST ROCK is correct as shown on NOS chart 8174.

- NOTE D: MERRIFIELD BAY (Sumner Strait: Lat. $56^{\circ}21'05''N$; Long. $133^{\circ}35'15''W$) Previously called "HOFSTEAD BIGHT" after Richard Hofstead who had a small store and herring traps there (Louis and Coulter-Wrangell). Known today as MERRIFIELD BAY by the local fisherman. The present name of MERRIFIELD BAY should be retained.
- NOTE E: FLICKER CREEK (Sumner Strait: Lat. $56^{\circ}20'00''N$; Long. $133^{\circ}33'00''W$.) Un-named on largest scale chart of the area (NOS 8201). Named "FLICKER CREEK" on USGS quadrangle Petersburg (B-5) and in GSPP-567. Correctly shown on Incomplete Manuscript T-12467 as FLICKER CREEK. Locally called "HUMPY CREEK" by some of the fisherman (Woolery-Port Protection). The present name of FLICKER CREEK should be retained.
- NOTE F: SHINE CREEK (Sumner Strait: Lat. $56^{\circ}19'35''N$; Long. $133^{\circ}26'30''W$.) So named in GSPP-567 and on USGS quadrangle Petersburg (B-5). Correctly shown on Incomplete Manuscript T-12468. Probably named after a Mr. "Shine" Owens who logged around Buster Bay about 1940 (Woolery-Port Protection).
- NOTE G: BUSTER BAY & BUSTER CREEK (Sumner Strait: Lat. $56^{\circ}20'N$; Long. $133^{\circ}26'W$.) Correctly named on Incomplete Manuscript T-12468. Probably named after Mr. "Buster" Neil Grant who used to anchor a pile driver there (Louis-Wrangell).
- NOTE H: BIG CREEK (Sumner Strait, Red Bay: Lat. $56^{\circ}15'38''N$; Long. $133^{\circ}20'20''W$.) Named on USGS quadrangle Petersburg (B-5) and GSPP-567 and Incomplete Manuscript T-12470. Name should be retained on stream as shown on T-12470. Chart 8168 shows "BIG CREEK" located between Red Lake and Red Bay. For corrections see RED BAY CREEK note below.
- LITTLE CREEK (Sumner Strait, Red Bay: Lat. $56^{\circ}16'22''N$; Long. $133^{\circ}20'50''W$.) Correct as shown on USGS quadrangle Petersburg (B-5) and noted in GSPP-567 and Incomplete Manuscript T-12470. Chart 8168 shows "LITTLE CREEK" incorrectly. The chart should be revised according to the manuscripts.
- RED BAY CREEK (Sumner Strait, Red Bay: Lat. $56^{\circ}15'45''N$; Long. $133^{\circ}19'45''W$.) Local name given to the creek that joins Red Lake and Red Bay (Woolery, Louis & Coulter - Port Protection and Wrangell). As many local fisherman use this name, it is suggested that it be used on chart 8168 and T-13375.

NOTE I: DOUGLAS(S) BAY (Sumner Strait: Lat. $56^{\circ}28'N$; Long. $133^{\circ}17'W$.) Correct as named. USGS quadrangle Petersburg (B-4) gives a spelling of DOUGLAS. NOS chart 8160 gives a spelling of DOUGLASS. GPSS-567 notes both spellings. For the correct spelling consult USC&GS chart 706.

NOTE J: TOTEM POINT (Sumner Strait: Lat. $56^{\circ}27'10''N$; Long. $133^{\circ}26'00''W$.) Shown on USGS quadrangle Petersburg (B-5) and Incomplete Manuscript T-13340. This name could not be verified by those interviewed. It is recommended that the name be retained as shown.

Names that could not be verified in interviews have not been underlined or noted and are assumed correct. The charted names on NOS charts 8174 and 8201 are used and accepted by the local fisherman and mariners except as noted.

Respectfully submitted,

Howard W. Herz
Howard W. Herz
Lt(jg) NOAA

Approved,

Gerald C. Saladin
Gerald C. Saladin
CDR. NOAA
Commanding Officer
NOAA Ship DAVIDSON

LANDMARKS AND AIDS TO NAVIGATIONLANDMARKS

No landmarks exist within the area covered by OPR-448.

NON-FLOATING AIDS TO NAVIGATION

The non-floating aids to navigation listed on Form 567 are recommended as landmarks useful for navigational purposes. They should be continued on charts 8160 and 8201 using the geographic positions listed on Form 567.

FLOATING AIDS TO NAVIGATION

The following floating aids to navigation were located within the limits of OPR-448, 1971. Positions were determined by sextant fixes using second order triangulation signals. Geographic positions were computed and compared with those given in Light list Volume III Pacific Coast and Pacific Islands.

#		C&GS	CG
----	Five Fathom Shoal Buoy	56° 21' 56.403"N ✓ 133° 13' 58.899"W ✓	-----
3008	McArthur Reef Lighted Bell Buoy	56° 23' 39.21"N ✓ 133° 10' 33.28"W ✓	-----
3008.50	Mitchell Point Lighted Buoy 7	56° 25' 19.48"N ✓ 133° 11' 11.37"W ✓	56° 25.5'N ✓ 133° 10.6'W ✓
3010	Level Island Lighted Buoy 9	56° 27' 7.24"N ✓ 133° 02' 29.89"W ✓	56° 27.1'N ✓ 133° 02.5'W ✓

Respectfully submitted,

Howard W. Herz
Howard W. Herz
LTJG. NOAA

Approved,

Gerald C. Saladin
Gerald C. Saladin
CDR. NOAA
Commanding Officer
NOAA Ship DAVIDSON



NONFLOATING AIDS OR LANDMARKS FOR CHARTS

TO BE CHARTED
TO BE REVISED
TO BE DELETED

STRIKE OUT TWO

I recommend that the following objects which have ~~shown~~ been inspected from seaward to determine their value as landmarks be charted on ~~list~~ the charts indicated.

The positions given have been checked after listing by

CMS Gerald C. Sabadin Chic

Chief of Party.

STATE	CHARTING NAME	DESCRIPTION	SIGNAL NAME	POSITION						METHOD OF LOCATION AND SURVEY No.	DATE OF LOCATION	HARBOR CHART	INSHORE CHART	OFFSHORE CHART	CHARTS AFFECTED
				LATITUDE #		LONGITUDE #		DATUM							
				°	'	°	'								
				D.M. METERS	D.P. METERS	D.P. METERS	D.P. METERS								
R Bn	MAC NAMARA Pt DAY BEACON	—	56 19	133 03	NA	1927	TRIANG.	8-26-71	X			8160			
Bn W	FOREMOST ROCK DAY BEACON	—	56 30	133 00	NA	1927	DA-10-8-71	8-26-71	X			8160			
	POINT GOLDOYS LIGHT, 1967	802	56 20	133 11	NA	1927	DA-10-8-71	8-26-71	X			8160			
	THE EYE OPENER LIGHT, 1967	829	56 23	133 16	NA	1927	DA-10-8-71	8-26-71	X			8160			
RW Bn	BAY POINT DAY BEACON, 1967	—	56 20	133 09	NA	1927	DA-10-8-71	8-26-71	X			8160			
	VIGNESEY ROCK LIGHT, 1967	193	56 26	133 00	NA	1927	DA-10-8-71	8-26-71	X			8160			

This form shall be prepared in accordance with Hydrographic Manual, Publication 20.2, Sec. 1-55, 2-39, 6-36, 7-18 to 22 inclusive, and Fig. 79. Positions of charted landmarks and *non/floating aids* to navigation, if redefined, shall be reported on this form. Revisions shall show both the old and new positions. The data should be considered for the charts of the area and not by individual survey sheets. Information under each heading should be given.

* TABULATE SECONDS AND METERS

USCOMM-DC 304000-20

REVIEW REPORT
T-13341
SHORELINE

November 7, 1979

61. GENERAL STATEMENT:

See Summary, page 6 of this descriptive report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Comparison was made with a copy of Registered Survey No. 1749, 1:80,000 scale, dated 1886. Differences are due to time and advancement in mapping techniques, equipment and procedures.

T-13341 supersedes Registered Survey No. 1749 for charting purposes.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Comparison was made with USGS Quadrangle, Petersburg (B-5), Alaska, 1:63,360 scale, dated 1949. The amount and extensiveness of foreshore area features are greater on the map than on the quadrangle. A submerged rock is symbolized on the quadrangle at lat. $56^{\circ}27.4'$, long. $133^{\circ}21.7'$. The map shows a reef awash at that same location. General uplift of the area is indicated.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with a copy of Registered Smooth Sheet H-9218 (DA-10-6-71). The 4 ft. elevation of a rock at lat. $56^{\circ}29.6'$, long. $133^{\circ}22.8'$ was deleted from the map to avoid conflict with the smooth sheet which shows a 2 ft. elevation for that same rock.

The position of a reef awash at lat. $56^{\circ}27.4'$, long. $133^{\circ}21.7'$ was revised during final review. The identification of this feature on ratio photo 69E(C) 2038 is in error. This is obvious when comparison is made with ratio photos 69E(C) 576 and 577 which were exposed at a lower stage of tide.

The Chief, Hydrographic Surveys Division was notified of the above changes to the Class I map by letter.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with Chart 8201, 1:217,828 scale, 11th edition dated March 4, 1963. Differences are due to scale and time.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the project instructions and meets the requirements for Bureau Standards and the National Standards of Map Accuracy.

Submitted by:

A. L. Shands

A. L. Shands
Final Reviewer, AMC

Approved for forwarding:

B. H. Barnes

B. H. Barnes
Chief, Photogrammetric Branch, AMC

Approved: ^{mw}

John D. Perraw Jr.
Chief, Photogrammetric Branch

Walter H. ...
Chief, Photogrammetry Division

PH-6909

Sumner Strait, Alaska

Project Materials on File

NOS Archives

- 1 Stable base registered copy of each of 29 maps
- 1 Descriptive report for each of 29 maps

Federal Records Center

- 1 Job completion report
- 3 Forms 504 containing original field edit reports
- 1 Form 251, Horizontal Directions
- 13 Forms 152, CSI
- 5 Sets of parameter tapes and printouts
 - Computer printouts of photogrammetric bridge
- 1 Form 76-40
- 1 Positive overlay each of T-12464, T-12465, and T-13376 thru T-13378
- 1 Each ratio (conopaque) photo - 69E(C) 560-567, 576, 577, 579, 2001-2004, 2010, 2012, 2026, 2030-2032, 2035, 2036, 2038, 2040-2043, 2047-2050, 2057, 2058, 2061, and 2062; 69K(I) 3724, 3735, 3736, 3738, 3739, and 3746; 69E(C) 983-990, 997, 999, 999A, 999B, 1000, 1010, 1021, 1026-1028
- 1 Each matte 69K(I) 3735, 3736, 69E(C) 985, 987-990, 999, 999A, 999B, and 1000

19 FIELD EDIT OZALIDS