

DESCRIPTIVE REPORT.

Top. 3480

LOCALITY:

Bellingham

Waterfront

DEPARTMENT OF COMMERCE

TITLE SHEET OF

topographic sheet number +3470

City of Bellingham Waterfront, wharves, etc.

Scale, 1:5000.

Work done by Mr. Bettison and Mr. Bond In March, 1914.

U. S. S. GEDNEY

P. H. Hardy, Asst, U. S. C. & G. S. Chiof of Party.

DEPARTMENT OF COMMERCE

Bellingham Bay

F. H. Hardy, Mar., 1914

Description of Topographic Sheet No. 1.

**** **** ****

The triangulation stations on the Sheet were located from the line Francis-John2, and plotted in the field. The topography was done by the usual plane table methods on a scale of 1; 5000.

The hydrographic signals from the Cement Works to Woods saw mill were located by Mr. Bond, and the others by Mr. Bettison. Mr. Bond also did thetopography from Woods saw mill to the Sehome Dock or another sheet, and transferred it to Sheet No. 1.

It was understood by the topegrapher that the work was not to be inked in the field, but that the sheet was to be revised from time to time as was found necessary.

It was attempted to run in the entire water front of the City of
Bellingham, along with the most conspicuous buildings adjacent therete, and enough
street intersections for the work to be swung in to the City plats

Very respectfully,

OK Dettison

DESCRIPTIVE REPORT, TOPOGRAPHIC Sheet 1,

Bellingham Bay, Washington.

1914

All work on this sheet is revision, showing changes that 'have been made in the immediate water front since the original topography was executed.

For description of special topographic features, original topographic sheet description.

Plane Table Positions, Bellingha m, Wash, 1914

West 48 45 1010.9 842.3 122 30 459.2 766.5 Slim 48 45 858.3 994.9 122 30 243.1 982.6 Squat 48 45 856.5 1002.7 122 30 243.1 167.5 Back 48 45 675.5 117.7 122 29 1041.7 185.2 Pile 48 45 328.4 1524.8 1222 29 1022.2 227.5 Old 48 45 11.1 11842.1 122 29 1022.2 203.5 Water 48 45 185.8 122 29 1022.2 203.5 Stop 48 45 185.8 122 29 569.2 656.5 Slop 48 45 185.8 122 29 369.2 656.5 Stack 48 45 185.8 122 29 331.2 29 Stack 48 45 156.8 122 29 331.2 29 Stack 48 45 1758.8 122 29 341.3 883.9 122 Tank 48 44 1735.7 122 29 377.3 883.9 122 <t< th=""><th>Dolphin</th><th>48</th><th>45</th><th>318.8 1539.4</th><th>122</th><th>30</th><th>547.6 678.1</th></t<>	Dolphin	48	45	318.8 1539.4	122	30	547.6 678.1
994.9 Squat 48 45 856.5 1002.7 Back 48 45 675.5 1177.7 Pile 48 45 328.4 1524.8 01d 48 45 11.1 122 29 1022.2 293.5 01d 48 45 11.1 122 29 1022.2 203.5 Water 48 45 469.7 1385.5 Slop 48 45 185.8 1696.4 Small 48 45 1756.8 122 29 331.2 1696.4 Small 48 44 1745.0 108.2 Pink 48 44 1515.3 27.4 1842.3 Pink 48 44 1555.6 Pink 48 44 1555.6 Pink 48 44 1745.0 108.2 Pink 48 44 1851.3 337.9 Light 48 44 1616.1 837.1 Up 48 44 1210.9 642.3 Red 48 44 637.0 122 29 1075.4 150.3 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1195.0	West	48	45		122	30	
Squat 48 45 656.5 1002.7 122 30 58.2 1167.5 1167.5 Back 48 45 675.5 1177.7 122 29 1041.7 185.2 Pile 48 45 1524.8 1222 29 998.2 227.5 Old 48 45 11.1 1182 29 1022.2 203.5 Water 48 45 469.7 1383.5 122 29 569.2 656.5 Slop 48 45 185.8 166074 122 29 466.7 759.0 Stack 48 45 156.8 122 29 331.2 29 341.3 20 331.2 20 231.2 20 331.2 20 231.2 20 331.2 20 231.2 20 231.2 20	Slim	48	45	858.3 994.9	122	30	243.1 982.6
Back 48 45 675.5 122 29 1041.7 185.2 Pile 48 45 328.4 1222 29 998.2 227.5 Old 48 45 11.1 122 29 1022.2 203.5 Water 48 45 469.7 122 29 569.2 656.5 Slop 48 45 185.8 122 29 369.2 656.5 Stack 48 45 185.8 122 29 331.2 894.5 Small 48 45 156.8 122 29 331.2 894.5 Small 48 45 1756.8 122 29 341.8 883.9 Tank 48 44 1738.5 122 29 377.4 848.3 Pink 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1358.6 12	Squat	48		856.5	122	30	58.2
Old 48 45 11.1 122 29 1022.2 203.5 Water 48 45 469.7 122 29 569.2 656.5 Slop 48 45 185.8 122 29 466.7 759.0 Stack 48 45 156.8 122 29 331.2 894.5 Small 48 45 1756.8 122 29 341.8 833.9 Tank 48 44 1738.5 122 29 397.8 833.9 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1558.6 122 29 586.0 639.7 Pole 48 44 1358.6 122 29 552.6 675.3 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122<	Back	48	45	675.5	122	29	1041.7
Water 48 45 469.7 1383.5 122 29 569.2 656.5 Slop 48 45 185.8 16674 122 29 466.7 759.0 Stack 48 45 156.8 1696.4 122 29 331.2 894.5 Small 48 45 1756.8 122 29 341.8 883.9 Tank 48 44 1738.5 122 29 297.8 883.9 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 37.9 122 29 377.4 848.3 Pink 48 44 1515.3 37.9 122 29 586.0 639.7 Light 48 44 1358.6 122 122 29 730.0 639.7 Light 48 44 1210.9 122 29 552.6 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 1001.3 122 29 687.7 538.0 High 48 44 637.0 126.2 122	Pile	48	45	328.4 1524.8	1222	29	998.2 227.5
Slop 48 45 185.8 122 29 466.7 759.0 Stack 48 45 156.8 1696.4 122 29 331.2 894.5 Small 48 45 1756.8 122 29 341.8 883.9 Tank 48 44 1738.5 122 29 297.8 927.9 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1358.6 122 29 730.0 495.7 Pole 48 44 1210.9 642.3 122 29 552.6 673.1 Ban 48 44 1016.1 837.1 122 29 675.3 550.4 Up 48 44 851.9 1001.3 122 29 933.8 3 192.4 Red 48 44 637.0 122 29 933.8 3 292.4 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1075.4 150.3	Old	48			122	29	
Stack 48 45 156.8 122 29 331.2 894.5 Small 48 45 1756.8 122 29 341.3 883.9 Tank 48 44 1738.5 122 29 297.8 927.9 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1358.6 122 29 730.0 495.7 Pole 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 774.2 122 29 933.43 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Water	48	45	469.7 1383.5	122	29	569.2 6 5 6.5
Small 48 45 96.4 122 29 341.3 883.9 Tank 48 44 1758.5 122 29 297.3 927.3 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1358.6 122 29 730.0 639.7 Light 48 44 1358.6 122 29 730.0 679.7 Pole 48 47 1210.9 122 29 552.6 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 637.0 122 29 933.23 3 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122	Slop	48	45	185.8 166 77 4	122	29	
Tank 48 44 1738.5 122 29 297.3 927.9 Corner 48 44 1745.0 122 29 377.4 848.3 Pink 48 44 1515.3 122 29 586.0 639.7 Light 48 44 1358.6 122 29 730.0 495.7 Pole 48 47 1210.9 642.3 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 1001.3 122 29 687.7 1001.3 Pink 48 44 637.0 1216.2 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Stack	48			122	29	
Corner 48 44 1745.0 108.2 122 29 377.4 848.3 Pink 48 44 1515.3 337.9 122 29 586.0 639.7 Light 48 44 1358.6 494.6 122 29 730.0 495.7 Pole 48 44 1210.9 642.3 122 29 552.6 673.1 Ban 48 44 1016.1 102 122 29 675.3 550.4 Up 48 44 851.9 1001.3 122 29 687.7 538.0 High 48 44 774.2 122 122 29 933.3 3 292.4 Red 48 44 637.0 122 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Small	48	45	96.4 1756.8	122	29	341.8 883.9
Pink 48 44 1515.3	Tank	48	44]	738:5	122	29	297:8 927:9
Light 48 44 1358.6 122 29 730.0 495.7 Pole 48 44 1210.9 122 29 552.6 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 774.2 122 29 933.43 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Corner	48	44	108.2	122	29	377.4 848.3
494.6 495.7 Pole 48 47 1210.9 122 29 552.6 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 774.2 122 29 933.43 3 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Pink	48	44]		122 2	29	
642.3 673.1 Ban 48 44 1016.1 122 29 675.3 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 774.2 122 29 933.43 292.4 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Light	48	44	1358.6 494.6	122	29	
837.1 550.4 Up 48 44 851.9 122 29 687.7 538.0 High 48 44 774.2 122 29 933.43 292.4 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Pole	48	47		122	29	
High 48 44 774.2 122 29 933.43 292.4 Red 48 44 637.0 122 29 1075.4 150.3 Log 48 44 374.9 122 29 1193.0	Ban	48	44		122	29	
Red 48 44 637.0 122 29 1075.4 1216.2 150.3 Log 48 44 374.9 122 29 1193.0	Up	48	44		122	29	
1216.2 150.3 Log 48 44 374.9 122 29 1193.0	High	48	44		122	29	
	Red	48	44		122	29	
	Log	48	44		122	29	

					-	
Wood	48	43	18 45.5	122	30 39	249.4 976.3
Tax	48	43	1425.2 428.2	122	30	311.7 914.8
Jack	48	43	1218.7 634.7	122	30	502.8 723.7
Sub	48	43	790.2 1063.2	122	30	533.5 693.0
Ship	48	43	680.9 1172.5	122	30	751.5 475.0
Deck	48	43	652.4 1201.0	122	30	889.0 337.5
Fish	48	43	506.9 1346.5	122	30	1023.8
White	48	43	288.7 1564.7	122	30	1115:0 111:5
Sign	48	43	138.7 1714.7	122	31	34.3 1192.2
Short	48	42	21.0	122	31	83.3 1143.2
Post	48	42	174.6	122	31	102.6 1123.9
Sea	48	42	244.5	128	31	116.5
Far	48	42	346.5	122	31	139.2