# 

FORM 504  DEPARTMENT OF COMMERCE  U. S. COAST AND GEODETIC SURVEY						
State HAWAIIAN ISLANDS						
DESCRIPTIVE REPORT.						
Topographic Sheet No. 4113						
LOCALITY:						
Molokai						
Kamalo Harbor						
1925						
CHIEF OF PARTY:						
P. W. Wood worth						

### DESCRIPTIVE \_ REPORT

to accompany

TOPOGRAPHIC \_SHEET "A".

of

KAMALO\_HARBOR

Molokai Island , Terr.of Hawaii Scale = 1 : 5000

R.W.Woodworth , Jr.H.& G.
Chief of Party.

PROJECT : Surveys of Anchorages.

INSTRUCTIONS : November 26,1924.

# DESCRIPTIVE REPORT to accompany topographic sheet "A": KAMALO, Molokai I., T.H.

DESCRIPTION OF LOCALITY: A narrow belt of flat coastal plain makes out from the piled up mountains in back of Kamalo village. Algeroba trees grow densely along most of the shoreline, and extend back to the lower slopes of the mountains.

Numerous fishponds in good condition

extend along the shore.

Except along these fish pond walls, the high water line is rather indefinitely marked, as the mud shores extend far out with little change in elevation. Beyond the mud the coral flats run out between a half and three-quarter miles off the shore.

The town of Kamalo is a straggling collection of small wooden houses, mostly unpainted; with a small wooden wharf running out to the deep water of the harbor.

WELL-ESTABLISHED LOCAL NAMES: The names assigned to the fish ponds in the vicinity of Kamalo were obtained from the 1922 survey sheets of the U.S.Geological survey, and checked by old-time residents of the village.

SURVEY METHODS: Plane table traverse was run from the extreme easterly triangulation station to the wharf station, and from the extreme westerly triangulation to the wharf, both lines checking within three meters of distance.

Respectfully submitted

A.W.Woodworth, Jr. H&G. E. Chief of Party.

1925.

OBJECT Description	Lati	tude	D.M.	Longi	tude	D.P.
• White Whitewash on SE. corner of shack.	21	03	309 15 <b>3</b> 6	156	53	532 1200
o Post Most southerly post of fence line.	; 21	03	9 <b>3</b> 1752	156	53	28 1704
• Car Center of south side		03	164 1681	<b>1</b> 56	5 <b>2</b>	1568 164
o Scale SE.corner of the scale-house.	21	03	100 1745	156	52	109 <b>3</b> 639
Day Slatted pipe day beacon.	21	02	1485 359	156	52	1120 611
B.H.C 1-1/2"GI.pipe im- bedded in heavy tri angular concrete ba		03	868 977	156	5 <b>1</b>	1029 703
B.H.C " " "  1922 marked as named.	21	03	1103 750	156	51	606 1126
• <u>Slat</u> Whitewashed slats o	n 21	03	418 1427	156	5 <b>1</b>	320 i412

#### ADDRESS THE DIRECTOR U. S. COAST AND GEODETIC SURVEY

AND REFER TO NO.

DEPARTMENT OF COMMERCE

4-VEC

U. S. COAST AND GEODETIC SURVEY

WASHINGTON

September 14, 1925.

#### SECTION OF FIELD RECORDS

Report on Topographic Sheet No. 4113

Kamalo, Molokai, T. Hawaii

Surveyed in 1925

Instructions dated Nov. 26, 1924 and March 31, 1925

Chief of Party, R. W. Woodworth.

Surveyed and inked by R. W. Woodward.

- The records as well as the plan and character of the survey conforms to the requirements of the General Instructions.
- The plan and extent of the survey satisfy the specific 2. instructions.
- 3. The junction with the previous topographic survey is satisfactory.
- No further surveying is required. 4.
- 5. The character and scope of the surveying and the field drafting are excellent.
- 6. Reviewed by E. P. Ellis, September, 1925.

7-4/13

Complete Charles white the contract of

)	07.7545						_	,
	1775	rescription	Lot:	i tude	D.11.	Lon <sub>c</sub> i	tude	D.P.
	<u> </u>	- Thitem shion SF, corner of shick	21	05	70n 1536	156	53	557 1200
	/ <u>Port</u> = =	-Most southerly most of fence line.	া	0,5	9 <b>5</b> 17 <u>5</u> 2	156	55	28 1704
	, <u>5-r</u>	Center of south side		03	164 1681	156	52	1568
	engle	SF, corner of *'; scale-house.	11	୯	100 1745	156	52	1093 659
	<u> </u>	firthed mine day lescon.	71	02	1496 759	150	کُن	1120
	<u> </u>	1-1/2"or, wine im- be led in hyper tri- er other concrete the		០3	868 977	156	<b>5</b> †	1009 703
		e in Pited of a polyect.	21	05	1103 750	156	<b>ጎ</b> 1	606 1126
	<u> 2755</u>	-Mith open alete an trees.	21	٥×	418 1427	156	<b>5</b> †	320 1412

#### RECOVERY NOTES TOPO STATIONS

SHEET 4113

WHITE Shack still here. Trees obstruct view from sea in SW direction.

Post Not searched for.

COR Recovered as described.

SCALE do

DAY do

B.H.C. Not searched for.

 $\frac{\text{B.H.C.}}{\text{1922}}$  Recovered as described.

Slat Not searched for.

C.J.W.

U. S. C. & G. S. S. PIONEER, O. W. Swainson, Chief of Party,

1930-1931

# DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

## TOPOGRAPHIC TITLE SHEET

The finished Topographic Sheet is to be accompanied by the following title sheet, filled in as completely as possible, when the sheet is forwarded to the Office.

U. S. Coast and Geodetic Survey. Register No. A 4113 State . Territory of Hawaii Surveyed by R.W. Woodworth Contour interval .---- feet. Inked by . . Row. . . . Lettered by . Row. . . . . . . . Records accompanying sheet (check those forwarded): Photographs, \*Descriptive report, \*Horizontal angle books, \*Field computations, Remarks: