Form 504 Rev. Dec. 1933

DEPARTMENT OF COMMERCE U.S. COAST AND GEODETIC SURVEY

R. S. PATTON, DIRECTOR

DESCRIPTIVE REPORT

Topographic Sheet No. A & B.

North Carolina State ...

LOCALITY

Cape Fear River

Reaves Point to Keg Island

193 7

CHIEF OF PARTY

Benjamin H. Rigg

63



DEPARTMENT OF COMMERCE U. S. COAST AND GEODETIC SURVEY

MAY 11 1937

937

TOPOGRAPHIC TITLE SHEET ACC SA

The Topographic Sheet should be accompanied by this form, filled in as completely as possible, when the sheet is forwarded to the Office.

Field No. A

REGISTER NO. 765263

State North Carolina
General locality Cape Fear River
Locality Reeves Point to Orton Point
Scale 1/10,000 Date of survey April 7 , 1937
Vessel Benjamin H. Rigg
Chief of party Benjamin H. Rigg
Surveyed by Benjamin H. Rigg
Inked by Benjamin R. Rigg
Heights in feet above to ground to tops of trees
Contour, Approximate contour, Form line interval feet
Instructions dated Orders March 31 , 1937
Remarks: Survey made to check locations of fixed aids to
navigation.

GPC

DESCRIPTIVE REPORT TO ACCOMPANY GRAPHIC CONTROL SHEET A

U. S. COAST & GEODETIC SU . . LIBRARY AND ARCHIVES

MAY 11 1937

INSTRUCTIONS

Orders dated March 31, 1937

Acc.	44	
-		

PURPOSE

The purpose of this survey was to obtain locations for fixed Aids to Navigation that had been built since the last survey. To locate any additional land marks for the chart and the use of the Lighthouse Service. The sheet was also laid out so that it covered not only the area in the Cape Fear River under examination but also the Coastal area as well. This was done with the idea that the sheet would serve for future surveys both in the river and on the coast.

LIMITS OF SHEET

This sheet includes that area of the Cape Fear River and the ocean beach bounded by Lat. 34° 00' and 34° 03' and Long. 77° 52.8' and 77° 57.7'.

The following triangulation stations were used as control on this sheet:

TANK ETHYL DOW CHEM	00 1934	CANAL ENT. F. LT. 72	1933
STACK " " "	n h	CANAL ENT. R. LT. 72	'n
GRAVE	1917	RUINS	1917
END	1933	REEVES PT. 2	n'*
I.W. LT. NO. 81.	ħ		

^{*}The station mark has been washed out but a recovered point was used which was obtained by an azmuth and measured distance from the reference marks.

SURVEYING METHODS

Standard topographic methods were used in obtaining the locations shown on this sheet.

AIDS TO NAVIGATION AND LAND MARKS LOCATED

UPPER MIDNIGHT CHAN. R.F. BN.

MIDNIGHT CHAN. LT. 17

LOWER MIDNIGHT CHAN. R.F. LT.

JUNCTION LT. NO. 80

I.W. BN. 78

I.W. BN. 76

I.W. BN. 69

TANK COLONIAL BEACH

WAY 11 1937

Acc.	k.	
O 5 6 1	1.0	 -

Residents at Colonial Beach advised me that the Tank, which I have located had been built within the past year.

Especial attention is called to the note stating that all fixed Aids to Navigation shown on this sheet in red ink were located between April 5 and April 9. 1937

Respectfully submitted

Chief of Party

DEPARTMENT OF COMMERCE U. S. COAST AND GEODETIC SURVEY

MAY 11 1937

Acc. by

TOPOGRAPHIC TITLE SHEET

The Topographic Sheet should be accompanied by this form, filled in as completely as possible, when the sheet is forwarded to the Office.

Field No. B

REGISTER NO. T6526b

State North Carolina
General locality Cape Fear River
Locality Orton Point to Keg Island
Scale 1/10,000 Date of survey April 7 , 19 37
Vessel Benjamin H. Rigg
Chief of party Benjamin H. Rigg
Surveyed by Benjamin H. Rigg
Inked by Benjamin H. Rigg
Heights in feet above to ground to tops of trees
Contour, Approximate contour, Form line interval feet
Instructions dated Orders March 31 , 1937.
Remarks: Survey made to check locations of fixed Aids to
Navigation

DESCRIPTIVE REPORT TO ACCOMPANY GRAPHIC CONTROL SHEET B

U. S. COAST & GEODETIC SURVEY
LIBRARY AND ARCHIVES

MAY 11 1937

Acc. 1-4

INSTRUCTIONS

Orders dated March 31, 1937

PURPOSE

The purpose of this survey was to obtain locations for fixed Aids to Navigation that had been built since the last survey. To locate any additional land marks for the chart and the use of the Lighthouse Service. The sheet was also laid out so that it covered not only the area in the Cape Fear River under examination but also the Coastal area as well. This was done with the idea that the sheet would serve for future surveys both in the river and on the coast.

LIMITS OF SHEET

This sheet includes the area of the Cape Fear River and the Ocean Beach bounded by Lat. 340202.6' and 34° 05.7' and Long. 77° 5212' and 77° 57.1'.

CONTROL

The following triangulation stations were used as control on this sheet:

END	1933	PINES	1917
A U.S.E.	1917	SPRUN T	1917

SURVEYING METHODS

Standard topographic methods were used in obtaining the locations shown on this sheet.

AIDS TO NAVIGATION LOCATED

WILMINGTON					2	WILMINGTON					-
14	†1	n	11	Ħ	1	11	11	77	11	ţI	7
t‡	11	n	n	11	ī	tt	17	17	Ħ	11	8
n	17	11	Ħ	13	,	tı	11	11	11	11	10
ti	ü	tt	11	ţ	6	ORTON PT. I	LT. 12				10

Especial attention is called to the note stating that all fixed Aids to Navigation shown on this sheet in red ink were located between April 5 and 9, 1937

Respectfully submitted

Chief of Party

.. <u>-</u>

Date of Review 5/18/37

- This survey has been reviewed in connection with Air Photo Compilation Nos. T-504/, , , with particular attention to the following details:
 - (a) Projection has been checked in the Field.
 - (b) Accuracy of location of plane table control points.
 - (c) Discrepancies between detail on this survey and the air photo compilations listed above.
 - (d) Discrepancies found in descriptions submitted on Form 524 when compared with the air photo compilations listed above.
- Refer to the reviews and descriptive reports of air photo compilations Nos. T-504/, , , for a more complete discussion of any errors or discrepancies found.

Any material errors found on this survey are noted in subsequent paragraphs of this review, and these have been reported to the Field Records Section and the Cartographic Section.

Notes and corrections resulting from the review are shown on this survey in green.

L. C. Lande

T 6526a

C

A tower midnight Chan. R. f. Lt. 1917 was plothedo4 mm. out in latitude which will affect the location of the aids to navigation in the vicinity but the amount of error would not exceed o. 4 mm. The correct position of the Treangelown Station is shown on The a.c. Shut in ennet pinlim in green L.C. L. Myggones

MEMORANDUM

IMMEDIATE ATTENTION

SURVEY
DESCRIPTIVE REPORT
No. T.

received May 11, 1937
registered May 12, 1937
verified
reviewed
approved

This is forwarded in order that your attention may be directed to the matters as indicated below. Pleasa initial in column 3 as an acknowledgement that your attention has been thus directed. The complete original records are available if desired. If you cannot give this your immediate attention, please initial, note, and forward to the next section marked, calling for the records at your convenience.

ROUTE	Initial	Attention called to
20		
22		
24		
25		
26		
30		
40		
62		
63		
82		
83		
88		
90		

RETURN TO

82 C. K. Green

1/