8930

Diag. Cht. No. 1116-2 & 1279.

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

Type of Survey Photogrammetric Shoreline

Field NoProject No. Office No. T-8930 PH-14(46)

LOCALITY

State Louisiana & Texas

General locality Gulf Coast Intracoastal Waterway

Locality Port Arthur Canal

1947.....

CHIEF OF PARTY
Ross A. Gilmore, Chief of Field Party
Thos. B. Reed, Baltimore Photo. Office

LIBRARY & ARCHIVES

DATE June 25, 1951

8-1870-1 (1)



DATA RECORD

T = 8930

Project No. (II):

Quadrangle Name (IV):

PH-14(46)

Field Office (II): Morgan City, La.

Chief of Party:

Ross A. Gilmore

Photogrammetric Office (III): Baltimore, Md.

Officer-in-Charge:

Thos. B. Reed

Instructions dated (II) (III): PH-14(46)(Not dated)

Copy filed in Division of Photogrammetry (IV)

Office Files

Method of Compilation (III): Graphic

Manuscript Scale (III): 1:10,000

Stereoscopic Plotting Instrument Scale (III):

Scale Factor (III): 1.000

Date received in Washington Office (IV):5-6-49

Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV): 13 April, 19'5-1

Publication Scale (IV): ---

Publication date (IV):

Geographic Datum (III): N.A. 1927

Vertical Datum (III):

MHW

Mean sea level except as follows: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water

Reference Station (III): SABINE PASS SW BASE, 1874

Lat.: 29° 43' 09.799" (301.7m)

93° 54' 13.980"(375.7m)

Adjusted

dixactorstact

Plane Coordinates (IV):


State: Louisiana Zone: South

391,968.40

X= 1, 184, 101.84

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.



Areas contoured by various personnel
(Show name within area)
(II) (III)

Shoreline Map

DATA RECORD

Field Inspection by (II): J.S.Howell		Date:9-13	-47 to 9-25-47
Planetable contouring by (II):	_	Date:	
Completion Surveys by (II):		Date:	
Mean High Water Location (III) (State dat Same date as photograph:			
. Projection and Grids ruled by (IV): $W_{\bullet}E_{\bullet}V_{\bullet}$	N.	Date:	9-17-48
Projection and Grids checked by (IV): $W_{\bullet}I$	E.W.	Date:	9-17-48
Control plotted by (III): J.C.Richter		Date:	9-29-48
· · · · · · · · · · · · · · · · · · ·			
Control checked by (III): M.F.Kirk		Date:	9-29-48
		· .	
Radial Plot or Stereoscopic H.R.Rudo Control extension by (III): F.J.Tarc		Date: 10-1	948 & 1–1949
Stereoscopic Instrument compilation (III):	Planimetry ———	Date:	
Occidence instrument compliation (iii).	Contours	Date:	
Manuscript delineated by (III): W.J.Hug	gh es	Date: 3-3- 3-23	49 to 3-10-49 -49 to 4-14-49
Photogrammetric Office Review by (III):	J.W.Vonasek	Date: 4-26	-49 to 5-2-49
Elevations on Manuscript checked by (II) (III):		Date:	

Camera (kind or source) (III): U.S. COAST AND GEODETIC SURVEY single lens type "C" camera, focal length 6"

PHOTOGRAPHS (III)

Stage of Tide Scale Time Date Number 47-C-1120 to 1:10,000 0.6 ft. above MLW 47-C-1122 3-25-47 1345

Tide (III)

Key West, Fla. Reference Station: Subordinate Station: Sabine Pass, Lt.

Subordinate Station:

Washington Office Review by (IV): L.T. Stevens

Final Drafting by (IV): S. Dean

Drafting verified for reproduction by (IV): 200. Idellin

Proof Edit by (IV):

Remarks:

Land Area (Sq. Statute Miles) (III): 4

Shoreline (More than 200 meters to opposite shore) (III): 13.8 Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II): 2

Number of BMs searched for (II): None

as a reference station.

Number of Recoverable Photo Stations established (III): Number of Temporary Photo Hydro Stations established (III): None Ratio of Mean | Spring Ranges | Range 1.0

Date: 12 Nec. 1949

Date: 6-28-1950

6-28-1950 Date:

1

Date:

Identified: Recovered:


Recovered:


Identified:

There were no U.S.Coast and Geodetic Survey marked control stations recovered within the area of this survey. Therefore a marked station located in the area of Survey No. T-8931 to the south has been used

SHORELINE MAPPING PROJECT PH-14(46)

LOUISIANA - TEXAS, Intracoastal Waterway Houma - Port Arthur





Summary to Accompany T-8930

Shoreline survey T-8930, scale 1:10,000 (Lat. 29044) to 481; Long. 930521 to 591) is one of 76 maps in Project Ph-14(46) which consists of four parts.

T-8930 is one of the Part II group.

Data pertaining to T-8930 are filed as follows:

- A. Division of Photogrammetry General Files:
 - 1. Reviewed acetate manuscript
 - 2. Radial Plot Report
 - 3. Field Inspection photographs
- B. Bureau Archives:
 - 1. Registered lithographic print of the reviewed manuscript at compilation scale.
 - 2. Registered Descriptive Report.

FIELD REPORT

SHORELINE MANUSCRIPT

PROJECT PH-14(46) Survey No. T-8930

For field data covering Survey No. T-8930 refer to the field report "Gulf Intracoastal Waterway, L 81(1947) Vermilion Bay, La. to Port Arthur, Texas," submitted by Ross A. Gilmore, dated October 1947, filed in The Naulical Chart Branch


RECOVERABLE TOPOGRAPHIC STATIONS

MAP T- 8930		PROJECT NO.	ON L	PH-14(46)	SCALE OF MAP 1:	1:10,000	SC	SCALE FACTOR	R None.
STATION	SOURCE OF INFORNATION (INDEX)	DATUM	LATITU	LATITUDE OR V-COORDINATE LONGITUDE OR x-COORDINATE	DISTANCE FROM GRID IN FEET. OR PROJECTION LINE IN METERS FORWARD (BACK)	DATUM	N.A. 192 PROM GRID OR IN T	27 - DATUM TANCE PROJECTION LINE METERS (BACK)	FACTOR DISTANCE FROM GRID OR PROJECTION LINE IN METERS FORWARD (BACK)
ARTHUR CANAL	Topo	N.A.	29	97			811.4	1036.0	
RANGE C REAR LT.,	Sheet	1927 Field	63	56			943.9	667.8	
ART	Ξ	=	53	9†7	•		1450.3	397.1	
RANGE C FRONT LT.			93	56			1143.9	467.8.	
PORT ARTHUR CANAL	æ	#	59	97			919.9	927.5	
LT. 1, 1947			93	56			729.4	882.4	
PORT ARTHUR CANAL	=	=	29	97			811.4	1036.0	
			66	56			943.9	8.799	
PORT ARTHUR CANAL	±	=	29	94			57132	1276.2	
Q		· ·	63	56		,	314.8	1297.1	
H.			29	45			717.3	1130.1	4.
LT.,1947	•	•	93	53			0.469	918.0	The state of the s
	2	<u>*</u>	29	45		:	7.996	881.0	
LT.1947	=	=	93	53			1353.1	259.0	- B-, M- 93
<u> </u>	 	:	29	45			343.3	1504.1	
CHANNEL LT.3,1947	=	=	93	53			1297.3	314.8	
·									
			-						
THE SOMEOUS WETER W.F.KITK	irk		DATE	10 Aug.1948	CHECKED BY. F.J.1	F.J.Tarcza		DATE 13	DATE 13 August 1948
		_			-		-		

STATION	SOURCE OF INFORMATION	DATUM	LATITUDE OR V-COORDINATE	DISTANCE FROM GRID IN FEET.	DATUM	N.A. 192' DIST. FROM GRID OR F	N.A. 1927 - DATUM DISTANCE FROM GRID OF PROJECTION LINE	FACTOR DISTANCE FROM GRID OR PROJECTION LINE
	(INDEX)			FORWARD (BACK)		FORWARD		FORWARD (BACK)
	7851-5	N.A.	29 46 33.877			1043.1	804.3	
KEITH (USE)1909	Pg. 25	1927	93 56 35.542			654.7	657.0	-
	G-1584	•	29 46 06,172			190.0	1657.4	
BAYOU, 1874	Pg. 25	<u> </u>	53			26.1	1585.7	
SUB. STA.			29 46			1027.1	820.3	- All Friday
KEITH	Comp.	=	93 56			968.2	643.5	
						, 		
		ė						
		,			-		•	
				-				
					}			
							,	
			- Laboratoria -					
			-					
	_							

Form 567 April 1945

DEPARTMENT OF COMMERCE U. S. COAST (2, NEODETIC SURVEY



MONFLOATING AIDS OR EANDMARKS FOR CHARTS

TO BE CHARTED STRIKE OUT ONE	Baltimore, Má.	April 14
I recommend that the following objects which have charted on (Adieted FOM) the charts indicated.	which have (hase not been inspected from seaward to determine their value as landmarks ed.	neir value as landmarks

6th 6 be

Chief of Party. 517 OFFSHORE CHART INSHORE CHART HARBOR CHART X MADBOLL heed DATE OF LOCATION 1947 METHOD OF LOCATION AND SURVEY No. Planetable DATUM N.A. 1927 hos. O ! D.P.METERS 296 LONGITUDE 53 POSITION The positions given have been checked after listing by Joseph W. Vongsek 63 D.M.METERS 249 LATITUBE 57 29 SIGNAL Sabine Pass Channel Buoy 40 DESCRIPTION ICUISIANA-TEXAS CHARTING NAME STATE

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and nonfloating aids to navigation, if redetermined, shall be reported on this form. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

	د ځي
567 1945	S
Form 5 April 19	

DEPARTMENT OF COMMERCE U. S. COAST () C. ODETIC SURVEY

NONFLOATING AIDS OR EANIMARKS FOR CHARTS

STRIKE OUT ONE TO BE CHARTED TO SECRETED

Baltimore, Md.

19 49.

Chief of Party. I recommend that the following objects which have there were been inspected from seaward to determine their value as landmarks, be charted on the charts indicated. The positions given have been checked after listing by Joseph W. Vonasek

						3		L SOUT	иееа		ases of raris.
 STATE [C	LOUISIANA-TEXAS			ů.	POSITION			METHOD		THAI	
			LATII	LATITUDE	LONG	LONGITUDE		LOCATION	DATE	15 ZH	CHARTS
CHARTING	DESCRIPTION	SIGNAL	-	D. M. METERS	٥	D. P. METERS	DATUM	SURVEY No.	LOCATION	OBSAH	
	Port Arthur Canal Range A Front Lt.		29 45	996	93 53	1343	N.A. 1927	Rad. Ploi T-8930	1947	×	517
	Port Arthur Canal Range A Rear Lt.		29 45	614	93 53	700	=		==	×	H,
	Port Arthur Canal Range B Front Lt.		97 62	571	93 56	308	Ξ	==	#	×	Ξ
	Port Arthur Canal Hange B Rear Lt. *				5		ı.	=	=		н
	Port Arthur Canal Range C Front Lt.			-	93 56		=	н	11		=
	Port Arthur Canal Range C Rear Lt. *		29 46	812			Ξ	n	E		:
	Port Arthur Canal Lt. 1		29 46		93 56		=	±	11	×	=
	Sabine Pass Lt. 3	-	29 45	329	93 53		=	=	=	×	=
							ŕ				
	*These two lights are on same structure	ture									

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and nonfloating aids to navigation; if redetermined, shall be reported on this form. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given. Information under each column heading should be given

COMPILATION REPORT

SHORELINE MANUSCRIPT

PROJECT PH-14(46) Survey No. T-8930

This manuscript is one of a series of surveys in Project No. PH-14(46) covering a narrow strip of land along the Gulf Intracoastal Waterway from Houma, La. to Corpus Christi Bay, Texas. This project was undertaken to furnish the necessary data to prepare a new series of inland charts at 1:40,000 scale.

26. CONTROL

A list of stations on the manuscript is included in this report on Form No. M-2388-12.

27. RADIAL PLOT

The radial plot for this survey was made in the Baltimore Compilation Office. Refer to the <u>radial plot report</u> covering Surveys Nos. T-8929 to T-8932 inclusive, submitted to the Washington Office on 1 March 1949.

LFiled in Div. Photogrammetry General Files

28. DELINEATION

The compilation is in accordance with Photogrammetry Instructions
No. 17 dated 15 September 1947. Keith Lake and Blue Buck Point were not
completely delineated due to lack of photograph coverage.

Filed in Div. Photogram metry Office Files.

29. SUPPLEMENTAL DATA

Graphic Control Survey No. 704lb. See paragraph 34 of this report.

30. MEAN HIGH-WATER LINE

Due to the small amount of tide the MHWL and MLWL for practical purposes are considered to be one and the same.

There was no field identification of the MHWL and the apparent shoreline in the area of this survey. These were delineated after careful stereoscopic examination of the photographs.

31. LOW-WATER AND SHOAL LINES

See Mean High-Water Line.

32. DETAILS OFFSHORE FROM THE MEAN HIGH-WATER LINE

Delineated in accordance with field identification.

33. WHARVES AND SHORELINE STRUCTURES

No comment.

34. LANDMARKS AND AIDS TO NAVIGATION

One floating and eight nonfloating aids to navigation were plotted on the map manuscript. All the above aids were located by planetable in 1947 (Graphic Control Survey No. 7041b). The eight non-floating aids were also identified on the photographs by the field party.

The radially plotted positions of the eight nonfloating aids were found to be in disagreement with the planetable positions. The planetable positions are shown on the manuscript with 22 mm black acid ink circles; the radially plotted positions are shown with 6 mm translucent ink circles. Sec Review Report, 61

The position of the floating aid was transferred from the planetable sheet to the manuscript by use of the vertical projector matching common NAOREF control stations, and is shown on the manuscript with a $2\frac{1}{2}$ mm black acid ink circle.

The position of floating and nonfloating aids are being reported on Form 567 submitted with this report.

35. HYDROGRAPHIC CONTROL

None.

36. LANDING FIELDS AND AERONAUTICAL AIDS

None.

37. JUNCTIONS

This survey is bounded by Survey T-8929 to the north and Survey T-8931 to the south. Junctions with these surveys were found to be good. There are no contemporary surveys to the east or to the west.

38. GEOGRAPHIC NAMES

The geographic names were taken from Port Arthur South, Texas-Louisiana, scale 1:31,680, Army Map Service 1943, furnished by the Washington Office, as a final name standard.

approved See list of geographic names included in this report.

44. COMPARISON WITH EXISTING TOPOGRAPHIC QUADRANGLES

This survey was compared with U. S. Army Map Service, Port Arthur South, Tex.-La. quadrangle, scale 1:31,680,1943, by use of the vertical projector. They were found to be in good agreement with the exception of of the area in the vicinity of Pat Glennon Bayou. In this area the MHWL and apparent shoreline have been changed due to dredging operation.

45. COMPARISON WITH NAUTICAL CHARTS

This sheet was compared visually with Charts Nos. 517, scale 1:40,000, and 1279 scale 1:80,000, and was found to be in fair agreement except for

45. COMPARISON WITH NAUTICAL CHARTS (Continued)

the area in the vicinity of Pat Glennon Bayou. The charts fail to show any inlets which are shown on the manuscript.

The following topographic information shown on T-8930 is of sufficient importance to warrant immediate application to the chart:

None.

The following topographic details above the plane of MHW are not shown on this manuscript but are believed to still exist and should be carried forward on the chart:

None.

Minor differences in cultural and shoreline details need no special discussion.

Respectfully submitted · 14 April 1949

William J Heighes Cartographic Aid

Harry R. Rudokh Supervisor Joseph. W. Vonasek

Cartographer

Photogrammetric Office Review

Approved and forwarded /3 May 1949

Officer in Charge

Baltimore Photogrammetric Office

GEOGRAPHIC NAMES

T - 8930

Blue Buck Point

Keith Lake .

Keith Lake Gully

Lost Lake .

Mesquite Point

Pat Glennon Bayou .

Port Arthur Canal .

Round Lake .

Sabine Lake .

Sabine Pass .

4 = Decis. BGN

= Approved name

12-8-49 a.j.W.

Review Report T-8930 Shoreline Map 12 December 1949

61. Aids to Navigation .-- None of the lights on this survey agrees with the positions as plotted on control survey 7041b and recorded in Chart Letter No. 81(1948).

The radially plotted positions have been considered the better positions. They have been circled in black, and the 7041b positions removed from the acetate map.

A test of the positions of these lights revealed that the chart positions are the same as those on T-8930, though there is no evidence that the positions on the chart were taken from T-8930 prior to review.

The map manuscript position of floating aid N4OREF is southeast of its position on the chart.

- Comparison with Registered Topographic Surveys: T-7041 & 1:40,000, 1947 None This map expersible 7-704/ & for nautical charting
- Comparison with Surveys of Other Agencies: 63. U.S.E. Port Arthur South, Tex.-La., 1/31,680 ed. 1945
- 64. Comparison with Contemporary Hydrographic Surveys: None
- 65. Comparison with Nautical Chart:

No. 517 1:40,000 ed. Aug. 1939 Rep. Jan. 24, 1949 no agnificant differences accur between T-8930 Reviewed by: chart except as noted above in items 61, 774

APPROVED BY:

Division of Photogrammetry

Nautical Chart Division of Charts

Coastal/Surve

NAUTICAL CHARTS BRANCH

SURVEY NO. <u>T-8930</u>

Record of Application to Charts

DATE	CHART	CARTOGRAPHER	REMARKS
,			Examined for critical changes Before After Verification and Review
1-9-53	1279	H·W·B.	Before After Verification and Review
2-12-59	517	3.7n.a.	Examined for critical changes. No correction Between After Verification and Review
	·		D. 4. A. W. 141 170
			Before After Verification and Review
			Before After Verification and Review
			<u> </u>
			Before After Verification and Review
			D 4 A4 72 15 11 12 12
			Before After Verification and Review
		/ · · · · ·	
			Before After Verification and Review
	ĺ		
			Before After Verification and Review
		 	Detere sales versional and seview
			Before After Verification and Review
			Before After Verification and Review
			•
		·	
			,
		300-	

M-2168-1



9