# 9461 9462



Diag.	Cht.	No.	9400
-------	------	-----	------

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

## DESCRIPTIVE REPORT

Type of Survey Topographic

T-9461

Field No. Ph-28 (47) Office No. T-9462

#### LOCALITY

State Alaska

General locality Kotzebue Sound

Locality Hotham Inlet

## 1948-51

CHIEF OF PARTY A.N.Stewart, Chief of Field Party H.A.Paton, Bimore Photo. Office L.J.Reed, Div. of Photo. Wash.,D.C.

LIBRARY & ARCHIVES

DATE May 5, 1958

B-1870-1 (1)

#### DATA RECORD

T-9461 and 9462

T-9461 = SHESEALEK SPIT T-9462 = KOTZEBUE VILLAGE Project No. (II): Ph-28(47) Quadrangle Name (IV):

Field Office (II): Ketzebue Sound, Alaska

Baltimore, Md.

Photogrammetric Office (III): Washington, D.C.

Instructions dated (II) (III):

(II) = 21 Apr 48 (III) = 23 Oct 50

Chief of Party: A. Newton Stewart

Officer-in-Charge: Hubert A. Baton Louis J. Reed, Chief,

Stereoscopic Mapping Sec

Photogrammetry (IV)

Reading Plotter (B) Method of Compilation (III):

Manuscript Scale (III): 1:20.000

Stereoscopic Plotting Instrument Scale (III):

1:20,000

Scale Factor (III):

Date received in Washington Office (IV): /9 Jos 5/ Date reported to Nautical Chart Branch (IV): 11 2 5 1951

Applied to Chart No.

Date:

Date registered (IV): 24 April 1957

Publication Scale (IV):

Geographic Datum (III): NA 1927 (Unadjusted)

Publication date (IV):

Vertical Datum (III):

Mean sea level except as follows: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water

Reference Station (III):

Lat.:

Long .:

Wmawing steets:

Plane Coordinates (IV):

State:


Zone:

X=

MILITARY GRID; Universal Transverse Mercator, Zone No. 3

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.



Areas contoured by various personnel (Show name within area)
(ID) (III)

100% delinegted by Louis Levin

#### DATA RECORD

Field inspection by (ii):

A. Newton Stewart

Date: 1948

Planetable contouring by (II): None

Date:

Completion Surveys by (II):

None

Date:

Mean High Water Location (III) (State date and method of location):

MHW line was delineated on the plotting instrument guided by 1948 field location of the shoreline.

Projection and Grids ruled by (IV):

Theodore L. Janson (on the Ruling Madine)

Date: 29 Nov 50

Projection and Grids checked by (IV): Howard D. Wolfe

Date: 5 Dec 50

Control plotted by (III):

Frank J. Tarcza

7 Dec 50 Date:

Control checked by (III):

John C. Richter

8 Dec 50 Date:

Radial Plot xxx 3197 3131 (00315) Strong resterming by (III):

Frank J. Tarcza

Date: 19 Feb 51

delineation by

GROVER C. TORBERT (PLOTIE)

Stereoscopic Instrument comprise tion (III):

Planimetry and

Louis Levin

Date: 20 Jun 51

Contours

Date: 2 JUL 52

compiled Manuscript minimates by (III):

John B. McDonald

10 Jul 51 Date: .. 52

Photogrammetric Office Review by (III): Louis J. Reed

18 Jul 51

Date:

"

1 AUG52

Elevations on Manuscript checked by (M) (III):

Louis J. Reed

Date: 18 Jul 51

1 AUG 52-

USC&GS 9-lens camera, model B, f=8.25 inches Camera (kind or source) (III):

PHOTOGRAPHS (III) Stage of Tide Number Date Time Scale 1049 through 27549 thru 22 Jul 50 20,000 no appreciable 27 JUNE 51 20,000 mana 13:02

Mr. Disney of Tides and Currents states (7May 51) that for all practical purposes no tide exists in this area.

L.J.R.

diurnal

Range

Mean | Spring

Range

Date: 9/16/53

Date: 8-22-55

Ratio of

Ranges

Tide (III)

Reference Station:

Icy Cape

Subordinate Station: Subordinate Station:

Washington Office Review by (IV): B. J. Colner

T. 9461 7. Johnson

Final Drafting by (IV): 7-9462 P. Zach

Drafting verified for reproduction by (IV):

Date:

Proof Edit by (IV):

See remarks below.

Shoreline (More than 200 meters to opposite shore) (III): See remarks below.

None Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II): None

Land Area (Sq. Statute Miles) (III):

Number of Triangulation Stations searched for (II):

Recovered:

Identified: (on T-9462)

Identified:

Date:

Number of BMs searched for (II): None Recovered: Number of Recoverable Photo Stations established (III): two Six (ONE ON T-9461)

Number of Temporary Photo Hydro Stations established (III): None FIVE (ON T-9462)

Remarks:

10 sq m1+13=33-29.mi. SHORELINE = 11 miles+22 = 33 miles.

## Summary to Accompany T-9461 and T-9462

Ph-28(47) covers the eastern shore of the Chukchi Sea in Alaska and runs from Candle on the Kiwalik River on the South to Cape Beaufort to the North.

Seventy-three of the quadrangles (T-9402 to 9474) of This project are topographic surveys and twenty-two (T-9402 to 9434) are planimetrics and T-9436 through T-9496).

T-9461 and T-9462 are topographic surveys of the area containing part of Kotzebue Sound, Hotham Inlet, the southern portion of the Noatak River Delta, and Kotzebue which includes a very modern commercial airfield.

Each map manuscript consists of one sheet,  $7\frac{1}{2}$  minutes in latitude and 20 minutes in longitude, at a scale of 1:20,000, with a contour interval of 50 feet. A cloth-backed lithographic print of each map at the compilation scale will be registered with the descriptive report in the Bureau Archives.

#### FIELD INSPECTION REPORT

2-20:

See separate report entitled:

PROJECT REPORT

AERIAL PHOTOGRAPH CONTROL AND INSPECTION

KOTZEBUE SOUND; ALASKA

Project Ph-28(47)

July to Sep 1948

A. Newton Stewart, Chief of Party

Louis
Stereoscopic Map, mg
Photogrammetric Engineer

# PHOTOGRAMMETRIC PLOT REPORT (MAINLAND)

PROJECT PH-28(47)

#### SURVEYS T-9448 to T-9457, inclusive

T-9461 and T-9462

#### 21. AREA COVERED

This radial plot covers the areas of Surveys T-9448 to T-9451, incl., T-9453 to T-9456, incl., and T-9461. Three other surveys on the east, T-9452, T-9457, and T-9461, were partially done in a previous radial plot. They were completed in this radial plot and will be considered as a part of the plot in this report. All are topographic surveys situated along the shore of Kotzebue Sound for Noatak River to Cape Krusenstern.

#### 22. METHOD - RADIAL PLOT

Map Manuscripts: Vinylite sheets, with polyconic projections and Universal Transverse Mercator grids, at a scale of 1:20,000, were furnished by the Washington Office. The radial plot was constructed on the map projection sheets and no base sheets were required.

All control stations and substitute stations were plotted using beam compass and meter bar.

A sketch showing the layout of the these surveys and the distribution of control and photograph centers is attached to this report.

#### Photographs

All photographs used are nine-lens, metal-mounted photographs, scale 1:20,000. Forty-three photographs were used in this radial plot. They are numbered as follows:

27551 to 27564 inclusive 27567 to 27578 inclusive 27595 to 27605 inclusive 27608 to 27610 inclusive 27755 to 27757 inclusive

The symbols used on the photographs were given in special instructions for all radial plots with nine-lens photographs which will be used later with the Reading plotters.

#### <u>Templets</u>

Vinylite templets were made from all photographs using a master templet to adjust for errors due to chamber displacements. Radial lines were scratched on the templets with a sharp needle point and the scratch filled in with china marking pencils. Red was used for all shoreline (rectification) pass points and all other radial lines are in black.

#### Closure and adjustment to control

The radial plot was constructed directly on the map manuscripts. A preliminary plot was run to determine whether there were any badly tilted photographs. The relative amount of tilt was noted by observing the displacement of image points, represented by red dots on the templets, of shoreline points and points of known elevation. Three photographs were apparently tilted considerably; Nos. 27561, 27575 and 27609. Two of them could be bypassed in the final plot but No. 27575 had to be used. The two were placed on top of the completed plot so that the positions of all points could be pricked and circled thereon.

The final plot was started at the eastern end of this area where points had been established in a previous radial plot making this merely an extension of the first plot. It was necessary to disregard PEAKS NOS. 321 and 322 in order to hold other control. It was in this area that the tilted photograph 27575 is located. Considerable adjustment was necessary, particularly with the most northerly flight, because no other control was available in the immediate vicinity. The western part of the radial plot offered no problem and control was held.

#### Transfer of points

The position of all centers, pass points and control were pricked on the top templets and circled with 3 mm circles. The positions were established on the remaining templets and map manuscripts by drilling down: through with a small (.01 inch) jeweler's drill. All points were circled on each templet before it was removed.

#### 23. ADEQUACY OF CONTROL

With the exception of Survey T-9452, control was adequate for a satisfactory radial plot. Photography did not reach NOATAK, 1949 and with the bad positions for PEAK 321, 1948 and PEAK 322, 1948, the radial plot may be a little weak in this survey and also in Survey T-9451, in Survey T-9451. Since the northern side of the most northerly flight is uncontrolled, many positions near the edge of photography are marked with green circles although they are believed to be within the desired accuracy.

Three horizontal control stations could not be held in the radial plot:

The radially-plotted position for PEAK 321, 1948 falls 3.5 mm southwest from the geographic position and the radially-plotted position for PEAK 322, 1948 falls 3.0 mm west from the geographic position. Both of these have "no check" positions, being intersected from SHESUALEK, 1949 and NOATAK, 1949. Both peaks are between the two occupied stations, so that weak angles of intersection are formed. The geographic position for PEAK 322, 1948 falls on the side of the peak. There is an almost flat area at PEAK 321, 1949 and it is possible to prick a point near the true position on the rounded top of the mountain. However, a check was obtained on the radially-plotted positions. When observing vertical angles to the two peaks from DELTA, 1949, a check horizontal angle was turned for the purpose of field identification. With a protractor this angle was turned on the map manuscripts and found to be nearer the radially-plotted positions in both cases. Since DELTA, 1949 was not an occupied station, no observation could be used in computation by Division of Geodesy.

The radially plotted position for SUB.PT. FIRST, 1950, falls 0.6 mm southwest from the geographic position. It was possible to prick the station direct from identification on K-20 photograph and this was held in the radial plot. Also on this small field photograph there appeared a small "tongue" on the pond extending northward. This was not apparent on the field photograph and the corner of the pond was pricked. The sketch on the pricking card was inadequate for determining the correct point. The true position falls at the north end of the "tongue" of the pond and field pricking is in error.

#### 24. SUPPLEMENTAL DATA

No graphic control surveys were used.

#### 25. PHOTOGRAPHY

Photographic coverage was adequate for all of the surveys except the northern areas of Surveys T-9451 and T-9452. The definition of the photographs was good. Many of the photographs in the two northerly flights had scattered clouds which made peak identification more difficult, and some peaks are pricked on only two photographs. No tilt determination was made but at least three photographs showed evidence of tilt, Nos. 27575, 27561, and 27609. The latter two could be bypassed and placed on top but it was necessary to use 27575. With considerable adjustment, it was found possible to use it without correction. As noted in the previous radial plot report, Chamber No. 8 is weak in most photographs and this was considered when laying the plot. Chamber No. 3 had one collimation mark missing on all photographs of the northerly flight and one two flights running northwest on Survey T-9449, but this did not seem to introduce any serious errors in the radial plot.

#### 26. VERTICAL CONTROL

During the computations of elevations for peaks following the madial plot, several discrepancies were found. The single horizontal angles, observed for identification purposes in the field, were turned with a protractor on the map manuscripts to verify the identification. The following discrepancies were found:

At PEAK 321, 1948 and PEAK 322, 1948, radially plotted positions were established, as previously mentioned. The elevations of these were recomputed using the new positions and both checked, within one meter, the elevation furnished.

PEAK 316 (Survey T-9452) - The two observations gave elevations with an error of only 3.5 meters. However, the horizontal angles did not check the plotted position and indicated another point on the rounded peak may have been observed in the field. This peak is outside of the survey limits and the elevation should be considered weak.

PEAK 330 (Survey T-9451) - The three elevations computed checked within 5 meters. When horizontal angles were turned, they indicated that a point about 6 mm southwest of the photogrammetric position was observed by the

field party. This peak is covered by clouds on one photograph and is pricked on two photographs near the edges. This made it difficult to prick with sufficient accuracy and the elevation and position must be considered rather inaccurate.

PEAK 356 (Survey T-9451) - The two observations given did not check in elevation. Horizontal angles indicated another peak to the north may have been observed, but it was off the office photographs.

PEAK 361 and PEAK 362 (Survey T-9450) - The elevations of these did not check, and the reasons could not be established. It is found that one observation on PEAK 361, from V-211 is incorrect and probably on another peak. It is possible that the peaks have been misidentified from station BUTTE, 1949.

PEAK 575 (Survey T-9457). The two observations gave elevations which did not check. There is no doubt about the identification. This peak should be rejected and does not appear necessary. If desired, the one correct elevation, of the two computed, could be determined with Reading plotter.

PEAK 559. (Survey T-9450) - Although six different observations were computed, no two elevations were found to check. It was apparently the wrong peak. But when horizontal angles were turned it was also apparent that more than one peak was observed by the field party. In attempting to re-identify the peak, there were several possible locations at intersections of horizontal angles. Only one of these was near a peak and this peak was pricked and located. The elevations from four stations checked within a two meters. This peak was marked PEAK 559 (OFFICE) and is about 900 meters southwest from the original identified peak.

At station FLAT TOP, 1949, the PEAK 337 identified on field photographs was not pricked since it is on the same mountain. Also PEAK 633 and PEAK 634 near this peak have no check on their elevations. Although there is no reason to suspect error in the one observation on each, it is recommended that FLAT TOP, 1949 be used for elevation in this area. There were several observations rejected but in each case two or more observations on the same peak were in close agreement and no further investigation was made beyond checking horizontal angles.

Approved and forwarded 6 April 1951

Respectfully submitted

He boot 6

Hubert A. Paton

Comdr., C&GS

Officer in Charge

.0 00.4

Frank J. Tarcza

Cartographic Engineer

PART II


RADIAL PLOT REPORT (BALDWIN PENINSULA AREA)

Refer to Radial Plat Report for T-9462,63,66,67,70,71, and 75, Which is contained in the Description Report for T-9466 and T-9467.

Louis Abeed, Chief

Stereoscopic Mapping Section

Photogrammetric Engineer



## COMPILATION REPORT (MAINLAND AREA)

#### 31. Delineation:

All delimeation has been accomplished on the Reading Plotter, model B. The area of this report is along the shoreline on the mainland north across Hotham Inlet from the north end of Baldwin Peninsula where the village of Kotzebue is simuated. The area falling within the limits of T-9461 is now completed, but that part of the peninsula within the limits of T-9462 has not been delineated; it is to be included in a future radial plot at which time it will be added to the manuscript to bring it to completion. Added, August 1952.

32. Control:

Reference side-heading 23 On page 9 of this report 7-9466467 where it states that control was adequate for a strong plot and the control situation is discussed in detail.

#### 33. Supplemental Data:

- a. Graphic Control Surveys: None
- b. Hydrographic Surveys: None
- c. Plotting Instrument Photos (metal-mounts):

27549 thru 27555, 33923, 924, 944, and 945

d. Field Inspection Photos:

20838 thru 20842 and 20748 thru 20750, 20747, 817, 818, and 20900 thru 20903.

34. Contours and Drainage:

Photograph quality was very good and no areas of questionable contours exist. in fact no contours exist in the area compiled at this time along the north edges of the two manuscripts being reported.

## 35. Shoreline and Alongshore Details:

Shoreline inspection was adequate. Shoal lines were office delineated on the plotting instrument.

- 36. Offshore Details: Not applicable.
- 37. Landmarks and Aids: None recommended.
- 38. Control for Future Surveys:

No topo or hydro stations have been located in the office. The field party selected no hydro stations but identified

two topo stations for office location during the radial plot. This was done and they are both shown on the manuscripts in proper symbol and name, HONK 1948 being on T-9461 and DATE 1948 on T-9462. Five other topo stations have been field identified on T9462 and while be located by the future plot mentioned in side-heading 31 above. See separate unnumbered sheet, "Notes for the Hydrographer."

### 39. Junctions:

The common match edge between T-9461 and T-9462 is in good agreement and the north edges of both sheets have been transferred to T-9456 and T-9457 respectively in order to assure these junctions to be in good agreement also.

- 40. Horizontal and Vertical Accuracy: Standard.
- 46. Comparison with Existing Maps:
  - a. Advance proof of NOATAK, Alaska, USGS, Reconnaisance Topographic Series, Second Judicial Division, 1:250,000, 1951 Edition.
  - b. Advance proof of BAIRD MOUNTAINS, same as Noatak above.
  - c. Compilation copy of TIGARA, 1:200,000, USGS.
- 47. Comparison with Nautical Charts:
  - a, ARCTIC COAST, Alaska, No 9400, 1;1,587,870, May 1946, 6th edition, last correction date of 27 Nov 50.
  - 6th edition, last correction date of 27 Nov 50.

    b. Provisional Chart, CAPE PRINCE OF WALES TO POINT BARROW, CHUCKI SEA, Alaska-Arctic Coast, No 9402, 1: 759,000, May 1950, 1st edition.
- 46. Geographic Name List: See separate numbered page, following.
- 49. Notes for the Hydrographer: See separate unnumbered page.
- 50. Compilation Office Review: See T-2 form, following.

Submitted by:

Orvis N. Dalbey,

Cartographer-Photogrammetric

Approved and Fotwarded by:

Louis J. Reed, Chief Stereoscopic Mapping Section

Photogrammetric Engineer

Survey No.		/~	'SIR'S	diadi	coi id	Hod	"/; <sub>\$</sub> \$6	y CHall	`/_st <sup>i3</sup> /
T <b>-</b> 9461 T <b>-</b> 9462	6	70. 0	or As of	S. Vag.	or local de	Or lace Mod	Cide	Qord McHoll	N.S. Jegulist
Name on Survey	/ A	<u></u>	/c	/· D	E	/ F	G	/н	/ĸ /
<u>T-9461</u>						1			
KOTZEBUE SOUND									
Sheshualik 8,	oit			(for	tiH	(e)			
						•		ļ	ļ <u> </u>
				ļ	ļ				
							,		
T-9462		_						ļ	
HOTHAM INLET									
KOTZEBUE SOUND									. 1
NOATAK RIVER				_		ļ			1
NOATAK RIVER DELTA	<del> </del>			-					1
KOTZEBUE		-							1
KOTZEBUE FIELD		<u> </u>							1
KOTZEBUE MUNICH		IELL	•	1					1
BALDWIN PENINSU		-							1
Second Indic	ial '	Div	-8i0	1				<u> </u>	1
Alaska									1
			···.						2
				Ma	mes	عء	pn.	169 8	-u-53
						,		۲. ۴	2
									2
				-	-				2
			· <u>·</u> ······						2

## 49. Notes for the Hydrographer:

## T-9461

HONK 1948 -- identified on photo 20837 -- see 524 card

## T-9462

```
DATE 1948 -- identified on photo 20749 -- see 524 card
 BABY 1948 -
                              20818 -
CAKE 1948 -
                              20903 -
GUST 1948 -
                ..
                              20902 -
                       .,
 PELT 1948 -
                "
                           " 20902-
HYDRO SIGNAL #800 - DESCRIBED & IDENTIFIED ON
                        PHOTO # 20900
                801
                                 20900
                802
                                 20900
```

20747

20747

803

804

## PHOTOGRAMMETRIC OFFICE REVIEW

## T. 946/ and 9462

1. Projection and grlds2. Title3. Manuscript numbers4. Manuscript size4.
CONTROL STATIONS
5. Horizontal control stations of third-order or higher accuracy6. Recoverable horizontal stations of less
than third-order accuracy (topographic stations)7. Photo hydro stations8. Bench marks
9. Plotting of sextant fixes
/ al lal.
ALONGSHORE AREAS
ALONGSHORE AREAS (Nautical Chart Data)  - cheched  - ron-expistant.
12. Shoreline13. Low-water line14. Rocks, shoals, etc15. Bridges16. Aids
to navigation
shore cultural features
(
PHYSICAL FEATURES
20. Water features 21. Natural ground cover 22. Planetable contours 23. Stereoscopic instrument contours 24. Contours in general 25. Spot elevations 26. Other physical
instrument contours 22 24. Contours in general 22 25. Spot elevations 22 26. Other physical
features
CULTURAL FEATURES
27. Roads 28. Buildings 29. Railroads 30. Other cultural features
BOUNDARIES
31. Boundary lines 32. Public land lines
MISCELLANEOUS
33. Geographic names34. Junctions35. Legibility of the manuscript36. Discrepancy overlay37. Descriptive Report38. Field inspection photographs39. Forms
overlay 37. Descriptive Report 38. Field inspection photographs 39. Forms
40. Supervisor, Review Section of Unit
Louis J. Reed, Chief
41. Remarks (see attached sheet) Stereoscopic Mapping Section
Photogrammetric Engineer
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.
Compiler Supervisor

43. Remarks:

#### Review Report T-9461 and T-9462 Topographic Maps September 16, 1953

- 62. Comparison with Registered Topographic Surveys .- None
- 63. Comparison with Maps of Other Agencies.
  USGS Alaska Map, Kotzebue 1:250,000 1951 Edition

  Comparison not feasible due to great difference in

scale.

- 64. Comparison with Contemporary Hydrographic Surveys .- None
- 65. Comparison with Nautical Charts .-

9400 1:1,587,870 June 1950 9402 1:750,000 May 1950

Photogrammetry

Scale difference precludes a satisfactory comparison.

66. Adequacy of Results and Future Surveys.-These maps comply with project instructions and are adequate as bases for hydrographic surveys and the construction of nautical charts.

Reviewed by:

B. J. Folner

APPROVED

Chief, Review Branch

Div. of Rhotogrammetry

Chief, Nautical Chart Branch

Division of Charts

Chief, Div. of Coastal Surveys