9698 THRU 9703

Diag. Cht. No. 9302

Form 504

U. S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT

Type of Survey Topegraphic

T-9698 thru

Field No. Ph-56 Office No. T-9703

LOCALITY

State Alaska

General locality Nelson Island

Locality Kigigak Island to Kagirlvar

19<u>50-</u>52

CHIEF OF PARTY

April 6, 1961

LIBRARY & ARCHIVES

DATE ...

COMM-DC 61300

DATA RECORD T-9698 T-9699 T-9700 T-9701

T-9702

Project No. (II): PH-56

Quadrangle Name (IV) T-9703

Field Office (II): Seattle, Wash.

Chief of Party: M. J. Tonkel

Photogrammetric Office (III): Baltimore, Md.

Officer-in-Charge: E. H. Kirsch

Washington, D. C.

Div. Photogrammetry

Instructions dated (II) (III):

8 Sept 1949 2 April 1951 14 Dec 1951 21 Dec 1951 Copy filed in Division of Photogrammetry (IV)

21 May 1951

Method of Compilation (III):

Reading nine lens plotters

Manuscript Scale (III): 1:20,000

Stereoscopic Plotting Instrument Scale (III): 1:20,000

Scale Factor (III):

Date received in Washington Office (IV):

Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV): 19 May 1937

Publication Scale (IV):

Publication date (IV):

Geographic Datum (III): N. A. 1927

Vertical Datum (III):

Mean sea level except as follows: Elevations shown as (25) refer to mean high water Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water

Reference Station (III):

Lat.:

Long.:

Adjusted Unadjusted

Plane Coordinates (IV):

State:


Zone:

Y≈

X=

Roman numerals indicate whether the item is to be entered by (ii) Field Party, (iii) Photogrammetric Office, or (iv) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.



Areas contoured by various personnel (Show name within area)
(II) (III)

DATA RECORD

Field Inspection by (ii): V. E. Serena

May-Sept 1951

Planetable contouring by (II):

Date:

Completion Surveys by (II);

Date:

Mean High Water Location (III) (State date and method of location): From nine lens photos augmented by 1951 field inspection

Projection and Grids ruled by (IV): Austin Riley

Date: Feb. 1955

Projection and Grids checked by (IV): Austin Riley

Date: Feb 1955

Control plotted by (III): David Williams

Date: June, 1955

Control checked by (III):

Joseph Steinberg

Date: July 1955

Radial Plot or Stereoscopic

Date: July 1955

Control extension by (III):

Leroy A. Senasack

Date: Planimetry

June 1958

Contours

C. Misfeldt

Date:

Manuscript delineated by (III): C. Misfeldt

June 1958 Date:

Photogrammetric Office Review by (III):

Stereoscopic Instrument compilation (III):

L. Levin

Date: June 1958

Elevations on Manuscript

checked by (II) (III):

L. Levin

Date: June 1958

Form T-Page 3

M-2618-12(4)

Camera (kind or source) (III):

Nine lens

Number 28517-520

PHOTOGRAPHS (III)

Time

Date . 8/13/50

11:30*

Scale

1:20,000

Stage of Tide

.

6.5 above MLLW

* approximate - clock had stopped

Tide (III)

ilde (ili

Reference Station: Kodiak

Subordinate Station: Subordinate Station:

Washington Office Review by (IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV): 300 Holling

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling · Miles (II):

Number of Triangulation Stations searched for (II):

Number of BMs searched for (II):

Number of Recoverable Photo Stations established (III):

Number of Temporary Photo Hydro Stations established (III):

Remarks:

Diurnal

Ratio of Ranges Range Range 8.5

Date:

Date: 11-17-5

Date: 2 - 18.60

Date:

Recovered: Identified:

Recovered: Ide

Identified:

Camera (kind or source) (III):

Nine lens

		PHOTOGRAPHS (III)		
Number 28519,520 28850,-852 38091-093 38095-097	9/13/50 8/14/50 8/14/50 7/19/52 7/19/52	Time 11:30* 12:15 9:10 9:15	Scale 1:20,000	Stage of Tide 6.5 above MILW 6.7 ""

^{*} approx - clock had stopped

Tide (III)

Reference Station:

Kodiak

Subordinate Station:

Subordinate Station:

Washington Office Review by (IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II):

Number of BMs searched for (II):

Number of Recoverable Photo Stations established (III):

Number of Temporary Photo Hydro Stations established (III):

Remarks:

Diurnal

Ratio of Mean Sering Ranges Range Range 8.5

Date:

Date:

Date:

Identified:

Recovered:

Recovered:

Identified:

. Camera (kind or source) (III): Nine lens

PHOTOGRAPHS (III)

Number

Date

Time

Scale

Stage of Tide

29019-023

8/13/58

16:25*

1:20,000

1.0 above MLLW

approximate - clock had stopped

Tide (III)

Strufter

Reference Station: Kodiak

Subordinate Station:

Subordinate Station:

Washington Office Review by (IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II):

Number of BMs searched for (II):

Number of Recoverable Photo Stations established (III):

Number of Temporary Photo Hydro Stations established (III):

Ratio of

Diurnal . Mean Spring Range Range Ranges Range

Date: Date:

Date:

Date:

Recovered:

Recovered:

. Identified:

Identified:

Remarks:

Camera (kind or source) (III):

Nine lens

		PHOTOGRAPHS (III)				.•
Number	Date	Time	Scale	Stage	of Tide	·
28520,521 28524 - 526	8/13/50 "	11:40* 12:00*	1:20,000	6.5 6.5	above	MLLW
28853 38093,094	8/14/50 7/19/52	12:20 9:15	Ħ	6.7	11	11

approx - clock had stopped

Tide (III)

Reference Station:

Subordinate Station: Subordinate Station:

Washington Office Review by (IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Kodiak

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II):

Number of BMs searched for (II):

Number of Recoverable Photo Stations established (III):

Number of Temporary Photo Hydro Stations established (III):

Recovered: Recovered: Identified:

Ratio of Mean

Date:

Date:

Date:

Range

Ranges

0.9

Spring

Range

Identified:

Remarks:

M-2618-12(4)

Form T-Page 4

Camera (kind or source) (III): Nine lens

		PHOTOGRAPHS (I	II)		
Number	Date	Time	Scale.	Stage o	f Tide
28529-532	8/13/50	12:00*	1:20,000	6/6 ab	ove MLLW
29016-019	8/14/50	16:20	11	1.3	17
38117	7/19/52	10:11	ţį	6/7	17

approx - clock had stopped

Tide (III)

Reference Station: Kodiak

Subordinate Station: Subordinate Station:

Washington Office Review by (IV):

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II):

Number of Recoverable Photo Stations established (III):

Number of Temporary Photo Hydro Stations established (III):

Number of BMs searched for (II): Recovered: |Ratio of | Mean | Spring Ranges Range Range

Date:

Date:

Date:

Identified:

Recovered: Identified:

Remarks:

Camera (kind or source) (III):


Nine leng

					•
28526-52 38111-11		Date 8/13/50 7/19/52	PHOTOGRAPHS (III) Time 12:00 10:00	Scale 1:20,0	Stage of Tide 00 - 6.8
S S S S S S S S S S S S S S S S S S S	Reference Station: Subordinate Station: Subordinate Station: Washington Office Revie Final Drafting by (IV): Orafting verified for repr Proof Edit by (IV): Land Area (Sq. Statute Monoretine (More than 20) Shoreline (Less than 20) Control Leveling Miles (Number of Triangulation Number of BMs searche	oduction by (IV): Miles) (III): O meters to opposite O meters to opposite (II): o Stations searched t	shore) (III): for (II):	Recovered: Recovered:	Ratio of Mean Spring Ranges Range Ra

Number of Recoverable Photo Stations established (III): Number of Temporary Photo Hydro Stations established (III):

Remarks:

TOPOGRAPHIC MAPPING PROJECT



TOTAL, 4,299

Summary to accompany topographic surveys T-9698 thru T-9703

These six topographic surveys are a part of project PH-56 (24090). The project covers the west shore of Alaska from Scammon Bay to Kuskokwim Bay and Nunivak Island - Bering Sea. Subject area of the six surveys covers the northwest portion of Nelson Island and extends from Ningaluk River southward to Kangirlvar Bay.

The northern part of the area covered is marsh and tundra with interlacing streams and ponds. This low marsh area changes abruptly to reach an elevation of nearly 1500 feet in less than a mile (Erchakrtuk Mt. on T-9701). A short distance south of subject area it returns to low marshy ground again.

Project instructions originate from 1949. Field inspection was accomplished during season of 1951. The radial plot was assigned to the Baltimore District Office and accomplished during 1955; compilation from Aug. 1950 and July 1952 nine-lens photographyby stereoscopic instruments (Reading Plotter) completed in the Washington Office in June 1958.

There are no previously registered topographic maps nor contemporary hydrographic surveys of subject area.

A cronar film positive at the compilation scale of 1:20000 and The Descriptive Report will be registered and filed in the Bureau Archives.

March 1959

12

original report 15 +11

AERIAL PHOTOGRAPH CONTROL AND INSPECTION CAPE AVINOF TO CAPE ROMANZOF, ALASKA

CONTENTS

PART	I SEASONS' REPORT							***	
	Chronology of Activities					******	*******	** * * * * * * * * * * * * * * * * * * *	S12233444
PART	FIELD INSPECTION REPORT Areal Field Inspection	-	****		 			Pe	122 122
	Herizontal Control Vertical Control Contours and Drainage Woodland Cover Shoreline and Alongshore Features Offshore Features Landmarks and Aids Boundaries, Monuments and Lines Other Control Other Interior Features Geographic Names Special Reports and Supplemental Data Records		-	**********	 *	**********	**********		3344566666778
	INDEX TO FIELD WORK	*	*						9

PART I

SEASON S REPORT AERIAL PHOTOGRAPH CONTROL AND INSTRUCTION Cape Avinof to Cape Romansof, Alaska

Project Embers

G-1057 (Ph-56)

Chief of Party:

Willer J. Tonkal

Chief Photogrammetric Units

Victor E. Serena

Authority

•

IRSTRUCTIONS - Triangulation in Alaska, Cape Avinof to Cape Romanes, on Numivek Island,

dated 29 Harch 1951.

SUPPLEMENTAL INSTRUCTIONS - Photogrammetric Surveys - Project No. G-2057(Ph-56) - Cape

Avinof to Cape Romansof and Hunivak Island, Alaska, dated 2 April 1951,

Date of beginning field works 30 May 1951

Date of ending field works

12 September 1951

CHRONOLOGY OF ACTIVITIES:

The photogrammetric unit consisting of three civil service employees, reported to it. Miller J. Tonkel, Chief of the Triangulation party, in Scattle, Mashington on 20 May 1951 and became an integral part of the party until the organization was disbanded upon return to Scattle on 29 September 1951.

The party left for Anchorage via Commercial Airlines on 24 May, was transported to Bethel by Military Transport Service on 26 May, and started the move into the working grounds at Elpnuk on 27 May. The contract airplanes moved all personnel and equipment into base camp and field operations began on 30 May.

Field conditions on that date were fully compatible with planned operations. The noonday temperature was 47°. All but a few of the deeper lakes were clear of ior.

Existing ice was broken and had drifted compactly to lee. Some flow ice was observable offshore and some snow covered the shoreline. Neither ice nor snow was in such quantity as to impede progress of the work.

Total transportation for the combined group consisted of four airplanes; three Piper Cubs (PA-LE, 125 H.P.), and one Stinson (SR-R). The Stinson had limited utility for field work because of small, shallow lakes general to the project area. Early in the season, one Cub was loaned to the Nunivak Party pending arrival of contract airplanes allotted that party.

Use of the airplanes was apportioned on an objective basis calculated to keep photogrammetric and geodetic work in a state of balance for mutual support, and to achieve full, economical utilization of all evaluable flying time.

On 12 June a sub comp was established at Michtmiut to shorton supply lines and eliminate fruitless flying time to that area. The Stinson was used as a liason simplane. All photo personnel operated from this base until work was completed as far north as Hasen Bay whereupon base camp and sub camp were transported to Hooper Bay. The remainder of the field work for G-1057(Ph-56) was accomplished from this latter camp. This project may be said to have been finished and work begun on Proj of Ph-73A(51) on 12 September 1951.

ACTIVITIES OTHER:

Coast and Beach Intelligence data were gathered and forms completed by the photo unit with the advice and assistance of Lt. Tonkel. The completed forms were submitted to the Director as instructed. See SE RELINE, PIELD RESPECTION REPORT.

ORGANIZATION OF PHOTOGRAMMETRIC UNIT:

	Reported	Deteched
Victor E. Serena, GS-5	5-21-51	10-2-1
Robert J. Hennisht, CS-4	5-21-51	10-2-51
Alfred W. Cresse, CS-4	5-23-51	10-1-51

The first two weeks of the season were employed in training Nesers. Heaslett and Crosse in field methods, problems and conditions peculiar to Alaska. The training proceeded in conjunction with field work in order to acquaint the non with actual field problems and to minimise delay in progress. Subsequently the two men were sent out as a team establishing photo topographic stations and gathering data for shoreline map compilation and Coust and Reach Intelligence.

Later in the season the two men were instructed in light-keeping duties and established, identified and posted lights on supplemental horizontal and vertical control stations for angular measurement by the observing units. These duties were supplemental to duties of establishing photo topo stations. In addition Mr. Gresce did most of the recording for supplemental control established by the photo unit. He was also employed in making an independent office check of field records for sketch incongruities, quissions, distance checks, etc.

It has been previously reported and is hereby reported for emphasis, that sending untrained or inadequately trained non to Alaska is imprestical and is not conductive to good field work. Close supervision of undertrained personnel is imprestical under the pressure of the inordinate pressure on time and transportation. I personally feel that I had had insufficient training and experience to direct all the activities of the photo unit.

ENTROPE ENVIORED

All horizontal control was identified either directly or by the substitute station method. Identification of triangulation stations preceded occupation of stations by observing units. Then weather was not favorable for instrument work, or the distances difficult to measure by one man, the substitute stations were flagged and instructions given the "O" parties to complete the measurements. This procedure made it possible to work in marginal non-observing weather when demand for transportation was least likely to be critical.

The method has one weakness that must be guarded against. It is possible for builders to place station warks in other than positions indicated by resonnaissance and identified by the photo unit. On two stations (NOUTH and KINIA) this occurred and stations had to be revisited and additional field data obtained.

The supplemental control was of some concern in the lake-potted, flat, flood plain between Helson Island and Hooper Ray. Refraction is expensive during daylight hours and the area lacks points of prostnance from which lake surfaces or targets can be identified. Resort was made to posting lights on such stations for intersection by the observing units on their normal, night observing schedules. Some difficulty was encountered because of inadequate experience of photogrammetric personnel with lights. Two such stations (V-Oll5, V-Oll6) have but a single direction and an unsheated double senith distance.

ADEQUACY OF THETREFFITS. BATHIJALS AND EQUIPMENT

A new pecket stereoscope (Fairchild Model C 2) is unsatisfactory for field use. The instrument is however than the older model, the

ensuel finish easily chips away, no case is provided for protection against chance rough usage, and the open send tripod legs slip and collapse under uneven supporting surfaces. The older, lighter instrument with closed, "U"-shaped support is a much better instrument.

From past experience the K-20 commers is judged to be an ideal commers for field party photography. However, the original and replacement K-20 commers supplied for field use during the past season were defective upon receipt. A third commers arrived at a time when the pressure of completing the triangulation tie to Mountain Village made it impossible to spare time and transportation for field photography.

The Kern theodolite (#38642) supplied the photo unit has a sluggish vertical bubble. The horizontal and vertical notions become stiff in temperatures under 50° F. Condr. F.A. Riddell has written a letter requesting advice on action to be taken regarding this instrument.

STATISTICS:

Area surveyed	(squar	e miles)			•					, 21,30
Shoreline ins	pected	(statute	pile	e)				•		360
Tringulation										
Supplemental										
Topographic a	tetions	cetabli	ahad	and	10	nė	Ľ	ind	- :	
Photo hydro a										

PROCESSS SECTION:

A sketch covering the seasons work is included in this report.

SUMMARY OF FIELD TORE NOT COMPLETED!

Paragraph AC of supplemental instructions specified the establishment of a number of stations for horizontal control of the photogrammetric plot on the barrier islands off Cape Avinof. Agrial inspection revealed that the islands are low, bare, devoid of any vestige of vegetation and that storm water breaks over the barriers introducing constant change in their topographic character. Detail, as a basis for identification of the proposed control, does not exist. It is recommended these barrier islands be located by future hydrographic surveys by other than photogrammetric means. In this connection, note that the islands in Season Bay are similar in nature. Their control by photogrammetric methods likewise will be impractical.

A project plan was received in August planing the northern limits of Project Ph-56(49) at Latitude 62°. Geodesy had planned to extend the triangulation scheme one figure beyond the NACEA-COME line into that general area, but the urgency of completing the triangulation connection to Hountain Village made this impraction. The photogrammetric work, in a northerly direction, was terminated at the mouth of the Ran River.

In two instances the vertical control spacing on Selson Island is four rather than about three miles as specified in the instructions. Definite hill tops or points of detail could not be identified on the very round, characterises hills with any degree of accuracy for trigonometric levels. These areas are particularly difficult of access. It was considered impractical to control these points at the expense of other phases of the work.

The following stations (treverse stations but for exceptions noted) were not identified. Station PATTI could not be identified. A triengle was closed on PATTI AZ. MK, to serve as control instead. The remainder of these stations are in areas having adequate control and time did not permit identification.

Bluff Ride Staff, 1951 BH Igiak #1 IM Igiak #3 Dall Pt. Shoran Station Hooper Bay Shoran Mast PATTI, 1951 (Triongulation) Towak As. Mk., 1951 (Intersection) Tunnak Tide Staff, 1951

Approved:

Respectfully submitted:

Miller J. Tenical Lt. - USCAG Survey Chief of Party Victor E. Serena Certographic Survey Aid

PART II

PIELD INSPECTION REPORT CAPE AVINOF TO CAPE ROMANZOF Project G-1057 Ph-56(49)

2. AREAL FIELD DESPECTIONS

(a) Description of Area:

The area covered by this field inspection report averages fifteen miles in width, and extends from Kipnak up to and including the south shore of Seamon Rey.

CAPE AVINOR - CAPE VANCOUVER

From Cape Avinor to Cape Vancouver is a low, flat plain drained by four major tidal streams. The plain is relieved by several low hills, the terminal slopes of which break off sharply into the plain. The southern parties of this area is marked by large lakes whereas the northern parties is given to more numerous, lesser lakes. The hill on which station TERS is located and the contiguous companion hill are unquestionably valuants in origin. Driftwood is in evidence as much as two miles inshore. The inference is drawn that extreme wind-driven tides immedate extensive shoreline areas.

CAPE VARCOUVER

Cape Vancouver is a bold headland. The volumie mountains on the Cape trend in an easterly direction losing character and elevation prosecuting to their termination at Baird Inlet. Only the lakes in the Chakshak Valley are of any size. The drainage system radiates from the approximate center of the nountain range. Streams are largely in marrow valleys and none are of remarkable proportion.

HELSON - HOOPER BAY

A low plain devoid of relief lies between the mountains of Nelson laland and Hooper Bay. Great tidal streams; the Mackievik, Hinglikfak, Kashanuk, Aphreum, Henokinsk, Akmerkockik, Asun and Baird

Inlot drain the area. Countless shallow, brackish lakes lace the terrain. Driftwood far inland lends credence to reports that extreme high storm tides flood extensive portions of this plain. Father Heregree of New Chevak states this periodic flooding is the reason for shandoning Old Chevak in fewer of New Chevak. The Hooper Bay people

state the low hill upon which that willage is located was completely isolated by extreme tide water in the autumn of 1950.

HOOPER DAY - IGIAK BAY

The area between Hooper Bay and Igiak Bay consists of low rolling hills the highest of which are about sixty feet. Many of the pleutiful lakes enough these hills have steep banks at points where they abut the hills. The lakes contain fresh water and are somethat desper than those in the flats to the south. A steep fifty-foot bluff, apparently out by meandering drainage, defines this area on the south. Idio-wise a similar bluff exists on the north and defines the limits of the Kelmehik River Valley.

CAPE ROMANZOF

Cape Romansof is marked by forbidding steep-to bluffs and proximent outcrops on the point. The Askinsk mountains run back from the cape in an easterly direction. The mountain tops are boulder strems the alopes been alder and millow brush. A number of sharp outcrops are scattered throughout the range.

(b) Items of Historical Interest:

The low-cost federal housing progress and a growing appreciation of schools and the products of modern civilization are factors modifying the nomadic habits of the native population in Alaska. Hospey Bay, Taxumak, and Michaelst one much of their growth to these concentrating and stabilizing influences. The founding of New Chevak and New Keelsvik was given appreciable imports by the housing progress.

(c) Photography:

Three triangulation stations (PLAIN, NEGUM, and TOONSON) are not on present photographs but fall in the area of proposed now photography. These stations were identified for use as control when photographs become symilable. In cases where rephotography is planned stations were identified on existing photographs and marked for possible direct identification on the new photographs. Also note that towers were built over the stations in the area of proposed photography east of Hamen Bay and that direct identification of these stations on new photographs is a possibility that should be emplored.

A measure of poor photography was encountered but alternate portions of overlapping photographs were adequate for field work. In some such cases substitute stations are not readily discernible on all photographs and transfer to overlapping photographs must be done star-optically. In as much as some inferior photography must be expected as a result of unavoidable casera failure, poor photography resulting from such causes is not decade a fit subject for criticism,

The best possible prints are not always made available for field use. This became apparent when field prints were compared with duplicate prints prepared for compilation. There is so little ground detail in much of the Alaskan terrain that print quality assumes the utnest importance. Poor quality adds to the difficulty of identifying detail. Often subtence methods of measuring distances must be used with ensuing loss of time and productivity. It is recommended that photographs be printed with the fullest range of tone possible, compatible with demands on equipment and quality of negatives, for use by field parties.

3. HORIZONTAL CONTROLS

- (a) Supplemental control was established by intersection by the triengulation perty and by resection on the base triangulation not by
 the photo unit. For a list of supplemental control see INDEX TO FIELD
 WHE.
- (b) He datum adjustments were made by the field party.
- (c) The Asiro Stations at Kipmik, Tammak and Hosper Bay were established by the United States Air Force. Traverses were run to all three stations by the 1951 field party.
- (d) All necessary control is considered positively identified.
- (e) All Coast and Geodetic Survey stations in project area were resovered.
- (f) Information pertinent to the identification of stations is stated on Form H-2226-12.

4. VERTICAL CONTROL

Density of vertical control was planned so that no point in the project area was more than about three miles from tidal shoreline or a point of known elevation. Elevations, carried through the main scheme triangulation and tied to tide stations, provided the basic vertical control. Extension therefrom was by the following methods:

By intersection and resection where trigonometric elevations are to be computed from non-reciprocal double senith distances and computed lengths of lines. The supplemental stations, the numerical designation of which is preceded by the letters RV (for horizontal-vertical) fall in this category. Their position may be computed for horizontal control. Due caution should govern the use of those stations having no position check.

ligst of the supplemental vertical control is based on trigonometric elevations from non-reciprocal double senith distance observations on points, the positions and distances of which must be determined by the radial plot. Such stations have been designated by a number preceded by the latter **V** (for vertical).

A list of supplemental vertical control and the stations on which computations are based is contained in the HHEN TO FIELD KORK.

Note that double month distances were observed on unidentified points of elevation on Melson Island by the triangulation unit as follows:

Station	Object Cheeryed
HUMPTY FRONT ORASS TOOKSOOK	hill plateau p ask p ask

It appears desirable to emplore the possibility of identifying these points of elevation after the plot is laid.

5. CONTOURS AND DRAINAGE:

Contours - not applicable.

Drainess of erem is mentioned in DESCRIPTION OF AREA.

6. WOODLAND COVER:

t

There is no true woodland cover in the erea. Irregular patches of 4 to 7-foot high willow and alder brush grow on slopes of hills and mountains. Such cover has been noted on photographs in areas visited by the photo unit.

7. SHARELINE AND ALCHESTORE PEATURES!

The entire shoraline in the area surveyed was inspected. Actual inspection on the ground was at points in the vicinity of stations which were visited for other purposes. The remainder of the shoraline was inspected from the air by personnel familiar with the shoraline characteristics. Supplemental data is contained on Beach Intelligence forms submitted to the Director as follows:

Beach at	Substitut				
Idte, 1951	July 1951				
SHORE, 1949	₹				
Pens, 1951.	August 1951				
Temmek Village					
BLUFF, 1951					
July, 1951	W				
Good, 1951	September 1951				
Min. 1951					
Roctor Day Villago	Ontobase 2061				
Mark. Soft	000000 27,00				
	# **				
Rulu, 1951 Dope, 1951 Hooper Day Village Milk, 1951 Dall Point	Ostober 1951				

Of special interest in the low flat areas is the regard nature of the aloughing marine bluffs. To a large extent the reggedness is due to differential resistance of the bluff to erosion because of alight variations in relief, because of the susceptibility of the mouths of drains to erosion, and because of the capture of labon and pends.

The bluffs are compounded of successive layers of blue-gray and and fine send interlarded between layers of root-bound human material approaching, in some places, the consistency of peat. The peat-like material is tightly laced with roots and in relatively light. Save action makes out the mid-cand layers causing the root material to collapse and accumulate at the base of the bluff. Subsequent wave action drags some closs considerable distances toward loss water before breaking up. The incidence of high, storm driven tides tear similar root closs from the bluff and carry them inshere.

The numerous sharp points in the north shore of Tooksook Bay commist of tilted beds of sedimentary rock. The earth between these ridges of rock is a conglementation of boulders and soil. The less rapid erosion rate of the rock bads established the prominent points. The isolated rock (RESIST, 1951), 1,000 meters out into the bay, is a resistant respent of one of these bads.

There are great stretches of apparent shoreline in the project area. Most such shoreline occurs at the nouths of rivers and in protected bays and hights where beach gradients are gentle and a difference of tide of a few inches causes a wide horizontal displacement of the water line. Hean high vater apparently flows back into the patchy marsh grass. In lieu of a distinct line, the outer limits of the water grass was indicated for suppling purposes.

The selt marsh grass areas, indicated on field photographs, constitute the driest and firstest footing encountered. As a rule the marshy grass and moss areas are not sud spongy - difficult to traverse even on points of elevation. It is believed the selt marsh grass areas, because of presimity to relatively warn sea mater, have a lower or non-excistent frest table which persits sub-surface drainage.

B. OFFICRE FEATURES!

Offshore areas around Capes Vancouver and Rossasof are commonly foul with boulders. Nost of those are small and near shore. Nony cannot be detected on the photographs. Due to the number and close-in position of those hazards, applicable areas were designated "Tool with boulders". Complete offshore detail must assit hydrographic surveys.

9. LARDMARKS JED AIDS:

Form 567 is being submitted as part of this report.

10. HOURDANCES. HOMEMATS. AND LINES:

Not applicable.

11. OTHER CONTROL:

Lists of recoverable topographic and of photo hydrographic stations are included in the HUEK TO FIELD WORK.

Hote that a position of unknown accuracy is available for topographic station Chen, 1951. This station was out in by personnel from the USCAGE Ship EXPLORER after being established by the photo unit.

12. CHER THERIOR FRATIENS:

Not applicable.

13. CHOCKAPHIC NAMES

See Special Report, RAM III, being submitted under separate cover.

14. SPECIAL REPORTS AND SUPPLEMENTAL DATA:

Coast and Beach Intelligence - See SHOWILING AND ALMESSMOUNT FRATURES, PART II, of this report.

Geographic Names - See 13 above.

Transmitting Letter, 13 December 1951 - To: The Director Transmitting Letter, 8 January 1952 - To: The Director Transmitting Letter, 8 January 1952 - To: The Director Transmitting Letter, 1 February 1952 - To: The Director Transmitting Letter, 6 February 1952 - To: The Director

13. QUARMATHO MARKE

See Uperial Report, New VII, being subsition under neparate

MA SEROLE REPORTS AND SHEELEMITERAL DATES.

Court and Beach Intelligence - See SHORKING AND ALCHGRUORES. FIRT II, of this report.

Goograpide Manes - See 13 above.

Transmitting Letter, 6 February 1952 - To: The Director

Note: Field data on stations noted in red have been duplicated from PH-93 A(57), and attached to the records of this project (PH-56). These stations, prior to forwarding all field records on PH-93A to the AMS, were selected in the event they were needed to supplement the control data on PH-56.

4

15. RECORDS:

The Triangulation Party records for Ph-56(49) and Ph-75A(51) are ordined under Project G-1057.

All "V" station data except V-Oll5 and V-Oll6 are submitted with the photogrammetric records.

The observations and abstracts for PK Ol, free Child and CRASS are submitted with the triangulation records along with angular records and abstracts for all NV stations except NV-004.

Approved:

Respectfully submitted:

Miller J. Tonkel Lt.-OSCAG Survey Vieter E. Serena Certographic Survey Aid

INDEX TO FIELD WORK

TRIANGULATION STATIONS, RECOVERED AND IDENVIOLED:

Stations identified on trimetrogen and 620 field photos by field party in 1949.

Station	Photo No.
CURLEN, 1949	2870.3
EXPHUE, 1949	28696
KIPHUK NE BASE, 1949	28698
KIPHUK SW BASE, 1949	28698
HANY, 1949	28547
SHORE, 1949	20548
TERN, 1949	28713

TRIANGULATION STATICES, IDENTIFIED:

Station	Photo lie.
AKUM, 1951	28717
ANTLEE, 1951	28798
APHREEN, 1951	29040
ASTER, 1951	29030
ELUFF, 1951	28531
BOTTOM, 1951	28545
BRANCH, 1951	29038
BREAK, 1951	28834
GAROL, 1951	28607
CHAIN, 1951	28523
GHEVAK, 1951	28806
GHUNCHAK, 1951	28522
GOIGN, 1951	29058
GROSS, 1951	28840
DIYCH, 1951	28506
DRIFT, 1951	28848
ELBOW, 1951	29036
PAITH, 1951	28639
FILCH, 1951	28502
FLOOD, 1951	29047
CABOOSE, 1951	33647
JELLY, 1951	33647
OLIVE, 1951	33716

(see note opposite p. 8)

	moto lie-
Station	26638
	29027
FRESH, 1951	つの名とう
**************************************	26838
ANDTERNA AND A	20523
GRASS, 1951	29033
	29039 28720
1921 BAZZI , 1931	2000
	29023
100FER. 1951 HUNTT, 1951	
HERTT, 1951	29045
	off District
KASHU, 1951	25744
KEGIE, LYST	2571.5
1951 FIRAY, 1951	28197
KIELA, 1951 KONSCHIK H. HASE, 1951	281.99
Dor man	28812
BOKECHIK S. BASE, 1951	28539
	24957
MEATOER, 1951	28843
marab, 1951	28532
	28516
NELSON . 1951	20020 20020 33667 3rd order, no check
HINGA, 1951 HIPPLE, 1951	off photo limits
CALMENT AND DEVEL	der term
PLAIN, 1951	28530
	20794
FO TAL, 1951 BOSAL, 1951	29012
ROMAI 1921	29045
	29034
SLUAP, 1951.	
STADE: The	2853.5
1051	err thoto limits
STURF	28793
TARLE 1951	29018
market 1951	
TABLE 1951 TABLE 1951 TABLE 1951 TABLE 1951	29551
- make	26827 29053
VIIII, 1951	29053
7750R, 1921	
7130R, 1991 2000G, 1991	

-11-

TRIANGULATION INTRISSITION STATIONS. IDENTIFIED:

Station	Photo ko.
Deain, 1951	28509
Inlet, 1951	28519
Muddle, 1951	28543
Patch, 1951	26524
Patch, 1951 Resist, 1951	28530
Cape Deminsof, Shoran Static	on, 1951 28797
Salty, 1951	2851.2
81.ough, 1951	26535
Sweet, 1951	28909
Tighe, 1951	28796

Tunnak, Catholic Church, Spire, 1931 29018

TRAVERSE STATIONS. IDEATIFIED:

Station	Photo lie.
Hooper Bay Aid Light, 1951 Hooper Bay Astro (IBAF), 1942,1951	28900 28901 28501 28549 29018

SUPPLEMENTAL STATIONS, HUBIZOSTAL-WESTICAL CONTROLS Established and Identified,

Station	Photo lie.	Compute from observations at
HV-001.	2871.7	and, kinia
RV-002	2873.6	akun, kiiga
HV-003	28899	NOUTH, HELSON, PORTAL
HV-004	28720	Respection station
HV-005	28526	NIPPLE, TOOKSOOK, resection
HV-006	28719	ARUM KEDUM
EV+007	28648	aku, kecuh Drift, Hirga, Stump
IIV-008	29031	GREEN, ASTER
EV-009	29043	APHRESH, HALLE, SLIVER
HV-010	29038	BRANCH, CROSS, FAITH
HV-OLL	29:39	FAITH, FRESH, KASHU

SUPPLIMENTAL STATIONS, VERTICAL CONTROL: Identified:

Statlen	Photo No.	Compute from observations at
V-0100 A&B V-0101 A&B V-0103 A&B V-0104 A&B	2071.3 2871.3 2871.3 2871.2 2871.2	CULLEM CULLEM CULLEM CULLEM CULLEM
V-0105 A&B V-0106 A&B V-0107 A&B V-0108 A, B&C V-0109 A&B	2871.5 2871.4 2872.5 29029 28527	KINIA ECC. KINIA ECC. KINIA ECC. FRONT HV-005 Bec.
V-OLIO ASB SAA CLIO-V GAA CLIO-V GAA CLIO-V GAA ALIO-V	28522 28522 29020 28522 28652	CHURCHAR CHURCHAR NIFPLE CHURCHAR PRORT
V-0115 V-0116 V-0117 ASB V-0118 ASB V-0119 ASS	29034 28804 28826 28829 28829	SPADE GHOST VISOR VISOR VISOR
V-0120 A&B V-0121 A&B V-0122 A&B V-0123 V-0124	28827 28807 28808 28898 28898 29046	VISOR VISOR VISOR VISOR POSection on FAITH, FRESH, GHOST Besection on KASHU, FLOOD, DITCH
V-0125 V-0126 V-0129 AAB V-0130 AAB V-0131 AAB V-0132 AAB	28800 28806 2 3643 33649 33649 3377 6 7	resection on HOOPER, ANTLER, VISOR resection on COICE, BREAK PATTI AZ. HK. PATTI AZ. MK. PATTI AZ. MK. CARCOSE
Pk. 02 Pk. 02 Pk. 03 Fk. 04	28524 28653 28811 28813	CHURCHAR, CHAIN, GRASS CHURCHAR, PROMT VISCR CABOOSE
V-0127 49B V-0128 49B	33647	PATTI AZMK
V-0133 AAB	33647 33715	" " " CABOOSE
V-0134 118	337/6	"
V-0140 ASB	33716	OLIVE
10-1		

(see Note opposite 128)

-13-

TOPOGRAPHIC STATICIES. MARKED ALD IDERTIFIED: (To be located by radial plot.)

Station	Photo lie.
Able, 1951 Andy, 1951 Babe, 1951	28533 28544
Babe, 1951	28519
Beam, 1951	28635
Caim, 1951	29018
Chan, 1974 Como, 1951	23802 23798 28877
Gamo, 1951 Dime, 1951 Dolt, 1951 Dope, 1951	28507 28658 2851,3
Good, 1951	2901.7
Herb, 1951	28496 , 26795
Heep, 1951	29052
July, 1951	28511
Kulm, 1951	28644
Lite, 1951	26546
Malt, 1951	29049
Milk, 1951	2 65 00
Ocea, 1951	26536
Oral, 1951	28647
Pens, 1951	28538
Pond, 1951	2823
Sand, 1951	28515
Tome, 1951	28517, 28518
True, 1951	28795
Type, 1951	28540
Zone, 1951	29 704

^{*} Position smallable from observations by Ship EXPLORER.

HTTRE GRAPHIC STATIONS. HEATIFAED: (To be located by radial plot.)

Station	Photo No.	Station	Photo lie-
Alt v	28795	Boy	28531
ASTR 💆	28531	Case	28532
Agh	28795	Con	29053
Bit	28532	Gop 🔧	29794 28532
Bob .	29020	Dag 🖟	20334

-14-

HTTROGRAPHIC STATICLES. IDS TIFTED: - Continued - (To be located by redial plot.)

Station	Photo ic.	Station	moto in.
Ege (28532	Rut -	29059
Pat	29053	Obo	29053
Fin	28531	Qrb	2901/8
Fun 🗸	2901.6	Pess -	28531
Gob	2901.6	Pie	29053
Hap	28530	Pin ·	26530
Tato 😭	2901.6	Pon	28697
Jie	28794	Ros	28813
Job	29016	Rom	25795
Ken	2901.6	Uto	29000
Lou	29053	Vet	2)022
LAM	2901.6	Her .	29022
Tad .	2901.7	Yes	29021
Nog	29530	Zot	28795

LANDMARKS. IDENTIFIED

Station	Photo lio.
COUNTROP, pinnedle of massive group	
(Rydro Cop)	28794
PEAK, chimney rook (RIPPLE, 1951)	29020
ROCK (RESIST, 1951)	28530
SPIRE, church (TUNUBAK, CATHOLIC CHURCH,	
SPIRE, 1951)	29018
CPRE, church (Kipraic)	28549
TOWER, Aid Light, open construction.	
40 feet high, (HOOPER BAY AND	
LICHT, 1951)	25 901

^{*} To be located by the radial plot.

SHORELINE, DISPECTED!

Photo lie.	Photo Ro.	Photo Ko.	Photo lin-
28501	28508	28514	28519
28504	28510	2851.5	26 520
28505	28511	28516	20529
28506	28512	28517	28530
28907	28513	2851.8	28531

-15-

500 LINE. INSTITUTED: - Continued

Proto In.	iboto lie.	Photo lio.
26547	28844	22021
28548		2)022
28697		29 023
		2,032
28795	28850	29033
28796	28651.	29039
	23357	29040
		29043
23823		29050
20829	29017	29052
28 830	2901.8	20058
20931		+33659
28832		*3372A
28843		otography
	26547 28548 28697 28794 28795 28796 28797 28801 28823 28828 28828	28547 28844 28548 28845 28697 28846 28794 28349 28795 28850 28796 28651 28797 28857 28801 28858 28823 29016 28829 29017 28800 29018 28831 29019 28832 29020

VEGERAL COVER AND CHLAURAL PENTERES!

Photo lie-	Photo No.	Photo No.	Photo Lo.
28500	28520	28544	2873.7
28501	26522	28545	28720
28504	28523	28546	28721
28505	28530	28547	28794
28 506	28511	28548	28795
28507	28532	28549	28796
20 508	28535	28551	28797
2850.0	28536	28696	28798
2351	28537	28697	28799
28512	22538	28698	28800
2851.3	28539	28711	28801
2851.5	28540	2873.3	2005
28516	28541	28714	23506
2351.3	295/2	2873.5	28309
28519	20812	28726	28712
KODLY	28563	With Limit	Service of the servic

VECETAL COVER AND CULTURAL PEATURES: - Continued

Photo No.	Photo No.	Photo No.	Photo No.
28827	28848	29027	29045
28828	28849	29028	29046
28830	28850	29031	29050
28831	28851	29032	29051
28832	28852	29033	29052
28834	28857	29036	29053
28838	28858	29038	29053
28839	2901.6	29039	*23659
28843	2901.8	29040	*33667
28844	29020	29042	*337722
28845 28846	29022 29023	29043	

92.951 photographs being submitted with Project Ph-73A(51).

Note: Photos filed under PH-56(49)

DEPARTMENT OF COMMERCE

EODETIC SURVEY U. S. COAST AN

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

TO BE CHARTED TOXBEXDECEMENT

STRIKE OUT ONE

CENTUR, ALASKA

Sanson

10

I recommend that the following objects which have (have not) been inspected from seaward to determine their value as landmarks be charted on (deleted from) the charts indicated,

0.5. Riavold

The positions given have been checked after listing by


Hiler J. Tonkel

1

CHARTS AFFECTED of Party. 328 328 5305 2000 C 9302 Н OFFSHORE CHART M H HANBOR CHART LOCATION 1951 . LOCATION AND SURVEY No. Travera Padle Recital METHOD FISH Plot Try H DATUM 18.5 18.5 * 韓 ¢ * 28,74 151.40 433.70 D. P. METERS LONGITUDE 8 415.52 165 08 1800.11 165 03 19.60 165 15 164 02 166 06 POSITION 166 0 D. M. METERS LATITUDE Ħ H 67 20 22 35 S 8 8 જ 0 Ø থ Eydro. Geo SIGNAL Glumch, gritze, 1951 (Booper Bay Add Light, 1951) Chargest Cathello Chienes rook (NIPILE, 1971) Pinacle of messive group DESCRIPTION Territory of Alaska Cramch, Kignik (Resist, 1971) Open construction Church CHARTING OUTCACK ELSTAX. SPIRS SP.138 TOTE PEAK ROCK

34 The data should be considered for the charts of the area and not by nonfloating This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and individual field survey sheets. Information under each column heading should be given. aids to navigation, if redetermined, shall be reported on this form.

U. S. GOVERNMENT PRINTING OFFICE: 1949 O - 853418



PHOTOGRAMMETRIC FLOT REFORT-Project Ph-56 Surveys T-9698 thru T-9703

21. AREA COVERED

This radial plot covers the area of Surveys T-9798 thru T-9703. These topographic surveys cover part of the area of Nelson Island at Etolin Strait between Ningaluk River and Tooksook Bay. The surveys will be compiled with the Reading Plotter.

22. METHOD - RADIAL PLOT

Map Manuscripts:

Vinylite sheets with polyconic projections in black and Universal Traverse Mercator grids in red, at a scale of 1:20,000, were furnished by the Washington Office.

All control stations and substitute stations were plotted using the beam compass and meter bar.

A sketch showing the layout of these surveys and the distribution of photograph centers and control is attached to this report.

Photographs:

All photographs used were nine-lens metal mounted photographs at a scale of 1:20,000. Sixty-three (63) photographs were used in the plot - numbered as follows:

28518 thru 28539 28550 thru 28553 28555 29015 thru 29023 38090 thru 38098 38109 thru 38115 38117 thru 38122 38180 thru 38184

Templets:

Vinylite templets were made from all photographs using a master templet to adjust for errors due to chamber displacement. Radial lines were scratched on the templets and scratches were filled in with china marking wax pencils. Red pencil was used for all shoreline (Rectification) pass points and black pencil was used for all other radial lines.

Closure and Adjustment to Control:
For difficulty encountered in this area see Radial Plot Report for Surveys T-9691, T-9692 and T-9694 thru T-9697.

This radial plot was laid directly on the map manuscripts beginning with photograph 28531 and continuing northeasterly to photograph 28522. Then the flight starting with photograph 38115 was laid extending it northeasterly to photograph 38109. In doing so it was found that the previous trouble lay with the identification of Triangulation Station PATCH, 1951. These two flights were continuous and adequately controlled; and offered a good base to tie in the five flights to the north.

All the flights northwesterly of the two previously mentioned flights were laid, and then the flights to the southeast, and tied into control stations MEANDER, 1951; HEART, 1951 and HV stations 003, 004 and 006. A rigid plot was obtained and no difficulty was encountered with the exception of flight 29015 thru 29023. (See paragraph 25).

Transfer of Points:

The position of all centers, passpoints and control stations were pricked on the top templets and circled with a 3 mm circle. They were then established on the remaining templets and map manuscripts by drilling down through them with a small (.01 inch) jewelers drill. All points were circled on each remaining templet as it was removed; and finally on the map manuscripts.

23. ADEQUACY OF CONTROL

The horizontal control was adequate for a satisfactory radial plot in the area covered by this report. All control stations were held except as follows:

PATCH, 1951, Sub. Pt. "B" - The radially plotted position falls 1.3 mm northwest of the plotted position. This Sub. Pt. is believed to be misidentified. During stereoscopic verification of this point it was noted that by measuring back in approximate azimuth, there is another small mound of moss. This point was not repricked. Sub. Pt. "A" was good and held in plot.

HUMPTY, 1951, Sub. Pt. - The radially plotted position falls 0.4 mm northwest of the plotted position. This Sub. Pt. is believed to be misidentified. While studying this area stereoscopically it was noted there were several other patches of grass in azimuth with the station. This point was not repricked.

TOOKSOOK, 1951 - This station falls outside of the area of 1950 photography available at the time of field inspection. TOOKSOOK, was pricked in the office with the aid of the stereoscope and information available on the C.S.I. card made in the field in 1951. It is believed that sometime between the time the station was marked on the ground and the photographs taken in 1952, the markings disappeared. The radially plotted position falls 0.4 mm east of the plotted position. This point is not needed for rectification for the reason there is an abundance of "R" points in this area on the photographs. No attempt was made to reprick this station.

24. SUPPLEMENTAL CONTROL

None.

25. PHOTOGRAPHY

The definition of the photographs was good; and the coverage was adequate for the area of this report.

Though several tilted photographs were used in this plot, no filt

determination was necessary because the degree of tilt was not enough to affect the plot.

One of the fiducial marks was missing in chamber 4 and one in chamber 8 on all 1952 photographs. Chamber No. 1 is missing completely from photograph No. 29022.

Most of the entire flight of photographs 29015 thru 29023 was twisted and tilted. This flight was laid holding intersection of pass points from other photographs. Difficulty was encountered while laying this flight to hold NEISON, 1951 and TABLE, 1951; both elevated triangulation stations.

26. VERTICAL CONTROL

It was noted while making up Vertical Control Sheets for each map manuscript, the published elevation for TUNUNAK, 1951 is listed as 10.32 meters (36 feet). This may be an error in conversion to feet.

V-0112 - While pricking these two points in the office it was noted that the field identification and horizontal angle die not agree and also points appeared to be on the wrong side of the lake. The points used in the radial plot were office identified. Even though they check themselves by 0.6 of a foot it is felt advisable to verify them by rectifying photograph 29019 first before using these points for rectifying other photographs.

V-Olli - The elevation was not computed because: (1) The horizontal angles do not check the radially plotted position. (2) The photographs affected fall outside of the project limits. (3) Sufficient "R" points and points of known elevation are in the immediate vicinity if rectification is desired of these photographs.

V-0110 - This point falls on one photograph only.

V-0108 and V-0114 - These points were rejected because of the abundance of "R" points in the vicinity.

PK-01 - This is a very flat topped peak. The horizontal angles place the point over on the edge of the table topped peak. The point was computed using the distance to both the radially plotted position and position established by the horizontal angles. It was noted, however, that the vertical angle from CRASS, 1951 did not check out; but a vertical angle to an unidentified peak does. It is believed advisable to verify this elevation by rectifying photograph 38093 before using it on other photographs.

PK-02 - This is a very large table-topped peak and although it was field identified it could move several hundred meters. The outside edge of this table-topped peak was traced onto the map manuscript. The elevation was computed using both the radially plotted position and the edge of the peak and horizontal angle cuts for distance (s) on Form 29D. The elevation does not check by approximately 23 feet. This peak should be rejected for rectification of the photographs.

SLOUGH, 1951 - There is no published elevation for this station but since the Sub Pts were marsh points they were made "R" points for rectification.

RESIST, 1951 - There seems to be no published elevation for this station. The field man on the C. S. I. card states it is approximately 20 feet high. Use with caution.

27. RECOVERABLE TOPOGRAPHIC STATIONS

The positions of all recoverable topographic stations which were identified were established in the radial plot. Those identified by a substitute point were plotted with a steel protractor and meter bar before the map manuscripts were disassembled.

The position of GOOD, 1951 may very well be in error of 0.3 mm or even greater. The field man failed to describe what he was trying to prick for an azimuth point and on the field photograph there are three prick holes. It also should be pointed out that the distance between the photograph point and the photograph azimuth point is far too short for a good azimuth to the station.

28. SUPPLEMENTAL MAP MANUSCRIPT

A vinylite sheet was prepared for the area east of survey T-9701 to include stations GRASS, 1951; CHUKCHAK, 1951 and CHAIN, 1951. The sheet contains all of positions of the control stations, Sub. Pts., Vertical points, pass points, etc. If it is desired to have a map manuscript for this area, the points may be transferred from this sheet which was forwarded to the Washington Office.

Respectfully submitted

Lewy G. Benasack

16 July 1957


Leroy A. Senasack, Carto. Photo. Aid

Approved and forwarded

William F. Deane,

CDR. C&GS

Baltimore District Officer



FORM **164** (4-23-54)

DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE

CONTROL RECORD - ... COAST AND GEODETIC SURVEY

FROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS SCALE FACTOR (BACK) FORWARD (870.2) (699.1)(794.8) (698.3)(760.2)(740.1)(BACK) N.A. 1927 - DATUM FORWARD 148.0 6*986 209.1 1117.0 113.4 1158.8 DATUM SCALE OF MAP 1:20,000 OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET, (BACK) FORWARD PROJECT NO. Ph-56 LONGITUDE OR x-COORDINATE 36,089 07.491 LATITUDE OR W-COORDINATE 9 05 2 4 02 ଧ 165 ક 8 165 8 165 SOURCE OF INFORMATION (INDEX) N . A. 1927 = = p. 387 IΛ MAP T. 9698 STATION Sub. Pt. "A", INIET, 1951 Sub. Pt. "B" INLET, 1951 INLET, 1951

CHECKED BY. H. R. Rudolph

5/11/5

DATE.

COMPUTED BY. J. Steinberg.

1 FT. = .3048006 METER

DATE....

9/6/55

COMM- DC- 57843

MAP T. 2022 PROJECT NO. PR-50		PROJEC	- INC							
STATION	SOURCE OF INFORMATION (INDEX)	DATUM	LATITUDE OR y-COORDINATE LONGITUDE OR x-COORDINATE	OR y-COC	COORDINATE	DISTANCE FROM GRID IN FEET. OR PROJECTION LINE IN METERS FORWARD (RACK)	DATUM	N.A. 192 DIST FROM GRID OR I	N.A. 1927 - DATUM DISTANCE FROM GEID OR PROJECTION LINE IN METERS FORWARD GRACK)	FACTOR DISTANCE FROM GRID OR PROJECTION LINE IN METERS FORWARD (BACK)
rate of many	IV	N.A.	99	94	45.045			1394.2	(462.9)	
FRUNT, 1751	P• 501	1351	164	70	24.362			368.7	(539.4)	
Sub. Pt. "A"			99					1408.6	(1418.5)	
FRUNI, 1751			164	140				111.5	(1,96.6)	
Sub. Pt. "B"			09	91				1199.5	(657.6)	
HONT, 1951		•	164	140				482.5	(425.6)	
SLUMP, 1951	IV	=	9	841	49.702			1538.4	(318.7)	
	300	170	164	917	44.845			678.0	(229.1)	
Sub. Pt. "A"			09	84				1537.0	(320.1)	
LUMP, 1951		-	164	947				617.1	(290.0)	
Sub. Pt. "B"			9	148				1510.8	(346.3)	
LUMP, 1951		-	164	917				578.9	(328.2)	
(BASS. 1941	IV		99	元	32.633	E. of sheet		1010.1	(847.1)	
-//- 600	p. 300		164	33	14.038			212.6	(696.0)	
Sub. Pt. "A"			8	45				1013.0	(844.2)	
TOTA COMME			164	33				345.1	(563.5)	
Sub. Pt. "B"		•	99	元				1023.1	(834.1)	
CHADD, 1951		•	164	33				98.7	(809.9)	
										COMM- DC- 57843
T OH - T	- whome		1	111111		4 D. 4.1	1			

CONTROL RECORD

DESCRIPTIVE REPORT

U.S. DEPARTMENT OF COMMERCE

FORM 164 (4-23-54)

DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE

MAP T- 9700

FORM 164 (4-23-54)

CONTROL RECORD. ... COAST AND GEODETIC SURVEY

SCALE FACTOR

FACTOR DISTANCE FROM GRID OR PROJECTION LINE IN METERS (BACK) FORWARD DISTANCE FROM GRID OR PROJECTION LINE IN METERS (1402.4)(883,5) (1398.6)(1362.5)(885.9) (880.4) (BACK) N.A. 1927 - DATUM FORWARD 28.6 458.5 9.464 454.7 26.2 31.7 DATUM SCALE OF MAP_1:20,000 DISTÂNCE FROM GRID IN FEET. OR PROJECTION LINE IN METERS (BACK) FORWARD PROJECT NO. Ph-56 LONGITUDE OR x . COORDINATE 14.692 01.878 LATITUDE OR W-COORDINATE <u>-</u> 38 සි 38 08 38 8 9 8 S 165 165 165 DATUM N.A. 1927 = SOURCE OF INFORMATION (INDEX) p. 380 ΛΙ 1 FT. = .3048006 METER Sub. Pt. "A" NIPPLE, 1951 Sub. Pt. "B" NIPPLE, 1951 STATION NIPPLE, 1951

COMM- DC-57843

DATE

COMPUTED BY J. Steinberg

5/11/5

H. R. Rudolph CHECKED BY:...

DATE 7 June 1955

, , , ,				וואספשו	DESCRIPTIVE REPORT	CONTROL MECURD	10.4			
MAP T. 9701		PROJEC	PROJECT NO. Ph-56	Ph-5	S	SCALE OF MAP 1:20,000	000	SCALE FACTOR	CTOR	
STATION	SOURCE OF INFORMATION (INDEX)		LATITUDE OR y- LONGITUDE OR x	: OR y-CO E OR x-C(LATITUDE OR y-COORDINATE LONGITUDE OR x-COORDINATE 1	DISTANCE FROM GRID IN FEET, OR PROJECTION LINE IN METERS FORWARD (BACK)	DATUM	N.A. 1927 - DA DISTANCE PROM GRID OR PROJECT IN METERS FORWARD		FACTOR DISTANCE FROM GRID OR PROJECTION LINE IN METERS FORWARD (BACK)
HIMDRY 19¢1	IV 380	N.A.	99	다	58.414			4	49.1)	
דר לד פווזוטוו	Pr. 700	1351	164	57	23.835			361.6 (54	548.7)	
Sub. Pt.			09	巾				1767.5 (8	89.6)	
HUMPTY, 1951		=	164	57				249.6 (66	(660.7)	
PATCH, 1951	n. 387	=	9	Orl	16.781			519.4 (133	(1337.7)	
			164	1,3	33.939			515.4 (39	395.8)	
Sub. Pt. "A"		•	9	140				96) 6.968	960.2)	
FATCH, 1951			164	143				533.8 (37	(377.4)	
Sub. Pt. "B"			09	100				883.5 (97	973.6)	
PATCH, 1951		=	164	13				689.4 (22	221.8)	
the waterne	IV -	•	99	약	16.279			503.9 (135	(1353.2)	
CHAIN, 1721	٠٠٠ مرر		164	28	59.358	E. of sheet) h.106	9.8)	
Sub. Pt. "A"			09	아				393.9 (146	(1463.2)	
CHAIN, 1951		-	164	28				810.8 (10	(100.4)	
Sub. Pt. "B"			8	9				651.3 (120	(1205.8)	
CHAIN, 1951			164	29				53.6 (89	(9.758)	
сникснак, 1951	IV		09	113	05.827	F of sheet		180.3 (167	(1676.8)	
	p. 301	=	164	20	05.215			79.1 (83	830.7)	
Sub. Pt. "A"		=	09	113				155.2 (170	(1701.9)	
			164	20				67.3 (81	(842.5)	
Sub. Pt. "B"		=	09	43				106.1 (179	(1751.0)	
			164	20		•		55.4 (89	854.4)	
			*							
1 FT = 3048006 METER COMPUTED BY. J. Steinberg	einberg	DA	DATE	5/12/55	55	CHECKED BY. H. R.	R. Rudolph	th DATE	7 June 1955	55 COMM- DC- 57843

FORM **164** (4.23-54)

DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE

COAST AND GEODETIC SURVEY

CONTROL RECORD - ...

SCALE OF MAP 1:20,000

Ph-56

PROJECT NO.

MAP T-9702

SCALE FACTOR

DISTANCE FROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS (BACK) 5841) FORWARD (376.4)(1185.7)225.4 (1631.7) 57.9 (855.6) (44444) (124.1)(127.5)118.7 (1738.4) 259.8 (655.7) 340.6 (1516.5) (395.3)(418.6) (1.381.1)(1372.7)(3-4471) (1770.6)284.7 (630.8) 81.6 (831.9) (780.9)(393.2)64.5) 614.8) (123.7)(BACK) N.A. 1927 - DATUM 86.5 371.4 476.0 112.3 850.9 787.9 13461 1412.7 484.4 1961 538.3 791.7 300.7 1849.8 1461.8 521.5 1533.0 FORWARD DATUM OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET. (BACK) FORWARD 55.774 LONGITUDE OR x-COORDINATE 05.359 59.765 47.230 34.207 11.999 03,628 19,705 11,003 LATITUDE OR V.COORDINATE 08.795 15 7 35 35 댔 8 32 60 32 6 32 8 8 20 짂 엉 긺 8 띴 8 31 31 ᇨ 165 8 165 8 165 165 165 165 165 ŝ S જ ઉ 8 165 8 165 8 8 165 8 165 8 165 DATUM N.A. 1927 Ħ £ = F = = = Ξ E Ħ SOURCE OF p• 388 p. 385 p. 380 p• 388 p. 385 (INDEX) AI STATION TUNUNAK ASTRO V/(USAF), 1951 Sub. Pt. "A" BLUFF, 1951 Sub. Pt. "B" BLUFF, 1951 VÍTUNUNAK ASTRO Sub. Pt. "B" NELSON, 1951 Sub. Pt. "A" FORTAL, 1951 Sub. Pt. "B" PORTAL, 1951 nelson, 1951 NELSON, 1951 FORTAL, 1951 Sub. Pt. "A" RESIST, 1951 BLUFF, 1951 Sub. Pt.

COMPUTED BY J. Steinberg 1 FT. = .3048006 METER

5/16/55

DATE

CHECKED BY. H. R. Rudolph

DATE 7 June 1955

DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE

PROJECT NO... Ph-56

MAP T- 9702

CONTROL RECORD COAST AND GEODETIC SURVEY

SCALE FACTOR

COMM- DC- 57843 FACTOR DISTANCE
FROM GRID OR PROJECTION LINE
IN METERS (BACK) 7 June 1955 FORWARD DISTANCE FROM GRID OR PROJECTION LINE IN METERS (1528.5)(1491.9 (232.3) (268.9 (332,5) (1798.0 478.9 (887.0) (81h.o (1472.3 1,108) (1105.1 (1122.7 (1081.3 (BACK) N.A. 1927 - DATUM DATE. 365.2 FORWARD 328.6 99.5 384.8 112.4 752.0 680.6 775.8 59.1 26.5 734.4 644.0 434.7 580.4 H. R. Rucolph DATUM CORRECTION SCALE OF MAP 1:20,000 OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET, (BACK) CHECKED BY:.. FORWARD LONGITUDE OR x-COORDINATE 10.615 28.546 24.297 01.908 01.740 14.73 LATITUDE OR V. COORDINATE 35 15 15 15 H 15 35 35 35 36 H 36 36 Ξ DATE 5/16/55 8 165 જ 8 165 165 9 8 165 જ 165 165 165 8 DATUM N.A. 1927 = = = = = = SOURCE OF p. 385 p. 388 p. 386 (INDEX) COMPUTED BY J. Steinberg <u>></u> CHURCH SPIRE, 1951 TUNUNAK CATHOLIC 1 FT.= 3048006 METER STATION Sub. Pt. "A" TUNUMAK, 1951 Sub. Pt. "A" TABLE, 1951 TUNUNAK, 1951 TOWNIAK, 1951 Sub. Pt. "B" Sub. Pt. "B TABLE, 1951 TABLE, 1951

FORM **164** (4-23-54)

FORM **164** (4-23-54)

DESCRIPTIVE REPORT (U.S. DEPARTMENT OF COMMERCE

PROJECT NO. Ph-56

MAP T- 9703

COAST AND GEODETIC SURVEY

CONTROL RECORD

SCALE FACTOR SCALE OF MAP....1:20:000.

COMM- DC- 57843 FROM GRID OR PROJECTION LINE IN METERS (BACK) FORWARD DISTANCE FROM GRID OR PROJECTION LINE IN METERS (881.8) (520.6) (11/9.7) (1192.1)(1351.1) 791.3) 502.0) (839.8) (BACK) N.A. 1927 - DATUM 506.0 662.0 123.6 1336.5 FORWARD 707.4 75.1 11.3 33.1 DATUM OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET. (BACK) FORWARD PLOT GRAPHICALLY PLOT GRAPHICALLY LONGITUDE OR x-COORDINATE 22.854 02.168 LATITUDE OR #-COORDINATE 43.18 27.02 35 32 앜 32 57 3 5 22 8 164 8 8 164 8 164 191 DATUM N.A. 1927 = = = SOURCE OF p. 385 (INDEX) Ħ 7 STATION Sub. Pt. "B" MOUTH, 1951 Sub. Pt. "A" Sub. Pt. "B" HV-005 Sub. Pt. "A" MOUTH, 1951 MOUTH, 1951 HV-005 HV-005

7 June 1955

DATE...

H. R. Rudolph

CHECKED BY

5/16/55

DATE.

COMPUTED BY. J. Steinberg

1 FT. = .3048006 METER

Compilation Report

T-9698 thru T-9703

31. Delineation

The manuscripts were compiled on the Reading Ninelens Plotter, model "A". A small area in the south east corner of T-9703 was not compiled because of the lack of photography.

32. Control

See radial plot report for discussion of horizontal and vertical control.

Inasmuch as none of the elevations of the supplemental vertical control points could be verified during the radial plot process, they were not used for rectification or model orientation. In areas where the main scheme stations were too sparse for rectification, elevations were determined by vertical bridging on the plotters.

The published elevation of triangulation station MOUTH (T-9703) could not be held on the instrument. There was sufficient tidewater control to indicate that this elevation is 7 feet too high. The instrument elevation was shown on the manuscript.

33. Supplemental Data

None

34. Contours & Drainage

There was no difficulty encountered in delineating the contours or drainage.

35. & 36. Shoreline, Alongshore and Offshore Details

No comment

37. Landmarks & Aids

The descriptions and positions of all landmarks were submitted by the field party. There are no aids to navigation.

38. Control for Future Surveys

+,,, Forms No. 524 were submitted for the following photo type stations

T-9701

BABE

T-9702 ABLE, GOOD

39. Junctions

Junctions were made with all contemporary surveys as shown on the attached location diagrams.

40. Horizontal and Vertical Accuracy

There are no known areas of questionable horizontal or vertical accuracy.

46. Comparison with Existing Maps

The area of these maps is covered by U.S.G.S., 1:250,000 scale maps - BAIRD INLET and NUNIVAK ISLANDS, dated 1951. The location of the village of UKAK, on G.S. quad. BAIRD INLET, was moved approximately 15 miles southward. The position of TANUNAK landing strip on G. S. quad NUMIVAK ISLAND is apparently in error. It is shown in its correct location on Te9702.

47. Comparison with Nautical Charts

The largest scale nautical chart of the area is No. 9302, revised 12/24/56 scale 1:534,000. /: 1,534,076

Items to be applied to charts immediately - none

Items to be carried forward - none

1534076

Approved by

Louis Levin

Supervisor, Nine Lens Stereo. Unit

Submitted by

Clarence Misteldt

Cartographer

T-9698

One topographic station - TAME, 1951 - was established in the field and its position determined by radial ptlot.

No photo hydro stations were established.

T-9699

No topo or hydro stations were established.

T-9700

No topographic stations were established.

The following photo hydro stations were established.

Hydro-

Name	Photo No.	Description
UTE	29020	center of boulder
ВОВ	11	top of 5' boulder, most prominent
		in vicinity
YEL	29021	center of largest boulder in
		vicinity
VET	29022	center of boulder
WAR	29022	n n

T-9701

There were no topo or photo hydro stations established.

T-9702

The following topographic stations were established in the field and their positions determined by radial plot methods:

CAIN 1951 ABLE 1951

GOOD 1951

The following photo hydro stations were established

FUN 29017 seaward edge GOB 29017 top of largest most seaward boulder IMP 29017 center of boulder LUM 29017 center of boulder JOB 29017 top, seaward edge of bluff KEN 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder FIN 28531 center of split boulder	Neme	Photo No.	Description
GOB 29017 top of largest most seaward boulder IMP 29017 center of boulder LUM 29017 top, seaward edge of bluff KEN 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	EGG	28532	center of boulder
IMP 29017 center of boulder LUM 29017 center of boulder JOB 29017 top, seaward edge of bluff KEN 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	FUN	29017	seaward edge
LUM 29017 center of boulder JOB 29017 top, seaward edge of bluff KEN 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	GOB	29017	top of largest most seaward boulder
JOB 29017 top, seaward edge of bluff KEN 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	IMP	29017	center of boulder
MAD 29017 boulder - top of bluff MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	LUM	29017	center of boulder
MAD 29017 center of boulder ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	JO B	29017	top, seaward edge of bluff
ORB 29018 center of boulder PIN 28530 seaward face - exposed bedrock NOC 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	KEN	29017	boulder - top of bluff
PIN 28530 seaward face - exposed bedrock NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	MAD	29017	center of boulder
NOG 28530 seaward point HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	ORB	29018	center of boulder
HAP 28530 bayward point of rock BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	PIN	28530	seaward face - exposed bedrock
BOY 28531 sharp bayward side of point ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	NOG	28530	seaward point
ARM 28531 bayward face of rk outcrop DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	HAP	28530	bayward point of rock
DAG 28532 top of largest and highest boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	BOY	28531	sharp bayward side of point
boulder in group CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	ARM	28531	bayward face of rk outcrop
CAM 28532 center of central boulder of three at MHWL BIT 28532 center of split boulder	DAG	28532	top of largest and highest
three at MHWL BIT 28532 center of split boulder			boulder in group
BIT 28532 center of split boulder	CAM	28532	center of central boulder of
			three at MHWL
PEA 28531 E gable, green roof, of frame bldg.	FIN	28531	top of lone pinnacle rock

T-9703

There were no topo or photo hydro stations established.

Review Report of Topographic Surveys T-9698 thru T-9703 January 1959

62. Comparison with Registered Topographic Surveys:

There are no registered topographic surveys of this area.

63, Comparison with Maps of Other Agencies:

BAIRD INLET, ALASKA, 1:250000 Ed. of 1951, US Geological Survey NUNIVAK ISLAND, "

These charts are of a topographic reconnaissance series and agree with subject survey as well as map-type and scale differences allow.

Comparison with Contemporary Hydrographic Surveys:

None!

65. Comparison with Nautical Charts:

9302

1:1534076

Revised to 9/29/58

This is the largest-scale nautical chart of subject area and unsuitable for a detailed comparison.

66. Adequacy of Results and Future Surveys:

Subject surveys (6) comply with project instructions and meet requirements of adequacy and accuracy.

Reviewed by:

Approved by:

Chief, Review & Section

Photogrammetry Division

wausa Photogrammetry Division

March 30,1961

New Year Chart Division Office of Cartography

Chief, Nautical Chart Branch - Charts Division 5/18/61

Coastal Surveys

Assistant Director for Oceanography

On tho. o Cajite of Mes **GEOGRAPHIC NAMES** Or local Hade tide Hotel Survey No. T-9698 B E F Name on Survey G K Bering Sea Hazen Bay National 3 Wildlife Refuge 4 Kigigak Island Nelson Island 5 6 approved 1-10-59 Hames r. Heck⁸ 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 1 25 26 27 M 234

GEOGRAPHIC NAME Survey No.		/ ~	of the state of th	D D	See The	T. Mad	Caide of	A SOUTH OF S	N. S. Jake J. S.	<u>}</u> / .
T-9699 Name on Survey	6	Char.	40. Q	13. Mg.	or normation	Or local trade		20rd AT	25.7	/
rame on Survey	- (A	<u> </u>	/ c	D	/ E	F	G	<u> </u>	/ K	
Nelson Island		<u> </u>		ļ		<u> </u>	ļ	ļ		
Kigigak Island		ļ		ļ		ļ	ļ			
Ningalu k River			<u> </u>	ļ	ļ <u>.</u>	<u> </u>				;
Nunakak Camp			<u></u>	<u> </u>	ļ. 		ļ			
				Nav	ر جع	ppr	o vad	1-	10-59	į
						11.		1-, i	Hear	
					-					
······································						 				10
							<u> </u>			11
***					}	 	·			
			-	 ·	<u> </u>					12
							-			_13
)							-	14
				 -						15
					 	ļ				16
	-	<u> </u>		[<u> </u>					_17
	<u> </u>] 		 				18
		<u> </u>	<u> </u>			ļ				19
] 		<u> </u>						20
										21
			!	<u> </u>				 		22
						,				23
										24
				 		r ·				25
]						26
										27
	+	 								1 234

•

Or Are Or J. S. Heds lies Q.O. Guide of Mack GEOGRAPHIC NAMES ron rock side Or local Mars Survey No. T-9700 F В É Name on Survey G Κ Bering Sea Ikalugtulik River 2 Killinupak Mountair 3 L. Heck 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 M 234

) E

T-9701	/	20 0	Credito"	S. Mady	L'OCLUSIO		Child.	det	/ z.; ³⁸ /	
	/	40.\Q	AO OF	D. Mag.	or local tid	Or laco Moc	O. Cajide o	Mod Mod Market	J. S. Light	,
Name on Survey	<u> </u>	/ B	/ c	D	E	/ F	G	/ H	/ K	\leftarrow
Nelson Island						<u> </u>		<u> </u>		_
Erchakrtuk Mt.		ļ	ļ							_
and the second s										
Bering Sea										
UKar				Na.	4 P.S	286	~~	<i>e</i> 9	1-20-5	9
						11		٢		_
				-						
								 		
								<u> </u>	 	1
			 			 			}	
*.				<u></u>				 -	 	1
			 			-		 	 	1
								 -=	 - -	1:
			ļ ——-			ļ.— <u> </u>			 	1.
										1
			 -					<u> </u>		1
		<u> </u>								1
						-	· ·		-	10
								 	 	1:
					·					2
										2
										2:
						•			<u></u>	23
						r				24
		ļ							ļ	2
	·									26

C C Or S. Wales of P.O. Gilibe of Men **GEOGRAPHIC NAMES** Or local Made ari do rotal Survey No. Or NO. T-9702 Name on Survey Bering Sea Tanunak Bay Etolin Strait 3 Kagirlvar Bay Chinit Point 5 6 Ugchirnak Mt Tanunak 8 Tanunek River Talurarevuk Point Cape Vancouver 10 11 Kitnik Mt 12 Atrnak Pt 13 Nealruk Mt 14 Alakuchak River 15 Nunakolek -16 Umkumiut-17___ Uluruk Point 18 Names approved 1-20-59 19 20 21 22 23 24 25 26 27

₩ 234

_	Survey No. T-9	· /.	Chor.	de de la	S. No. C.	or oco jed	Or ocal wat	So Caide	A SOLO WEND IN	J.S. Jan. J.S.]
	Name on Survey	A	B	C Section		E	or / F	Q.	Α ^υ H	×. / K /	<i>/</i> .
	Nelson Island										1
	Kangirlvar Bay				 _			-	-	<u> </u>	2
	Kasinuk Mt.						-				3
	Tooksook River		-	-	<u></u>	ļ	-	-		-	4
						Nan	مهدح مر	8401	2d 1	-20-5	5
			ļ	ļ. 	 -				-		- 6
			<u> </u>		-			<u> </u>	-		7
											8
					-						9
					<u> </u>	 					10
	* :							<u> </u>			11
									 	,	13
									ξ		14
											15
		·									16
:					- ` `						17
	,										18
											19
					-	-		 			20
									<u> </u>		21
						<u> </u>					22
					ļ		`				23
		-									24
							-:-				25
								 		<u> </u>	26

NAUTICAL CHARTS BRANCH

SURVEY NO. <u>T-9698</u> thru T-9703.

Record of Application to Charts

DATE	CHART	CARTOGRAPHER	REMARKS
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
-			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
•			Before After Verification and Review
			Before After Verification and Review
-			
			M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.