#### NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

# DESCRIPTIVE REPORT

DEOUNT TIVE INCLUDED
THIS MAP EDITION WILL NOT BE FIELD EDITED
Map No. Edition No.
11
Job No.
РН-6906
Map Classification
CLASS III FINAL
Type of Survey
SHORELINE
LOCALITY
State
ALASKA
General Locality
CONTROLLER BAY
Locality
BERING RIVER
19 69 TO 19
REGISTERED IN ARCHIVES
DATE

	Δ	4	ارس
1	of	Ţ	. <b>6</b> ,


NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP. 00075
	A ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS III Final
	REVISED	<sub>ЈОВ</sub> РН- 6906
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Ctr.	LAST PRECEEDIN	IG MAP EDITION
Norfolk, VA	TYPE OF SURVEY	JOB PH-
OFFICER-IN-CHARGE	ORIGINAL	MAP CLASS
	RESURVEY REVISED	SURVEY DATES: 19 TO 19
A. Y. Bryson	d Keyises	
I. INSTRUCTIONS DATED	7 - 2 -	TELD
1. OFFICE		IELD
Aerotriangulation September 21, 1970	Field	May 29, 1969
Compilation November 20, 1970		
Memo April 10, 1984		
	<u> </u>	
II. DATUMS	OTHER (Specity)	
1. HORIZONTAL: XX 1927 NORTH AMERICAN	OTHER (Specity)	
XX MEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL:	1	
MEAN LOWER LOW-WATER		
MEAN SEA LEVEL  3. MAP PROJECTION		515 (6)
	STATE	RID(S) ZONE
Polyconic	Alaska	3
5. SCALE 1:10,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY	I Saperstein	Feb 1971
METHOD:Anayltic LANDMARKS AND AIDS BY	H Eichert	Feb 1971
2. CONTROL AND BRIDGE POINTS PLOTTED BY	I Saperstein	Feb 1971
метнор:Coradomat снескер ву	H Eichert	Feb 1971
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	A Shands R White	March 1971 March 1971
COMPILATION CHECKED BY INSTRUMENT: WILD B8 CONTOURS BY	N/A	
SCALE: 1:10,000 CHECKED BY	N/A	
4. MANUSCRIPT DELINEATION PLANIMETRY BY	A Shands	March 1971
CHECKED BY	B Wilson	March 1971
CONTOURS BY	N/A	
Smooth drafted CHECKED BY	N/A	Manage 1071
SCALE: 1.10 000	A Shands	March 1971 March 1971
1:10,000 CHECKED BY  5. OFFICE INSPECTION PRIOR TO FIELD EDIT  BY	B Wilson B Wilson	March 1971 March 1971
ву	N/A	
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	N/A	
7. COMPILATION SECTION REVIEW Class III BY	F.Mauldin	Feb 1984
8. FINAL REVIEW Class III BY	L. O. Neterer Jr	June 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	L. O. Neterer Jr P. Hawkins	SEP 1984
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY  11. MAP REGISTERED - COASTAL SURVEY SECTION BY	R.S.KORNSPAN	DEC 1984 J FEB 1985
NOAA FORM 76-36A SUPERSEDES FORM CAGS 181 SERIES		- 1765 1969

		COM	TP+0007		ANIC AND A		DMINISTRATION DCEAN SURVEY
1. COMPILATION PHOTOG	RAPHY						
RC-8 "E" 1	focal le	ngth=152.71	TYPES	F PHOTOGRAPHY		TIME REFER	ENCE
TIDE STAGE REFERENCE  XXPREDICTED TIDES  REFERENCE STATION  TIDE CONTROLLED PA	RECORDS		(C) COLO (P) PANC (I) INFR	R HROMATIC	MERIDI	Kon AN 5th	XXSTANDARI
NUMBER AND TYP		DATE	TIME	SCALE	1 13:	STAGE OF T	IDE
69 E(c)-2129-2130		Aug 25,1969	9:45	1:30,000	5.9	ft above	<del></del>
69 E(c)-2160-2161	L	Aug 25,1969	10:12	1:30,000	6.8	3 ft above	MLLW
					mean	tide range	e=7.7 ft
REMARKS			,				
The mean high wa	ater lin	e was compil	led from	the above lis	ted phot	tography.	
			·				
3. SOURCE OF MEAN LOW There was no me							
	ean lowe	r low water	line com	piled.	or photogrami	netric survey inf	, ormation.)
There was no me	ean lowe	r low water	line com	piled.	or photograms		ormation.)
There was no me	ean lowe	r low water	line com	piled.			
There was no me	ean lowe	r low water  SURVEYS (List of	line com	piled.			COPY USED

TP-00075	NATIONAL OCEANIC AND A	DEPARTMENT OF COMMERC TMOSPHERIC ADMINISTRATIO NATIONAL OCEAN SURVE
HISTORY OF FIELD	OPERATIONS	
I. XX FIELD INSPECTION OPERATION FIELD	DEDIT OPERATION	
OPERATION	NAME	DATE
I. CHIEF OF FIELD PARTY	R Melby	May-June
RECOVERED BY	NONE	
2. HORIZONTAL CONTROL ESTABLISHED BY	NONE	
PRE-MARKED OR IDENTIFIED BY	NONE	
RECOVERED BY	NONE	
VERTICAL CONTROL ESTABLISHED BY	NONE	
PRE-MARKED OR IDENTIFIED BY	NONE	
RECOVERED (Triengulation Stations) BY	NONE	
. LANDMARKS AND LOCATED (Field Methods) BY	NONE	
AIDS TO NAVIGATION IDENTIFIED BY	NONE	
TYPE OF INVESTIGATION	1	
GEOGRAPHIC NAMES COMPLETE		
INVESTIGATION SPECIFIC NAMES ONLY		ì
NO INVESTIGATION	NOSII.	
PHOTO INSPECTION CLARIFICATION OF DETAILS BY	NONE	
BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	NONE	
SOURCE DATA HORIZONTAL CONTROL IDENTIFIED	2. VERTICAL CONTROL IDE	NTIFIED
NONE	NONE	N 7 1 1 1 2 5
PHOTO NUMBER STATION NAME		TATION DESIGNATION
3. PHOTO NUMBERS (Clarification of details)		
. NONE		
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED		
PHOTO NUMBER OBJECT NAME	PHOTO NUMBER	OBJECT NAME
5. GEOGRAPHIC NAMES: REPORT XX NONE	6. BOUNDARY AND LIMITS:	REPORT XX NONE
7. SUPPLEMENTAL MAPS AND PLANS		
NONE		
3. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submit	ted to the Geodesy Division)	···

1 Field Report

NOAA FOR (3-72)	RM 76-36D		TD 00075	ATIONAL OCEANIC	U. S. DEPARTME AND ATMOSPHERIC	NT OF COMMERCE
		RECO	TP-00075 IRD OF SURVE	Y USE		
L MANUSO	CRIPT COPIES					
		OMPILATION STAGE	 Es		DATE MANUSCF	RIPT FORWARDED
<b></b>	DATA COMPILED	DATE	<del></del>	MARKS	<del></del>	HYDRO SUPPORT
	ation complete	March 1971	<del> </del>	I Manuscript		March 1971
Final	Review Class III	June 1984	Final Cl No field e	ass III map dit performed	d NOV 3 0 1984	
II. LANDA	MARKS AND AIDS TO NAVIGA	ATION NONE				
	ORTS TO MARINE CHART DI		DATA BRANCH			
NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	J	RE	MARKS	
	<u> </u>	<u> </u>	<u> </u>			
		<u> </u>				
				<del></del>		
					NONE	
	REPORT TO MARINE CHART REPORT TO AERONAUTICAL					
	RAL RECORDS CENTER DAT		, AERONAUTION	. DATA SECTION.	DATE FURNAMELL.	
	BRIDGING PHOTOGRAPHS;		F ARIDGING REPC	SET: √√ COMPUT	FR READOUTS.	
2. 🔯	CONTROL STATION IDENTI	IFICATION CARDS;	FORM NO	76′-40°-∞ s x5⊈x,\$ubmitted i	BY FIELD PARTIES.	
	SOURCE DATA (except for G ACCOUNT FOR EXCEPTION	Geographic Names Re				
4. 🗆	DATA TO FEDERAL RECOR	RDS CENTER. DAT	re forwarded:			 
IV. SURV	EY EDITIONS (This section s	shall be completed e	ach time a new ma	p edition is registere	ad)	·
SECOND	TP -		A	□R	TYPE OF SURVEY	SURVEY
EDITION	DATE OF PHOTOGRAPH	HY DATE OF FI	ELD EDIT	] 	MAP CLASS	FINAL
THIRD	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY	SURVEY
EDITION			ELD EDIT		MAP CLASS	FINAL
	SURVEY NUMBER	JOB NUMBE	iR		TYPE OF SURVEY	
FOURTH	TP	_ (4) PH	IS D EDIT	RE		SÜRVÉY
EDITION	DATE OF PROTOGRAPH	DATEOFFI	ECD ED!!	[	MAP CLASS	FINAL



# SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT TP-00075

This 1:10,000 scale map is one of fourteen maps that comprise project PH-6906, Controller Bay, Alaska.

The project encompasses Controller Bay from Kayak Island, latitude 59°45'00" and the east end of Controller Bay, longitude 144°00'00" northwest to the Cooper River, latitude 60°20'00", longitude 145°00'00".

In accordance with the memo dated April 10, 1981, all maps will be registered as Class III.

Field work prior to compilation was accomplished during May thru June 1969 and May thru June 1970. It consisted of the identification of horizontal control by both photo-identification and premarking methods.

Photographic coverage was provided in August 1969 for aerotriangulation using color film with the "E" camera (focal length 152.71 millimeters) and infrared photography taken with the "K" camera (focal length 151.77 millimeters). Both sets of photography are 1:30,000 scale. The infrared photography was not used for bridging or compilation. Black-and-white photographs taken during July 1970 using the "M" camera (focal length 88.20 millimeters) at 1:60,000 scale were used for bridging.

Analytic aerotriangulation was performed in February 1971 at the Washington Science Center.

Compilation was performed at the Atlantic Marine Center in March 1971 from office interpretation of the color photographs.

Final review was performed at the Atlantic Marine Center in June 1984. Without any field verification, this map is required to be registered as a Final Class III map.

FIELD INSPECTION REPORT
Project PH-6906 (OPR-487)
Shoreline Mapping
Gulf of Alaska, Cape Suckling to Copper River Flats
May - June 1970
Sheets TP - 00071 through TP - 00085

Purpose: To panel horizontal control stations in advance of aerial photography.

Horizontal Control: (Geodetic)

The triangulation stations were recovered in the designated areas. Additional control was established in areas not covered by existing triangulation. Second order methods were used in determining the new monumented stations. Distances were determined by the Model MRA 3-Mk2 Tellurometer. Seven lines were measured. On two separate occasions, the tellurometers failed to measure the line between HAM and GRAVIE. Moving the instruments to an eccentric station did not resolve the problem. Apparently some type of radio interference exists between the two stations. However, the lines measured from these two stations to other points were satisfactory.

Field computations were based on the positions furnished by the Chief, Triangulation Branch, dated May 5, 1969, on the "Anchorage-Prince William Sound Area, Alaska; Free Adjustment - 1964-1965 Surveys, Supplemental Stations". The field work by the Ship FAIRWEATHER in 1969 was also based on the same adjustment. A letter dated May 20, 1970, from Chief, Triangulation Branch to Director, Pacific Marine Center, indicates a final adjustment has been completed. The computations and adjustments of the 1969 and 1970 field seasons work, based on stations CASTLE, 1965; FOX, 1903; HAM, 1959; and BRUCE 2, 1965, could be finalized. This would combine all of the paneled stations on the same interrelated adjustment.

Horizontal Control (Photogrammetry):

All the stations were paneled with the white, polyethylene plastic material at the prescribed dimensions.

In the 1:60,000 scale flight line, Station KWIN 1970 was photopaneled in addition to the five required stations. This station is at the Southeast end of Controller Bay. Two of the 1:10,000 scale panels on Wingham Island are along the east shore of the storm high water line (driftwood and debris) and the base of the brushy bluffs.

Station TIPS, 1969 was photo-identified. The 1969 center panel was still in place, although the rays were torn and grown over with grass. All panels for the 1970 season photography were in place by 10 June 1970. Form 152, "Control Station Identification", was submitted for each station paneled.

A helicopter was used to furnish transportation of personnel and equipment. This mode of transportation provided ready access to the remote areas and permitted the advantage of utilizing the favorable conditions of the ever-changing weather patterns.

Respectfully submitted,

Robert B. Melby

Surveying Technician USC&GS

Pacific Marine Center

Photogrammetric Plot Report Job PH-6906 Controller Bay, Alaska

February 11, 1971

# 21. Area Covered

The area of the project covers Controller Bay, Copper River Flats and Kayak Island, Alaska, and consists of eleven (11) 1:10,000 scale sheets TP-00073 thru TP-00081, TP-00083, TP-00084, and three (3) 1:20,000 scale sheets TP-00071, TP-00072 and TP-00085. It will be noted that photographs covering TP-00082 were not bridged due to the fact that station BRUCE 2, 1965 was outside the limits of photography, and could not be used for a terminal for Strip 1.

# 22. Method

Strips 1, 2, 3, 5, 6, 7, 8, 9, and 14 were bridged by analytic aerotriangulation methods. Compilation points were located for strips 4, 10, 11, 12, and 13 from the applicable bridged strips, so that the models can be set on the B-8.

Compilation points were not located on photos 69-E(C)-2141 and 2142 on strip 11. It was impossible to find common points between the 1:60,000 scale pan. and 1:30,000 scale color photography in the water and shoal area of the above model. When the adjoining models are set on the B-8, it may be possible for the compiler to drop points on the above photos to control this one model.

Photographs covering the Bering River in the eastern part of TP-00075 was not bridged due to lack of control.

The attached sketch of the strips bridged shows the placement of triangulation used in the final strip adjustments.

The following is a listing of closures to control ir feet:

	x	У	
S. P. KWIN, 1970 S. P. KANAK, 1969 PALM, 1969 COTTONWOOD, 1969	-2.4 +6.6 -2.0 -4.0	-3.5 +7.3 +0.3 -10.2 (+0.5 -1.8 Strip 14	.)
CASTLE, 1965 ELI, 1969 GRAVIE, 1969 PYRA, 1969 S.P. TIPS, 1969 ROCKER, 1969 WING, 1903 S. P. HAM, 1959 S. P. HARRIS, 1970 S. P. FITZ, 1970 S. P. INGA, 1969	+2.5 +0.8 -1.7 +1.3 0.0 +1.3 +0.2 -0.3 +0.2	+7.0 -0.7 +1.7 -1.6 -0.5 -1.2 +0.1 -0.3 +0.2 -0.1	,

Bridging points on Alaska Zone 3 plane coordinate system have been plotted by Coradimat.

# 23. Adequacy of Control

The number of horizontal control stations in Controller Bay and Copper River Flats was minimal. Strips 1, 5, and 7 were bridged using triangulation stations only as horizontal control in the adjustments. The other bridged strips were adjusted using triangulation stations and tie points as control. Two strips (8 and 9) were bridged using the tie points only.

At the time we were ready to adjust our photogrammetric strips in the northern part of the project, we discovered that a readjustment of control in the project area was pending in the Division of Geodesy as a result of geodetic work performed subsequent to the Alaskan earthquake of 1964. At our request, they performed the adjustment so we could make our delivery deadline for compilation. A partial list was received by us and used. The shift in datum was about 30 feet.

We were also informed by Geodesy that a shift of about the same magnitude would apply to the area in the southern part of the project which had already been bridged and compiled. This, of course, required a photogrammetric readjustment of the bridging in that area.

When this work was completed, we were furnished with a complete list of readjusted positions covering the project area. It was then discovered that there were some discrepancies in position between this list and the partial list previously submitted. The largest discripancies were in positions for stations COTTONWOOD, 1965 and KWIN, 1970. Geodesy has stated that the position for COTTONWOOD is weak, there being a poortriangle closure.

No further photogrammetric adjustment was made to the strips already bridged, notably strip 1, in order to meet deadlines. Points taken from strip 1 will necessarily be slightly out of position also. The differences of position between the Preliminary Office Computations (partial list) and the final positions for station COTTONWOOD are x-4.8 ft., y+2.2 ft. and KWIN x+2.4 ft., y+0.2 ft.

It is believed, however, the maps will meet the standards of map accuracy.

# 24. Supplemental Data

Vertical control needed for the adjustment was taken from U.S.G.S. Quadrangles.

# 25. Photography

The definition and quality of the RC-9 "M" and RC-8 "E" photography was poor and good respectively. Coverage was adequate to compile all sheets except those mentioned under Item 21 and 22.

The following is a listing of photographs for each strip:

```
Strip 1 -- 70-M-301 thru 315

Strip 2 -- 70-M-289 thru 294

Strip 3 -- 70-M-233 thru 238

Strip 4 -- 70-E(C)-7030 thru 7039

Strip 5 -- 69-E(C)-1396 thru 1411

Strip 6 -- 69-E(C)-1378 thru 1393

Strip 7 -- 70-E(C)-7161 thru 7169

Strip 8 -- 69-E(C)-2113 thru 2119

Strip 9 -- 69-E(C)-2152 thru 2161

Strip 10 -- 69-E(C)-2123 thru 2131

Strip 11 -- 69-E(C)-2134 thru 2144
```

Strip 12 -- 69-E(C)-2182 thru 2185 Strip 13 -- 69-E(C)-2178 thru 2179 Strip 14 -- 69-E(C)-2167 thru 2174

Strips 1, 2, and 3 -- 1:60,000 scale photographs Strips 4, 5, 6, and 8 thru 14 -- 1:30,000 scale photographs Strip 7 -- 1:10,000 scale photographs

Ratio prints have been ordered to facilitate compilation, and for photo-hydro support.


Respectfully submitted,

homy I Lader land. I. I. Saperstein

Approved and forwarded,

Henry P. Elchert

Chief, Aerotriangulation Section



U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION CBGSKATINGABBYNG Unit, Atlantic Marine Center, Norfolk, VA REMARKS DATE DATE DATE φ LATITUDE λ LONGITUDE SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE. DESCRIPTIVE REPORT CONTROL RECORD 0 ~ Φ. ~ Ф. ~ φ. ~ 0 ~ Ф-~ • ~ • ~ φ. ~ HAND PLOTTING CHECKED BY COMPUTATION CHECKED BY N.A., 1927 COORDINATES IN FEET STATE Alaska LISTING CHECKED BY GEODETIC DATUM ZONE 3 ä ıμ, ž £ × ¥ =ĥ \* 3 ž g, **"** Z u **۳** # ž <u>#</u> ¥ 3 ¥ AEROTRIA ANGULATION POINT NUMBER DATE DATE DATE SOURCE OF INFORMATION (Index) PH-6906 JOB NO STATION NAME TP-00075 HAND PLOTTING BY NOAA FORM 76-41 (6-75) NONE COMPUTED BY LISTED BY MAP NO.

# COMPILATION REPORT TP-00075

#### 31 - DELINEATION

All detail was compiled on the Wild B-8 stereoplotting instrument. The Bering River could not be compiled to the northern limits of the manuscript. The photograph strip covering that area could not be bridged due to a lack of control. See Photogrammetric Plot Report dated February 11, 1971.

# 32 - CONTROL

The horizontal control was adequate. See Photogrammetric Plot Report dated February 11, 1971.

#### 33 - SUPPLEMENTAL DATA

None.

#### 34 - CONTOURS AND DRAINAGE

Contours are not applicable. Drainage was delineated from office interpretation of the photographs.

# 35 - SHORELINE AND ALONGSHORE DETAILS

The shoreline and all alongshore details were delineated from office interpretation of the photographs.

#### 36 - OFFSHORE DETAILS

Offshore details were compiled from office interpretation of the photographs.

#### 37 - LANDMARKS AND AIDS

None.

#### 38 - CONTROL FOR FUTURE SURVEYS

None.

#### 39 - JUNCTIONS

See item #5 of NOAA Form 76-36B.

# 40 - HORIZONTAL AND VERTICAL ACCURACY

See item #32.

# TP-00075

# 46 - COMPARISON WITH EXISTING MAPS

A comparison was made with U.S.G.S. quadrangle: Cordova (A-1), Alaska, scale 1:63,360, dated 1953.

# 47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart: 8513, scale 1:100,000, 9th edition, dated August 9, 1969.

# ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

#### ITEMS TO BE CARRIED FORWARD

None.

Submitted by,

A. L. Shands Cartographer

Cartographer March 11, 1971

Approved,

Jane J. Dynd, for

James L. Byrd, Jr.

Chief, Coastal Mapping Unit

# REVIEW REPORT SHORELINE TP-00075

#### 61. GENERAL STATEMENT

See Summary included with this report.

# 62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

# 63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U.S.G.S. Quadrangle: Cordova (A-1), Alaska, dated 1953, scale 1:63,360.

# 64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

There is no contemporary hydrographic survey within the limits of this map.

#### 65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart: 16723, dated December 27, 1980, 13th edition, scale 1:100,000.

#### 66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

The horizontal control meets the accuracy requirements insuring this map complies with the Project Instructions, and meets the prerequisite for National Standards of Map Accuracy.

Submitted by,

Lowell O. Neterer, Jr.

Final Reviewer

Approved for forwarding,

Bally H. Barnes

Chief, Photogrammetric Section, AMC

Approved,

Chief, Photogrammetric Section, Rockville

Chief, Photogrammetry Branch

Rockville

# GEOGRAPHIC NAMES FINAL NAME SHEET PH - 6906 (Controller Bay, Alaska) <u>TP - 00075</u>

Barrett Creek

Bering River

Burls Creek

Chilkat

Chilkat Creek

Nichawak River

Approved by;

Charles E. Harrington Chief Geographer

Nautical Charting Division

ACTIVITY	47. FIVITY	IL R REVIEW GRP.	sible personnel)		CHARTS	AFFECTED												
ORIGINATING ACTIVITY  HYDROGRAPHIC PARTY	PHOTO FIELD PARTY	TIPINAL REVIEWER OUALITY CONTROL & REVIEW GRP. COAST PILOT BRANCH	(See reverse for responsible personnel)	E OF LOCATION	on reverse side)	FIELD												
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	DATE	June, 1983		METHOD AND DATE OF LOCATION	(See Instructions on reverse side)	OFFICE												
U.S. DEPARTMI	,	Controller Bav	lue as landmarks.			LONGIT UDE	D.P. Meters											
ATIONAL OCEANIC	LOCALITY	Contro	determine their va	NA 1927		LATITUDE "	D.M. Meters											
Z SPENENT NEW YORK	VAC MANUAL STATE OF THE STATE O		Seaward to					_						 				
NONEL DATING AIDS BRAVANDAABAS FOR CHARTS	STATE	Div. Alaska	een inspect JRVEY NUME	1 0 0	TP-00075	N k or aid to navigation.	e applicable, in parenthes		,		(					•		
AO IHNON	REPORTING UNIT	Coastal Mapping D	HAVE HAVE NOT		PH-5906	DESCRIPTION Record reason for deletion of landmark or aid to navigation.	Show friangulation attation names, where applicable, in parentheses)	NONE										
	267		The following objects OPR PROJECT NO.	5	48/	CHARTING (Record r	1	Z								•		

*FIELD POSITIONS are determined by field obser- vations based entirely upon ground survey methods	example: F-2-6-L  8-12-75	- Rese	<pre>V - Verified 1 - Triangulation 5 - Field identified 2 - Traverse 6 - Theodolite</pre>	<pre>i. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as F - Field L - Located Vis - Visually</pre>	OFFICE 1. OFFICE IDENTIFIED AND LOCATED OBJECTS 1. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject.  EXAMPLE: 75E(C)6042  8-12-75		FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	F-\$1110NS DETERMINED AND/OR VERIFIED	OBJECTS INSPECTED FROM SEAWARD	TYPE OF ACTION	
ods. by photogramm	**PHOTOGRAMMETR	=	tified	s as follows: When a lan tric angulation Rec.' with	month, B. Photogram entry of to date of f graph use EXAMPLE:	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64,				NAME	RESPONSIBLE PERSONNEL
nods.	5-12-/5 IC FIELD POSITIONS are dependent in part, upon control established	POSITION VERIFIED VISUALLY ON PHOTOGRAPH ENTER 'V+Vis.' and date. EXAMPLE: V-Vis.	Rec.	ION STATION RECOVERED  dmark or aid which is also a tri- station is recovered, enter 'Triang. date of recovery.	mmetric field positions** require method of location or verification, field work and number of the photoed to locate or identify the object.  P-8-V 8-12-75 74L(C)2982		REVIEWER  QUALITY CONTROL AND REVIEW GROUP  REPRESENTATIVE	OFFICE ACTIVITY REPRESENTATIVE	□ PHOTO FIELD PARTY □ HYDROGRAPHIC PARTY □ GEODETIC PARTY □ OTHER (Specify)	ORIGINATOR	

NOAA FORM 76-40 (8-74)

SUPERSEDES NOAA FORM 78-40 (2~71) WHICH IS OBSOLETE, AND Existing Stock should be destroyed upon receipt of revision.

分 U.S.GPO:1975-0-665-080/1155

TOF COMMERCE ORIGINATING ACTIVITY ADMINISTRATION HYDROGRAPHIC PARTY	GEODETIC PARTY THOTO FIELD PARTY	DATE XX COMPLATION ACTIVITY	JUNE 1983 COAST PILOT BRANCH	(See reverse for responsible personnel)		(See instructions on reverse side) CHARTS	<u> </u>	OFFICE FIELD								5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	ARKS FOR CHARTS	LOCALITY	Controller Bay	been inspected from seaward to determine their value as landmarks.	DATUM NA 1027		LATITUDE LONGITUDE	/ // D.M. Meters							,				
	NONTHE CONTINUE VAIL	REPORTING UNIT	AMC Norfolk, VA	HAVE NOT	JOB NUMBER SURVEY NUMBER 10A	PH-6906 TP-00075	NOTECRIPTION	(Record reason for deletion of fendmark or sid to navigation. Show triangulation station names, where applicable, in perentheses)	E NO										
NOAA FORM 76-40 (8-74)	Replaces C&GS Form 567.	XX TO BE CHARTED	TO BE DELETED	The following objects HAVE	OPR PROJECT NO.	487		CHARTING (Reco											

.

*FIELD POSITIONS are determined by field obser- vations based entirely upon ground survey methods.	EXAMPLE: F-2-6-L 8-12-75	ž Ž	1 1	ation 5 - 6 -	F - Field P - Photogramm L - Located Vis - Visually V - Verified	FIELD TILEM POSITION DETERMINED OR VERIFIED  Enter the applicable data by symbols	XAMPLE:	Enter the number and date (including month, day, and year) of the photograph used to identify and locate the paject.	OFFICE IDENTIFIED AND LOCATED OBJECTS	INSTR	AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	FORMS ORIGINATED BY QUALITY CONTROL	TOST TONS DETERMINED AND/OR VENTTED				TYPE OF ACTION	
by photogramm	**PHOTOGRAMMETRIC F	entry of method of 8-12-75	ble III.	Field identified 8-12-75 Theodolite	ric	as follows:	EXAMPLE: P-1 8- 74	to graph use	B. Photogram	Consult Photogrammetric Instructions No. 64,							ZAZM	RESPONSIBLE PERSONNEL
c methods.	IC FIELD POSITIONS are dependent in part, upon control established	s. -75	POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-V's.' and date.	-75	, enter	TRIANGULATION STATION RECOVERED	P-8-V 8-12-75 74L(C)2982	method of location or verification, field work and number of the photomed to locate or identify the object.	ric field positions** require	LOCATION'	REPRESENTATIVE	REVIEWER	OFFICE ACTIVITY REPRESENTATIVE	FIELD ACTIVITY REPRESENTATIVE	OTHER (Specify)	HYDROGRAPHIC PARTY	ORIGINATOR	

NOAA FORM 75-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.

#### NAUTICAL CHART DIVISION

# **RECORD OF APPLICATION TO CHARTS**

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

#### INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart
1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Rev

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
_	_	····	Drawing No.
Ì	· ·		
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
		-	
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			·
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi-
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi-
			Drawing No.
·			
		·	
		·	· · · · · · · · · · · · · · · · · · ·
	•	1	