2537

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline
Job No. PH-6607 Map No. TP-00210
Classification No. Final Edition No1
Field Edited Map
LOCALITY
_{State} Oregon
General Locality Umpqua
Locality Tahkenitch Creek-Threemile
Lake
19 71 TO 1971
REGISTRY IN ARCHIVES
DATE

☆-U.S. GOVERNMENT PRINTING OFFICE: 1973-761-775

NOAA FORM 76-36A U.	S. DEPARTMENT OF COMMERCE	T	YPE OF SURVEY	SURVEY	TP-00210	
	The state of the s	0	ORIGINAL	MAP EDIT!	on no. (1)	
DECONDANCE DEDOC	T DATA DECODD		RESURVEY	MADCLAS	s Final	
DESCRIPTIVE REPORT - DATA RECORD			1		PH- 6607	
PHOTOGRAMMETRIC OFFICE		┞-	REVISED			
		=	LAST PRECEED	·		
Rockville, Maryla	ind	TYPE OF SURVEY JOB PH				
OFFICER-IN-CHARGE			RESURVEY	SURVEY D	ATES:	
Jack Guth			REVISED	19TO 1	9	
I. INSTRUCTIONS DATED						
1. OF F	ICE	<u> </u>	2.	FIELD		
Compilation, Septem	ber 10, 1971	Fie	eld Support,	May 7,	1971	
Aerotriangulation,	Aug. 11, 1971	İ				
i i i i i i i i i i i i i i i i i i i		}				
1						
II. DATUMS						
1. HORIZONTAL:	1927 NORTH AMERICAN	OTHE	R (Specify)			
		OTHE	R (Specify)			
[MEAN HIGH-WATER MEAN LOW-WATER		1-1 - 1 - 1		1	
2. VERTICAL:	MEAN LOWER LOW-WATER					
	MEAN SEA LEVEL	<u> </u>				
3. MAP PROJECTION		L		GRID(S)		
Polyconic		Oregon South				
5. SCALE		STAT		ZONE		
1:10,000						
III. HISTORY OF OFFICE OPERATION	ONS					
OPERA*	TIONS	-	NAME	<u></u>	DATE	
AEROTRIANGULATION	BY LANDMARKS AND AIDS BY	D •	Brant		9/71	
METHOD: Analytic 2. CONTROL AND BRIDGE POINTS	PLOTTED BY	 D	Phillips		9/71	
METHOD: Coradi	CHECKED BY	1	111111111111111111111111111111111111111		7/-	
3. STEREOSCOPIC INSTRUMENT	PL ANIMETRY BY		Dempsey		10/71	
COMPILATION	CHECKED BY		. Battley,Jr	<u> </u>	10/71	
INSTRUMENT: B-8 SCALE: 1:10,000	CONTOURS BY	N . A	<u> </u>		 	
4. MANUSCRIPT DELINEATION	CHECKED BY PLANIMETRY BY	P	Dempsey	· -	10/71	
THE MANUSCRIPT OF BELLINGATION	CHECKED BY		Battley,Jr	`,	10/71	
	CONTOURS BY	N.A				
METHOD:	CHECKED BY					
SCALE: 1.10.000	HYDRO SUPPORT DATA BY		Dempsey	<u> </u>	10/71	
SCALE: 1:10,000	CHECKED BY			r.	10/71	
5. OFFICE INSPECTION PRIOR TO	FIELD EDIT BY		Lucas	4,1 4	72	
6. APPLICATION OF FIELD EDIT D	ATA CHECKED BY	Non				
7. COMPILATION SECTION REVIEW		Non				
8. FINAL REVIEW	ВҮ		. Wright		8/75	
9. DATA FORWARDED TO PHOTOGE	 	N . A			0.755	
10. DATA EXAMINED IN PHOTOGRAM			Wright		8/75	
11. MAP REGISTERED - COASTAL SL	IRVEY SECTION BY	$LK \Box$. CATOK		12/76	



NOAA FORM 76-36B (3-72)			N.	ATIONAL OCEA		TMOSP	HERIC AD	OF COMMERCE MINISTRATION OCEAN SURVEY
, mp 00010	CO	MPILATIO	N SOUI	RCES		NA	TIONAL	JCEAN SURVET
TP-00210								
CAMERA(S)		TYPE	S OF PH	OTOGRAPHY	T	TIME		
E 6" focal length		1	LEGE	END	-	TIME REFERENCE		
TIDE STAGE REFERENCE		(c) <u>co</u>	(C) COLOR		zone Pac	ifia	,	XXSTANDARD
REFERENCE STATION RECORDS			NCHROM	ATIC	MERIDI		<u></u>	DAYLIGHT
TIDE CONTROLLED PHOTOGRA	PHY	(1) 101	RARED		120			
NUMBER AND TYPE	DATE	TIM		SCALE		şT,	AGE OF T	IDE
71E 7805 - 7810	9/3/71	10:47	7AM	1:20,00	0 N.A.			
71E7757 - 7765	9/3/71	10:13	зам	1:40,00	N.A.			
		,						
					ł			
			ĺ					
		}						
	·							
REMARKS	<u> </u>	<u> </u>						
1:20,000 scale rati	oed to 1:1	0.000	manu	script se	rale.			
								
2. SOURCE OF MEAN HIGH-WATER								
Office interpretati	on from 1:	40,000) scal	le photog	graphy	on	B - 8	
and checked with 1:	10,000 sca	ile rat	:10ed	photogra	aphs,			
3. SOURCE OF MEAN LOW-WATER	OR MEAN LOWER L	OW-WATER	LINE:					
None								
4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)								
SURVEY NUMBER DATE(S)	SURVEY CO	PY USED	SURVE	YNUMBER	DATE(S)		SURVEY	COPY USED
		-]					
.5. FINAL JUNCTIONS								
	AST	<u></u>	SOUTH	TP-00211	8	WEST	No co	ntem-
5	P-00212		L.	TP-00209		_por	arv. S	nrvey
REMARKS							·····	
							,	

1
/ > \
(>)
$\overline{}$

10AA FORM 76-36C 3-72)		NATIONAL OCEANIC		T OF COMMERC OMINISTRATIO OCEAN SURVE
TP-00210	HISTORY OF FIELD	OPERATIONS.		
I. 🏿 FIELD INSPECTION OPER	ATION FIEL	D EDIT OPERATION.		
OPE	RATION	NAMI	E	DATE
. CHIEF OF FIELD PARTY		Unknown *		1971
	RECOVERED BY			
. HORIZONTAL CONTROL	ESTABLISHED BY			
	PRE-MARKED SEE SENT 15 1 ED 18 Y	Unknown		1971
VERTICAL CONTROL	RECOVERED BY			
. VERTICAL CONTROL	ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY			
		 		
LANDMARKS AND	COVERED (Triangulation Stations) BY LOCATED (Field Methods) BY			
AIDS TO NAVIGATION	IDENTIFIED BY			
	TYPE OF INVESTIGATION			
S. GEOGRAPHIC NAMES INVESTIGATION	COMPLETE BY			
MVESTIGATION	SPECIFIC NAMES ONLY			
L DUOTO MARGOTION	NO INVESTIGATION			
. PHOTO INSPECTION . BOUNDARIES AND LIMITS	CLARIFICATION OF DETAILS BY SURVEYED OR IDENTIFIED BY	 		
I. SOURCE DATA	SONVETED ON IDENSITIED BY			
. HORIZONTAL CONTROL IDEN	ITIFIED	2. VERTICAL CONTRO	OL IDENTIFIED	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIG	NATION
B. PHOTO NUMBERS (Clarification	on of details)			
LANDMARKS AND AIDS TO N	AVIGATION IDENTIFIED			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NA	ME
5. GEOGRAPHIC NAMES: [REPORT NONE	6. BOUNDARY AND LI	MITS: REPORT	NONE
3. OTHER FIELD RECORDS (Ske	tch books, etc. DO NOT list data submi	tted to the Geodeay Divisi	on)	



10AA FORM 76-36C 3-72)		NATIONAL OCEA	NIC AND ATMOSPHER	ENT OF COMMERCIC ADMINISTRATIONAL OCEAN SURVI		
TP-00210	HISTORY OF FIELD	OPERATIONS.				
FIELD INSPECTION OPER	ATION (X) FIEL	D EDIT OPERATION.				
OPE	RATION	NAME D				
. CHIEF OF FIELD PARTY		B D II	:++ 1 = 10	1		
	RECOVERED BY	R.P. Hew	itt LTJG i++	11/71		
. HORIZONTAL CONTROL	ESTABLISHED BY	N.A.				
	PRE-MARKED OR IDENTIFIED BY	N.A.				
	RECOVERED BY	N.A.				
VERTICAL CONTROL	ESTABLISHED BY	N.A.				
	PRE-MARKED OR IDENTIFIED BY	N.A				
	COVERED (Triangulation Stations) BY	None				
LANDMARKS AND AIDS TO NAVIGATION	LOCATED (Field Methods) BY	None				
	TYPE OF INVESTIGATION	None				
CEACELANIC NAMES	COMPLETE			ļ		
GEOGRAPHIC NAMES INVESTIGATION	SPECIFIC NAMES ONLY	R.P. Hew	i++ ·	11/71		
	NO INVESTIGATION			11/,1		
PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	R.P. Hew	itt	11/71		
BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N.A.		 		
SOURCE DATA		 				
HORIZONTAL CONTROL IDEN None	2. VERTICAL CONTROL IDENTIFIED					
HOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DE	SIGNATION		
PHOTO NUMBERS (Clarification	•					
All fleid edit problem of the control of the contro	otos to Federal Reco	rds Center				
None .	AVIGATION IDENTIFIED					
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME		
		[
]				
		<u> </u>				
	REPORT X NONE	6. BOUNDARY AND	D LIMITS: REPO	RT X NONE		
SUPPLEMENTAL MAPS AND F	LANS					
None						
None	tch books, etc. DO NOT list data submit	tod to the Condens D				
. OTHER FIELD RECORDS (SKA	ten pooks, etc. DO NOT list data submit	ied to ine Geodesy Di	vision)			



NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00210

RECORD OF SURVEY USE

1r-0	0210						
I. MANUSC	RIPT COPIES						
COMPILATION STAGES					DATE MANUSC	RIPT FORWARDED	
 	DATA COMPILED	DATE		MARKS			S HYDRO SUPPORT
	ine and detail		NE.	WARKS		MARINE CHART	
inshor	e a short dista	10/71 nce		-			Date Unknown
Field Not ch	Edit Applied - ecked	1972	For hydr sheet pr			Date Unknown	
Final	Rèview	8/75			•	Oct 1	
	4				,		
II. LANDM	ARKS AND AIDS TO NAVIGA	TION			•		
I. REP	ORTS TO MARINE CHART DI	VISION, NAUTICAL	DATA BRANCH				
NUMBER	CHART LETTER Number Assigned	DATE FORWARDED			REM	ARKS	
			N	one			
							•
	}						

	ž			I			,
	•						
	REPORT TO MARINE CHART REPORT TO AERONAUTICAL						D:
III. FEDER	RAL RECORDS CENTER DAT	A				i	
1. 本 BRIDGING PHOTOGRAPHS; X DUPLICATE BRIDGING REPORT; X COMPUTER READOUTS. 2. 京 CONTROL STATION IDENTIFICATION CARDS; X FORM NOS 567 SUBMITTED BY FIELD PARTIES. 3. X SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.							
	*None available						
4						,	_
IV. SURVE	Y EDITIONS (This section s	hall be completed ea		p edition is re			<u> </u>
SECOND	. TP -	(2) PH			RE		ESURVEY
EDITION	DATE OF PHOTOGRAPH	IY DATE OF FI	ELD EDIT	□n.		MAP CLASS	
	SURVEY NUMBER	JOB NUMBE	₹		_	TYPE OF SURVE	_
THIRD	TP	(3) PH			RE		ESURVEY
EDITION	DATE OF PHOTOGRAPH	DATE OF FI	ELD EDIT	Πıi-	□m.	MAP CLASS	. Trinal
	SURVEY NUMBER	JOB NUMBE	R		_	TYPE OF SURVE	
FOURTH	TP	. (4) PH			∐ RE		ESÜRVÉY
EDITION	DATE OF PHOTOGRAPH	DATE OF FI	ELD EOIT	□n.	□m.	MAP CLASS □IV. □V.	□ FINAL

Summary to Accompany Descriptive Report TP-00210

TP-00208 through TP-00213 at 1:10,000 scale and TP-00214 through TP-00216 at 1:20,000 scale comprise Project PH-6607, Umpaque and Smith Rivers, Oregon. The purpose of this project is to provide hydro support, new topography, and shoreline for use in constructing Nautical Chart 669-SC. Refer to the project diagram for the location of each sheet in the project.

The only field work preceding compilation was the premarking of control necessary for bridging. See Photogrammetric Plot Report for details.

Compilation and field edit was broken into two phases in this project with sheets 00208 through 00213 being compiled on the Wild B-8 plotter in September and October 1971.


Stable base copies and ratio color prints were furnished for hydro support and field edit. Field edit was accomplished in November 1971 on these sheets.

Compilation of TP-00214 through TP-00216 was accomplished on the Wild B-8 plotter in May 1972. Copies of map manuscripts and ratio color prints were furnished for field edit.

Field edit of these sheets was accomplished in September - October 1972.

Final review was accomplished in the Washington Office in 197%.

Copies of the final reviewed map were forwarded for record . and registry.



8

PHOTOGRAMMETRIC PLOT REPORT Umpqua and Smith Rivers, Oragon Job PH-6607 May 1972

21. Area Covered

This report covers the area east from the mouth of the Umpqua and Smith Rivers to longitude 1230 40°. Control was extended for the compilation of six (6) 1:10,000 scale maps (TP-00208 thru TP-00213) for hydro support and four (4) 1:20,000 scale maps (TP-00214 thru TP-00216 and TP-00173) for chart compilation.

22. Method

Strips 1 and 2 (1:40,000 scale photography) and Strip 3 (1:30,000 scale photography) were bridged using analytic aerotriangulation methods. Sketch 1 shows the placement of control and the flight lines of the photography. Ties were made between all strips. Compilation points were located in strips 2 and 3 for the 1:20,000 scale compilation. Common points were located between the bridging photography and the 1:20,000 scale hydro support photography to determine the ratio for the 1:10,000 scale compilation. Sketch 2 shows the flight lines of the hydro support photography.

Natural objects (tanks, stacks, etc.) visible during bridging were located as aids for the hydro support party. All data for ruling projections and plotting of points for the compilation office were furnished to the Corademat on the Oregon State (south zone) Plane Coordinate System.

23. Adequacy of Control

Horizontal control was premarked and was adequate for bridging.

24. Photography

The following RC-8 color photography was used in bridging:

1:40,000 scale

Strip 1 - 71-E(C)-6947 thru 6942 Strip 2 - 71-E(C)-6969 thru 6980

1:30,000 scale

Strip 3 - 71-E(C)-7757 thru 7774


The definition and quality of the photography was good except for some areas obscured by clouds. The clouds did not affect the accuracy of the bridge.

Respectfully by:

Donald M. Brant Cartographer


Approved by:

Henry P.//Eichert, Chief Aerotriangulation Section



JOB PH-6607 UMPQUA É SMÍTH RIVERS

OREGON
CHART TOPOGRAPHY
AND
SHORELINE MAPPING
SCALE 1110,000 \$1,20,000.



· 1:20,000 HYDRO SUPPCIET PHOTOGRAPHY

Compilation Report TP-00210

31. Delineation

The 1:40,000 scale color photography was set on the B-8 stereoplotter and compiled at 1:10,000 scale. Shoreline and alongshore detail and detail inshore a short distance along with points common with the 1:10,000 color ratioed photographs were plotted for hydro support.

32. Gontrol

Horizontal control was adequate for density and placement.

Vertical control was from U.S.G.S quadrangles and water level.

- 33. Supplemental Data None
- 34. Contours and Drainage

Contours are inapplicable. Drainage only compiled a short distance from the shoreline.

.35. Shoreline and Alongshore Detail

The shoreline was compiled on B-8 by office interpretation. There was no field inspection for this project.

- 36. Offshore Details Not shown
- 37. Landmarks and Aids None
- 38. Control for Future Surveys None
- 39. Junctions

Refer to form 76-36b of this report.

40. Horizontal and Vertical Accuracy

See Photogrammetric Plot Report.

41. thru 45. Inapplicable.

46. Comparison with Existing Maps

Comparison was made with U.S.G.S. Quadrangle Siltcoos Lake, Oregon, scale 1:62,500, dated 1956.

47. Comparison with Nautical Charts

Comparison was made with Nautical Chart No. 5802, scale 1:191,730, 9th edition, dated June 5, 1971.

Items to be Applied to Nautical Charts Immediately - None

Items to be Carried Forward - None.

Respectfully submitted,

P. J. Dempsey Carto (Photo)

Approved and forwarded:

J.P. Battley, Jr.

Chief, Coastal Mapping Section

13 August 1975

GEOGRAPHIC NAMES
FINAL NAME SHEET
PH-6607 (Oregon)

TP-00210

Pacific Ocean
Sirslaw National Forest
Tahkenitch Creek
Threemile Lake
Umpqua River

Approved by

Chas. E. Harrington Staff Geographer-651x2

FIELD EDIT REPORT UMPQUA RIVER, OREGON JOB PH 6607

OPR 498 - DAVIDSON NOVEMBER, 1971

Field edit was accomplished in accordance with OPORDER, Pacific Marine Center (in conjunction with OPR 498) and current Photogrammetry Instructions.

Features, obstructions, aids and landmarks were located by intersection from triangulation stations and by sextant resections from triangulation, topographic and photo positions. All changes, deletions and additions to the manuscript are indexed on the field ozalid (paper) in violet ink with the exception of green ink for deletions. The cronaflex print contains all control used for hydrography and field edit as well as fix positions. Many items have been photo-identified, so labeled on the appropriate photograph and indexed on the field ozalid.

The Army Corps of Engineers maintains many dredge signals and ranges in this area which can be a useful aid to navigation if charted; these items, where so noted on the manuscript, should be charted and labeled but not in a landmark status.

The log rafts shown on photographs are in temporary storage areas; a storage area being any one of the piling and dolphin lines delineated on these manuscripts, from Gardiner Inter. Paper Co. eastward up the Umpqua River and Smith River.

All work may be considered correct as of November 20, 1971.

(6)

TP 00210

52. ADEQUACY OF COMPILATION

Compilation was adequate considering no previous field inspection. All shoreline was either walked, driven by truck or viewed from a skiff and no corrections arised.

54. RECOMMENDATIONS

None.

56. GEOGRAPHIC NAMES

A specific geographic names investigation revealed no changes.

57. FIXED AIDS TO NAVIGATION AND LANDMARKS

No aids to navigation or landmarks appear on this manuscript.

58. ADDITIONAL INFORMATION

One triangulation station was searched for and a form 526 submitted; all roads were classified.

Review Report TP-00210 Shoreline August 1975

61. General Statement

See summary; page 6 of this report.

62. Comparison with Registered Topographic Surveys

T-8951, July 1952, scale 1:10,000

That portion which is covered by this sheet is superseded for charting.

63. Comparison with Maps of Other Agencies

No comparison made; only 1:62,500 quad available.

64. Comparison with Contemporary Hydrographic Surveys

H-9238, Oct-Nov. 1971

No discrepancies noted.

65. Comparison with Nautical Charts

Chart 6004, 38th Ed., July 1974, scale 1:20,000

Pile at Lat. 43°45'00", Long. 124°08'10" not visible on photography and not mentioned by the field editor.

66. Adequacy of Results and Future Surveys

This map complies with the project instructions and meets the National Standards of Map Accuracy.

Submitted by,

Frank A. Wright

Approved and Forwarded:

Chief, Photogrammetric Branch

Chief, Coastal Mapping Division