

TP-00398

TP-00398

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey *Shoreline*
Job No. *PH-7107* Map No. *TP-00398*
Classification No. *Final* Edition No. *1*
Field Edited Map

LOCALITY

State *California*
General Locality *Dana Point to Point Vicente*
Locality *Whites Point*

19 72 TO 19 76

REGISTRY IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Norfolk, Va.		SURVEY TP- 00398 MAP EDITION NO. (1) MAP CLASS Final 7107 JOB PH-	
OFFICER-IN-CHARGE Jeffrey G. Carlen, CDR		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH- MAP CLASS SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation Aug 17, 1971 Compilation Nov 5 1971 Compilation, Supp. 1 Oct 1973 Amendment 1 Oct 30 1973 Amend. 1 to Supp. 1 Jan 28 1974		Premarking March 1, 1971 Premarking Supplement I Feb. 25, 1972	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input checked="" type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Polyconic		4. GRID(S) STATE California ZONE 6	
5. SCALE 1:5,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	
DATE			
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		I. D. Raborn Sep 1973	
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY		Allen Sep 1973 Allen Sep 1973	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 SCALE: 1:7,500 CONTOURS BY CHECKED BY		C. Parker Nov 1973 A.L.Shands Nov 1973 NA NA	
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smooth Drafted CONTOURS BY CHECKED BY SCALE: 1:5,000 HYDRO SUPPORT DATA BY CHECKED BY		C. Parker Dec 1973 A.L.Shands Dec 1973 NA NA C. Parker Dec 1973 A. L. Shands Dec 1973	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		A.L.Shands Dec 1973	
6. APPLICATION OF FIELD EDIT DATA BY		A.L.Shands Jul 1976	
7. COMPILATION SECTION REVIEW BY		L.O. Neterer Jr. Jul 1976 L.O. Neterer Jr. Jul 1976	
8. FINAL REVIEW BY		A. L. Shands Oct 1978	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		A. L. Shands Nov 1978	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		E.L. Rette A.K. Heywood Feb 1980	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E.L. DAUGHERTY JUN 1980	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-00398

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "L"		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Pacific	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 120th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
72L(C) 3034-3037	3/27/72	08:35	1:15,000	4.8 ft. above MLLW	
72L(I) 2824-2828	3/24/72	11:37	1:15,000	Tide Controlled at MLLW	

REMARKS

2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high water line was compiled from the above listed color photographs.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

The mean lower low water line was compiled from office interpretation of the above listed tide controlled infrared photography.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
No survey	TP-00399	No survey	TP-00397

REMARKS

TP-00398

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. B. Melby	Mar 1972
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

None

TP-00398

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	CDR R.E. Alderman	Mar 1976
2. HORIZONTAL CONTROL	RECOVERED BY LTJG Kosinski, ENS Leigh	Mar 1976
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY LTJG Kosinski, ENS Leigh	Mar 1976
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY LTJG Kosinski	Mar 1976
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED
None2. VERTICAL CONTROL IDENTIFIED
None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

72L 2826, 72L 2827

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Horizontal Control Report, OPR-411-FA-1976; Field Edit Ozalid TP-00398, film
Field Edit Reports, OPR-411-FA-1976 ozalid TP-00398

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00398

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Dec 1973	Class III manuscript	8/2/74	8/2/74
Field edit applied compilation complete	Jul 1976	Class I	8/2/76	
Final Review	Oct 1978	Final	Nov 1978	

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1		5/24/76	Aid for charts
1		5/24/76	Landmark for deletion
1		8/5/76	Landmark for charts

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: 5/24/76-8/5/763. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☒ FORM NOS ⁷⁶⁻⁴⁰ ~~557~~ SUBMITTED BY FIELD PARTIES.
 3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

SOUNDINGS IN FATHOMS AT MEAN LOWER LOW WATER

NOTE B

Navigation regulations are published in Chapter 2, Coast Pilot 7 or subsequent yearly supplements and are subject to change. Copies of the regulations may be obtained at the office of the District Engineer, Corps of Engineers in Los Angeles, Calif. An harbor regulations may be obtained at the office of the Commander, 11th Coast Guard District, San Diego, Calif. Refer to section numbers shown with area designation.

NOTE C SUBMARINE TRANSIT LINES

Times of submarine transits will be furnished in the Eleventh Coast Guard District (San Diego, California) Local Notice to Mariners. Symbols and Craft are requested not to be submerged objects across transit lines in use.

CAUTION
Transits shown are subject to change. Navigation regulations are subject to change. See Notice to Mariners.

LOTRAN LINEAR INTERPOLATOR

Official Mileage for Cost Accounts

Sheet No. Sq. Miles

TP-00392 2

TP-00393 4

TP-00394 2

TP-00395 1

TP-00396 1

TP-00397 3

TP-00398 4

TP-00399 2

TP-00400 1

TP-00401 1

TP-00402 1

TP-00403 3

TP-00404 2

TP-00405 2

TP-00406 3

TP-00407 2

TP-00408 3

TP-00409 1

TP-00410 2

TP-00411 1

TP-00412 1

TP-00413 1

TP-00414 1

TP-00415 1

Total 48

JOB PH-7107 DANA POINT TO POINT VICENTE CALIFORNIA SHORELINE MAPPING SCALE 1:50,000 & 1:100,000

SUMMARY TO ACCOMPANY

TP-00392 through TP-00403

Maps included in this summary comprise the northern portion of Project PH-7107. Each of them is 1:5,000 scale with the exception of TP-00392⁷ which is 1:10,000 scale. They cover the coast of California from Anaheim Bay to Point Vicente. Each is a standard shoreline map, the purpose of which is to serve as support for contemporary hydrographic operations conducted in the area and to provide up-to-date shoreline for nautical chart construction.

The area is heavily populated with an accompanying high incidence of marine construction. Several major changes have occurred along the shoreline during the life of this survey due to construction.

Field operations prior to delineation consisted of the recovery and identification of horizontal control used for bridging and, also, leveling operations conducted in connection with the tide coordinated infrared photography which was used to delineate the mean lower low water line.

Bridging was done in the Rockville Office by analytic triangulation methods in September, 1973. Ratios were determined and ordered at that time.

Compilation was by Wild B-8 instrument method at the Atlantic Marine Center. Field edit was performed during the spring of 1975 and 1976. Edit data was applied to the maps at the Atlantic Marine Center.

Final Review was performed at the Atlantic Marine Center during the fall of 1978. The original base maps and all pertinent data was forwarded to the Rockville Office for reproduction and final registration.

7

FIELD INSPECTION.

Field work prior to compilation was limited to the recovery and identification of horizontal and vertical control for use in the bridge and coordination of mean lower low water tide elevation. There was no clarification of photographic details.

PHOTOGRAMMETRIC PLOT REPORT
Part 2
Dana Point to Point Vicente
California
Job PH-7107
September 1973

21. AREA COVERED

The area covered by this report is along the west coast of California. This area is covered by one 1:10,000 scale sheet TP-00397 and eleven 1:5,000 scale sheets TP-00392 thru TP-00396 and TP-00398 thru TP-00403.

22. METHOD

Two strips of 1:30,000 scale color photography were bridged by analytic aerotriangulation methods. Sketch #1 shows the flight line of the photography and the placement of the control used in this adjustment. The two strips were controlled by field identified control paneled in 1972. Old control, which was office identified, was floated for checks. Ties were made between strips five and six. Strip number five was adjusted using 3 horizontal stations as control with one old station as a check. Strip number six was adjusted using 7 horizontal stations as control with 3 old stations as checks. Compilation points were located between strips #5 and #6 (1:30,000 scale photography) to control the 1:15,000 scale compilation photography, strips 10, 14, 15, 19, 20, and 21. Common points were located between strip 5 and 6 and the hydro support photography (1:15,000), strips 29 and 30, to determine the ratio scale. Sketch #2 shows the flight lines of the compilation and hydro support photography. Common points were located between strip 6 and strips 11 and 12 to determine only the ratio scale.

Difficulty in adjusting the strips occurred in the area of Long Beach Red Band Steel Tank, 1920. Points in this area approached the limits for National Map Accuracy Standards. This is the result of trying to obtain 1:5,000 scale sheets from 1:30,000 scale photography with several models being very weak. (Less than 1/2 model) The lower altitude strips were not bridged because the points for bridging would only be as good as the high altitude bridges. No difficulty is expected in detailing the compilation (1:15,000 scale models) however, if difficulty is encountered in the weak area, there are numerous office identifiable stations which could be used to help set up the models.

One model (Photos 72L2894, 72L2895) was set in the E-8. The four compilation points were held. Two triangulation stations and one substation were used as checks. All three held within 0.1 mm.

Data for ruling projections were furnished to the Coradomat to be plotted on the California zones 6 and 7 coordinate system.

23. ADEQUACY OF CONTROL

The control was adequate.

24. SUPPLEMENTAL DATA

USGS quadrangles were used to provide vertical control for the adjustment.

25. PHOTOGRAPHY

The photography was adequate as to coverage, overlap and definition.

Respectfully submitted,

Ivey O Raborn
Ivey O. Raborn

Approved and forwarded:

John D. Perrow, Jr.
John D. Perrow, Jr.
Chief, Aerotriangulation Section

NOTES TO COMPILER

Strip number 13, which covers the breakwater, cannot be controlled or set in stereo instruments. This area must be compiled by field methods.

PHOTOGRAMMETRIC PLOT REPORT


Part 2

Dana Point to Point Vicente

California .

Job PH-7107

August 1973



1. Vicente, 1951-
2. Verdes, 1963, Sub pt.
3. Old, 1899, Sub pt.
4. San Pedro Cotton Compress Co. Tank, 1933
5. San Pedro Pacific Coast Borax Co. Stack, 1933
6. Wilmington, Smart & Final Co. Warehouse Tank, 1933
7. Medora 1972
8. Wilmington Berth 176-177 Water Tank, 1933
9. Long Beach Red Band Steel Tank, 1920
10. Long Beach Procter & Gamble Water Tank, 1933
11. Long Beach Red Band Steel Tank , 1920, Sub pt.
12. B.M. N 766, 1956, Sub pt.

Sketch #1

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO. TP-00398	JOB NO. PH-7107	GEODETIC DATUM NA 1927	ORIGINATING ACTIVITY Coastal Mapping Div. Norfolk, Va.			
STATION NAME NONE	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	COORDINATES IN FEET STATE California ZONE 6		GEOGRAPHIC POSITION ϕ LATITUDE λ LONGITUDE	REMARKS Forward back
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
			X=	ϕ		
			Y=	λ		
COMPUTED BY		DATE	COMPUTATION CHECKED BY		DATE	
LISTED BY		DATE	LISTING CHECKED BY		DATE	
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE	

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

COMPILATION REPORT

TP-00398

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter. 1:15,000 scale color photography was used. The mean lower low water line was compiled graphically using 1:15,000 scale infrared photography taken at mean lower low water. Color and definition was adequate.

32. CONTROL:

See the Photogrammetric Plot Report, Part II, dated September, 1973.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are not applicable to the project. Drainage was delineated by office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The shoreline and all alongshore details were delineated by office interpretation of the photographs.

36. OFFSHORE DETAILS:

None.

37. LANDMARKS AND AIDS:

Copies of Forms 76-40 were forwarded to the field editor for further processing.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See the Form 76-36b, item #5 concerning junctions.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with USGS Quadrangle, San Pedro, California, dated 1964, scale 1:24,000.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with National Ocean Survey chart 5142, 9th edition, dated April 17, 1971, scale 1:80,000.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Albert C. Rauck Jr. FOR
Charles Parker
Cartographic Aid
December 11, 1973

Approved:

Albert C. Rauck Jr.
Albert C. Rauck
Chief, Coastal Mapping Section, AMC

June 16, 1978

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-7107, Dana Point to Point Vicente, California

TP-00398


Los Angeles

Point Fermin

San Pedro Bay

Whites Point

Approved by:


Charles E. Harrington C3x8
Chief Geographer

PHOTOGRAMMETRIC OFFICE REVIEW

TP - 00398

12

1. PROJECTION AND GRIDS ALS	2. TITLE ALS	3. MANUSCRIPT NUMBERS ALS	4. MANUSCRIPT SIZE AS
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY ALS	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) NA	7. PHOTO HYDRO STATIONS NA	
8. BENCH MARKS NA	9. PLOTTING OF SEXTANT FIXES NA	10. PHOTOGRAMMETRIC PLOT REPORT ALS	11. DETAIL POINTS ALS
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE ALS	13. LOW-WATER LINE ALS	14. ROCKS, SHOALS, ETC. ALS	15. BRIDGES NA
16. AIDS TO NAVIGATION ALS	17. LANDMARKS ALS	18. OTHER ALONGSHORE PHYSICAL FEATURES ALS	19. OTHER ALONGSHORE CULTURAL FEATURES ALS
PHYSICAL FEATURES			
20. WATER FEATURES NA	21. NATURAL GROUND COVER NA	22. PLANETABLE CONTOURS NA	
23. STEREOSCOPIC INSTRUMENT CONTOURS NA	24. CONTOURS IN GENERAL NA	25. SPOT ELEVATIONS NA	26. OTHER PHYSICAL FEATURES NA
CULTURAL FEATURES			
27. ROADS ALS	28. BUILDINGS ALS	29. RAILROADS NA	30. OTHER CULTURAL FEATURES NA
BOUNDARIES			
31. BOUNDARY LINES NA	32. PUBLIC LAND LINES NA		
MISCELLANEOUS			
33. GEOGRAPHIC NAMES ALS	34. JUNCTIONS ALS	35. LEGIBILITY OF THE MANUSCRIPT ALS	
36. DISCREPANCY OVERLAY ALS	37. DESCRIPTIVE REPORT ALS	38. FIELD INSPECTION PHOTOGRAPHS NA	39. FORMS ALS
40. REVIEWER <i>A. L. Shands</i> A. L. SHANDS 12/17/73		SUPERVISOR, REVIEW SECTION OR UNIT <i>Albat C. Rauck Jr.</i> A. C. Rauck, Jr.	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER <i>A. L. Shands</i> A. L. Shands 7/15/76		SUPERVISOR <i>Albat C. Rauck Jr.</i> A. C. Rauck Jr.	
checked: <i>L. O. Neterer</i> L. O. Neterer 7/30/76			
43. REMARKS See form 76-36C, item 8 of Field Edit Operations			

FIELD EDIT REPORT

MAP TP-00398

WHITE'S POINT

MARCH 1976

Field edit of map TP-00398 was completed by LTJG G.P. Kosinski and ENS G.E. Leigh during March, 1976. Field inspection of the area was done at various stages of the tide by land vehicle and skiff.

METHOD

Photographs and a copy of the field edit ozalid were examined in the field. The foreshore was rock and ledge, and the offshore area was foul, with the foul limit generally delineated by breakers over shallow water or submerged rocks, or kelp. Several rocks near White's Point were identified photogrammetrically on photograph 72L2826. Forms 526 were submitted for POINT FERMIN LIGHTHOUSE 1878 and POINT FERMIN LIGHT. A copy of form 76-40, describing landmarks and fixed aids to navigation verified visually or established by field methods is attached. Field photographs FP-398-1, FP-398-2, and FP-398-3 were taken at the seawall near White's Point, and are submitted as field edit data.

ADEQUACY OF COMPILATION

Compilation of this map is generally fair to good, with extensive amounts of ledge between White's Point and Point Fermin mistaken for rocky areas. While bluffs extend along the entire shoreline, only those of chart value are noted on the field edit ozalid (film copy). Kelp zones extend roughly 100 meters offshore of the foul limit in some areas. For some reason, the photographs supplied to the field editor were not marked with photo centers, and the ozalids themselves had no photo centers marked that were consistent with the photos available. This could have been very inconvenient for the field party if photogrammetrically-located hydrographic signals were required in the area. This situation should be avoided in the future.

RECOMMENDATIONS

It is recommended that this map be revised in accordance with the notes on the ozalid and other field records, and be accepted as an advanced manuscript.

Respectfully submitted:

Gregory P. Kosinski
Gregory P. Kosinski, LTJG, NOAA

[illegible]

REVIEW REPORT
TP-00398

SHORELINE

October 27, 1978

61. GENERAL STATEMENT:

See Summary, page 6 of this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with a copy of Final Verified Smooth Sheet H-9591 (FA-10-2-76). The landmark Radio Tower shown on the Smooth Sheet at lat. 33 43.6', long. 118 20.0' is west of its position on the map. The map position was determined in the instrument model and verified visually by the field editor.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with Charts 18749, 1:18,000 scale, 21st edition, dated March 26, 1977 and 18746, 1:80,000 scale, 17th edition, dated March 19, 1977.

The landmark Pavillion charted north of Point Vermin is not shown on the map. It was not recommended for charting by the field editor.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the project instructions and meets the requirements for Bureau Standards and the National Standards of Map Accuracy.

Submitted by:

A. L. Shands

A. L. Shands
Final Reviewer

Approved for forwarding:

Billy H. Barn
for Chief, Photogrammetric Branch, AMC

Approved:

John D. Perrow Jr
Chief, Photogrammetric Branch

A. R. Hendon FOR
Chief, Coastal Mapping Division

RECORD OF APPLICATION TO CHARTS

Тр 00398

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]