

TP-00405

TP-00405

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

## DESCRIPTIVE REPORT

Type of Survey Shoreline.....  
Job No. PH-7107..... Map No. TP-00405.....  
Classification No. Final..... Edition No. 1.....  
Field Edited Map

### LOCALITY

State California.....  
General Locality Dana Point to Point Vicente.....  
Locality Huntington Beach.....

1971 TO 1975

### REGISTRY IN ARCHIVES

DATE .....

NOAA FORM 76-36A (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	SURVEY TP-00405 MAP EDITION NO. (1) MAP CLASS Final JOB PH. 7105
<b>DESCRIPTIVE REPORT - DATA RECORD</b>			
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division Norfolk, Va.		<b>LAST PRECEDING MAP EDITION</b>	
OFFICER-IN-CHARGE  Jeffery G. Carlen, Cdr		TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__
<b>I. INSTRUCTIONS DATED</b>			
<b>1. OFFICE</b>		<b>2. FIELD</b>	
Aerotriangulation Aug 17, 1971 Compilation Nov. 5, 1971 Supplement 1 Oct. 9, 1973 Amendment 1 Oct. 30, 1973 Amend. 1 to Supp. 1 Jan. 28, 1974		Premarking March 1, 1971 Premarking Supplement I Feb. 25, 1972	
<b>II. DATUMS</b>			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input checked="" type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION  Polyconic		4. GRID(S) STATE California ZONE 6	
5. SCALE 1:10,000		STATE ZONE	
<b>III. HISTORY OF OFFICE OPERATIONS</b>			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		D. Brant	Nov 1971
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY		D. Phillips D. Phillips	Oct 1971 Oct 1971
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 SCALE: 1:15,000 CONTOURS BY CHECKED BY		R. R. White A. L. Shands NA NA	Dec 1971 Dec 1971  
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smooth drafted CONTOURS BY CHECKED BY SCALE: 1:10,000 HYDRO SUPPORT DATA BY CHECKED BY		R. R. White L. L. Graves NA NA R. R. White L. L. Graves	Dec 1971 Dec 1971   Dec 1971 Dec 1971
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		L. L. Graves	Dec 1971
6. APPLICATION OF FIELD EDIT DATA BY		I. Perkinson	Jul 1975
7. COMPILATION SECTION REVIEW BY		A. L. Shands	Nov 1975
8. FINAL REVIEW BY		A. L. Shands	Aug 1978
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		A. L. Shands	Nov 1978
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		A. K. Heywood	Feb 1980
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E. L. DAUGHERTY	JUN 1980

NOAA FORM 76-36B  
(3-72)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

TP-00405

## COMPILATION SOURCES

## 1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "L"		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS * <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Pacific	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 120th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
71L(C) 1466-1468	3/5/71	09:47	1:20,000	0.7 ft. above MLLW	
71L(C) 1484	3/5/71	10:05 <sup>s</sup>	1:20,000	0.5 ft. above MLLW	
*71L(I) 2227	3/7/71	15:25	1:30,000	±0.2 ft. of MLLW	

## REMARKS

\*Denotes tide coordinated photography.

## 2. SOURCE OF MEAN HIGH-WATER LINE:

Office interpretation of the above listed photography.

## 3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

\*Mean lower low water line was compiled from tide coordinated infrared photography listed above.

## 4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

## 5. FINAL JUNCTIONS

NORTH	Scale	EAST	SOUTH	WEST
TP-00404	1:10,000	TP-00406	No contemporary survey	No contemporary survey

## REMARKS

TP-00405

## HISTORY OF FIELD OPERATIONS

1. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. B. Melby	Feb/Mar '71
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION BY	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED  
None

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

None

TP-00405

## HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	CDR R. E. Alderman	Apr 1975
2. HORIZONTAL CONTROL	RECOVERED BY FAIRWEATHER personnel	Apr 1975
	ESTABLISHED BY FAIRWEATHER personnel	Apr 1975
	PRE-MARKED OR IDENTIFIED BY	None
3. VERTICAL CONTROL	RECOVERED BY	None
	ESTABLISHED BY	None
	PRE-MARKED OR IDENTIFIED BY	None
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY	None
	LOCATED (Field Methods) BY	None
	IDENTIFIED BY	None
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY LCDR J. A. Sowers	Apr 1975
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

None

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

Cables and Pipelines-Signal and Union Oil Co.

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Map TP-00405(Field Edit copy); and Field Edit Report, OPR-411-FA-75,  
Map TP-00405

TP-00405

## RECORD OF SURVEY USE

## I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Dec 1971	Class III manuscript	None	1/5/72
Field Edit Applied. Compilation complete	Jul 1975	Class I	6/7/76	
Final Review	Aug 1975	Final	Nov 1978	

## II. LANDMARKS AND AIDS TO NAVIGATION

## 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
			NONE

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: \_\_\_\_\_3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: \_\_\_\_\_

## III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.  
2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.  
3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.  
ACCOUNT FOR EXCEPTIONS: \_\_\_\_\_

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: \_\_\_\_\_

## IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY  MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

## 5

## SUMMARY TO ACCOMPANY

TP-00404 through TP-00415

Maps included in this summary comprise roughly the southern half of Project PH-7107. Maps TP-00406 through TP-00411 are 1:5,000 scale. TP-00404, TP-00405 and TP-00412 through TP-00415 are 1:10,000 scale.

These maps cover the mainland coast of California from Dana Point northward to Huntington Beach. Each map is a standard shoreline map the purpose, of which, is to provide shoreline in support of contemporary hydrographic operations and for nautical chart construction.

The shoreline is composed primarily of sand. Large amounts are deposited from runoff during the winter and spring rains. Much of the sand is then eroded during the dry months. This cycle of erosion and deposition causes the shoreline to meander in and out. As a result, the mean high water line throughout the entire area is constantly changing.

Field operations prior to compilation consisted of the recovery and identification of horizontal control used in the bridge and leveling operations used to establish the mean lower low water datum in connection with the tide coordinated infrared photography.

The job was bridged in two parts. Bridging for this part of the job was done at the Rockville Office in November, 1971. All ratios were determined and photographs were ordered at that time.

All maps were compiled at the Atlantic Marine Center in January and February, 1972. Field edit was accomplished in October, 1974.

Field edit application and Final Review was performed at the Atlantic Marine Center. All pertinent data was forwarded to the Rockville Office for reproduction and final registration.



7

Field Report  
Project PH-7107  
Dana Point to Point Vicente, California  
Shoreline Mapping  
February - March 1971

The field work pertaining to this project consisted of premarking horizontal control stations prior to aerial photography and furnishing tidal observations necessary for tide control photography.

Horizontal Control:

The horizontal control requirements consisted of paneling preselected triangulation stations. The panels were the conventional, white, opaque polyethylene plastic, cut to the specifications as required for 1:30,000 scale photography.

Form 152, Control Station Identification cards will be submitted for each station paneled. All of the panels are in open areas and shadows or cliffs should not be a problem. Panel array No. 1 was used exclusively, although in some instances, the length or position of the rays were altered to conform to the existing terrain.

Tide Observations:

At Newport Bay, three existing tidal bench marks were tied by spirit levels to the stop on the portable tide staff, of the operating tide gage. The values agreed favorably with the results as determined by a party from the San Francisco Field Office on 2 February 1971. Staff reading of 3.18 feet equals 0.00 feet mean lower low water.

The staff was read at least one hour prior to, during, and one hour after the anticipated or actual aerial photography. The readings were at five minute intervals to the nearest 0.05 foot. The air photo mission was informed by radio of the tide staff readings, during the overflights. The field level observations are recorded in Form 258, "Leveling Record - Tide Station".

A bubbler tide gage was installed on the Oceanside Pier, Oceanside, California, 3 March 1971 to provide tidal data for the proposed tide-controlled photography, scheduled for October 1971.

Respectfully Submitted,

*Robert B. Melby*

Robert B. Melby  
Chief, PNC Field Party

## PHOTOGRAMMETRIC PLOT REPORT

Part 1

Dana Point to Point Vicente

California

Job PH-7107

November 1971

21. Area Covered

The area covered by this report is along the west coast of California. Control was extended for the shoreline compilation of the following maps:

1:5,000 scale1:10,000 scale

TP-00406

TP-00404

TP-00407

TP-00405

TP-00408

TP-00412

TP-00409

TP-00413

TP-00410

TP-00414

TP-00411

TP-00415

22. Method

Strip #1 (1:30,000 scale photography) was bridged using analytical aerotriangulation methods. Sketch #1 shows the flight line of the photography and the placement of the control used in the adjustment. Compilation points were located between Strip #1 and Strips #2, #3 and #4 (1:15,000 scale photography) to control the 1:5,000 scale compilation. Compilation points were also located between Strip #1 and Strip #5 (1:30,000 scale photography) where coverage from Strip #1 was not sufficient to control the 1:10,000 scale compilation. Sketch #2 shows the flight lines of the photography. Common points were located between Strip #1 and the 1:15,000 scale and 1:20,000 scale photography in order to determine the ratio scale for the hydro support photography. Natural objects such as tanks, stacks, etc. were located for hydro support parties during bridging. All data for ruling projections and plotting points for the compilation office were furnished to the Coradomat to be plotted on the California zone 6 coordinate system.

23. Adequacy of Control

Horizontal control was premarked and was adequate for bridging.

2

24. Supplemental Data

USGS quadrangles were used to provide vertical control for the adjustment.

25. Photography

The following 1:30,000 scale RC-8 color photography was used in bridging Strip #1:


71-L(C)-1653 thru 1674

The definition and quality of photography was adequate.

Submitted by:


  
Donald M. Brant

Approved by:


  
Henry E. Eichert, Chief  
Aerotriangulation Section

[illegible]

JOB PH - 7107  
DANA POINT TO POINT VICENTE  
CALIFORNIA  
SHORE LINE MAPPING  
SCALE 1:10,000 @ 1:5,000



0 115,000 PHOTOGRAPHY  
 0 1150,000 PHOTOGRAPHY



0 115,000 SCALE WIDE COPY-OUT PHOTOGRAPH  
 0 112,000 SCALE WIDE COPY-OUT PHOTOGRAPH

## DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	STATION NAME	JOB NO.	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETTIC DATUM		COORDINATES IN FEET		GEOGRAPHIC POSITION		ORIGINATING ACTIVITY	
					TP-00405	PH-7107	STATE	ZONE	California	6	$\phi$	$\lambda$
PIER, 1935		Quad 331181 2059			X=		$\phi$	33	39	23.120	712.3	(1136.2)
					Y=		$\lambda$	118	00	06.608	170.3	(1375.7)
ROOF, 1911		Quad 331181 2060			X=		$\phi$	33	39	27.032	832.8	(1015.7)
					Y=		$\lambda$	118	00	01.630	42.0	(1504.0)
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
					X=		$\phi$					
					Y=		$\lambda$					
COMPUTED BY	R. J. Pate			DATE	12/9/71	COMPUTATION CHECKED BY		J. Bulfer		DATE 12/14/71		
LISTED BY				DATE		LISTING CHECKED BY				DATE		
HAND PLOTTING BY				DATE		HAND PLOTTING CHECKED BY				DATE		

## COMPILATION REPORT

TP-00405

31. DELINEATION:

The Wild B-8 was used along with 1:30,000 scale color photography for compilation.

The mean lower low water line was compiled graphically using infrared ratio photographs. There was no field inspection prior to compilation. The photography was good.

32. CONTROL:

See "Photogrammetric Plot Report Part 1", dated November 1971.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. No drainage was compiled.

35. SHORELINE AND ALONGSHORE DETAILS:

All detail was compiled from office interpretation of the photographs.

36. OFFSHORE DETAILS:

None.

37. LANDMARKS AND AIDS:

None.



38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See form 76-36b under Final Junctions.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with USGS Quadrangle  
SEAL BEACH, CALIF., scale 1:24,000, dated 1965.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with Chart 5142,  
scale 1:80,000, 9th edition, dated April 17, 1971.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

*Richard R. White*

Richard R. White  
Cartographic Technician  
December 21, 1971

Approved:

*Albert C. Rauck, Jr.*  
Albert C. Rauck, Jr.  
Chief, Coastal Mapping Section, AMC

June 16, 1978

## GEOGRAPHIC NAMES

## FINAL NAME SHEET


PH-7107, Dana Point to Point Vicente, California

TP-00405

Huntington Beach (locality)

Pacific Ocean

Approved by:

  
\_\_\_\_\_  
Charles E. Harrington C3x8  
Chief Geographer

## PHOTOGRAMMETRIC OFFICE REVIEW

TP - 00405

12

1. PROJECTION AND GRIDS LLG	2. TITLE LLG	3. MANUSCRIPT NUMBERS LLG	4. MANUSCRIPT SIZE LLG
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY LLG	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) NA		7. PHOTO HYDRO STATIONS NA
8. BENCH MARKS NA	9. PLOTTING OF SEXTANT FIXES NA	10. PHOTOGRAMMETRIC PLOT REPORT ROCKVILLE SCIENCE CENTER	11. DETAIL POINTS LLG
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE LLG	13. LOW-WATER LINE LLG	14. ROCKS, SHOALS, ETC. NA	15. BRIDGES NA
16. AIDS TO NAVIGATION LLG	17. LANDMARKS NA	18. OTHER ALONGSHORE PHYSICAL FEATURES LLG	19. OTHER ALONGSHORE CULTURAL FEATURES LLG
PHYSICAL FEATURES			
20. WATER FEATURES LLG		21. NATURAL GROUND COVER NA	22. PLANETABLE CONTOURS NA
23. STEREOSCOPIC INSTRUMENT CONTOURS NA	24. CONTOURS IN GENERAL NA	25. SPOT ELEVATIONS NA	26. OTHER PHYSICAL FEATURES NA
CULTURAL FEATURES			
27. ROADS LLG	28. BUILDINGS LLG	29. RAILROADS NA	30. OTHER CULTURAL FEATURES NA
BOUNDARIES			
31. BOUNDARY LINES NA		32. PUBLIC LAND LINES NA	
MISCELLANEOUS			
33. GEOGRAPHIC NAMES LLG		34. JUNCTIONS LLG	35. LEGIBILITY OF THE MANUSCRIPT LLG
36. DISCREPANCY OVERLAY LLG	37. DESCRIPTIVE REPORT LLG	38. FIELD INSPECTION - PHOTOGRAPHS NA	39. FORMS LL
40. REVIEWER <i>Albert C. Rauck, Jr.</i> LL Graves 12/23/71		SUPERVISOR, REVIEW SECTION OR UNIT <i>Albert C. Rauck, Jr.</i> Albert C. Rauck, Jr.	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER <i>Irene Perkinson</i> Irene Perkinson 7/24/75		SUPERVISOR <i>Albert C. Rauck, Jr.</i> Albert C. Rauck, Jr.	
Reviewer: Arnold L. Shands 11/75			
43. REMARKS <i>Arnold L. Shands</i>			
See Form 76-36C, item 7 and 8 of Field Edit Operations.			

## FIELD EDIT REPORT

MAP TP-00405

HUNTINGTON BEACH, CALIFORNIA

APRIL 1975

APRIL 1975

Field edit of map TP-00405 was done by Lcdr Joseph A. Sowers during April 1975. Field inspection of the area was done at various stages of the tide by land vehicle.

METHOD

Photographs and a copy of the field edit ozalid were examined in the field. Photogrammetric techniques were used for location of features in question. The foreshore area was regular, sandy beach and unfouled, requiring no verification of the existence of rocks, reefs, etc. All times are based on GMT.


ADEQUACY OF COMPILATION

Compilation of this map is good. Signal and Union Oil company drawings have been attached to the Field Edit Ozalid to aid in location of cables and pipelines. Field inspection of this map is complete.

RECOMMENDATIONS

It is recommended that this map be revised in accordance with the notes and fix information on the ozalid ~~and photographs~~, and then be accepted as an advanced manuscript.

Respectfully submitted:

  
Joseph A. Sowers  
LCDR, NOAA

REVIEW REPORT  
TP-00405

SHORELINE

August 8, 1978

61. GENERAL STATEMENT:

Oil platforms Emmy and Eva were delineated on the map from drawings submitted by the field editor. These drawings have shown on them, accurate positions of one point (presumably the center) on the platform and the shore ends of the attached pipelines and cables. The size and shape of the platforms, however, are not given. They are noted as approximate on the map.

See Summary, page 6 of this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

No comparison was made.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

No comparison was made.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with a copy of Final Verified Smooth Sheet H-9492 (FA-10-1-75). There are no differences among common details.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with Chart 18746, 1:80,000 scale, 17th edition, dated March 19, 1977. There are no significant differences.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the project instructions and meets the requirements for Bureau Standards and the National Standards of Map Accuracy.

Submitted by:

*A. L. Shands*

A. L. Shands  
Final Reviewer


Approved for forwarding:

*Bill H. Barnum*  
for  
Chief, Photogrammetric Branch, AMC

Approved:



Chief, Photogrammetric Branch



Chief, Coastal Mapping Division



### RECORD OF APPLICATION TO CHARTS

TP 40 405

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

## INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]