

Original

TP-00468

TP-00468

NOAA FORM 76-35	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Type of Survey Coastal Boundary	
Job No. PH-7120	Map No. TP-00468
Classification No. Final	Edition No. 1
LOCALITY	
State Florida	
General Locality Monroe County	
Locality Moser Channel to Ohio Key	
.....	
<hr/> 19 74 TO 1976 <hr/>	
REGISTRY IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Rockville, Md.		SURVEY TP. 00468 MAP EDITION NO. (1) MAP CLASS Final JOB PH. 7120	
OFFICER-IN-CHARGE Commander James Collins		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
General Instructions-OFFICE-NOS Cooperative Coastal Boundary Mapping, Job PH-7000, December 9, 1975 Supplement I, November 4, 1974 Supplement III, October 24, 1974 NOTE: Office and field edit instructions (1975) incorporate applicable prior operational instructions		Instructions-FIELD-July 6, 1972 Field Edit (PH-7000 General Instructions for Florida Coastal Zone Mapping) 1973	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input checked="" type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Transverse Mercator		4. GRID(S) STATE Florida ZONE East Zone	
5. SCALE 1:10,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		R. Kelly Inapplicable	10/75
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradi CHECKED BY		J. Taylor	2/76
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: CONTOURS BY SCALE: CHECKED BY		Inapplicable Inapplicable	Inapplicable
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Graphic-rectified photos CONTOURS BY CHECKED BY SCALE: HYDRO SUPPORT DATA BY CHECKED BY		J. McClure J. Battley, Jr. Inapplicable Inapplicable	3/76 3/76
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		J. Battley, Jr.	3/76
6. APPLICATION OF FIELD EDIT DATA BY		C. Lewis	7/76
7. COMPILATION SECTION REVIEW BY		J. Schad, C. Lewis	8/76
8. FINAL REVIEW BY		P. Dempsey, C. Lewis	8/76
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		D. Brant	2/77
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		D. Brant	12/77
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		R. Carter	3/78

NOAA FORM 76-36B (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY			
P-00468		COMPILATION SOURCES			
1. COMPILATION PHOTOGRAPHY					
CAMERA(S) Wild RC-10 C 3.5" focal length		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED B&W		TIME REFERENCE ZONE Eastern MERIDIAN 75th	
TIDE STAGE REFERENCE <input type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				<input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
74C(C) 8366-8374	3/16/74	1452	1:30,000	The stage of tide is inapplicable for the color photography Refer to 76-36B(1) for tide information	
74C(R) 2189R-2191R	11/8/74	1345	1:30,000		
74C(R) 2351R-2354R	11/12/74	1007	1:30,000		
74C(R) 2627R-2630R	11/22/74	0923	1:30,000		
74C(R) 2679R-2680R	11/22/74	0959	1:30,000		
REMARKS					
2. SOURCE OF MEAN HIGH-WATER LINE:					
The source of the MHW line is the tide-coordinated, black-and-white infrared photography listed in item 1. The rectified color photography was used as an aid for interpreting cultural features and compiling the limits of vegetation and shoal and shallow areas.					
Where the shoreline is obscured by vegetation, such as mangrove, the apparent shoreline symbol was used.					
3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:					
The source of the MLW line is the tide-coordinated, black-and-white infrared photography listed under item 1.					
4. CONTEMPORARY HYDROGRAPHIC SURVEYS <i>(List only those surveys that are sources for photogrammetric survey information.)</i>					
SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
5. FINAL JUNCTIONS					
NORTH	EAST	SOUTH	WEST		
TP-00462	TP-00469	No contemporary survey			TP-00473 & 00467
REMARKS					
Final junctions will be made in the Coastal Mapping Section.					

NOAA FORM 76-36B(1)
(7-75)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYTIDE - COORDINATED PHOTOGRAPHY
TP - 00468

LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
LITTLE DUCK KEY			
74CR2189-2191	(LITTLE DUCK KEY	-0.04 MHW	0.90'
74CR2351-2354	(LITTLE DUCK KEY	+0.23MHW	0.90'
74CR 2627-2630	(LITTLE DUCK KEY	+0.09 MLW	0.90'
74CR2679-2680	(LITTLE DUCK KEY	+0.06 MLW	0.90'

REMARKS:

*Little Duck Key tide station is applicable for the ocean and the Gulf of Mexico
as per R. Brewer 3/29/76

HISTORY OF FIELD OPERATIONS TP-00468

I. ☒ FIELD INSPECTION OPERATION *Aug. 1972 ☒ FIELD EDIT OPERATION April 1976

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. R. Wagner	4/76
2. HORIZONTAL CONTROL	RECOVERED BY C. F. Lewis	4/76
	ESTABLISHED BY Inapplicable	
	PRE-MARKED OR IDENTIFIED BY Inapplicable	
3. VERTICAL CONTROL	RECOVERED BY C. F. Lewis	4/76
	ESTABLISHED BY Inapplicable	
	PRE-MARKED OR IDENTIFIED BY Inapplicable	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY R. R. Wagner	4/76
	LOCATED (Field Methods) BY R. R. Wagner	4/76
	IDENTIFIED BY C. F. Lewis	4/76
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
	BY C. F. Lewis	4/76
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY C. F. Lewis	4/76
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY Inapplicable	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
	Refer to field report	74-C-8372 74-C-8374	Duck 2, 1937 C 70 RESET

3. PHOTO NUMBERS (Clarification of details)
74-C-8366, 8368, 8370, 8372, 8374
74-C(R)-2630

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

There are no landmark. Nonfloating aids were either verified or located by field methods.

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
		74-C-8372 74-C-8374	Dybn 18, Little Money Key Dybn 19, Little Money Key

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Two (2) pages of angles for aids.

The field report is bound with this Descriptive Report

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

TP-00468

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Office - Class III	4/29/76	Special Request from Requirements Branch		
Field edit - Class I	7/22/76	" " "	11/8/76	

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
		9/1/76	1 Form 76-40 submitted to Marine Charts as final report.

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: 9/1/763. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☒ FORM NOS ⁷⁶⁻⁴⁰ ~~667~~ SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



JOB PH-7120

PLANTATION KEY TO BIG PINE KEY FLORIDA

SHORELINE MAPPING

SCALE 1:10000

REVISED 10/3/74
2/24/76

T R A

Mileage for Cost accounts

Sq. M1.

Sheet No.	
TP-00456	7
TP-00457	7
TP-00458	6
TP-00460	2
TP-00461	2
TP-00462	1
TP-00463	2
TP-00464	4
TP-00466	12
TP-00467	5
TP-00468	3
TP-00469	5
TP-00470	6
TP-00472	8
TP-00473	3

Total 82

SUMMARY

For

TP-00456 thru TP-00458

TP-00460 thru TP-00464

TP-00466 thru TP-00473

Coastal Zone Map TP-00468 is one of fifteen (15) 1:10,000 scale (shoreline type) maps in Job PH-7120. These maps will not be published. Interior detail is limited to a narrow zone of planimetry usually back from the shoreline to and including the first road.

The layout for Job PH-7120 (revised since the aerotriangulation operation) will show the location of the individual maps. A copy of the layout is included in this Descriptive Report.

These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS nautical charts.

The area (Job PH-7120) is covered by photography taken in 1972 and 1974 on color, color infrared, and black-and-white infrared film. The black-and-white infrared film was tide-coordinated at MHW and MLW datums.

The field operations consisted of the following:

1. Premarking of horizontal control and photographing the area.
2. Establishing tidal datums
3. Field edit

Horizontal control was extended by analytical aerotriangulation method using the stereocomparator.

The interior details shown on the shoreline type maps were stereoscopically compiled from the rectified prints of the color or color infrared photography.

The tidal datum lines (MHWL and MLWL) and offshore details were compiled from tide-coordinated, black-and-white infrared photography by graphic methods. This photography was controlled by points determined by aerotriangulation and map detail compiled from the rectified photography. The rectified color or color infrared photography was also used as an aid to interpret culture and apparent shoreline.

All line work is scribed, approved symbols are shown in the marginal data of the map.

A registration copy for each map was prepared. The registration copy shows additional offshore details such as shoal and shallow areas used by the Marine Chart Division but not required on the Coastal Zone Maps. This copy of the map is labeled "Registration Copy" in the title block.

The following items will be registered in the NOS Archives:

1. A stable base copy of the Registration Copy
2. The Descriptive Report

Three (3) eight-time (210mm) reduction negatives will be made for each registered map and they will be filed in the following locations:

1. One (1) with Reproduction Division
2. Two (2) with the Photo Map and Imagery Information Section

This report is on work done in accordance with Instructions - FIELD - Job PH-7120; Horizontal Control for Aerotriangulation and Field Support for Aerial Photography; Coastal Boundary Mapping, Plantation Key to Big Pine Key, Florida, dated 7/6/72. Work began on June 19, 1972 and ended August 15, 1972.

All modifications to the instructions were approved by Mr. Ron Brewer. Instructions to Air Photo Mission 2 changed the tolerance on MHW from 0.3 foot to 0.1 foot. Verbal instructions from Mr. Brewer cancelled flight lines 30-6, 30-7, and 30-8 and corresponding premark work because tidal information was not available.

1. PREMARKING OF CONTROL

18 stations were paneled in accordance with the job diagram. A second order traverse with tellurimeters establishing 12 stations was run to supplement the existing control. A position was established on Pigeon Key and successfully used to recover MOSER 1935.

2. AEROTRIANGULATION PHOTOGRAPHY

This photography was completed. In addition, individual photographs of each paneled station were taken at a low altitude. Panels were completely removed after notified by the Chief, Mission 2 that the film was successfully developed.

3. TIDE COORDINATED PHOTOGRAPHY

Locations of the tide staffs are shown on the job diagram accompanying this report. Photography was taken on July 28 and 30 and August 8, 11, 12, and 13. Recordings entered in the tide volumes, Form 277, were at 5 minute intervals during photography and at 15 minute intervals near photography. Tolerances of ± 0.10 foot for MHW and MLW and ± 0.20 foot for MWL were observed. Wet staff readings - crest, mean, and trough - were recorded while photography was in progress. Eastern Standard Time was used. Time checks were made with WWV, Fort Collins, Colorado.

Line 20-1 Atlantic Side MHW Flown at 1211-1225 on 28 July when the DUCK KEY staff read 3.50-3.35. Was reflown at 1225-1235 the same day. MLW Flown at 1605-1615 on 8 August and reflown at 1619-1632 the same day when the staff read 2.01-2.14.

Line 20-1 Florida Bay Side. Line was divided into 3 parts. South 1/3 controlled by the VACA KEY, NORTH SIDE staff, the mid 1/3 by the GRASSY KEY, NORTH SIDE staff, and the north 1/3 by the LOWER MATECUMBE KEY, FLA. BAY and GRASSY KEY, NORTH SIDE staffs. South 1/3 MLW Flown at 857-903 on 30 July when the VACA KEY staff read 2.95-3.00. South 1/3 MHW Flown at 1245-1250 on 28 July when the VACA KEY staff read 3.55. Reflown the same day at 1335-1345 when the staff read 3.75-3.80.

Mid 1/3 MHW Flown at 1335-1345 and reflowed at 1350-1500 on 28 July when the staff at GRASSY KEY read 3.50-3.70. Mid 1/3 MLW South $\frac{1}{2}$ of this line flown at 915-920 on 30 July when the GRASSY KEY staff read 2.80. North $\frac{1}{2}$ was flown on 12 August at 937-944 when the staff read 2.65. North 1/3 MHW Flown at 1335-1345 on 28 July when the GRASSY KEY staff read 3.50-3.56. Flown at 1250-1300 on 28 July when the LOWER MATECUMBE KEY, FLA. BAY staff read 3.29 - 3.27. North 1/3 MLW Flown at 937-944 on 12 August when the GRASSY KEY staff read 2.65. Flown at 1516-1521 on 11 August when the LOWER MATECUMBE KEY, FLA BAY staff read 2.45-2.41.

Line 15-1 Atlantic Side MHW Flown at 1327-1333 on 30 July when the LOWER MATECUMBE KEY, HAWK CHANNEL staff read 3.90-3.86. MLW Flown at 1548-1555 on 8 August when the staff read 2.08-2.10. Florida Bay side MHW Flown on 30 July at 1030-1040 and reflowed the same day AT 1040-1100 when the LOWER MATECUMBE KEY FLA. BAY staff read 3.22-3.29. The south end of this line was also flown at 1315-1322 on 28 July when the staff read 3.18-3.12. MLW Flown on 11 August at 1504-1510 when the staff read 2.49-2.47

Line 30-1 Atlantic Side MHW Flown on 12 August at 959-1005 when Tavernier Hawk Channel staff read 4.29-4.30 and again at 1034-1036 when the staff read ~~4.40-4.43~~ 4.40-4.43. MLW Flown on 8 August at 1534-1540 when the staff read 2.25-2.38. Florida Bay Side The northern 2/3 of this line was controlled by TAVERNIER, FLA. BAY MWL It was flown on 12 August at 1637-1641 when the staff read 2.68. The south end of the line was lengthened about 2 miles. MHW Flown at 1355-1401 on 13 August when the UPPER MATECUMBE KEY, FLA. BAY staff read 2.58 and on 30 July at 1305-1318 when the staff read 2.76-2.77. MLW Flown on 8 August at 1534-1540 when the staff read 2.34-2.32.

Line over the ISLAMORADA, WHALE CHANNEL tide staff. A 4 mile line centered on the staff was flown for MHW AND MLW at 1:20,000 scale. MHW Flown on 12 August at 1019-1022 when the staff read 3.40-3.43. MLW Flown at 1636-1640 on 11 August when the staff read 2.17-2.15.

Line 30-4. MHW Flown at 1045-1047 on 12 August when the LOWER MATECUMBE KEY, FLA. BAY staff read 3.15-3.17. Reflowed on 13 August at 1120-1122 when the staff read ~~3.10~~ 3.10. MLW Flown on 11 August at 1534-1537 when the staff read 2.40 and reflowed 1545-1548 the same day when the staff read 2.39-2.37.

Line 30-3 MWL Flown on 11 August at 1602-1606 when the staff at TAVERNIER, FLA. BAY read 2.67. Reflowed on 12 August at 1621-1624 when the staff read 2.68.

Line 30-2. North half controlled by TAVERNIER, FLA. BAY MWL. Flown on 11 August at 1556-1601 when staff read 2.68-2.67. Reflowed on 12 August at 1627-1630 when the staff read 2.68. MHW Southern end. Flown at 1407-1410 on 13 August when the UPPER MATECUMBE KEY, FLA. BAY staff read 2.58. Tide at this location had not reached the 0.1 foot tolerance on high water for several days. MLW Flown at 1556-

1601 on 11 August when the staff read 2.27-2.26. Reflown on 12 August at 1059-1101 when the staff read 2.33-2.35.

4. FORESHORE PROFILES

Beach areas were inspected from the ground, by boat and airplane. It was decided that profiles were not needed and none were taken.

5. BRIDGE AZIMUTHS

The azimuths of two long bridges in the project area were obtained and are included in the field data.

6. FIELD RECORDS

All field records and computations were forwarded to C3413 on 2 October 1972.

John C. Veselenak

John C. Veselenak
Chief, Photo Party 65

PHOTOGRAMMETRIC PLOT REPORT
Boot Key to Key West, Florida
Job PH-7201
October 1975

21. Area Covered

This report covers twenty-five 1:10,000 sheets, TP-00474 thru TP-00489, TP-00460 thru TP-00462, TP-00466, TP-00467, TP-00468, TP-00472, and TP-00473, from Boot Key to Key West, Florida.

22. Method

Three strips of 1:60,000 photography were bridged by analytic aerotriangulation methods and adjusted to ground on the Florida State Plane Coordinate System, East Zone. The three strips were also adjusted as a block. The attached four sketches shows the placement of horizontal control, closures to control used in the block adjustment, mean high and mean low water photography, and photography to be used for compilation. Bridge points were drilled on the 1:30,000 scale color photography and measured on 1:60,000 color bridging photography to control the setting of models on the B-8 for compilation. Bridge points were also pricked on the infrared photography and measured on the 1:60,000 color bridging photography for ratioing photographs to be used in the compilation of the mean high and mean low water line.

23. Adequacy of Control

The horizontal control provided was adequate except for DUCK 2, 1937 Substitute Station and DUCK 2, 1937 ARRAY (panel). These two stations held the same in the block adjustments as they did in the strip adjustment with 15 feet error in the Y direction. There was no apparent reason for the error. All other control held within the accuracy required by National Standards of Maps. Accuracy at 1:10,000.

24. Supplemental Data

Local shoreline was used to provide elevations for vertical adjustments of the bridges.

25. Photography

RC-8 color film positives were adequate as to coverage, overlap, and definition.

Submitted by,

Robert B. Kelly

Robert B. Kelly

Approved and Forwarded:

John D. Perrow Jr.


John D. Perrow, Jr.

Chief, Aerotriangulation Section

CLOSURES TO CONTROL (BLOCK ADJUSTMENT)

1	Key West Naval Monument	(3.314, -1.519)
2	Key West Naval Station Tank, 1956	(0.003, 0.000)
3	Key West Lighthouse, 1849	(-2.592, -0.574)
4	Bay Key, 1934 Sub. Sta. 1	(1.309, -0.804)
5	Channel Key 2, 1934	(-1.066, 0.413)
6	Mud Key 2, 1934	(-1.631, -0.194)
7	Pek, 1934	(-0.056, 0.039)
8	Bunch, 1934	(-1.207, 1.886)
9	Cud, 1934	(-0.125, -0.134)
10	Content 2, 1935	(0.046, 0.286)
11	Pinkey, 1935	(0.180, 0.617)
12	Newfound, 1920	(0.020, -0.384)
13	Span, 1935	(0.046, -0.016)
14	Trade, 1935 Sub. Sta. 1	(-0.043, -0.001)
15	Moser, 1935 Sub. Sta. 1	(-0.210, 0.256)
16	Knight 2, 1936	(-0.499, -0.718)


JOB CM-7201
 BOOT KEY TO KEY WEST
 FLORIDA
 SHORELINE MAPPING
 COMPILATION PHOTOGRAPHY



INDEX TO STRIPS OF PHOTOGRAPHS

1	74C(c)	8362-8418
2	"	8419-8475
4	"	8274-8328
5	"	8228-8232
6	"	7408-7446
7	"	7518-7544
8	"	7484-7491


JOB CM-7201
 BOOT KEY TO KEY WEST
 FLORIDA
 SHORELINE MAPPING
 MEAN LOW WATER PHOTOGRAPHY



INDEX TO STRIPS OF PHOTOGRAPHS

10	74C	2624R-2653R
11	"	2655R-2685R
12	"	2744R-2767R
24	"	2769R-2795R
25	"	2846R-2868R
26	"	2823R-2833R
27	"	2566R-2576R
28	"	2524R-2532R

JOB CM-7201
 BOOT KEY TO KEY WEST
 FLORIDA
 SHORELINE MAPPING
 MEAN HIGH WATER PHOTOGRAPHY



INDEX TO STRIPS OF PHOTOGRAPHS

13	74C	2329R-2358R
14	"	2187R-2202R
15	"	2387R-2390R
16	"	2450R-2465R
17	"	2475R-2485R
18	"	2290R-2207R
19	"	2214R-2228R
20	"	2510R-2519R
21	"	2550R-2559R
22	"	2246R-2250R
23	"	2313R-2322R
29	"	2259R-2265R

Horizontal Control

Map TP- 00468

Station	NOS Geodetic Data Reference for Description, Positions, Coordinates and Azimuths
<p>Molasses Key, 1856</p> <p>Duck 2, 1937</p>	<p>Book 425, p.21, 34 P.C. P. 117, G.P., P. 447</p> <p>Book 425, p. 22, 28, 30, 31, 37 (r.74) P.C. Vol. 2 p. 140 G.P., P. 546</p>

Compilation Report
TP-00468
March 1976

31. Delineation

All features were delineated by graphic compilation.

The rectified prints of the color infrared photography were controlled by map points determined by aerotriangulation and were used for compiling shoal and shallow areas, interior features, cultural shoreline, and apparent shoreline. Color contact prints were used as a guide for clarifying map detail.

The tidal datum lines were compiled from office interpretation of the ratioed tide-coordinated black-and-white infrared photography which was controlled by common detail compiled from the rectified prints of the color infrared photography.

A field edit will be made to validate interpretation and symbolization of features.

32. Horizontal Control

Horizontal control was adequate. Two stations did not hold and were removed from the manuscript. See the Photogrammetric Plot Report for details.

33. Supplemental Data - None

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from the rectified prints of the color infrared photography.

35. Shoreline and Alongshore Detail

Office interpretation of the photography was adequate for delineating the shoreline and alongshore detail. Tide Station Little Duck Key is to be identified during edit.

36. Offshore Details - No unusual problems were encountered.

37. Landmarks and Aids

Refer to form 76-40. Light 17 was dropped from the bridge. All aids and landmarks are to be located and/or verified by field edit.

38. Control for Future Surveys - None

39. Junctions - Refer to form 76-36B.

40. Horizontal and Vertical Accuracy - See Photogrammetric Plot Report

41. thru 45. Inapplicable

46. Comparison with Existing Maps

Comparison was made with the following USGS 7 1/2 minute topographic quadrangle:

SEVENMILE BRIDGE, FLA., 1972

No significant differences were noted.

47. Comparison with Nautical Charts

Comparison was made with the following nautical charts:

11442 1:80,000 June 15, 1974
11445 Side A, 1:40,000 Jun 28, 1975
11449 Side B, 1:40,000 Oct 13, 1973
11451 Page G, 1:80,000 Aug. 16, 1975

Items to be Applied to Nautical Charts Immediately: None

Items to be Carried Forward: None

Submitted by,

John McClure
John McClure

Approved by:

Jeter P. Battley Jr

J. P. Battley, Jr.
Chief, Coastal Mapping Section

FIELD EDIT REPORT MAP TP-00468, PH-⁷¹²⁰~~7200~~

51. METHODS

The shoreline was inspected from a small boat while cruising just offshore. Notes regarding apparent and fast shoreline, piers and other along shore details were made on the rectified photographs and discrepancy print.

One triangulation station Duck 2, 1937 was recovered and identified. This station did not hold in the bridge, but the identified position was used to locate aids and used as vertical control.

All known aids were located or verified. Little Money Key Dybns 18 & 19 were identified on photographs 74C8372 and 8374. The fixes locating these aids permitted the photo identification. Moser Channel South Dybns 4, 5, 6 were computed from Knight 2 and Moser and PP 1. Cuts will be submitted as part of TP-00469.

✓ There are no landmarks.

✓ Five Tidal Stations fall within this manuscript:

<u>Station</u>	<u>Bench Mark</u>	<u>Photo</u>
✓ Molasses Keys	BM 2, 1937	To be plotted
Money Key	All marks destroyed	-
✓ Little Duck Key	Duck 2, 1937	74C8372
✓ Missouri-Little Duck Channel	BM 2	74C8372
✓ Missouri-Ohio Channel	BM 4	74C8372

Field edit notes will be found on the discrepancy print, field edit sheet and the rectified photographs.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit.

53. MAP ACCURACY

No test required.


54. RECOMMENDATION

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted 4/22/76


Robert R. Wagner, Chief, Photo Party 66

Review Report
TP-00468

December 1977

61. General

The map manuscript for Coastal Zone Map TP-00468 was inspected before field edit and reviewed as a Class I manuscript by the Quality Control Group. This review consisted of an examination of the map manuscript, the field edit and its application, the reproduction negatives and the Descriptive Report.

The proof copy of this map was edited by the Quality Control Group before making final copies for distribution to the state of Florida. This edit comprised a thorough inspection of map details to verify the accuracy of reproduction with reference to the map manuscript and the quality of reproduction. In addition the proof copy was examined by the following sections:

Coastal Mapping - Map details
Staff Geographer - Geographic names
Coastal Surveys - Horizontal and Vertical control

62. Cartographic Comparison

Comparison was made the the following USGS quadrangle map, 1:24,000 scale:

Seven Mile Bridge, Florida, 1972

No significant differences were found.

Comparison was made with the following nautical charts:

11445(formerly C&GS 853), 14th Edition, dated June 28, 1975.

11449(formerly C&GS 852), 8th Edition, dated August 20, 1977.

Significant differences that were investigated during the field edit operation are included on the Chart Maintenance Print. Copies of field edit notes are attached to the Chart Maintenance Print.

63. thru 65. Inapplicable

66. Adequacy of Results and Future Surveys

Coastal Zone Map TP-00468 complies with the Instructions for NOS cooperative Boundary Mapping, Job PH-7000 and the National Standards of Map Accuracy.

Approved and Forwarded:

Chief, Photogrammetric Branch

Chief, Coastal Mapping Division

Submitted by:

Donald M. Brant

October 1977

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-7120 (Florida Keys)

TP-00468

Little Duck Key

Little Money Key

Missouri Key

Missouri Little Duck Key Channel

Molasses Keys

Molasses Key Channel

Money Key

Money Key Channel

Moser Channel

Ohio Key

Ohio Bahia Honda Channel


Ohio Missouri Channel

Pacet Channel

Seven Mile Bridge

Straits of Florida

Approved:


Chas. E. Harrington

Staff Geographer - C51x2

PHOTOGRAMMETRIC BRANCH
COASTAL MAPPING DIVISIONNATIONAL OCEAN SURVEY NOAA
DEPARTMENT OF COMMERCE USASIPL
VERSION
09/18/75

LISTING

* SVY TP-00468 * NONFLOATING AIDS FOR CHARTS * RPT UNIT CMD ROCKVILLE, MD. * PAGE 1 OF 1 *

* JOB PH-7120 * TO BE CHARTED * LOCALITY MOSER CHANNEL * ORIGINATING ACTIVITY *

* PRJ R * DATE 08/17/76 * COMPILATION *

* DTM NA 1927 *

* THE FOLLOWING OBJECTS HAVE NOT BEEN INSPECTED FROM SEAWARD TO DETERMINE THEIR VALUE AS LANDMARKS *

* DESCRIPTION * POSITION * CODES * METHOD AND DATE * CHARTS *

* RECORD REASON FOR DELETION * LATITUDE * LONGITUDE * DP * C-C * SEQ * OFFICE * FIELD * AFFECTED *

* NAME * PUT TRIANGULATION NAMES IN () *

HAWK CHANNEL

MOSER CHANNEL

DITTO

DITTO

MOSER CHANNEL - HARBOR KEY

LITTLE MONEY KEY

DITTO

DITTO

25

TYPE OF ACTION

NAMES OF RESPONSIBLE PERSONNEL

ORIGINATOR

POSITIONS DETERMINED
AND/OR VERIFIED BY
FIELD AND OFFICE
ACTIVITIES

C. LEWIS AND VERIFIED BY J. SHAD
RUBIN TORRES
JAMES TAYLOR

FIELD REPRESENTATIVE
OFFICE COMPILER
DIGITIZER
DATA PROCESSER

NATIONAL ARCHIVES DATA
TP-00468

December 1977

1 Discrepancy print (paper copy)

1 Field edit sheet (Stable base copy)

1 NOAA Form 76-36C (History of Field Operations)

1 NOAA Form 76-40 (Nonfloating Aids or Landmarks for Charts)

Photography: Portions of the following field annotated photographs:

74-C-8366, 8368, 8370, 8372, and 8374