

TP-00503

TP-00503

NOAA FORM 76-35 (3-76)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
This Map Edition Will Not Be Field Edited	
Map No. TP-00503	Edition No. 1
Job No. CM-8000	
Map Classification Class III Final	
Type of Survey Shoreline	
LOCALITY	
State New York	
General Locality Lake Ontario Niagara River to Rochester	
Locality Point Breeze	
19 80 TO 19	
REGISTRY IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Atlantic Marine Center, Norfolk, VA Coastal Mapping Division		SURVEY TP. <u>00503</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>III (Final)</u> JOB <u>CM-8000</u>	
OFFICER-IN-CHARGE Max Ethridge, LCDR		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation August 1, 1980 Amendment August 18, 1980 Compilation September 30, 1981 Memo (Registration of Part I) December 9, 1981 Memo (Re: Post Compilation) December 14, 1981		Control March 25, 1980	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify) International Great Lakes Datum, (1955) Lake Ontario Low Water Datum	
3. MAP PROJECTION Transverse Mercator		4. GRID(S) STATE New York ZONE West	
5. SCALE 1:20,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	
DATE			
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		Thornton Aug. 1980	
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coronet /Calcomp 718 CHECKED BY		D. Norman Aug. 1980 Thornton Oct. 1980 Thornton Oct. 1980	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY		R. Kravitz July 1981 F. Mauldin July 1981	
INSTRUMENT: Wild B-8 SCALE: 1:20,000		CONTOURS BY NA CHECKED BY NA	
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY		R. Kravitz Aug. 1981 F. Mauldin Dec. 1981	
METHOD: Smooth drafted SCALE: 1:20,000		CONTOURS BY NA CHECKED BY NA	
HYDRO SUPPORT DATA BY		R. Kravitz Aug. 1981 F. Mauldin Dec. 1981	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		F. Mauldin Dec. 1981	
6. APPLICATION OF FIELD EDIT DATA BY		None	
CHECKED BY		None	
7. COMPILATION SECTION REVIEW Class III BY		F. Mauldin Oct. 1981	
8. FINAL REVIEW Class III BY		L. O. Neterer, Jr. Feb. 1982	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		L. O. Neterer, Jr. Mar. 1982	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		Robert Kelly (Signed) Mar. 1983	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		Howard D. Wolfe	

TP-00503
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild R. C. 10 Z (Z = 153.14 mm)		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE See Remarks Below <input type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY		(C) COLOR (P) PANCHROMATIC X (I) INFRARED		ZONE Eastern	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 75th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
80 Z(P) 6954-6957	June 5, 1980	10:44	1:50,000	*NA	

REMARKS *The lake level at the time of the photography was 246.05 feet or 3.2 feet above International Great Lakes Datum. Water levels were taken at Olcott, New York, gage on June 5, 1980.

2. SOURCE OF MEAN HIGH-WATER LINE:

Mean High Water Line is not applicable. The shoreline was delineated from the above listed photography where the water interfaces with the land.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

Not applicable.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
No Survey	TP-00502	No Survey	TP-00504

REMARKS

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-00503

HISTORY OF FIELD OPERATIONS.

I. ☒ FIELD INSPECTION OPERATION (Premarking) ☐ FIELD EDIT OPERATION.

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Tibbetts	July 1980
2. HORIZONTAL CONTROL	RECOVERED BY C. Middleton	July 1980
	ESTABLISHED BY C. Middleton	
	PRE-MARKED OR IDENTIFIED BY C. Middleton	
3. VERTICAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE BY	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
80Z(P)6956	Brighton LSC 1972		

3. PHOTO NUMBERS (Clarification of details)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 - Form 76-53

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

TP-00503

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete	Dec. 1981	Class III manuscript		
Final Review, Class III	Feb. 1982	Final Class III map No field edit performed	March 1983	April 1982

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

PAGES NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1		March 1983	Landmarks for Charting
1		March 1983	Aids for Charting

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☐ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS. 76-40 SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: April 1983


IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

22

RESTRICT
R-5203

GULL 1 MOA



SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-00503

This 1:20,000 scale shoreline manuscript is one of five maps in Part I of three parts of project CM-8000, Lake Ontario, Niagara River to Rochester, New York. The project has a total of thirteen maps.

This project encompasses the southern lake shore from Niagara River longitude 79°05'00", east to Rochester longitude 77°30'00".

Correspondence from the Chief of Photogrammetry dated December 9, 1981, called for the cancellation of field edit on Part I, TP-00500 through TP-00504 and the registration of these as Class III maps.

Field work prior to compilation, accomplished in May 1980, involved the identification of horizontal control by premarking methods to meet aerotriangulation requirements.

Photogrammetric coverage was provided in June 1980 for aerotriangulation using panchromatic film the "Z" camera at 1:50,000 scale. The same photography was used for compilation.

Analytic aerotriangulation was performed at the Washington Science Center in November 1980.

Compilation was performed at the Atlantic Marine Center from office interpretation of the 1980 photography in August 1981. No copies of this Class III map were submitted to the field.

Final review was performed at the Atlantic Marine Center in February 1982. Cancellation of field edit requires this map to be registered as a Final Class III map.

The original base manuscript and all pertinent data was forwarded to the Washington Science Center for final registration.

FIELD REPORTJOB CM-80001. GENERAL

This report covers the premarking and photoidentification of horizontal control points as prescribed by project instructions. Panel array no. 1 was used on all stations on which a panel could be used, however, several deviations to this array were made and are so indicated on applicable NOAA Forms 76-53, Control Station Identification Card.

Recovery of horizontal control stations was limited to those needed to meet aerotriangulation requirements. Recovery notes are included for each station for which a search was made.

2. HORIZONTAL CONTROL

The following control stations were premarked or are to be photoidentified on the photographs.

Control Point No. 1 FORT NIAGARA (LSC) 1972. Station is paneled direct with array no. 1 with no wings. Sub points 1A, 1B, 1C were established for photoidentification in the event that the panel is not visible. It should be noted that the plane coordinates of the station and sub points are from a provisional constrained adjustment and are not final P.C.'s.

-2-

Control Point No. 2 RANSOMVILLE, BELL AIRCRAFT TEST CENTER
TANK 1958. Sub point 2A paneled direct with array no. 1.

Control Point No. 3 (E.T.) GASS 1972. Sub point 3A
paneled with a 2 winged deviation of array no. 1.

Control Point No. 4 ST. MARY 1972. Station paneled direct
with array no. 1 with no wings.

Control Point No. 5 THIRTY 1972. Sub point 5A paneled with
array no. 1.

Control Point No. 6 BRIGHTON (LSC) 1972. Sub point 6A
paneled with array no. 1. Note that P.C.'s for this station
are from a provisional constrained adjustment and are not
final P.C.'s.

Control Point No. 6 extra LAKESIDE (LSC) 1972. Station
paneled direct with array no. 1 with 2 wings. P.C.'s for
this station are from a provisional constrained adjustment
and are not final P.C.'s.

Control Point No. 7 HAMLIN 1939/1969. Reference mark no. 3
is paneled with a variation of array no. 1 as noted on
appropriate NOAA Form 76-53.

-3-

Control Point No. 8 PAYNE 2 1969. Station paneled direct with array no.1.


Control Point No. 9 GREECE 1939. Station paneled direct with array no. 1 with 2 wings.

Control Point No. 10 SENECA 2 1925 / SENECA 3 1942 / SENECA 3 RM 3 1942-1969. Sub points 10A, 10B, and 10C were established for photoidentification, no panel.

Control Point No. 11 MILE 1939. Station is paneled direct with a deviation of array no. 1 as is indicated on NOAA Form 76-53.


Control Point No.12 Sweet 1939. Station is paneled direct with a variation of array no. 1 as is noted on NOAA Form 76-53.

APPROVED AND FORWARDED


Robert S. Tibbetts

Chief, Photo Party 62

SUBMITTED 7/9/80


Clifton S. Middleton Jr.
Surveying Technician

Photogrammetric Plot Report
Lake Ontario, New York
CM-8000
November 1980

21. Area Covered

The area covered by this report extends from Lake Ontario at Fort Niagara to Rochester, New York. The project area is covered by nine 1:20,000 scale sheets and four 1:10,000 scale sheets; TP-00498 to TP-00506 (1:20,000), TP-01065 to TP-01067 and TP-00900 (1:10,000).

22. Method

Four strips of 1:50,000 scale photography were bridged by analytic aerotriangulation methods. The strips of bridging photography were controlled by field identified control. Tie points were used to ensure an adequate junction of strips. Points for compilation were established on the 1:30,000 scale photography for the 1:10,000 scale sheets. The bridging photography will be used for the 1:20,000 scale sheets. Ratios of the compilation photography were determined and the ratios were ordered by this office.

The manuscripts were plotted by the Calcomp 718 plotter.

23. Adequacy of Control

Control checked well within map accuracy standards and is sufficient for its intended use.


24. Supplemental Data

USGS quadrangles were used to provide vertical control for the adjustment.

25. Photography


The coverage, overlap, and quality of the photography was adequate for the job.

Submitted by,




Brian Thornton

Approved and Forwarded:



Don O. Norman
Chief, Aerotriangulation Section



CM-8000
LAKE ONTARIO
NIAGARA RIVER TO ROCHESTER
NEW YORK

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO. TP-00503	JOB NO. CM-8000	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETIC DATUM NA 1927		COORDINATES IN FEET		GEOGRAPHIC POSITION		REMARKS
				STATE	ZONE	NEW YORK	West	ϕ LATITUDE	λ LONGITUDE	
Brighton LSC, 1972		Computer listing of plotted data	956100	X=	611,985.82			ϕ		
				Y=	1,229,618.91			λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=				λ		
				X=				ϕ		
				Y=						

COMPILATION REPORT

TP-00503

31. DELINEATION

This map was compiled using the Wild B-8 stereoplotter. Delineation of features is based on an office interpretation of the 1:50,000 scale panchromatic photographs taken in 1980.

32. CONTROL

The identification, density, and placement of horizontal and vertical control was adequate. Refer to the Photogrammetric Plot Report bound with this Descriptive Report.

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

Contours are not applicable. Drainage features were compiled by office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS

The shoreline and alongshore features were compiled by office interpretation of the photographs. The shoreline datum is the lake level at the time of photography.

There was no preliminary field inspection of the shoreline.

36. OFFSHORE DETAIL

No unusual problems were encountered in compiling details offshore.

37. LANDMARKS AND AIDS

Refer to the 76-40 form(s) bound with this Descriptive Report for those charted navigational aids identifiable on the compilation photographs.

38. CONTROL FOR FUTURE SURVEYS

None

39. JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5 bound with this Descriptive Report concerning junctions.

TP-00503

40. HORIZONTAL AND VERTICAL ACCURACY

See Item #32.

46. COMPARISON WITH EXISTING MAPS

A comparison was made with U.S. Geological ^{Survey} Quadrangles:
Kendall, New York dated 1951, photorevised 1978, scale 1:24,000;
Kent, New York, dated 1951, photorevised 1978, scale 1:24,000.

47. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with National Ocean Survey Chart:
14805, scale 1:80,000, including the 1:10,000 scale inset of Point
Breeze Harbor, 20th edition, dated March 14, 1981.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None


ITEMS TO BE CARRIED FORWARD

None

Submitted by,


Robert R. Kravitz
Cartographic Technician

Approved,


James L. Byrd, Jr.
Chief, Coastal Mapping Section

January 27, 1982

GEOGRAPHIC NAMES


FINAL NAME SHEET

CM 8000 (Lake Ontario, Niagara River to Rochester, N.Y.)

TP-00503

Brighton Cliff	Oak Orchard Beach (locality)
Fiddler Elbow	Oak Orchard Creek
Jones Beach (locality)	Point Breeze (locality)
Lake Ontario	Rock Ledge Beach (locality)
Lakeside Beach State Park	Shipman Point
Lomond Shore	The Bridges
Marsh Creek	Toms Landing
New York	

Approved by:



Charles E. Harrington, OA/C3x5
Chief Geographer

TP-00503

REVIEW REPORT

SHORELINE

61. GENERAL STATEMENT

See Summary included with this report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U.S. Geological ^{Survey} Quadrangles:
Kendall, New York, dated 1951, photorevised 1978, scale 1:24,000;
Kent, New York, dated 1951, photorevised 1978, scale 1:24,000.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

No contemporary hydrographic survey was conducted in the area pertaining to this final Class III map.


65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with N.O.S. Chart 14805, 20th edition, 1:80,000 scale, dated July 11, 1981.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the project instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by,



Lowell O. Neterer, Jr.

Final Reviewer


Approved for forwarding,



Billy H. Barnes

Chief, Photogrammetric Branch, AMC

Approved,



Chief, Photogrammetric Branch, Rockville



Chief, Photogrammetry Division

NOAA FORM 76-40 (8-74) Replaces C&GS Form 567.				U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION				ORIGINATING ACTIVITY			
NONFLOATING AIDS ON LAND FOR CHARTS				LOCALITY				DATE			
REPORTING UNIT (Field Party, Ship or Office) Coastal Mapping Div. A.M.C., Norfolk, VA				STATE New York				Aug. 13, 1981			
TO BE CHARTED TO BE REVISED TO BE DELETED				HAVE <input type="checkbox"/> HAVE NOT <input checked="" type="checkbox"/> been inspected from seaward to determine their value as landmarks.				CHARTS AFFECTED			
OPR PROJECT NO.				JOB NUMBER CM-8000				SURVEY NUMBER TP-00503			
METHOD AND DATE OF LOCATION (See instructions on reverse side)				FIELD				CHARTS AFFECTED			
CHARTING NAME				DESCRIPTION (Record reason for deletion of landmark or aid to navigation. Show triangulation station names, where applicable, in parentheses.)				POSITION			
				LATITUDE				LONGITUDE			
				° / ' " D.M. Meters				° / ' " D.P. Meters			
Light	Oak Orchard Breakwater Light B	43 22.5	78 11.5	Not Visible			14805 Inset				
Light	Oak Orchard Breakwater Light A	43 22.5	78 11.5	Not Visible			" "				
Light	Oak Orchard Breakwater Light C	43 22.5	78 11.6	Not Visible			" "				
Light	Oak Orchard Jetty Light 3	43 22.4	78 11.5	Not Visible			" "				
Light	Oak Orchard Jetty Light 4	43 22.4	78 11.5	Not Visible			" "				
	Listed By: R. Kravitz 16 July 1981 Scaled By: R. Kravitz 13 Aug. 1981										
	Checked By: P. L. Evans 13 Aug. 1981										

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	R. Kravitz
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'	
(Consult Photogrammetric Instructions No. 64.)	
OFFICE I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	FIELD (Cont'd) B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection P - Photogrammetric Vis - Visually 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75	II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75 **PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.
*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.	

RESPONSIBLE PERSONNEL		ORIGINATOR	
TYPE OF ACTION	NAME		
OBJECTS INSPECTED FROM SEAWARD		<input type="checkbox"/> PHOTO FIELD PARTY <input type="checkbox"/> HYDROGRAPHIC PARTY <input type="checkbox"/> GEODETIC PARTY <input type="checkbox"/> OTHER (Specify)	
POSITIONS DETERMINED AND/OR VERIFIED	R. Kravitz	FIELD ACTIVITY REPRESENTATIVE	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES		<input type="checkbox"/> REVIEWER <input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE	
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'			
(Consult Photogrammetric Instructions No. 64.)			
OFFICE I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75		FIELD (Cont'd) II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75	
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection P - Photogrammetric Vis - Visually 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75		III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75 **PHOTOGAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.	
*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.			

