NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Map No.	Edition No.
TP-005 7 3	1
Job No.	
СМ-7206	
Map Classification	· · · · ·
FINAL CLASS III MAP	
Type of Survey	
SHORELINE	
LOCALITY	1
State	
ALASKA	
General Locality	
ZAREMBO ISLAND	
Locality	
POINT NESBITT	
	·
19 ⁷² TO 19	
REGISTERED IN AF	CUIVES
KEGISTERED III AI	(CHIVE)
DATE	

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP- 00573
MATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	M ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAPCLASS Final Class
	REVISED	јов № <u>СМ-7206</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
1	TYPE OF SURVEY	JOB PH-
Coastal Mapping Division, Norfolk, VA	ORIGINAL	MAP CLASS -
OFFICER-IN-CHARGE	RESURVEY	SURVEY DATES:
Jeffrey G. Carlen	REVISED	19TO 19
I. INSTRUCTIONS DATED		
l. OFFICE	2.	FIELD
Aerotriangulation Sept. 19, 1972	Field	Jan. 26, 19 7 2
Compilation Feb. 22, 1973		
1		
II. DATUMS		
1. HORIZONTAL: X 1927 NORTH AMERICAN	OTHER (Specify)	
	OTHER (Secretary)	<u> </u>
MEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL: MEAN LOW-WATER MEAN LOWER LOW-WATER		
MEAN SEA LEVEL		
3. MAP PROJECTION	4.	GRID(\$)
	STATE	ZONE
Polyconic	Alaska	1
5. SCALE	STATE	ZONE
1:10,000		
	<u>t</u>	<u> </u>
III. HISTORY OF OFFICE OPERATIONS	NAME	DATE
III. HISTORY OF OFFICE OPERATIONS OPERATIONS	NAME D. Norman	DATE Feb. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS I. AEROTRIANGULATION BY		Feb. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION BY	D. Norman	Feb. 1973 Feb. 1973 Feb. 1974
III. HISTORY OF OFFICE OPERATIONS OPERATIONS I. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by	D. Norman D. Norman R. Robertson R. Robertson	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974
OPERATIONS I. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and Bridge Points Plotted by METHOD: Coradomat CHECKED by 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY METHOD: Coradomat Checked by 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and Bridge Points Plotted by METHOD: Coradomat CHECKED by 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY CONTOURS BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A.	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION BY METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:15,000 CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A.	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and Bridge Points Plotted by METHOD: Coradomat CHECKED by 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY CONTOURS BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A.	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT COMPILATION CHECKED BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973
OPERATIONS I. AEROTRIANGULATION BY METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY CONTOURS BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS METHOD: Coradomat CHECKED BY COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: SMOoth Draft CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CHECKED BY CHECKED BY CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS METHOD: Coradomat CHECKED BY COMPILATION CHECKED BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: SMOOTH Draft SCALE: 1:10,000 CHECKED BY CONTOURS BY CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS METHOD: Coradomat CHECKED BY COMPILATION CHECKED BY SCALE: 1:15,000 CHECKED BY METHOD: Smooth Draft CHECKED BY SCALE: 1:10,000 CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. Shands A. Shands	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and bridge points METHOD: Coradomat Checked by 3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth Draft SCALE: 1:10,000 CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CHECKED BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. N.A. C. Parker A. Shands N.A. N.A. N.A. N.A. N.A. N.A. N.A. N.A	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and bridge points METHOD: Coradomat Checked by 3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth Draft CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CHECKED BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY 6. APPLICATION OF FIELD EDIT DATA CHECKED BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. N.A. C. Parker A. Shands None None	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
III. HISTORY OF OFFICE OPERATIONS OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block Landmarks and aids by 2. Control and bridge points METHOD: Coradomat Checked by 3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth Draft SCALE: 1:10,000 CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CHECKED BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. N.A. C. Parker A. Shands None None	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION BY METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT COMPILATION CHECKED BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CONTOURS BY CONTOURS BY CONTOURS BY CHECKED BY METHOD: SMOOth Draft CHECKED BY CONTOURS BY CHECKED BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY 6. APPLICATION OF FIELD EDIT DATA CHECKED BY 7. COMPILATION SECTION REVIEW BY	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. N.A. C. Parker A. Shands None None	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS METHOD: Coradomat CHECKED BY COMPILATION INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth Draft CONTOURS BY CONTOURS BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY CONTOURS BY CHECKED BY C	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands A. Shands A. Shands A. Shands None None None None C. Blood J. Byrd	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973
OPERATIONS 1. AEROTRIANGULATION METHOD: Analytic-Block LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT COMPILATION CHECKED BY CONTOURS BY CHECKED BY SCALE: 1:15,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY CONTOURS BY CHECKED B	D. Norman D. Norman R. Robertson R. Robertson L. Foltz L. Neterer N.A. N.A. C. Parker A. Shands N.A. C. Parker A. Shands N.A. C. Parker A. Shands None None None None Sone C. Blood J. Byrd	Feb. 1973 Feb. 1973 Feb. 1974 Feb. 1974 Oct. 1973 Oct. 1988

NOAA FORM 76-36B (3-72)				NATIO	NAL OCE				OF COMMERCE
				-00573					CEAN SURVE
		CO	MPILATIO	N SOURCE	S				
1. COMPILATION PE	IOTOGRAPH'	Y							
CAMERA(S)			TYPE	S OF PHOTOG	GRAPHY		T1445		
Wild RC-8 ":	En Er =	152.71mm		LEGEND			IIME	REFERE	NCE
TIDE STAGE REFER	ENCE		(6) 60	LOR		ZONE			
X PREDICTED TIDE				NCHROMATIC			<u>aci</u> fi	C	STANDARD
TIDE CONTROLL			(I) INF	RARED		MERID	IAN		[_]DAYLIGHT
			<u> </u>			1	20th		
NUMBER AN	DTYPE	DATE	TIMI	<u> </u>	SCALE		STA	GEOFT	IDE
72 5(0) 4267	4268	6-23-72	12.1	9 1.	30 000	10	0 £+	a borro	MITU
72 E(C) 4267		6-23-72	13:3		30,000			above	
72 E(C) 4304-			13:5		30,000			above	
*72 E(C) 4272	, 42/3	6-23-72	13:2	18 I:	30,000	10.	7 ft.	above	MLLW
			1			ŧ			
						Ì			
				-					
				i					
				ľ					
REMARKS									
The state of the s									
*Compilation	n photo	graphs							
2. SOURCE OF MEA	U UIC U WAT	EO LINE.							
Z, JOURCE OF MEN	IN HIGHWAY	ER EINE:							
The mean h	igh-wate:	r line was del:	ineated	from the	photo	graphs :	liste	d above	e.
	3				•	_			
				<u>.</u>					
3. SOURCE OF XXXX	HICOMANIA	文献の MEAN LOWER L	OW-WATER	LINE:					
None deline	eated, th	nere were no me	an lowe	r low-wat	ter pho	ptograpi	hs.		
	*								
	 -								
		DUIG CHOVEVE							
4. CUNTEMPURANT	HIDROGRA	PHIC SURVEYS (List	only inose s	irveys that are	sources I	or pnotograt	nmetric s	urvey inic	mation.)
SURVEY NUMBER	DATE(S)	SURVEY CO	PY USED	SURVEY NU	MBER	DATE(S)		SURVEY	COPY USED
	1								
5. FINAL JUNCTION	ıs	<u> </u>		-		•			
NORTH		EAST		SOUTH			WEST	•••	
TP-0056	57	TP-00574	1		-00578			TP-00	1572
REMARKS		I IF-00574		1 1 P.	00276			1F-00	,,,,

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NOAA FORM 76-36D (3-72)TP-00573 RECORD OF SURVEY USE I. MANUSCRIPT COPIES DATE MANUSCRIPT FORWARDED COMPILATION STAGES DATA COMPILED DATE MARINE CHARTS HYDRO SUPPORT REMARKS Compilation complete Aug. 26, pending field edit 1980 Oct. 1973 Class III Map Dec, 1511 Final Review Oct. 1987 Final Class III Map II. LANDMARKS AND AIDS TO NAVIGATION 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH CHART LETTER DATE NUMBER REMARKS NUMBER ASSIGNED FORWARDED 2. TREPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: 3. REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: III. FEDERAL RECORDS CENTER DATA 1. X BRIDGING PHOTOGRAPHS; X DUPLICATE BRIDGING REPORT; X COMPUTER READOUTS.
2. X CONTROL STATION IDENTIFICATION CARDS; FORM NOS 562 SUBMITTED BY FIELD PARTIES. 3. SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C. ACCOUNT FOR EXCEPTIONS:

	ATA TO FEDERAL RECORDS O		
IV. JORVET	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
SECOND	TP(2)	PH	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
THIRD	TP(3)	PH	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
	•		□II. □III. □IV. □V. □FINAL
	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
FOURTH	TP(4)	PH	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
_5ON			III. IIII. IV. IV. FINAL

		/ a.	4-
	"JOINS CM-7309	TP-00638	TP-00639
San State of the s	132.45 (00) N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Han: Part Page	Sorge (Ca) Treatment
marris residue. The section of the s	TP-00551 TP-00552 TP	-00553 TP-00554 T	P-00555
JOINS PH 662	Berguster Pr. 1779 Nutterp Rk. 2329 12 12 14 14 16 16 16 17		Ruting 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	TP-00553 TP-00557 TP	-00359 TP-00359	P-00560
	22 No. 19. 10. 20. 10. 10. 10. 10. 10. 10. 10. 10. 10. 1	OZ 30 30 30 30 30 30 30 30 30 30 30 30 30	68 97 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
To a solution of the solution	1 110	-00361 TP-00362 T	P-00363
S 37 1 1 1 1 2 2 3 2 2 3 3 2 2 3 3 2 3 3 3 3	ZAR EMBO I.	Pretter Court 133 1652 1652 1652 175 175 175 175 175 175 175 175 175 175	The state of the s
TP-00564 TP-0056	55 TP-00566 TP-00567, TP	- 00568 TP-00869 T	P-00570 56°20'00
	20 / 20 / 20 / 20 / 20 / 20 / 20 / 20 /	Round P. 1823 153 Red St. 125	Serve Pic Cores
SHEET NO. SO M. TP-0057	TP-00572 TP-00575 TP	No. 2 to Owe of the	TP-00576 56 1500
7P-00553 9 7P-00554 11 7P-00556 5 7P-00557 5 7P-00558 5		Steamer Pt. 2 200	Anita 29 131 29
7P-00559 6 7P-00560 4 1000 7P-00562 5 1000 1001N 7P-00563 7 PH-670		-00579 ТР-00520 Д Ето́ј	TP-00531
TP-00564 9 TP-00565 4 TP-00565 7 TP-00567 2 TP-00563 5 TP-00569 5		Madu 12775	1
7 17-00570 3 77-00571 10 77-00571 10 77-00573 2	56°04'30" TP	-00582 TP-00583. T	P-00584
700574 6 700575 1 700576 9 700570 19 700570 3	CM-7206	Sampore	S. 5.5.
mases a	EMDO ISLAND, ALASKA	OINS 18 - 18	1011/S 5 50 0000
TP-00038 4 TP-00639 A TOTAL 250		F63035	PH-6303 8
		REVISED SI REVISED 4/	

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-00573

This final Class III shoreline map is one of thirty-six 1:10,000 scale maps designated as CM-7206, Zarembo Island, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation during the 1972 field season consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in June 1972 with the RC-9 "M" camera at 1:60,000 scale using panchromatic film. The map area was also photographed in June 1972 with the RC-8 "E" camera at 1:30,000 scale using color film.

Aerotriangulation was completed at the Washington Office in February 1973 and revised in January 1974.

This map was compiled at the Norfolk Office in October 1973.

Field edit was not acquired for TP-00573.

Final review was accomplished at the Atlantic Marine Center in October 1987. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Class III Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00573

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and premarking of the horizontal control necessary for the aerotriangulation of the project.

Photogrammetric Plot Report Zarembo Island, Alaska . CM-7206 February 1973

21. Area Covered

This report pertains to 34 sheets in the vicinity of Zarembo Island, Alaska, The sheets covered are TP-00551 through TP-00584. All are 1:10,000 scale.

22. Method

Six strips of RC-9 photography at 1:60,000 scale and three strips of RC-8 photography at 1:30,000 scale were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment program. Points were established for determining ratios of 1:30,000 scale support photography. Sufficient points were also established for setting 1:30,000 scale compilation photography. These points were plotted by the Coradomat.

23. Adequacy of Control

The control was adequate. Ten horizontal control stations, were used in the block adjustment. Shoreline points with approximately "O elevation were used as vertical control.

The horizontal positions of several light structures were determined in the block adjustment. The positions of these structures are to be verified by field methods as a check on the block adjustment.

24. Supplemental Data

USGS topographic quadrangles were used in determining elevations for strip adjustments.

25. Photography

The photography was adequate, however, on sheet TP-00565, there is no coverage with 1:30,000 scale photography of Rookery.and Tide Islands.

On sheet TP-00559 it was impossible to establish points for the compilation of Five Mile Island. It is recommended that a field party establish points for the graphic compilation. A ratio photograph was ordered and sent to the compilation office.

submitted by,

Don O. Norman


Don O. Norman


John D. Perrow, Chief, Aerotriangulation Section


Approved by

Lefter D. Perrow. Circ.

.







ADDENDUM ZAREMBO ISLAND, ALACKA CM-7206 January 1974

In the compilation office at the Atlantic Marine Center, it was noticed that when a model in the vicinity of Wrangell Marrows (TP-00551) was set by holding the compilation points, the navigation lights would not plot in their proper positions. In this vicinity the horizontal control station LUNG, 1929, was weighted in the block and would not hold within 7 feet.

It was decided to remeasure several models to determine refined coordinates for MIDWAY ROCK LIGHT, 1929, and PORT ALEXANDER LIGHT, 1929. Plate 72E(C)4004 was also remeasured for another refined coordinate for LUNG, 1929. At this time it was noticed that the refined coordinate for point 004320 was not correct. Corrections were made and all these refined coordinates were placed in their proper place in the block.

Another block adjustment was run just as before, except MIDWAY ROCK LIGHT and PORT ALEXANDER LIGHT were also weighted. This produced satisfactory results. LUNG fit within 0.8 feet, MIDWAY ROCK LIGHT within 2.2 feet and PORT ALEXANDER LIGHT within 3.1 feet. In this same vicinity compilation points changed by as much as 16.7 feet.

It is believed that this block is now properly adjusted and will meet national map accuracy standards. New T-sheets will be ruled and forwarded to AMC for compilation.

Submitted by,

Non O. Norman

Don O. Norman

John D. Perrow, Jr. Chief. Aerotriangulation Section

Note: After thorough research it was determined that the name PORT ALEXANDER LIGHT was used incorrectly in this report for POINT ALEXANDER LIGHT 1929. POINT ALEXANDER LIGHT 1929 is adjacent to LUNG 1929 and MIDWAY ROCK LIGHT 1929. PORT ALEXANDER LIGHT is located approximately 2° west of the project area.

NOAA FORM 76-41 (6-75)		DESCRIPTIV	E REPORT CONTROL RECC	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	DEPARTMENT OF COMMERCE MOSPHERIC ADMINISTRATION
MAP NO.	JOB NO.		GEODETIC DATUM	ORIGINATING ACTIVITY	TY Cosetal Magaine
TP-00573	CM-7206	506	N.A. 1927	Division, AMC.	Norfolk,
STATION NAME	SOURCE OF	AEROTRI- ANGULATION) ×	1	REMAR
	(xepul)	POINT	ZONE 1		
	L Vol		-χ-	<pre>\$6 13 56.536"</pre>	
NESBITT, 1915		120	=β	λ 132° 52' 13.918"	ļ
	Vol 3		=X	\$ 56° 13' 59.441"	
WEST, 1915	P. 985	119	=ĥ	λ 132° 51' 23.662"	
			<i>=</i> χ	ф	
			=ĥ	۲	
			<i>=</i> χ	ф	
			=ħ	γ	
			=χ	ф	
			=h	۲	
			χε	ф	
			=ħ	γ	
			-X	ф	
			=h	γ .	
			εχ	ф	
			ή=	γ	
			χ=	ф	
			≖ĥ	У	
			= λ	ф	
			ĥ=	۲	
COMPUTED BY A. C. Rauck, Jr.		DATE 3/16/73	COMPUTATION CHECKED BY F. Margiotta		DATE 3/22/73
В		DATE			DATE
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE
		SUPERSEDES NO	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	H IS OBSOLETE.	

COMPILATION REPORT

TP-00573

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:30,000 scale color photographs. The stage of tide was above mean lower low-water at the time of photography, therefore, detail which covers by tide is only partially compiled.

The quality of the photography is adequate for shoreline compilation.

32. CONTROL:

Refer to the Photogrammetric Plot Report, dated February 1973.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from the compiler's interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high-water line and alongshore detail were delineated from the compiler's interpretation of the photographs.

36. OFFSHORE DETAILS:

Offshore detail was delineated from the compiler's interpretation of the photographs. Details which were covered by the tide at the time of photography, were not compiled.

37. LANDMARKS AND AIDS:

There were no charted landmarks and none were noted during compilation.

A Form 76-40 concerning a charted light was submitted to the field for verification.

38. CONTROL FOR FUTURE SURVEY:

None.

TP-00573

39. JUNCTIONS:

A satisfactory junction was made with the adjoining contemporary maps.

Refer to the Data Record Form 76-36B, item 5.

HORIZONTAL AND VERTICAL ACCURACY: 40.

No Statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with the U.S. Geological Survey quadrangle PETERSBURG (A-3), Alaska, 1:63,360 scale, dated 1949.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with the U.S. Coast and Geodetic Survey chart 8160, 1:80,000 scale, dated July 4, 1970.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by: Charler E: Blood

Charles Parker Cartographic Aid

October 10, 1973

Approved and forwarded:

Albert C. Rauck, Jr.

Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7206 (Clarence and Sumner Straits, Alaska)

TP-00573

Clarence Strait

Nesbitt, Point

Nesbitt Reef

Stikine Strait

Zarembo Island

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division

Charting and Geodetic Services

REVIEW REPORT SHORELINE

TP-00573

61. GENERAL STATEMENT:

See summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

The Hydrographic Survey for the area of this map was not available for comparison at the time of Final Review.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with NOS chart 17382, 1:80,000 scale, dated July 25, 1981.

The chart compared well with this manuscript.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:

J. byrd f. James L. Byrd, Jr.

Final Reviewer

Approved for forwarding:

Billy H. Barnes

Chief, Quality Assurance Group, AMC

Approved:

Chief, Photogrammetric Productions Sec. Chief, Photogrammetry Branch

a. y. By

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE	REPORT OF SURVEY NO.	

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
 .			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
•			Drawing No.
			E.H.D. D. f. Afer Verification Position Inc. of City J. Vio
·			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Dan Datas Afras Varitinarias Daving January Science St. 3 V.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
	<u>' </u>		Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Diawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
	 -		Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		-	·
	<u> </u>	<u> 18. jan era eta ira yolkala</u>	<u>and and the second of the sec</u>
	·		