NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Map No.	Edition No.
TP-00579	1
Job No.	
CM-7206	
Map Classification	
FINAL CLASS III MAP	
Type of Survey	
SHORELINE	
LOCALIT	Υ
State	
ALASKA	
General Locality	
ZAREMBO ISLAND	
Locality	
MARSH ISLAND	
19 ⁷² TO 19	<u>, l</u>
19 /2 10 1	y
ł	
REGISTERED IN A	RCHIVES
DATE	
i	

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIT	TYPE OF SURVEY	SURVEY TP-00579
	☑ ORIGINAL	MAPEDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final Class
	REVISED	лов жн . СМ-7206
PHOTOGRAMMETRIC OFFICE	LAST PRECEE	DING MAP EDITION
	TYPE OF SURVEY	JOB PH-
Coastal Mapping Division, Norfolk, VA	ORIGINAL	MAP CLASS -
OFFICER-IN-CHARGE	☐ RESURVEY	SURVEY DATES:
Jeffrey G. Carlen	REVISED	19TO 19
I. INSTRUCTIONS DATED		
1. OFFICE	2.	FIELD
Aerotriangulation Sept. 19, 1972 Compilation Feb. 22, 1973	Field	Jan. 26, 1972
II. DATUMS		
_	OTHER (Specify)	
1. HORIZONTAL: X 1927 NORTH AMERICAN		
	OTHER (Specify)	
3. MAP PROJECTION	4.	GRID(S)
	STATE	ZONE
Polyconic	Alaska	1
5. SCALE	STATE	ZONE
1:10,000		
III. HISTORY OF OFFICE OPERATIONS	1	
OPERATIONS	D. Norman	Feb. 1973
I. AEROTRIANGULATION BY METHOD: Analytic-Block Landmarks and aids by		Ten. 17.3
2. CONTROL AND BRIDGE POINTS PLOTTED BY	 	Feb. 1974
METHOD: Coradomát CHECKED BY		Feb. 1974
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	T 001+-	Sept. 1973
COMPILATION CHECKED BY	2 01 1	Sept. 1973
INSTRUMENT: Wild B-8 CONTOURS BY	N.A.	
SCALE: 1:15,000 CHECKED BY		
4. MANUSCRIPT DELINEATION PLANIMETRY BY		Sept. 1973
CHECKED BY		Sept. 1973
METHOD: Smooth Draft CHECKED BY	N.A.	
CHECKED BY	C. Parker	Sept. 1973
SCALE: 1:10,000 CHECKED BY	A. Shands	Sept. 1973
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	A. Shands	Sept. 1973
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	37	-
7. COMPILATION SECTION REVIEW BY	None	
8. FINAL REVIEW SY	C. Blood	Oct. 1987
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	J. Byrd	July 1988
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		Dec. 1988
11 MAD DECISTEDED COASTAL SUBVEY SECTION BY	T	

(3-72)			TP	N -00579			TMOSPHERI	ENT OF COMMERCE C administration Al ocean survey
		COV	APILATIO					
1. COMPILATION PHO	TOGRAPHY							
CAMERA(S)			TYP		OTOGRAPHY		TIME REI	FERENCE
Wild RC-8 "E" TIDE STAGE REFEREN		71mm		LEG	END	ZONE		
TIDE STAGE METERS			(C) ¢0				Pacific	XSTANDARD
REFERENCE STATI				NCHROM	IATIC	MERIDI		
TIDE CONTROLLES	PHOTOGRAPH		(I) IN	FRARED			120th	DAYLIGHT
NUMBER AND	TYPE	DATE	TIM	E	SCALE		STAGE	F TIDE
70 5/0\ 4010 /	4001	6 22 72	10	1 E	1 20 000		1 (1	
72 E(C) 4218-4 *72 E(C) 4212-4		6-23-72 6-23-72	12: 12:		1:30,000			ove MILW
*72 E(C) 4212-4		6-23-72 6-23-72	12:		1:30,000			ove MLLW
72 E(C) 4179-1	*103	0-23-12	12:	23	1:30,000	′ ±±•′	o it. an	ove MLLW
			l			1		
REMARKS								
*Compilation	n photogra	phs						
2. SOURCE OF MEAN	HIGH.WATER I	INE.						
The mean hig	gh-water 1	ine was deli	ineated	from	the photo	graphs]	listed a	bove.
3. SOURCE OF MEANING	LANGUA ARKATA ERIDANA	NEAN LOWER LO	W WATED	I INE.				
3. SOURCE OF PARAMENT	BANK TANDAN BANK BANKAN	MEAN LOWER LO	JM-MAICK	LINE:				
None delinea	ted. there	e were no me	ean low	er low	-water ph	otograph	ne	
.,,,,,,,						o •ograp:		
								
4. CONTEMPORARY H	YDROGRAPHIC	SURVEYS (List o	nly those s	urveys th	at are sources f	or photogram	metric surve)	information.)
SURVEY NUMBER	DATE(S)	SURVEY COP	Y USED	SURVE	Y NUMBER	DATE(S)	SUR	VEY COPY USED
1				ĺ				
				<u></u>				<u> </u>
5. FINAL JUNCTIONS								
NORTH	EAS			SOUTH	_ 		WEST	
TP-00574		TP-00580		<u> </u>	TP-00582		TP-	-00578
REMARKS								

NOAA FORM 76-36D ..UAA (3-72)

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
TP-00579

		REC	ORD OF SURVE	Y USE		
I. MANUS	CRIPT COPIES					
	co	MPILATION STA	GES		DATE MANUSCR	PT FORWARDED
	DATA COMPILED	DATE	RE	MARKS	MARINE CHARTS	HYDRO SUPPORT
G					•	
	tion complete				Oct. 5,	Sept. 21,
penainc	field edit	Sept. 197	3 Class III	Map	1973	1973
Final R	eview	Oct. 1987	Final Clas	ee TTT Ma	Dec, 1988	N
		000, 130,	Tinai Cia	ON TIT LICE	*	
						•
	·					<u> </u>
	ARKS AND AIDS TO NAVIGA					-
I. REP	ORTS TO MARINE CHART D	IVISION, NAUTIC	AL DATA BRANCH			-
NUMBER	CHART LETTER Number assigned	DATE FORWARDED			REMARKS	
						
	•			,		
				<u></u>	·	
					_	
2.	REPORT TO MARINE CHAR	DIVISION, COA	T PILOT BRANCH.	DATE FORW	ARDED: None	
3. 🗌	REPORT TO AERONAUTICA	L CHART DIVISION	ON, AERONAUTICAI	L DATA SECT	ION. DATE FORWARDED:	
III. FEDE	RAL RECORDS CENTER DAT	ra -				
- 5		-	_	. ====		
	BRIDGING PHOTOGRAPHS;		TE BRIDGING REPO	6-40 X CO	MPUTER READOUTS.	
	CONTROL STATION IDENTI		=			
 SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION 11, NOAA FORM 76-36C. ACCOUNT FOR EXCEPTIONS: 						
4 🗀	DATA TO FEDERAL RECO	RDS CENTER. D	ATE FORWARDED:			_
IV. SURV	EY EDITIONS (This section s	shall be completed	each time a new me	p edition is reg	gistered)	
	SURVEY NUMBER	JOB NUM			TYPE OF SURVEY	
SECOND						SURVEY
EDITION	DATE OF PHOTOGRAP	HY DATE OF	FIELD EDIT	l	MAP CLASS	· · · · · ·
	SURVEY NUMBER	лов иим	a = 0	n.	TYPE OF SURVEY	
THIRD	TP -	1				SURVEY
EDITION			FIELD EDIT	1	MAP CLASS	
COLLION				n.	□m. □w. □v.	FINAL
	SURVEY NUMBER	ЈОВ МИМ1	BER		TYPE OF SURVEY	
FOURTH	TP	_ (4) PH			REVISED RES	ÛRVÊY
EDITION	DATE OF PHOTOGRAPI		FIELD EDIT	1 _	MAP CLASS	
		J] 🔲 ii.	□ m. □ iv. □ v.	☐#INAL

	IOMS CM-7309 /	1.42 E	TP-00638	TP-00639 36"40	er O
	Company of the North Nor	G. F. 1.	Para Para Para Para Para Para Para Para	Surgery (Ca) 100 Surgery	#) /.
JOINS PH6627	TP-00551 TP-0055	2 TP-00553	TP-005E4	TP-00555 56°35'0	56 >/ .;
200	TP-00583 TP-00567	TP-00359]	77-00359	7P 00560 56.300	XO XO
COO	To Standard Harman Standard Ha	25 July 25 Jul	10 1	68 37 C	ر ب
Syr 1 R A 2 2 2 2 3 4 5 5 5 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7 1 2 3 5 6 7	ZAR EMBO	TP-00561	TP-OUG2. Word Parce Parcel Par	TP-00363	o'
TP-00564 TP-00565	TP-00556 TP-0056	7. TP-003G8	TP-00569	TP-00570	59. ~
24 40 12 10 10 10 10 10 10 10 10 10 10 10 10 10	200 COE 201 110 COE 20	Round Pt. 1897	1817 128 Read Mr. 1820	Special by Clean 200 12,00	o''
77-00552 2 Min (sh) 22 77-00553 9 77-00555 4 17-00556 5 77-00559 5 77-00559 5	TP-00572 TP-0057	5 TP-00574).	TP-00576	
77-00519 8 77-00519 8 77-00519 8 77-00519 5 77-00519 5 77-00518 7 77-00518 9 77-00518 4 77-00518 7 77-00518 7 77-00518 7 77-00517 2			10.0	TP-00581 56'10'01	
70-03567 5 70-03567 4 70-03573 9 70-03573 10 70-03573 17 70-03575 2 70-03576 6 70-03575 1	3 56'04'30" 3 JOINS PH 6705		rp-00583.	TP-00584	oʻ
Co prosest 6 Y ZAREM	CM-7206 BO ISLAND, ALÄSKA	JOINS &	Programmy 2	JOINS 50.000	DC
Trisocus q	MO,000 SCALE	\$ PH-6303 \$	132.30	PH-6303 &	

REVISED 5/18/22 R.W.W. REVISED 4/23/73 R.W.W.

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-00579

This final Class III shoreline map is one of thirty-six 1:10,000 scale maps designated as CM-7206, Zarembo Island, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation during the 1972 field season consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in June 1972 with the RC-9 "M" camera at 1:60,000 scale using panchromatic film. The map area was also photographed in June 1972 with the RC-8 "E" camera at 1:30,000 scale using color film.

Aerotriangulation was completed at the Washington Office in February 1973 and revised in January 1974.

This map was compiled at the Norfolk Office in September 1973.

Field edit was not acquired for TP-00579.

Final review was accomplished at the Atlantic Marine Center in October 1987. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Class III Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00579

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and premarking of the horizontal control necessary for the aerotriangulation of the project.

Photogrammetric Plot Report Zarembo Island, Alaska CM-7206 February 1973

21. Area Covered

This report pertains to 34 sheets in the vicinity of Zarembo Island, Alaska, The sheets covered are TP-00551 through TP-00584. All are 1:10,000 scale.

22. Method

Six strips of RC-9 photography at 1:60,000 scale and three strips of RC-8 photography at 1:30,000 scale were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment program. Points were established for determining ratios of 1:30,000 scale support photography. Sufficient points were also established for setting 1:30,000 scale compilation photography. These points were plotted by the Coradomat.

23. Adequacy of Control

The control was adequate. Ten horizontal control stations were used in the block adjustment. Shoreline points with approximately "O elevation were used as vertical control.

The horizontal positions of several light structures were determined in the block adjustment. The positions of these structures are to be verified by field methods as a check on the block adjustment.

24. Supplemental Data

USGS topographic quadrangles were used in determining elevations for strip adjustments.

25. Photography

Approved by

The photography was adequate, however, on sheet TP-00565, there is no coverage with 1:30,000 scale photography of Rookery and Tide Islands.


On sheet TP-00559 it was impossible to establish points for the compilation of Five Mile Island. It is recommended that a field party establish points for the graphic compilation. A ratio photograph was ordered and sent to the compilation office.


submitted by,

Don O. Norman


Don O. Norman

John D. Perrow, Chief, Aerotriangulation Section





Λ



ADDENDUM ZAREMBO ISLAND, ALACKA CM-7206 January 1974

In the compilation office at the Atlantic Marine Center, it was noticed that when a model in the vicinity of Wrangell Marrows (TP-00551) was set by holding the compilation points, the navigation lights would not plot in their proper positions. In this vicinity the horizontal control station LUNG, 1929, was weighted in the block and would not hold within 7 feet.

It was decided to remeasure several models to determine refined coordinates for MIDWAY ROCK LIGHT, 1929, and PORT ALEXANDER LIGHT, 1929. Plate 72E(C)4004 was also remeasured for another refined coordinate for LUNG, 1929. At this time it was noticed that the refined coordinate for point 004320 was not correct. Corrections were made and all these refined coordinates were placed in their proper place in the block.

Another block adjustment was run just as before, except MIDWAY ROCK LIGHT and PORT ALEXANDER LIGHT were also weighted. This produced satisfactory results. LUNG fit within 0.8 feet, MIDWAY ROCK LIGHT within 2.2 feet and PORT ALEXANDER LIGHT within 3.1 feet. In this same vicinity compilation points changed by as much as 16.7 feet.

It is believed that this block is now properly adjusted and will meet national map accuracy standards. New T-sheets will be ruled and forwarded to AMC for compilation.

Submitted by,

Don O. Norman

Non D. Norman

John D. Perrow, Jr.

Chief, Aerotriangulation Section

Note: After thorough research it was determined that the name PORT ALEXANDER LIGHT was used incorrectly in this report for POINT ALEXANDER LIGHT 1929. POINT ALEXANDER LIGHT 1929 is adjacent to LUNG 1929 and MIDWAY ROCK LIGHT 1929. PORT ALEXANDER LIGHT is located approximately 2° west of the project area.

NOAA FORM 76-41				S.U.S. ONA CINAMO SONA SINAMO SANOTAN	NATIONAL OCEANIC AND ATHOCOMEDIC ACHINISTRATION
		DESCRIPTIV	DESCRIPTIVE REPORT CONTROL RECORD		
MAP NO.	ON BOL		GEODETIC DATIUM	ORIGINATING ACTIVITY	nry Coastal Mapping
TP-00579	CM-7206	90	N.A. 1927	Division, AMC	, Norfolk,
STATION NAME	SOURCE OF	AEROTRI-	COORDINATES IN FEET STATE Alaska	J	REMAR
	(Index)	NUMBER	ZONE 1	λ LONGITUDE	
	7.07		zχ	<pre>\$ 56 09 43 331"</pre>	
SERV, 1916	യ	153	y=	λ 132° 43' 24,963"	
	Γ [<i>O</i> Δ		χ=	φ 56° 08' 13,684"	
MER, 1916	വ	152	y=	λ 132° 43' 21.150"	
	C		χ=	ø 56° 06' 57,439"	
MARSH, 1915	P. 985	151	Ξĥ	λ 132° 43' 04,192"	
	1 22		=χ	\$ 56° 05' 32,850"	
CAP, 1916	P. 160	150	¥т	λ 132° 42' 27.646"	
	X7.7.1		χ=	\$ 56° 05' 05.595"	
DES, 1916	VOI. 1 P. 160	149	=ħ	λ 132° 41' 52,643"	
			=χ	ф	
			=ĥ	γ	
			÷χ.	ф	
			-ĥ	γ	
			χ=	ф	
			=h	γ	
	.		χ=	φ	
			y=	γ	
			=X	ф	
			n.	~	:
COMPUTED BY A. C. Rauck, Jr.		DATE 3/16/73	COMPUTATION CHECKED BY F. Margiotta		DATE 3/22/73
LISTED BY		DATE	LISTING CHECKED BY		DATE
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE
		SUPERSEDES NO	SUPERSEDES NOAA FORM 78-41, 2-71 EDITION WHICH IS OBSOLETE.	H IS OBSOLETE.	

COMPILATION REPORT

TP-00579

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:30,000 scale color photographs. The stage of tide was above mean lower low-water at the time of photography, therefore, detail which covers by tide is only partially compiled.

The quality of the photography is adequate for shoreline compilation.

32. CONTROL:

Refer to the Photogrammetric Plot Report, dated February 1973, and the Addendum, dated January 1974.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from the compiler's interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high-water line and alongshore details were delineated from the compiler's interpretation of the photographs.

36. OFFSHORE DETAILS:

Offshore detail was delineated from the compiler's interpretation of the photographs. Details which were covered by the tide at the time of photography, were not compiled.

37. LANDMARKS AND AIDS:

There were no charted nonfloating aids or landmarks and none were noted during stereoscopic instrument compilation.

38. CONTROL FOR FUTURE SURVEY:

None.

TP-00579

39. JUNCTIONS:

A satisfactory junction was made with the adjoining contemporary maps.

Refer to the Data Record Form 76-36B, item 5.

40. HORIZONTAL AND VERTICAL ACCURACY:

No Statement.

46. COMPARISON WITH EXISTING MAPS:

 ${\tt A}^{\! \cdot}$ comparison was made with the following U.S. Geological Survey quadrangles:

PETERSBURG (A-2), Alaska, 1:63,360 scale, dated 1953 PETERSBURG (A-3), Alaska, 1:63,360 scale, dated 1949.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with the U.S. Coast and Geodetic Survey chart 8160, 1:80,000 scale, dated July 4, 1970.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

a. Shand

A. Shands Cartographer

September 24, 1973

Approved and forwarded:

Albert C. Rauck, Jr.

Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7206 (Clarence and Sumner Straits, Alaska)

TP-00579

Clarence Strait

Etolin Island

Independence Island

Johnson Cove

Marsh Island

Observation Island

Porcupine Creek

Screen Islands

Steamer Bay

Steamer Rocks

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division

Charting and Geodetic Services

REVIEW REPORT SHORELINE

TP-00579

61. GENERAL STATEMENT:

See summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

The Hydrographic Survey for the area of this map was not available for comparison at the time of Final Review.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with NOS chart 17382, 1:80,000 scale, dated July 25, 1981.

The chart compared well with this manuscript.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:

James L. Byrd, Jr.

Final Reviewer

Approved for forwarding:

Billy R. Barnes

Chief, Quality Assurance Group, AMC

Approved:

Chief, Photogrammetric Productions Sec. Chief, Photogrammetry Branch

a. y. Bryan

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Pan Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
1			Drawing No.
		· · · · · · · · · · · · · · · · · · ·	
·			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
<u> </u>			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		<u></u>	
			·
		<u>Karantan dan kepada da</u>	
	<u> </u>		
	· <u> </u>		