NOAA FORM 76-35 (3-76) U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY				
DESCRIPTIVE REPORT				
Map No. Edition No. TP-00973 1				
Job No. CM-7715				
Map Classification				
Final Field Edited Type of Survey Shoreline				
LOCALITY				
State Florida				
General Locality Tampa Bay				
Locality Rocky Point to Big Island				
19 77 TO 19 78				
REGISTRY IN ARCHIVES				
DATE				

*U.S. GOVERNMENT PRINTING OFFICE:1976-669-248

1	οf	19
	OT	1.7

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP-00973
(3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	D ORIGINAL	MAP EDITION NO. (1)
	_	
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	map class Final Field edited
	REVISED	јов жис <u>м-7715</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
Rockville, Md.	TYPE OF SURVEY	JOB PH
OFFICER-IN-CHARGE	ORIGINAL RESURVEY	MAP CLASS SURVEY DATES:
Cuda Tamas Gallians	REVISED	19 TO 19
Cmdr. James Collins		
I. INSTRUCTIONS DATED I. OFFICE	1 2	FIELD
1. OFFICE		FIELD
General Instructions OFFICE-NOS Cooperative	Field 27 Decemb	
Coastal Boundary Mapping Job PH-7000	Field 11 August	, -
9 December 1975	Amendment-Field	edit.procedures
Office 18 August 1977	30 January 1978	
Amendment I 3 January 1978 Amendment II 7 March 1978		
Amendment II March 1970		
II. DATUMS	<u> </u>	
1. HORIZONTAL: (X) 1927 NORTH AMERICAN	OTHER (Specify)	
I. HORIZONTAL: (X) 1927 NORTH AMERICAN	ATUED O	
X MEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL: MEAN LOW-WATER		
MEAN SEA LEVEL	·	
3. MAP PROJECTION	4.	GRID(S)
Lambert Conformal Conic	STATE Florida	ZONE
5. SCALE	STATE	ZONE
1:10,000	·	
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	NAME	DATE
I. AEROTRIANGULATION BY METHOD: Analytic Landmarks and alds by	S. Solbeck	Apr <u>il 1978</u>
	N/A J. Taylor	April 1978
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY	N/A	ADITE 1910
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	N/A	
COMPILATION CHECKED BY		
INSTRUMENT: CONTOURS BY	N/A	
SCALE: CHECKED BY		
4. MANUSCRIPT DELINEATION PLANIMETRY BY	R. Rich	June 1978
CHECKED BY	P. Dempsey	June 1978
METHOD: Graphic CHECKED BY	_N/A	
HYDRO SUPPORT DATA BY	N/A	
SCALE: 1:10,000 CHECKED BY		
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	J. Battley	July 1978
6. APPLICATION OF FIELD EDIT DATA	R. Rich	Sept 1978
CHECKED BY	P. Dempsey	Sept 1978
7. COMPILATION SECTION REVIEW BY 8. FINAL REVIEW BY	J. Battley P. Dempsey	Sept 1978 Feb 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	T. Dembeca	1 1 50 1 304
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	P. Dempsey	Feb 1984
11. MAP REGISTERED - COASTAL SURVEY SECTION BY	F. DAUGHERT	

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.) SURVEY NUMBER DATE(\$) SURVEY COPY USED SURVEY NUMBER DATE(S) SURVEY COPY USED Inapplicable 5. FINAL JUNCTIONS SOUTH WEST NORTH FAST TP-00971 TP-00974 TP-00976 TP-00972 REMARKS

Final junctions will be made in the Coastal Mapping Section.

NOAA FORM 76-36B(1) (7-75) U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY


TIDE - COORDINATED PHOTOGRAPHY

TP – 00973

<u> </u>	1P = 00973		
LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
77BR 0310 77BR 0282-0284	Safety Harbor Safety Harbor	+0.14 MHW +0.34 MHW	
			٠.
,			
REMARKS:			

3·472)				NIG AND ATMOSPHERIC NATIONA	L OCEAN SUI	
	Hisi	TORY OF FIELD			-00973	
i. 🔲 FIELD INSPEC	TION OPERATION	X FIEL	DEDIT OPERATION	Under ltr. dtd. Chief, Coastal	1/30/78 Mapping	fr
	OPERATION			NAME	DATE	
I. CHIEF OF FIELD F	PARTY		R. R. Wagn	er	August :	1978
		RECOVERED BY	N/A			
2. HORIZONTAL CON		ESTABLISHED BY	N/A		ļ	
<u> </u>	PRE-MARKED	OR IDENTIFIED BY	N/A	 		
3. VERTICAL CONTR	01	RECOVERED BY	N/A N/A			
H VERTICAL CONTR		OR IDENTIFIED BY	N/A			
			N/A		 -	. —
4. LANDMARKS AND	RECOVERED (Triang	(Field Methods) BY	N/A		 -	
AIDS TO NAVIGAT	ION	IDENTIFIED BY	N/A			
	TYPE OF IN	VESTIGATION			 -	
5. GEOGRAPHIC NAM	ES COMPLE	₹ T E By				
INVESTIGATION	SPECIF	IC NAMES ONLY			•	
	X NO INVI	ESTIGATION				
6. PHOTO INSPECTIO		ON OF DETAILS BY	C. Lewis		August :	197
7. BOUNDARIES AND	LIMITS SURVEYED	OR IDENTIFIED BY	N/A		<u> </u>	
II. SOURCE DATA 1. HORIZONTAL CON	TROL IDENTIFIED		2. VERTICAL CON	TROL IDENTIFIED		
PHOTO NUMBER	STATION NAM	<u> </u>	PHOTO NUMBER	STATION DESI	GNATION	
}						
					•	
1			}		•	
				•		
3. PHOTO NUMBERS	(Clarification of details)		<u> </u>			
77E-4118 & 41°	73 77BR-0311					
4. LANDMARKS AND	AIDS TO NAVIGATION IDENT	TIFIED				
PHOTO NUMBER	OBJECT NAM		PHOTO NUMBER	00,507.		
PHOTO NOMBER	OBJECTIVAN		PHOTO NUMBER	OBJECT.	AME	
ł			}			
			}			
			1			
5. GEOGRAPHIC NAM	DES: REPORT	X NONE	6. BOUNDARY AN	D. INITS: DEPOS	T W NAME	
7. SUPPLEMENTAL N		(A) NONE	18. BOONDART AN	D LIMITS: REPOR	T X NON	· E
8. OTHER FIELD RE	CORDS (Sketch books, etc. DO	NOT list data submi	ted to the Geodesy D	ivision)		

NOAA FORM (3-72)	76-36D		N	ATIONAL OC	U. S. DEPARTMENT OF COMMERCE CEANIC AND ATMOSPHERIC ADMINISTRATION
		RECO	RD OF SURVE	Y USE	TP-00973
I. MANUSCR	IPT COPIES				
	CO	MPILATION STAGE	S		DATE MANUSCRIPT FORWARDED
D	TA COMPILED	DATE	RE	MARKS	MARINE CHARTS HYDRO SUPPOR
Class	III	7/13/78			
Final		9/21/78			
· 				<u>.</u>	
· · · · · · · · · · · · · · · · · · ·	RKS AND AIDS TO NAVIGA		DATA BRANCH		
	CHART LETTER	DATE			
number pages	NUMBER ASSIGNED	FORWARDED			REMARKS
2		6/26/79	Digitized	forms (76-40) submitted
	 				
· · · · · · · · · · · · · · · · · · ·					
	FOODT TO MARINE COART	SUUSION COAT	Su oz spiencu		
	EPORT TO MARINE CHART EPORT TO AERONAUTICAL				TION. DATE FORWARDED:
	L RECORDS CENTER DAT				
2. 💢 C	RIDGING PHOTOGRAPHS; ONTROL STATION (DENTI DURCE DATA (except for G	FICATION CARDS;	FORM NO	S 567 SUBMI	TTED BY FIELD PARTIES,
	CCOUNT FOR EXCEPTION		•		
	ATA TO FEDERAL RECOR				
IV. SURVEY	SURVEY NUMBER	JOB NUMBE		pedition is r	egistered) TYPE OF SURVEY
SECOND	тр	(2) PH			REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPH			□ 11.	MAP CLASS □III. □IV. □V. □FINAL
	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY
THIRD	TP	(3) PH		ļ	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPH	Y DATE OF FI	ELD EOIT		MAP CLASS □III. □IV. □V. □FINAL
<u> </u>	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY
FOURTH	TP				REVISED RESURVÉY
EDITION	DATE OF PHOTOGRAPH	DATE OF FI	ELD EDIT		MAP CLASS



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

Coastal Zone Map TP-00973 is one of fourteen 1:10,000 scale and one 1:20,000 scale shoreline maps in Project CM-7715. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7715 will show the location of the individual maps from Rattlesnake Key to Oldsmar, Florida. A copy of the layout is included in this Descriptive Report.

Field operations consisted of premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

Color compilation photography was taken with the RC-8-E camera at 1:30,000 scale in October, 1977 and used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:30,000 scale infrared MHW photography taken with the RC-10-B & K cameras in November, 1977.

The Aerotriangulation Unit in Rockville, Maryland bridged five strips of 1:60,000 scale black and white photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland, using graphic methods.

Field edit was completed in August, 1978. Recovery and location of landmarks, fixed aids to navigation, piling, etc., were omitted from the field edit procedures as per memo dated January 30, 1978, from chief, Coastal Mapping Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The editor was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rock-ville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland, in February 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile this final map.

FIELD REPORT FOR CM-7715 & CM-7717

1. GENERAL

This report covers pre-marking, photo identification of control points, high and low water photographs. The project instructions were changed by Chief, Planning Branch in the range of tide for tidal photographs due to weather conditions.

Due to the size of pre-mark targets and the congestion of the area and targets being destroyed it was necessary to photo identify control points. This part of the field work was delayed due to receiving of the necessary photographs.

There were a number of tide gages in operation at the time of photography that could be used to supplement tidal data.

2. HORIZONTAL CONTROL

The following control stations were pre-marked or identified.

Control Point No. 1 DUNEDIN MUN N TANK 1972, Sub-point marked with array No. 1 with one wing. The date for this station was submitted with CN-7612 target No. 8. This station was not marked again because the grass on the golf course is still dead from when it was paneled a year ago. This panel should be transferred from CM-7612 photos.

Control Point No. 2 BOOTH 1926, Marked direct with array No. 1 and two wings.

Control Point No. 3 CYPRESS 2 1960-1975, Sub-point marked with array No. 1 and no wings. No room for wings.

Control Point No. h PETER 19h6, Station marked direct with array No. 1 and no wings.

Control Point No. 5 TAMPA PENINSULAR TELEPHONE CO. MOBILE MAST 1955, Station marked direct on old base for tower without wings at request of owner.

Control Point No. 6 FOL 1957. No target used. Station is a good point in center of bay in sea well.

Control Point No. 7 PORT TAMPA, BLACK MUN TANK 1945, Station marked with array No. 1 on remains of standpipe. The tank has been removed. The four tank footings should be used as wings.

Control Point No. 8 GADSDEN 2 1908, Station marked direct with two wings.

Control Point No. 9 Y6 (FGS) 1934, Station marked direct with two wings.

Control Point No. 10 GANDY 1973, Station marked direct with one wing.

Gentral Point No. 11 BRIGHTWATER B 1973, Sub-point is center of approx. 12X12 foot dock. No target used, see photo 77C7488.

Control Point No. 12 FEDERAL 1973, Station marked direct on top of building. No wings used.

Control Point No. 13 TAMP 1954, Sub-point marked with array No. 1 and one wing.

Control Point No. 14 DESOTO 1973, Sub-point with no target used.

Control Point No. 15 STUMP 1957, Sub-point. Panel destroyed and not replaced. Rockville office stated not needed because other target appears on this line.

Control Point No. 16 SUN CITY POWER CO SILVER WATER TANK 193h, Marked direct in center of four feetings with array No. 1 without wings. Tank has been removed.

Control Point No. 17 GILLETTE 1934, Sub-point is the center of three concrete slabs in cemetery. No target used.

Control Point No. 18 MCNIEL 2 1958, Sub-point panel was marked with array No. 1 without wings. This panel was not in place at time of photography. Other sub-points A & B were identified on photo 7707504.

Control Point No. 19 PALM 3 102h, Sub-point marked with array No. 1 without wings. Wings were not used at request of owner.

Control Point No. 20 MANATEE SILVER MUN WATER TANK 1925 (Cor of 10th St. and 9th Ave), Sub-point marked with array No. 1 and no wings.

Control Point No. 21 CONNER 1954, Station marked direct with array No. 1 without wings. No room for wings.

Control Point No. 22 SCHROEDER 1934, Station marked direct with array No. 1 and two wings:

Control Point No. 23 AMBER TR 27 (USE) 1953, Sub-point marked with array No. 1 and two wings.

Control Point No. 24 WHITFIELD ESTATES TANK 1934, Marked direct with array No. 1 and no wings. Tank is destroyed and target placed in center of tank footings.

Control Point No. 25 SARASOTA, RADIO STATION WSPB MAST 1953, Concrete base identified direct on 7707516. The mast has been removed and a new mast was built west of old base in the last part of 1970.

Control Point No. 26 NORTHWEST 1878, Two sub-points were identified on photo 7707518

Control Point No. 27 TT L1 JA 1952, Two sub-points were identified on photo 7707523

3. PHOTOGRAPHS

Bridging - All bridging photography was flown on October 5, 1977.

Low Water - Flown on October 13 and 14, 1977

High Water - Flown on October 14 and November 8, 1977

4. TIDAL DATA

Leveling for tide station 872 6621, Port Tampa was done by this party and is submitted in one NOAA Form 76-77 for prior and after photography. All other tide stations used were leveled by Photo Party 65 when gages were removed. This data is in Tides Branch, Rockville, Maryland.

The following twelve tidal stations were used: 872-6520 (St Petersburg) in two volumes, 872-5943 (Blackburn Point) and 872-5889 (Venice, Roberts Bay) in one volume, 872-6621 (Port Tampa), 872-6247 (Bradenton), 872-6348 (Two Brothers Island), 872-6243 (Anna Maria), 872-6278 (Redfish Point), 872-6537 (Apclic Beach), 872-6159 (Whitfield Estates), 872-6738 (Safety Harbor) and 972-6639 (Ballast Point)

Submitted 1/31/78

Robert R. Wagner

Chief, Photo Party 66

PHOTOGRAMMETRIC PLOT REPORT CM-7715 Tampa Bay, Florida April 1978

21. Area Covered

The area covered by this report is the immediate shoreline surrounding Tampa Bay, Florida.

Fourteen 1:10,000 scale manuscripts (TP-00970 thru TP-00982 and TP-00984) and one 1:20,000 scale manuscript (TP-00983) are submitted.

22. Method

Five strips of 1:60,000 scale black-and-white photography were bridged by analytic aerotriangulation methods. Control was field identified. Office identified control was used as a check.

Tie points were used to insure adequate juctioning during the strip adjustments. Tie points were also used to ensure adequate juctioning between project CM-7612 and this project. These latter tie points provided the initial control for strip 77-C 7393 to 7401.

Common points were located on the bridging photography and the tide-coordinated infrared being used for ratio purposes. Additional common points were located between the bridging photography and the 1:30,000 scale color photography for compilation purposes. These latter points were located by the compilation section.

The manuscripts will be plotted by the compilation section.

23. Adequacy of Control

The majority of control proved adequate according to National Map Accuracy standards.

The position for Tampa Peninsular Telephone Company Mobile Mast, 1955 (401 100) would not fit into the adjustment by 310 feet in X and 998 feet in Y. The panel was apparently not located correctly by the field party. The correct image was located and measured accurately. The paneled location was measured on two separate strips and used to tie the strips together.

24. Supplemental Data

USGS quads were used to provide vertical control for the strip adjustments. Nautical charts 11413 and 11414 were used to locate aids and landmarks.

25. Photography

The coverage, overlap, and quality of the photography were adequate for the job.

26. Comments on Strip Adjustment

Prelimary strip adjustments of strips 2 and 4 indicate that discrepencies exist that are not normally expected. In strip 2 three points were used to form the second degree adjustment curve, and two control points were "floated" - to be used as check points. One fit within 2 feet and the other was off about 10 feet. These same two points were also "floated" in strip 3, both fit within less than 3 feet.

A similar phenomenon exists on strip 4 where again three points are used for the adjustment and a seemingly good check point is off about 12 feet.

The cause of this "lack of fit" can not be satisfactorily explained, however, the descrepencies in the vicinity of these control points can be reduced by using them in the adjustment. By doing this, they fit to within 6 feet.


Submitted by,


Steve Solbeck

Approved and forwarded:

Don O. Norman

Acting Chief, Aerotriangulation Section





TAMPA BAY, FLORIDA CM-7715 Accruacy of Control

		Х	Y
STRIP #1	258830	075	+ .558
	352820	+ .407	915
	396100	+ .728	+ .686
	398101	+ .318	+ .045
	400100	+ .064	938
	401141	+ .020	+ .559
STRIP #2	487100	-1.574	+ 2.163
	488101	563	- 5.231
	489101	-1.510	+ 2.273
	490100	+4.496	+ .554
	203801	851	+ .243
	262830	+ .222	+ 1.876
STRIP #3	423101	+1.262	+ 1.806
	425101	-1.726	- 2.149
	427100	-1.276	- 1.487
	488101	+1.998	753
	487100	+2.260	+ 1.868
	489101	+2.764	- 2.448
	478100	-3.540	+ 2.008
	398101	+3.021	- 2.046
STRIP #4	398101	-1.366	- 3.579
	400100	+5.121	- 1.143
	478100	-3.185	+ 3.309
	487100	-2.260	+ 1.533
	480100	+1.085	+ .731
	478801	+ .605	851
STRIP #6	528101	-4.052	+ 1.220
	528102	-4.149	277
	530101	-1.116	- 2.404
	532100	-1.592	+ 4.189
	480100	+4.226	- 2.684
	401141	+4.864	- 2.402
	401100	248	+ .134
	401111	-1.335	+ 1.275

Compilation Report TP-00973 July 1978

31. Delineation

All features were delineated by graphic methods utilizing black and white rectfied prints of the 1:30,000 scale color photography.

The MHWL and apparent shoreline was delineated from tide-coordinated B&W infrared photography that was controlled by common detail compiled from the rectified photographs and selected pass points common to the bridging photography.

32. <u>Horizontal Control</u>

Control was adequate to meet National Map Accuracy standards. (See Photgrammetric Plot Report for details)

33. <u>Supplemental Data</u>

Field sketches indicating the location of applicable tide stations were supplied by Tides and Water Levels Section.

34. <u>Contours & Drainage</u>

Contours are not applicable. Drainage was compiled by an office interpretation of the infrared photography.

35. Shoreline and Alongshore Detail

Office interpretation of the MHW infrared photography and the rectified prints of the color photography was adequate for delineating the shoreline and alongshore features.

No Gulf Coast Mean Low-Water was shown as adequate photography was not available.

36. Offshore Details

The W. Howard Frankland Bridge and the Gandy Bridge were carefully compiled holding to bridge points to assure an accurate delineation and junction with adjoining sheets.

37. <u>Landmarks and Aids</u>

One landmark shown on chart 11413 falls within the limits of this

map. (A tower offshore and east of Big Island, was not visible on the photography and is referred to the field editor.)

There are no nonfloating aids to navigation.

- 38. Control for Future Surveys None
- 39. Junctions

Refer to Form 76-36B. A satisfactory junction was made with all maps adjoining this map.

40. Horizontal and Vertical Accuracy

This map complies with the accuracy requirements for the Florida Coastal Mapping Program as outlined by Project Instructions, PH-7000.

- 41. 45. Inapplicable
- 46. Comparison with Existing Maps

Comparison was made with the following 1:24,000 scale USGS 7 1/2 minute topographic quadrangles:

Safety Harbor, Fla. 1956 photorevised 1969 Gandy Bridge, Fla. 1956 photorevised 1969

47. Comparison with Nautical Charts

Comparison was made with the following Nautical Chart:

11413, 1:40,000 scale, dated Apr. 1977

Items to be applied to nautical charts immediately: None

Submitted by,

Ron Rich

Approved and Forwarded:

J. P. Battley, Jr.

Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-00973, JOB CM-7715

51. METHODS

Field edit was performed under instructions dated 1/30/78 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore and by truck.

Field edit notes will be found on the photographs and discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

Oneelandmark is recommended for deletion. Form 76-40 is submitted.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 8/8/78

Joseph D. Di Mare Surveying Technician

REVIEW REPORT TP-00973 February 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

- 62. Comparison With Registered Topographic Surveys None
- 63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

- 64. Comparison With Contemporary Hydrographic Surveys None
- 65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Patrick J. Dempsey

Cartographer

Approved and Forwarded,

George M. Ball

Chief, Photogrammetric Section

Chief, Photogrammetry Branch

GEOGRAPHIC NAMES FINAL NAME SHEET CM-7715 (Tampa Bay, Florida) TP-00973

Big Island

Big Island Gap

Cedar Point

Grassy Creek

Grassy Point

Old Tampa Bay

Rocky Point

Approved by:

Charles E. Harrington Staff Geographer - C51x2

DISSEMINATION OF PROJECT MATERIAL CM-7715

National Archives/Federal Records Center

Red Jacket:

Field Notebooks - NOAA Forms 77-53 NOAA Form 76-77

Bridging photographs
Tidal bench mark descriptions
Sketches and computations
Field edit discrepancy print
Field photographs
CSI cards

Bureau Archives

Registered copy of each map
Descriptive Report of each map

Reproduction Division

8x Reduction negative of each map

Office of Staff Geographer

Geographic Names Standard

76-40 PHO

PHOTOGRAMMETRIC BRANCH COASTAL MAPPING DIVISION

NATIONAL OCEAN SURVEY NOAA DEPARTMENT OF COMMERCE USA

DATATAB VERSION 782707

PRJ 833205 * DIM NA1927 *	FLORIDA * OFF BIG ISLAND *ORIGINATING A 07/21/78 *
OBJECTS INSPECTED FROM SEAWARD * POSITIONS DETERMINED * AND/OR VERIFIED BY * FIELD AND OFFICE * ACTIVITIES *	I MARE * FIELD REPRESENTA * FIELD REPRESENTA * OFFICE COMPILE * DIGITIZER * DAYLOR * DATA PROCESSE
KEY FOR ENTRIES UNDER 1.OFFICE IDENTIFIED AND LOCATED OBJECTS. THE NUMBER AND DATE (INCLUDING MONTH.DAY AND YEAR) OF THE PHOTOGRAPH USED TO IDENTIFY AND LOCATE THE OBJECT ARE SHOWN. EXAMPLE 75E(2)6042	DOTE OF LOCATION D(CONT.D) B.PHOTOGRAMMETRIC FIELD POSITIONS** SH THE METHOD OF LOCATION OR VERIFICATI DATE OF FIELD WORK AND NUMBER OF PHO GRAPH USED TO LOCATE AND IDENTIFY TH OBJECT.
EW POSITION DETERMINEY TO SYMBOLS -FIELD -VERIFIED -TRIFIED	* * 74L(C)2982 * 2.TRIANGULATION STATION RECOVERED * WHEN A LANDMARK OR AID WHICH IS ALSO A TRI * ANGULATION STATION IS RECOVERED, A TRIANG. * REC. WITH DATE OF RECOVERY IS SHOWN. * EXAMPLE TRIANG. REC.
N 7-PLANET N 7-PLANET B-SEXTAN IONS* SHOW THE D DATE OF FIELD 2-6-L 12-76	* 3.POSITION VERIFIED VISUALLY ON PHOTOGRAPH * SHOWN BY V-VIS AND DATE. * EXAMPLE V-VIS * 8-12-75 *
* * *FIELD POSITIONS ARE DETERMINED BY FIELD * OBSERVATIONS BASED ENTIRELY UPON GROUND * SURVEY METHODS	* * **PHOTOGRAMMETRIC FIELD POSITIONS ARE * DEPENDENT ENTIRELY.OR IN PART.UPON CONTRO * ESTABLISHED BY PHOTOGRAMMETRIC METHODS.

76-40 LISTING	PHOTOGRAMMETRIC BRANC COASTAL MAPPING DIVISI	NATIONAL OCEAN SURVEY N DEPARTMENT OF COMMERCE	OAA DAY
VY TP00 OR CM77 RJ 8332 TM NA19	3 * LANDMARKS FOR * TO BE DELE	* RPT UNIT CMD, ROCKVILLE, * STATE FLORIDA * LOCALITY OFF BIG ISLAND * DATE 07/21/78	* PAGE 2 OF 2 * *ORIGINATING ACTIV * COMPILATION
0110	ING OBJECTS HAVE BEEN INS	ED FROM SEAWARD TO DETERMINE TH	IR VALUE AS LANDMARKS
HARTIN NAME	DESCRIPTION RECORD REASON FOR DELET T TRIANGULATION NAMES I	POSITION CMD * ME TUDE DM ALTEK* ITUDE DP DGTZD* OFF	D AND DATE * CHARTS LOCATION * CHARTS * FIELD *AFFECTE
* * · · · · · · · · · · · · · · · · · ·	NLY THOSE NONFLOATING A HAT WERE VISIBLE ON THE	DS AND LANDMARKS TO NAVIGATION Phọtography and Located Durin	* *
: : * *	BRIDGING OR COMPILATION	SHOWN ON THIS MAP.	i * *
## 10MER # NO	LONGER EXISTS	* 27 54 30.00 923.4 NOT * * 82 38 18.00 492.2 DGTZD*	* 08/04/78 * 11413
•			* * *
* * *			* * *
* * * *			* *
* * *			* * * · · · · · · · · · · · · · · · · ·
(* *···			₩ ₩ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
* * * *		・	# # ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
			F * * * * * * * * * * * * * * * * * * *
		.001010100008666110112888180088947688	

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

_				
FILEWITH	DESCRIPTIVE	REPORT OF	F SURVEY NO.	

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi-
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vi
			Drawing No.
	<u></u> - -		Full Part Before After Verification Review Inspection Signed Via
	<u> </u>	· · · · · · · · · · · · · · · · · · ·	Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
<u> </u>		· .	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		, ·	
		<u> </u>	