

NOAA FORM 76-35
(3-76)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

<i>Map No.</i> TP-00987	<i>Edition No.</i> 1
<i>Job No.</i> CM-7717	
<i>Map Classification</i> Final Field Edited	
<i>Type of Survey</i> Shoreline	
LOCALITY	
<i>State</i> Florida	
<i>General Locality</i> Manatee River	
<i>Locality</i> Point Pleasant to Rocky Bluff	
19 TO 19 77	
REGISTRY IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY ☒ ORIGINAL ☐ RESURVEY ☐ REVISED	
PHOTOGRAMMETRIC OFFICE Rockville, Md.		SURVEY TP. <u>00987</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>Final field edited</u> JOB <u>PHCM-7717</u>	
OFFICER-IN-CHARGE Cmdr. J. Collins		LAST PRECEDING MAP EDITION TYPE OF SURVEY ☐ ORIGINAL ☐ RESURVEY ☐ REVISED JOB <u>PH-</u> MAP CLASS <u></u> SURVEY DATES: 19 <u></u> TO 19 <u></u>	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
General Instructions-Office-NOS Cooperative Coastal Boundary Mapping-Job PH-7000 9 December 1975 Office - 18 August 1975 Amendment I - 3 January 1978 Amendment II - 7 March 1978		Field Instructions - 27 December 1976 11 August 1977 Amendment - Field Edit Procedures 30 January 1978	
II. DATUMS			
1. HORIZONTAL: ☒ 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: ☒ MEAN HIGH-WATER ☐ MEAN LOW-WATER ☐ MEAN LOWER LOW-WATER ☐ MEAN SEA LEVEL		OTHER (Specify) Gulf Coast Low Water	
3. MAP PROJECTION Transverse Mercator		4. GRID(S) STATE <u>Florida</u> ZONE <u>West</u> STATE <u></u> ZONE <u></u>	
5. SCALE 1:10,000		STATE <u></u> ZONE <u></u>	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	
1. AEROTRIANGULATION METHOD: Analytic LANDMARKS AND AIDS BY		K. Baker N/A	
2. CONTROL AND BRIDGE POINTS METHOD: Coradomat PLOTTED BY CHECKED BY		J. Taylor N/A	
3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: SCALE:		PLANIMETRY BY CHECKED BY CONTOURS BY CHECKED BY	
4. MANUSCRIPT DELINEATION METHOD: Graphic SCALE: 1:10,000 HYDRO SUPPORT DATA BY CHECKED BY		P. Dempsey C. Lewis N/A N/A	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT		C. Lewis	
6. APPLICATION OF FIELD EDIT DATA		P. Dempsey J. Schad	
7. COMPILATION SECTION REVIEW		J. Schad	
8. FINAL REVIEW		P. Dempsey	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH		P. Dempsey	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH		P. Dempsey	
11. MAP REGISTERED - COASTAL SURVEY SECTION		R. Kornspan	
		DATE June 1978 Oct 1978 Nov 1978 Jan 1979 Jan 1979 May 1979 May 1979 June 1979 Feb 1985 Feb 1985 April 1985	

COMPILATION SOURCES

TP-00987

1. COMPILATION PHOTOGRAPHY

CAMERA(S) RC-8(E&K)		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE ☐ PREDICTED TIDES ☐ REFERENCE STATION RECORDS ☒ TIDE CONTROLLED PHOTOGRAPHY				ZONE Eastern	☒ STANDARD
				MERIDIAN 75th	☐ DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
77 E(C) 4093 - 4095	13 Oct 77	0900	1:30,000	N/A	
77 E(C) 4430	14 Oct 77	0931	1:30,000		
78 E(C) 3298, 3299	5 Nov 78	1448	1:30,000		
77 K(R) 0945, 0946	14 Oct 77	1406	1:30,000	Refer to 76-36 B(1) for tide information	
77 K(R) 0963 - 0965	14 Oct 77	1429	1:30,000		

REMARKS

2. SOURCE OF MEAN HIGH-WATER LINE:

The source of the MHW line is the tide coordinated black and white infrared photography and the color photograph, 78 E(C) 3299 listed in item 1 above.

3. SOURCE OF ~~MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE~~ Gulf Coast Low Water line:

There is no GCLW line on this map. The infrared photography available at the time of compilation did not meet accuracy standards.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
TP-00984	TP-00989	TP-00990	TP-00986

REMARKS

Final junctions were made in the Coastal Mapping Section.

TIDE - COORDINATED PHOTOGRAPHY

TP - 00987

LOCATION AND PHOTOGRAPHY	TIDE STATIONS <i>(In operation at time of photography)</i>	STAGE OF TIDE	MEAN RANGE
77KR 0963-0965 77KR 0945 & 0946	Brandenton	- 0.10	

REMARKS:

HISTORY OF FIELD OPERATIONS TP-00987

1. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATIONUnder lbr. dtd. 1/30/78 fr.
Chief, Coastal Mapping

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY (Acting)	J.D. Di Mare	
2. HORIZONTAL CONTROL		
RECOVERED BY		
ESTABLISHED BY		
PRE-MARKED OR IDENTIFIED BY		
3. VERTICAL CONTROL		
RECOVERED BY		
ESTABLISHED BY		
PRE-MARKED OR IDENTIFIED BY		
4. LANDMARKS AND AIDS TO NAVIGATION	J.D. Di Mare	2/79
RECOVERED (Triangulation Stations) BY		
LOCATED (Field Methods) BY		
IDENTIFIED BY		
5. GEOGRAPHIC NAMES INVESTIGATION		
TYPE OF INVESTIGATION		
☐ COMPLETE		
☐ SPECIFIC NAMES ONLY BY		
☒ NO INVESTIGATION		
6. PHOTO INSPECTION	J.D. Di Mare	2/79
CLARIFICATION OF DETAILS BY		
7. BOUNDARIES AND LIMITS	N/A	
SURVEYED OR IDENTIFIED BY		

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

77E-4093, 4095; 77E-4430; 78EC-3299

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

RECORD OF SURVEY USE

TP-00987

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Class I		Chart Maintenance Print	Nov 1979	

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER pages	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
3		7/12/79	Digitized 76-40 forms

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☐ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:
Tide data
4. ☒ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY	
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY	
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY	
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL	

Joins Job CM-7715

27°33'45"
PASSAGE KEY
NATL
27°33'00"

TP-00985

TP-00986

TP-00987

TP-00988

Anna Maria

Anna Maria Key

Holmes Beach

Bradenton Beach

82°45'00"

327°23'00"

TP-00989

TP-00990

Whitfield Estates

TP-00992

TP-00991

SARASOTA

St Armands Key

Lido Key

82°40'00"

82°38'00"

82°36'00"

82°34'00"

82°32'00"

82°30'00"

82°28'00"

82°26'00"

82°24'00"

82°22'00"

82°20'00"

82°18'00"

82°16'00"

82°14'00"

82°12'00"

82°10'00"

82°08'00"

82°06'00"

82°04'00"

82°02'00"

82°00'00"

81°58'00"

81°56'00"

81°54'00"

81°52'00"

81°50'00"

JOB CM-7717
VENICE TO PASSAGE KEY INLET
AND MANATEE RIVER
FLORIDA
SHORELINE MAPPING
SCALE 1:10,000

VENICE

Coast Guard Station

TP-00995

27°03'00"

82°30'00"

82°28'00"

82°26'00"

82°24'00"

82°22'00"

82°20'00"

SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORT

Coast Zone Map TP-00987 is one of eleven 1:10,000 scale maps in project CM-7717. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7717 shows the location of the individual maps from Venice to Passage Key Inlet, Florida. A copy of the layout is included in this Descriptive Report.

Field operations consisted of premarking horizontal control, photographing the area, establishing tidal datums, and performing field edit.

Compilation photography was taken with the Wild RC-8-E camera which consisted of 1:30,000 scale color photographs taken in October 1977 and November 1978. This photography was used to set stereo models, to delineate cultural features, and to locate landmarks and aids to navigation. The shoreline was compiled using 1:30,000 scale black and white infrared MHW and GCLW photography taken with the Wild RC-8-K camera in October 1977.

The Aerotriangulation Unit in Rockville, Maryland bridged two strips of 1:60,000 scale photography and one strip of 1:30,000 scale photography using aerotriangulation methods.

Compilation was accomplished in the Coastal Mapping Unit, Rockville, Maryland using graphic methods.

Field edit was completed in March 1979. All known landmarks and aids to navigation were located or compilation verified.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final review was performed in the Quality Control Unit, Rockville, Maryland in February 1985. This map meets the requirements for National Standards for Map Accuracy.

Photogrammetric Plot Report
Venice to Passage Key Inlet and Manatee River

CM-7717

June, 1978

Area Covered

The area covered by this report is from Venice, Florida, north to Passage Key Inlet, just south of Tampa Bay. It extends eastward down the Manatee River. The area falls on Nautical Chart 11425.

Method

Three strips, two bridging at 1:60,000, and one compilation at 1:30,000, were measured by analytic aerotriangulation methods. The three strips of photography were controlled by field and office identified control. The 1:30,000 strip was bridged due to a need for eastward photo coverage.

Tie points were used on all strips to insure an adequate junction during strip adjustments. Tie points from Strip 8(1:60,000) were used to control Strip 30 (1:30,000), due to lack of field identified stations in that area.

Compilation photography was 1:30,000 scale, and compilation points were drilled by Compilation Section.

Adequacy of Control

There was a lack of field identified control in the area of Strip 30. The station, Whitfield Estates Tank, was difficult to locate, identify and measure. The field men used stations such as driveway intersections, trees because there were few places to place panels. This type of point is not very accurate at 1:60,000. The lack of panels and the poor quality of the other stations had a definite influence on the residual error in the strip adjustments.

Supplemental Data

USGS quadrangles were used to provide vertical control for the strip adjustments. Nautical charts were used to help identify aids to navigation and landmarks.

Photogrammetric Plot Report
Venice to Passage Key Inlet and Manatee River
CM-7717
Page 2

Photography

The coverage and quality of the photography were adequate for the job. The end lap on Strip 9(1:60,000), due to crab, was minimal and made measuring pass points on that strip difficult.

Approved and Forwarded By:

Don O. Norman

Don O. Norman

Submitted by:

Karin H. Baker

Karin H. Baker

CONTROL USED IN STRIP ADJUSTMENTS

STRIP 9


	<u>X</u>	<u>ERROR</u> <u>Y</u>
501100	-.463	..017
528101	-1.363	1.167
505101	.276	-.245

STRIP 8

505803	-3.089	-1.499
514101	5.103	1.058
515100	.896	2.392
518101	-4.085	-2.435
523102	1.178	.480

STRIP 30


517801	.501	-.144
516801	-4.413	-3.387
407110	3.505	4.966
409174	4.077	3.828
515801	-1.310	-3.637
514801	-3.688	-4.111
513802	1.328	2.486



JOB CM-7717
 VENICE TO PASSAGE KEY INLET
 AND MANATEE RIVER
 BRIDGING PHOTOGRAPHY

1:60,000

1:30,000



DESCRIPTIVE REPORT CONTROL RECORD

MAP NO. TP-00987	JOB NO. CM-7717	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	COORDINATES IN FEET		GEOGRAPHIC POSITION		REMARKS
					STATE Florida	ZONE West	ϕ LATITUDE	λ LONGITUDE	
Manatee Fruit Co. Black Water Tank, 1934	Listing Pg 5	503117	P C Pg 15	503116	X=	311,821.557	ϕ		
					Y=	1,166,738.635	λ		
Palmetto Municipal Power Plant Silver Water Tank 1934	P C Pg 15	503111	P C Pg 15	503111	X=	313,189.256	ϕ		
					Y=	1,157,026.414	λ		
Bradenton Municipal Pumping Station Silver Water Tank 1934	P C Pg 15	503111	P C Pg 15	503111	X=	316,873.656	ϕ		
					Y=	1,148,830.070	λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		
					X=		ϕ		
					Y=		λ		

Compilation Report

TP-00987

Nov. 1978

31. Delineation

All alongshore cultural features and interior planimetry on this map were delineated by graphic compilation using rectified black and white print of the 1:30,000 scale color photography. This photography was controlled by map points determined by aerotriangulation and was used for compiling shoal and shallow areas.

The MHW line or apparent shoreline was compiled from office interpretation of rectified, tide-coordinated, black and white, infrared photography except that portion of Braden River south of 27°29'05" which was taken from the field inspected photo 78 EC 3299.

32. Horizontal Control

Horizontal control was adequate. (See Photogrammetric Plot Report)

33. Supplemental Data

Field sketches were furnished by Tides and Water Levels Division, to locate tide stations.

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from office interpretation of rectified tide-coordinated, black and white, infrared photography.

35. Shoreline and Alongshore Detail

Office interpretation of tide-coordinated black and white infrared photography was adequate for delineating the MHW line. No GCLW was shown.

36. Offshore Details

No unusual problems were encountered.

37. Landmarks and Aids

With the exception of the landmarks and aids that have triangulation positions the landmarks and aids shown on this map are those located photogrammetrically during bridging. They will be visually verified as to their existence by the field ^{edition.}
Editor.

38. Control for Future Surveys - None

39. Junctions - Refer to Form 76-36B.

40. Horizontal and Vertical Accuracy

This map complies with accuracy requirements for the Florida Coastal Zone Mapping Program as outlined by Project Instructions PH-7000.

41. thru 45. Inapplicable

46. Comparison with Existing Maps

Comparison was made with the following USGS Quadrangle Maps:

Palmetto, Fla. 1969

Bradeton, Fla. 1969

47. Comparison with Nautical Charts


Comparison was made with the following Nautical Charts:

11414 - May 13, 1978 - 1:40,000

Items to be applied to Nautical Charts immediately: None

Items to be carried forward: None

Submitted by,



P. J. Dempsey

Approved and Forwarded:



Frank Wright, Acting Chief
Coastal Mapping Section

✓

FIELD EDIT REPORT TP-00987, JOB CM-7717

51. METHODS

Field edit was performed under instructions dated 1/30/78 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore.

Field edit notes will be found on the photographs and discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit. The southeast portion of the Braden River that is covered by TP-00987 and TP-00988 was edited on ratio photo 78-EC3299.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 2/26/79

Joseph D. Di Mare
Joseph D. Di Mare
Acting Chief, Photo Party 66

REVIEW REPORT

FEBRUARY 1985

61. General Statement

Refer to the Summary bound with this Descriptive Report.

62. Comparison With Registered Topographic Surveys - None

63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

64. Comparison With Contemporary Hydrographic Surveys - None

65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys


This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:



Patrick J. Dempsey
Final Reviewer

Approved and Forwarded:


Chief, Photogrammetric Section
Chief, Photogrammetry Branch

September 15, 1979

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7717 (Venice to Passage Key Inlet, Florida)

TP-00987

Ayres Point

Braden Castle

Braden River

Bradenton

Branches Hammock

Ellenton

Jeffs Cowpen Creek

Manatee

Manatee River

Manavista

Palmetto

Peterson Bayou

Point Ogden

Point Pleasant

Rocky Bluff


Seaboard Coast Line (RR)

Sugarhouse Creek

Terra Ceia Bay

Wares Creek

Approved by:


Charles E. Harrington
Chief Geographer

DISSEMINATION OF PROJECT MATERIAL

CM-7717

VENICE TO PASSAGE KEY INLET

National Archives/Federal Records Center

Job Completion Report

Brown Jacket:

Field Photographs

Discrepancy Prints

Photogrammetric Plot Report

Tide Data

Control Station Identification Cards

Bureau Archives

Registered Map

Descriptive Report

Reproduction Division

8x Reduction Negative of Map

Office of Staff Geographer

Geographic Names Standard

