NOAA FORM 76-35 (3-76) U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION					
NATIONAL OCEAN SURVEY					
DESCRIPTIVE REPORT					
Map No. Edition No. 1					
Job No. CM-7820					
Map Classification Final Field Edited					
Type of Survey Shoreline					
LOCALITY					
<i>Ştate</i> Florida					
General Locality Apalachee Bay					
Locality Aucilla River					
19 79 TO 1980					
REGISTRY IN ARCHIVES					
DATE					

*U. S. GOVERNMENT PRINTING OFFICE:1976-669-248

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP. 01022
A MOST TEXTS ASSET	☐ ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	∏ RESURVEY	MAP CLASS Final field
DESCRIPTIVE REPORT - DATA RECORD	☐ REVISED	edited
PHOTOGRAMMETRIC OFFICE		•
	TYPE OF SURVEY	JOB PH-
Rockville, Md.	D ORIGINAL	MAP CLASS
OFFICER-IN-CHARGE	RESURVEY	SURVEY DATES:
Cmdr. W. Simmons	REVISED	19TO 19
I. INSTRUCTIONS DATED		
I, OFFICE	2. F	TELD
General Instructions-Office-NOS Cooperative Coastal Boundary Mapping-Job PH-7000 9 Dec 1975 Office - 18 Aug 1977 Amendment I - 3 Jan 1978 Amendment II - 7 Mar 1978	Field Instructions Amendment - Field 30 Jan	ll Aug 1977 Edit Procedures
II. DATUMS	OTHER (Specify)	
I. HORIZONTAL: X 1927 NORTH AMERICAN	(
MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	OTHER (Specify)	
3. MAP PROJECTION		RID(S)
Lambert Conformal Conic	Florida	North
5. SCALE	STATE	ZONE
1:20,000		
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY	S. Solbeck	Jan 1980
METHOD: Analytic LANDMARKS AND AIDS BY	N/A	
2. CONTROL AND BRIDGE POINTS PLOTTED BY	J. Taylor	Feb 1980
METHOD: Cal Comp CHECKED BY	N/A	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	N/A	
INSTRUMENT: CONTOURS BY	N/A	
SCALE: CHECKED BY		
4. MANUSCRIPT DELINEATION PLANIMETRY BY	R. Rich	Mar 1980
CHECKED BY CONTOURS BY	C. Lewis	July 1980
METHOD: Graphic CONTOURS BY	IV/ FL	
SCALE: 1:20,000 HYORO SUPPORT DATA BY	N/A	
CHECKED BY		+
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	D. Brant	July 1980 Sept 1980
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	F. Wright C. Lewis	Sept 1980
7. COMPILATION SECTION REVIEW BY	F. Wright	Nov 1980
8. FINAL REVIEW BY	P. Dempsey	Oct 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	D. Down and	00+ 1081
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY 11. MAP REGISTERED - COASTAL SURVEY SECTION BY	P. Dempsey E. DAUGHERTY	0ct 1984 / Nov 1984
NOAA FORM 76-36A SUPERSEDES FORM C& GS 181 SERIES	L. WAU-TEICTY	

NOAA FORM 76-36B (3-72)	<u> </u>		NATIONAL OC	EANIC AND	ATMOSPHERIC .	T OF COMMERCE ADMINISTRATION OCEAN SURVEY
	CON	PILATION	SOURCES T	P-01022		
I. COMPILATION PHOTOGRAPHY	 					
CAMERA(S) Wild RC-10			F PHOTOGRAPHY LEGEND		TIME REFE	RENCE
TIDE STAGE REFERENCE PREDICTED TIDES REFERENCE STATION RECORD		(C) COLO		ZONE	Eastern	X STANDARD
TIDE CONTROLLED PHOTOGRA		(I) INFRA	RED	MERIC	75th	DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE		STAGE OF	TIDE
79 CP 8039-8042	10 Fēb 79	1352	1:60,00	0 0	I/A	
79 CR 8140-8143	11 Feb 79	130 5	1:60,000		Refer to NC	AA Form
79 CR 8197	11 Feb 79	1409	1:60,00		′6-36B(1)	
						,
REMARKS		 			<u> </u>	
Where the MHW line		i by vege	tation such a	as mangr	rove, the	
3. SOURCE OF MEAN LOW-WATER There is no GCLW 1						
4. CONTEMPORARY HYDROGRAPI	IIC SURVEYS (List o	nly those surv	eys that are sources	for photogra	mmetric survey in	nformation.)
SURVEY NUMBER . DATE(S)	SURVEY COP	Y USED S	URVEY NUMBER	DATE(S)	SURVE	Y COPY USED
5. FINAL JUNCTIONS						
Contemporary Survey	TP-01023	1	Contemporary	Survey	WEST CM- TP-01	7821 033
Final junction wer	e made in the	Coastal	Mapping Sec	tion		

NOAA FORM 76-36B(1) (7-75)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

TIDE - COORDINATED PHOTOGRAPHY TP - 01022


OCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
70 CD 0140 0142		1 E Minr	
79 CR 8140-8142	Shell Point (Hrly Hts)	-1.5 MHW	
79 CR 8197	11 H H II	-1.5 MHW	
			l
			ı
		,	i
		,	

DPERATIONS EDIT OPERATION N. Lawrence H L. H. Davi L. H. Davi N.A. N.A.	S S S	79 79 79 79
Lawrence H L. H. Davi L. H. Davi N.A. N.A.	Davis s s	1979 79 79 79
L. H. Davi L. H. Davi N.A. N.A.	S S S	1979 79 79 79
L. H. Davi L. H. Davi N.A. N.A.	S S S	79
L. H. Davi N.A. N.A.	S S	79
L. H. Davi	S	79
N.A.	S	79
L. H. Davi		79
L. H. Davi		79
L. H. Davi		79
		79
		79
		79
		79
		79
		, ,
2. VERTICAL CON	IOOL IDENTIFIED	
2. VERTICAL CONT	BOL IDENTIFIED	
	INOL IDENTIFIED	
PHOTO NUMBER	STATION DE	SIGNATION
j		
PHOTO NUMBER	OBJECT	NAME
PHOTO NUMBER	OBJECT	NAME
6. BOUNDARY AND	LIMITS: TREPO	RT NON
ed to the Geodesy Div	rision)	
	6. BOUNDARY AND	

. TELD INSPE	CTION OPERATION		X FIE	LD EDIT OPERATION	Under le	etter dat ief, Coa;	ted 1 stal	/30/78 Mappin
	OPERATIO	ν			NAME			DATE
. CHIEF OF FIELD	PARTY							-
			_	J.D. Di Mare	<u> </u>			
	NTDs.		RECOVERED BY	**************************************			· · · · ·	
. HORIZONTAL CO			ESTABLISHED BY R IDENTIFIED BY					
<u> </u>		MARKEDO	RECOVERED BY	- 				
. VERTICAL CONT	ROL		ESTABLISHED BY					
. , , , , , , , , , , , , , , , , , , ,			R IDENTIFIED BY	17.43			-	·
			lation Stations) BY	h: / .				
LANDMARKS AND	_		(Field Methods) BY					
AIDS TO NAVIGA	TION		IDENTIFIED BY	- /.				
	т,	YPE OF INV	ESTIGATION					
, GEOGRAPHIC NA	MES [COMPLE.	TE BY					
INVESTIGATION	Ε] SPECIFIC	NAMES ONLY					
		NO INVE	STIGATION					
. PHOTO INSPECT	ION CLA	RIFICATIO	N OF DETAILS BY	J.D. Di Mare)		Aug	- Sep8
. BOUNDARIES AN	D LIMITS SU	RVEYEDO	R IDENTIFIED BY	N/A				
. SOURCE DATA	UZDA, INCHES			TA VENTION CO	17001 IDEL	T.F.ED		
	NTROL IDENTIFIED	,		2. VERTICAL CO	NI NOL IDEN	1117120		
V/A	 			N/A				
3. PHOTO NUMBERS	5 (Clarification of de	tails)		<u> </u>	<u></u>	<u> </u>		
79-CR-8141; 7								
I. LANDMARKS AND	AIDS TO NAVIGAT	ION IDENTI	FIED					
n / 1								
V/A PHOTO NUMBER				1				
PHOTO NOMBER		JECT NAME		PHOTO NUMBER		OBJECTN	AME	
				1				
1					1			
				1				
. GEOGRAPHIC NA	MES: REF	ORT	NONE	6. BOUNDARY AN	ID LIMITS:	☐ REPOR	τ [X	NONE
	MAPS AND PLANS							
, SUPPLEMENTAL								
I/A	ECORDS (Sharet 1	a ata DO	AOT may date out-	itted to the Geodesy D	Nadadas N			

NOAA FOR (3-72)	RM 76-36D		NATIONAL OCE	U. S. DEPARTMEI ANIC AND ATMOSPHERIC	NT OF COMMERCE ADMINISTRATION
		RECORD O	F SURVEY USE	TP-0	1022
I. MANUSC	RIPT COPIES			1	
	DATA COMPILED	DATE DATE	REMARKS		PT FORWARDED
	DATA COMPILED	DATE	, REMARKS	MARINE CHARTS	HYDRO SUPPORT
Cla	ass I	July 1980		June 1981	, 1
		 			<u> </u>
· · · · · · · · · · · · · · · · · · ·			·		
	IARKS AND AIDS TO NAVIGA	 _			
NUMBER	ORTS TO MARINE CHART D	DATE	BRANCH	REMARKS	;
	NUMBER ASSIGNED	FORWARDED			
					·
· ·					,
			· · · · · · · · · · · · · · · · · · ·		
	,		<u>,</u> , <u></u>		
				·	·
	REPORT TO MARINE CHAR' REPORT TO AERONAUTICA			·	
	RAL RECORDS CENTER DA				
1.	BRIDGING PHOTOGRAPHS;	X DUPLICATE BRID	GING REPORT: 「菜」CO!	MPUTER READOUTS.	
	CONTROL STATION IDENT		FORM NOS 567 SUBMIT		•
	SOURCE DATA (except for C ACCOUNT FOR EXCEPTION 2 NOAA FORMS 76	NS:		NOAA FORM 76-36C.	_
	DATA TO FEDERAL RECO		•		

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered) SURVEY NUMBER JOB NUMBER TYPE OF SURVEY REVISED RESURVEY SECOND , MAP CLASS DATE OF PHOTOGRAPHY DATE OF FIELD EDIT EDITION $\square n$. FINAL SURVEY NUMBER JOB NUMBER TYPE OF SURVEY REVISED RESURVEY THIRD PH- __ MAP CLASS DATE OF PHOTOGRAPHY DATE OF FIELD EDIT EDITION \square Π . □in. □iv. □v. FINAL TYPE OF SURVEY SURVEY NUMBER JOB NUMBER REVISED RESURVEY PH -FOURTH DATE OF PHOTOGRAPHY DATE OF FIELD EDIT MAP CLASS EDITION □ III. □ iii. □iv. □v. D.FINAL



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT -TP-01022

Coastal Zone Map TP-01022 is one of ten 1:20,000 scale shoreline maps in project CM-7820. These maps are intended for planning purposes for the state of Florida and for the Construction and maintenance of NOS Nautical Charts

The layout for project CM-7820 shows the location of the individual maps from St. Marks to Cedar Keys, Florida. A copy of the layout is included in this Descriptive Report. Field operations consisted of a field inspection, premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

Panchromatic compilation photography was taken with the Wild RC-10-C camera at 1:60,000 scale in February, 1979 and used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:60,000 scale, infrared, MHW photography taken with the Wild RC-10-C camera in February, 1979.

The Aerotriangulation Unit in Rockville, Maryland bridged four strips of 1:60,000 scale panchromatic photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland using graphic methods.

Field edit was completed in September, 1980. Recovery and location of landmarks, fixed aids to navigation, piling etc. were omitted from the field edit procedures as per memo dated January 30, 1978 from chief,. Coastal Mapping Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The edit was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final review was performed in the Quality Control Unit, Rockville, Maryland in October, 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile the final map.

FIELD INSPECTION REPORT TP-01022 JOB-7820 CEDAR KEYS TO ST. MARKS, FL. SHORELINE MAPPING

2. AREAL FIELD INSPECTION:

TP sheet 01022 will be covered in this report. TP-01022 covers the area East of St. Marks to the Econfina River including the Aucilla River. Photographs 79 CP-8044 and 79 CP-8042 were used for Field Inspection.

The major part of the land along the rivers is wooded swamp land. Due to the lack of water field inspection could only be proformed at High Water.

3. HORIZONTAL CONTROL:

A letter from James Collins dated January 30, 1978 this was omitted.

4. VERTICAL CONTROL:

Same as above.

5. CONTOURS AND DRAINAGE:

N7A

6. WOODLAND COVER:

N/A

7. SHORELINE AND ALONG SHORELINE FEATURES:

The shoreline inspection was accomplished from a skiff, truck, and on foot. The areas consist of apparent, fast, bulkhead shoreline, all are noted on photographs. Overhead cables have been noted on photographs.

8. OFFSHORE FEATURE:

Submerged rocks covered by this sheet should be investigated by the hyrographic survey party.

9. LANDMARKS AND AIDS:

They were omitted in accordance to the letter from James Collins dated January 30, 1978.

10. BOUNDARIES, MONUMENTS AND LINES:

None were noted.

11. OTHER CONTROL:

N/A

12. OTHER INTERIOR DATA:

Railroads and major highways were noted. Bridges and overhead cable clearences were not noted.

13. GEOGRAPHIC NAMES:

Not required.

14. SPECIAL REPORT AND SUPPLEMENTAL DATA:

N/A

Respectfully submitted

Lawrence H. Davis - Chief, Photo Party 61

December 10, 1979

PHOTOGRAMMETRIC PLOT REPORT CM-7820 Cedar Key to St Marks Florida 7 January 1980

AREA COVERED

The area covered by this report is the western coastline of the state of Florida, from Cedar Key, north to the edge of, but not including, the city of St Marks.

METHOD

Four strips of 1:60000 scale panchromatic photography were bridged by analytic aerotriangulation methods. Field identified control was provided for the strip adjustments. Tie points were added to ensure proper junctioning between the strips.

Common points were located between the bridging photography and the 1:60000 scale infrared photography for ratio purposes.

ADEQUACY OF CONTROL

The control provided was adequate for the completion of the project as determined by National Map Accruacy Standards. However, due to the scale and Quality of the photography, as well as the type of objects defined for control points, the strips were unable to be adjusted to the standards of this office.

We could not properly identify THELMA (1933) sub point 1, KEEN (1933) sub point 1, TANK (1933) sub point 1, nor either sub point of station HAMPTON (1933). See the "FIT TO CONTROL" listing for their discrepencies.

SUPPLEMENTAL DATA

USGS quadrangles were used to provide vertical control for the strip adjustments. Nautical charts were used to locate aids and landmarks.

PHOT OGRAPHY

The coverage, overlap, and quality of the photography proved adequate for the job.

Approved and forwarded by:

Non O. Norman


Don O Norman

Chief, Aerotriangulation Section


i mendidi 417

Submitted by

AEROTR IANGULATION SKETCH CEDAR KEY TO ST MARKS FLORIDA CM -7820



AEROTRIANGULATION SKETCH CEDAR KEY TO ST MARKS FLORIDA CM-7820



, N

FIT TO CONTROL

▲ - Points used in the strip adjustment.

STRIP # 1	X	Y
36101 ▲ 36102	-5.135 1.265	5.222 3.709
▲ 41101 ▲ 41102	1.703 -4.536	-5.437 -2.530
45101 45102	20.229 34.617	-12.705 -1.685
50101 ▲ 50102	2.831 4.307	11.269 7.823
▲ 551 01 551 02	-2.705 -5.555	-3.583 -6.580
STRIP # 2		
87101	72.370	28.143
▲ 87102	102	.216
891 0 1	4.121	4.853
89102	3.842	-2.962
9 2101	061	2.953
▲ 92102	2.418	. 852
▲ 961 0 1	-6.074	-1.375
9 6102	-2.692	.388
97110	3.692	5.207
∆ 55101	4.958	1.717
55102	2.344	4.510
103110	708	3.894
49801	1.485	006
49802	. 653	1.058
50101	-2.390	10.263
5 0 8 0 1	5.223	-2.876
▲ 50802	-1.207	-1.381

FIT TO CONTROL (CON'T)

STRIP # 3	X	\mathbf{Y}_{-i}
50101	-4.184	4.914
▲50102	.674	.063
50802	-4.7 19	-8.617
▲ 66801	-1.701 674	071 . 511
688 01	-1.276	-4.828
688 02	-2.298	-1.155
▲ 998 20	1.277	 0 95
▲ 71 802	.987	. 850
▲ 96101	-1.231	755
96102	-1.699	968
STRIP # 4	÷	4
92101	2.221	.560
▲92102	000	000
▲81101	. 000	.000
81102	-3 . 665	232
82101	8.902	-5.964
▲82102	.000	.000

NOAA FORM 76-41 (6-75)					U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
		DESCRIPTIV	DESCRIPTIVE REPORT CONTROL RECORD		
MAP NO. TP-01022	JOB NO. CM-7820	320	сеоретіс ратим IV А 1927	ORIGINATING ACTIVITY ROCKVILLE,	ile, Md.
STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	coordinates in Feet state Florida zone North	GEOGRAPHIC POSITION φ LATITUDE λ LONGITUDE	REMARKS
Wacissa 2, 1933		ψ1100	x= 2,161,045.205	e ~	
				0	
			<i>y=</i> x=	γ Φ	
			h=	r	
			=χ	φ	
		,	πħ.	۲	
			χ=	Ф	
			<i>ψ</i> =	γ	
			=X	ф	
		~	n=	γ	
			έχ	ф	
			y=	γ	
			×χ	Φ	
			η=	γ	
			χ=	Ф	
			y=	γ	
			<i>χ</i> =	•	
			y=	γ	
COMPUTED BY		DATE	COMPUTATION CHECKED BY		DATE
LISTED BY R, Rich		Mar 1980	LISTING CHECKED BY C. Lewis		PATEJuly 1980
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

Compilation Report TP-01022 March 1980

31. <u>Delineation</u>

All alongshore cultural features and interior planimetry on this map were delineated by graphic compilation using rectified black-and-white prints of the 1:60,000 scale panchromatic photography and the rectified black-and-white prints of the 1:60,000 scale infrared photography. This photography was controlled by map points determined by aerotriangulation.

The MHW line was compiled from the 1:60,000 scale infrared photography.

No GCLW was compiled on this map.

A field inspection was done prior to compilation of the map. This inspection was used to interpret shoreline features and the MHW line.

32. Horizontal Control

Horizontal Control was adequatem(see Photogrammetric Plot Report).

33. Supplemental Data

Two tide stations were plotted from sketches furnished by the Tidal Datums Information Branch.

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from black-and-white_infrared photography.

35. Shoreline and Alongshore Detail

Office interpretation of the black-and white, infrared photography was adequate for delineating the shoreline and alongshore details. The field inspection was used as an aid in interpreting the infrared photography.

36. Offshore Delineation - None

37. Landmarks and Aids

There were no landmarks or aids to navigation located during bridging or compilation of this map.

38. Control for Future Surveys - None

39. Junctions

Refer to NOAA Form 76-36B.

40. Horizontal and Vertical Accuracy

This map complies with accuracy requirements for the Florida Coastal Zone Mapping Program as outlined by Project Instructions PH-7000.

- 41. thru 45. <u>Inapplicable</u>
- 46. Comparison with Existing Maps

Comparison was made with the following USGS quads:

Nutall Rise, Fla., 1955, Scale 1:24,000 Cobb Rocks, Fla., 1954, Scale 1:24,000 Sñipe Island, Fla., 1955, Scale 1:24,000 St. Marks NE, Fla., 1954, Scale 1:24,000

47. Comparison with Nautical Charts

Comparison was made with Nautical Chart 11405, 17th Edition, July 14, 1979

Submitted by,

R. D. Rich

Approved and Forwarded:

Fin' F. Wright

Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-01022, JOB CM-7820

51. METHODS

Field edit was performed under instructions dated 1/30/78 and 2/13/80 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore. There are numerous patches of grass in water too small to map up these creeks which can be seen on the infrared photography. Although the compilation does not go north enough to reach a public ramp as noted on photo 79-CR-8141, recommend it be included as it is the only public ramp on this sheet and easily accessible along US Highway 98.

Four areas may need to be re-compiled and are noted on photo 79-CR-8197 and the discrepancy print. Three areas foul with rocks were noted on photo 79-CR-8141 and the discrepancy print.

Field edit notes will be found on the discrepancy print and photo's 79-CR-8141 and 79-CR-8197.

52. ADEQUACY OF COMPILATION

The completeness of the map compilation is adequate after application of field edit information. This map had previously been field inspected and during field edit, the outer edges of shoreline indicated as fast were found to be apparent. The photo's used for field inspection indicate a berm line just inside the outer edge of shoreline and this was found to be new grass that extended out into the water or a lighter shade of grass that turned into marsh behind this. This was changed to apparent on photo's 79-CR-8141 and 79-CR-8197. On September 23rd at 1100, HW was determined to be 0.81 of a foot below bench mark 31G 1975.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 9/25/80

Joseph D. Di Mare Chief, Photo Party 66

REVIEW REPORT TP-01022 OCTOBER 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

- 62. Comparison With Registered Topographic Surveys None
- 63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

- 64. Comparison With Contemporary Hydrographic Surveys None
- 65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys

This map complies with the Project Instructions and meets the requirements for National Standard's of Map Accuracy.

Submitted by:

Patrick J. Dempsey

Cartographer

Approved and Forwarded:

Chief, Photogrammetric Section

n Chief, Photogrammetry Branch

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7820 (St. Marks to Cedar Key, Fla.)

TP-01022

Apalachee Bay Aucilla River Big Redfish Point Black Rock Creek Bowden Creek Cabell Point Catfish Creek Cow Creek Deep Creek Double Sloughs East Cutoff Gamble Point Gator Creek Green Point Grooms Creek Gulf of Mexico Little Bowden Creek Little Grooms Creek Little Porpoise Creek Little Redfish Creek

Litttle Redfish Point Long Point Oyster Creek (1) Oyster Creek (2) Peler Creek Pinhook Cutoff Pinhook River Porpoise Creek Possum Gap Island Redfish Creek Rose Creek St. Marks National Wildlife Refuge Sand Creek Smokehouse Creek Snipe Creek Sulfur Creek Snipe Island Ward Island West Cutoff Wills Point

Approved by:

Charles E. Harrington

Chief Geographer

DISSEMINATION OF PROJECT MAREFIAL GA-7820 ST. MARKS TO CEDAR MEYS

National Archives/Federal Records Center

Job Completion Report Brown Jacket:

Field photographs
Disorepancy prints
A stable base copy of TF-ClC3L
Photogrammatric Flot Report
Computer listings
Tide data
Control station identification cards
2 NCAA forms 76-109
4 NCAA forms 76-52

Bureau Archives

Registered Map Descriptive Report

Reproduction Division

. Šī reduction nagative of map

. ບໍ່ນີ້ນີ້ຂ່ອຍ ພະກິ ລິນຂະນີນີ້ ພ້ອຍຽກຄຸນຄອກ

Geographic mames standards

FORM C& 65-8302 (3-25-63)

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH	DESCRIPTIVE	REPORT	OF SURVEY NO.	
-----------	-------------	--------	---------------	--

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Revi

CHART	DATE	CARTOGRAPHER	REMARKS .
			Full Part Before After Verification Review Inspection Signed Via
<u> </u>			-Drawing No.
			2
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	-		
1		75	Full Part Before After Verification Review Inspection Signed Via
,			Drawing No.
		-	
			Full Part Before After Verification Review Inspection Signed Via
	14	المحمولي إلى المحمولي	Drawing No.
		-	
		°	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		·	e e
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		<u> </u>	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		<u> </u>	Full Part Before After Verification Review Inspection Signed Via
	<u> </u>		Drawing No.
		,	
	· .		Full Part Before After Verification Review Inspection Signed Via
· · ·	·		Drawing No.
			ré
		<u> </u>	
:	<u> </u>	· · · · · ·	
<u>_</u>		·	
		·	
}	[-	,	· · · · · · · · · · · · · · · · · · ·