# 76

AAOH	FORM	76-35
	13_761	

U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

# DESCRIPTIVE REPORT

Map No.		Edition No.
	TP-01036	1
Job No.		
	CM-7821	
Map Clas	sification	
	Final Field Edited	
Type of S		
	Shoreline	
	LOCALITY	ſ
State	····	
	Florida	
General I	Locality	
	East Point	
Locality	St. George Sound t	o East Bay
	<del></del>	
<del></del>	<del></del>	<del> </del>
	1979 TO 19	180
	REGISTRY IN AR	CHIVES
DATE		

\*U. S. GOVERNMENT PRINTING OFFICE:1976-669-248

	<del></del>	<del></del>
NOAA FORM 76-36A (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN	TYPE OF SURVEY	survey TP- <u>01036</u>
	M ORIGINAL	MAP EDITION NO. (1)
	O BESUMVEY	MAP CLASS Final field
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	edited
	REVISED	лов х <b>ки-</b> СМ-7821
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
Rockville, Md.	TYPE OF SURVEY	JOB PH-
OFFICER-IN-CHARGE	ORIGINAL	MAP CLASS
	RESURVEY	SURVEY DATES:
Cmdr W. Simmons	B WEALORD	1310 13
I. INSTRUCTIONS DATED		
1. OFFICE	2.	FIELD
General Instructions-Office-NOS cooperative coastal boundary mapping-Job PH-7000 9 Dec 1975 Office - 18 Aug 1977 Amendment I - 3 Jan 1978 Amendment II - 7 Mar 1978	Field Instructions Field - 11 Aug 197 Amendment - Field 30 Jan	7 edit procedures
II. DATUMS		
	OTHER (Specify)	
1. HORIZONTAL: X 1927 NORTH AMERICAN		<del>_</del>
MEAN HIGH-WATER  MEAN LOW-WATER  MEAN LOWER LOW-WATER  MEAN SEA LEVEL	OTHER (Specity)	
3. MAP PROJECTION	4.	GR(D(S)
Lambert Conformal Conic	Florida	North
1:20,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS	· · · · · · · · · · · · · · · · · · ·	
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY	S. Solbeck	Jan 1980
METHOD: Analytic LANDMARKS AND AIDS BY	N/A J. Taylor	May 1980
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Calcomp CHECKED BY	N/A	140 J 1900
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	N/A	
COMPILATION CHECKED BY		
INSTRUMENT: CONTOURS BY	N/A	
SCALE: CHECKED BY	D D4 =1=	7 7.000
4. MANUSCRIPT DELINEATION PLANIMETRY BY	R. Rich C. Lewis	June 1980 Aug 1980
CHECKED BY CONTOURS BY	N/A	Aug 1700
метноо: Graphic	~	
HYDRO SUPPORT DATA SY	N/A	
scale: 1:20,000 CHECKED BY		
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	F. Wright	Aug 1980
6. APPLICATION OF FIELD EDIT DATA	J. Schad	0ct 1980 0ct 1980
7. COMPILATION SECTION REVIEW BY	C. Lewis F. Wright	Nov 1980
8. FINAL REVIEW BY	P. Dempsey	June 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	P. Dempsey	June 1984
11. MAP REGISTERED - COASTAL SURVEY SECTION BY	E DAUGHER	

(3-72)				NATIONAL OC	EANIC AND	ATMOSPHERIC A	I OF COMMERCI ADMINISTRATION OCEAN SURVEY
		COV	PILATION	SOURCES	٧	TP-0	01036
1. COMPILATION PHO	TOGRAPHY						
CAMERA(S) Wild RC-8-E & ]	RC-10-C	100	TYPES	OF PHOTOGRAPHY LEGEND		TIME REFER	RENCE
TIDE STAGE REFEREN  PREDICTED TIDES	CE		(C) COL		ZONE Es	astern	<b>E</b> STANDAR
REFERENCE STATE TIDE CONTROLLED		Y	RX, INFE	CHROMATIC	MERIO 7	5th	DAYLIGHT
NUMBER AND	TYPE	DATE	TIME	SCALE		STAGE OF	TIDE
79 C(P) 3363-3 79 E(P) 1851	365	8 Oct 79 3 Nov 79	0942 1603			napplicable	
79 C(R) 8166-8: 79 C(R) 8184-8:		ll Feb 79 11 Feb 79	1339 1359			fer to form r tide info	
2. SOURCE OF MEAN			the pho	tography list	-03 :- 24		
3. SOURCE OF MEANS The source above.				MMEX Gulf Coas			tem 1
4. CONTEMPORARY H	YDROGRAPHIC	SURVEYS (List o	only those sur	veys that are source:	s for photogra	mmetric survey in	formation.)
SURVEY NUMBER	DATE(S)	SURVEY COF	Y USED	SURVEY NUMBER	DATE(S)	SURVE	OBZU YGOD Y
5. FINAL JUNCTIONS			h				
N/A	EAS	TP-01037	7	TP-01042	2	WEST TP-01	035
REMARKS Final j	unctions m	ade in the	compilat	tion section.			

NOAA FORM 76-36B(1) (7-75)

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

# TIDE - COORDINATED PHOTOGRAPHY

TP \_ 01036

		P - 01036		
LOCATION AND PHOTOGRAPHY	TIDE STA (In operation at time	TIONS of photography)	STAGE OF TIDE	MEAN RANGE
79 CR 8166-8168	Apalachicola	HOURLY HTS	-0.5 GCLW	
79 CR 8184-8185	и	n ••	-0.4 GCLW	
·				
			,	
REMARKS:		····		

		•		,
			ł	
]			]	
5. GEOGRAPHIC NAMES:	REPORT	<b>₹</b> NONE	6. BOUNDARY AND LIMITS:	REPORT X NONE
7. SUPPLEMENTAL MAPS A	ND PLANS			
None				
8. OTHER FIELD RECORDS	(Sketch books, etc. DO	NOT list data sui	bmitted to the Geodesy Division)	
Forms and comp	utations for	Transmissio	n Tower No. 1.	

		NATIONAL OCEA		HERIC ADMINISTRAT FIONAL OCEAN SURV
· · · · · · · · · · · · · · · · · · ·	HISTORY OF FIELD	OPERATIONS	<u> </u>	TP-0103
CTION OPER	ATION X FIEL	D EDIT OPERATION		
OPI	ERATION		NAME	DATE
D PARTY		R. S. Tibbe	etts	9/80
	RECOVERED BY			77.00
ONTROL	ESTABLISHED BY	N/A		
	PRE-MARKED OR IDENTIFIED BY	IV A		
	RECOVERED BY			
TROL	ESTABLISHED BY	27.74		<u> </u>
	PRE-MARKED OR IDENTIFIED BY	N/A		
	COVERED (Triangulation Stations) BY	<u> </u>		
	LOCATED (Field Methods) BY	M 0 11033	_ <del>,</del>	0./90
		T. C. Hall		9/80
AMES				
	SPECIFIC NAMES ONLY			
	NO INVESTIGATION	T. C. Hall		9/80
TION		T. C. Hall		9/80
		N/A		7,30
		<u> </u>		J
ONTROL IDE	TIFIED	2. VERTICAL CON	TROL IDENTIFIE	D
		N/A		
	STATION NAME	PHOTO NUMBER	\$TATION	DESIGNATION
RS (Clarification	on of details)			
D AIDS TO N.	AVIGATION IDENTIFIED			
	OBJECT NAME	PHOTO NUMBER	OBJI	ECT NAME
Micro To	Ower			
AMFS:	D BEPORT   NONE	A BOUNDARY AN	DIMITS: [ D	EPORT X NONE
<del></del>	<del></del>	J. POROARI AN		L. OK.
ECORDS (Ske	tch books, etc. DO NOT list data submit	ted to the Geodesy D	ivision)	
	OPE D PARTY ONTROL TROL TROL AMES TION AMES ONTROL IDER 3363 8167 D AIDS TO NA Micro To	OPERATION  OPERATION  D PARTY  ONTROL  D PARTY  ONTROL  D PARTY  ONTROL  D PARTY  ONTROL  D PRE-MARKED ON IDENTIFIED BY  RECOVERED BY  PRE-MARKED ON IDENTIFIED BY  RECOVERED (Triangulation Stations) BY  LOCATED (Field Methods) BY  TYPE OF INVESTIGATION  AMES  D SPECIFIC NAMES ONLY  NO INVESTIGATION  TION  CLARIFICATION OF DETAILS BY  NO LIMITS  SURVEYED ON IDENTIFIED BY  ONTROL IDENTIFIED  STATION NAME   OBJECT NAME  MICTO TOWER  AMES:  REPORT NONE	OPERATION  D PARTY  RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY  TROL ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY  PRECOVERED (Triangulation Stations) BY D LOCATED (Field Methods) BY T. C. Hall  TYPE OF INVESTIGATION  FION CLARIFICATION OF DETAILS BY NA  ONTROL IDENTIFIED  2. VERTICAL COL NA  STATION NAME  PHOTO NUMBER  RECOVERED BY WA  T. C. Hall  T. C. Hall  T. C. Hall  T. C. Hall  ONTROL IDENTIFIED  2. VERTICAL COL NA  STATION NAME  PHOTO NUMBER  MICTO TOWER  MICTO TOWER  AMES: E REPORT DONE  AMES: E REPORT  NONE  AMES: E BOUNDARY AN	HISTORY OF FIELD OPERATION  OPERATION  OPERATION  OPERATION  OPERATION  OPERATION  OPERATION  RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY PRE-MARKED (Fleid Methods) BY IDENTIFIED BY PRE-MARKED (Fleid Methods) BY IDENTIFIED BY ID

NOAA FORM (3-72)	76-36D		N	ATIONAL O	U. S. DEPARTMENT OF COMMERCE CEANIC AND ATMOSPHERIC ADMINISTRATION
		REC	ORD OF SURVE	Y USE	TP-01036
I. MANUSCR	IPT COPIES	<del></del>			
	· Co	MPILATION STA	GES	<del></del>	DATE MANUSCRIPT FORWARDED
0/	TA COMPILED	DATE	RE	MARKS	MARINE CHARTS HYDRO SUPPOR
		}			1
					<del>_</del>
		]			
			<del></del>	·	
		<u> </u>			
			1		
IL LANDMA	RKS AND AIDS TO NAVIGA	TION	<del></del>		
	RTS TO MARINE CHART D		AL DATA BRANCH		<u> </u>
	CHART LETTER	DATE			
Dages	NUMBER ASSIGNED	FORWARDED		<u></u>	REMARKS
2		31 Dec 80	Digitized	forms (	76-40)
		J. 200 00	D18131100	1011110	10 10/
			<del></del>	· · · · · · · · · · · · · · · · · · ·	
		<u> </u>	· <b>.</b>		
		<u> </u>		<u> </u>	
2. R	PORT TO MARINE CHAR	T DIVISION, COAS	T PILOT BRANCH.	DATE FOR	WARDED:
	<del>-</del>		ON, AERONAUTICA	L DATA SEC	TION. DATE FORWARDED:
III. FEDERA	L RECORDS CENTER DA	TA .	•		
1. [*]B	BIDCING DUOTOGBABUS.	CVI pupususus	re Bolocius Broo	.a	COMPUTED READOUTS
	RIDGING PHOTOGRAPHS; ONTROL STATION IDENT	_			ITTED BY FIELD PARTIES.
	OURCE DATA (except for 0		71		
A	CCOUNT FOR EXCEPTION	4S:	-		
	•				
	ATA TO FEDERAL RECO				
IV. SURVEY	EDITIONS (This section :	JOB NUME		p edition is r	registered) TYPE OF SURVEY
SECOND	TP	(2) PH		-	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAP	HY DATE OF	FIELD EDIT	1	MAP CLASS
					□III. □IV. □V. □FINAL
	SURVEY NUMBER	108 ИОМ	ER		TYPE OF SURVEY
THIRD	TP -			1	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPI	DATEOF	FIELD EDIT	l <sub>□0</sub> .	MAP CLASS
	SURVEY NUMBER	JOB NUME	BER		TYPE OF SURVEY
FOURTH	TP	j i		ļ	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPI		FIELD EDIT	t	MAP CLASS
		1		l □n.	□HI. □IV. □V. □FINAL

#### SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT TP-01036

Coastal Zone Map TP-01036 is one of thirteen 1:20,000 scale shoreline maps in project CM-7821. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7821 shows the location of the individual maps from St. Marks to Cape San Blas. A copy of the layout is included in this Descriptive Report. Field operations consisted of a field inspection, premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

Panchromatic compilation photography was taken with the Wild RC-8-E camera at 1:60,000 scale in October and November, 1979 and used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:60,000 scale, black and white, infrared GCLW photography taken with the Wild RC-10-C camera in February and March, 1979.

The Aerotriangulation Unit in Rockville, Maryland bridged five strips of 1:60,000 scale black and white panchromatic photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland using graphic methods.

Field Edit was completed in October, 1980. Recovery and location of landmarks, fixed aids to navigation, piling, etc. were omitted from the field edit procedures as per memo, dated January 30, 1978, from chief, Photogrammetric Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The edit was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland in June, 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile the final map.

#### FIELD INSPECTION REPORT

SHEET TP-01035 and SHEET TP-01036

#### 21 AREAL FIELD INSPECTION:

- J

This report is submitted for sheets TP-01035 and TP-01036. The area covered is west of Apalachicola east to Yent Bayou including all rivers and tributaries to the north. The shoreline consisted of developed, underdeveloped, wooded swamp and marsh areas.

Photographe for this sheet are 1979 single lens ratio prints 1:20,000, 1;30,000 and 3% of 1;62000 scale. Photographic image was good and no major interpretation difficulties were encountered.

Sheet TP-01036 field inspection notes for the mainland shoreline from Porter's Bar Creek to Yent Bayou are on photographs 79 CP 0227 (submitted with Sheet TP-01042) and 79 CP 0228 (submitted with Sheet TP-01043).

# HORIZONTAL CONTROL:

N/A

# 4. VERTICAL CONTROL:

N/A

# 5. CONTOURS AND DRAINAGE:

Contours are not applicable. Drain ditches and sloughs have been indicated on photographs.

# 6. WOODLAND COVER:

Tree overhang was classified where it covers the shoreline.

# 7. SHORELINE INSPECTION AND ALONGSHORE FEATURES:

The shoreline inspection was conducted from a skiff run close to shore, by truck, foot and reviewed with a stereoscope. The area consisted of apparent, bulkhead, fast, grass in water and riprap shoreline, all of which have been annotated on photographs.

The mean low and high water lines were located at three different areas along the mainland shoreline west of Apalachicola. These have been delineated on photographs.

The waterfronts on Sheet Tp-01035 are fast with some bulkhead and riprap. Seafood houses, piers and wharfs dominate the shoreline. Marine railways were noted on photographs.

Overhead and submerged cables have been annotated on photographs. A transmission tower was located by field methods. It has been noted as transmission tower No. 1 on photograph.

Shoreline structures were noted on photographs.

# 8. OFFSHORE FEATURES:

A building on piles was noted on photo 7900P 0255.

# 9. LANDMARKS and AIDS:

One landmark for Sheet TP-01036 was noted on photo 79 Cp 0253, a mirro-wave tower that is not charted. NOAA form 76-40 is attached.

10. BOUNDARIES, MONUMENTS andLINES:

# 11. OTHER CONTROL:

N/A

# 12. OTHER INTERIOR FEATURES:

The Apalachicola airport was noted on photo 79 CP 0255.

# 13. GEOGRAPHIC NAMES:

To be investigated at a later date.

# 14. SPECIAL REPORT AND SUPPLEMENTAL DATA:

Forms, data and computations for the position of transmission tower No. 1 are attached.

Submitted 3/10/1980

Ronald E. Ledbetter Sub Unit Photo Party 62 Photogrammetric Plot Report
St. Marks to Cape San Blas, Florida
CM 7821
April 18, 1980

## Area Covered

The area covered by this report is the coastline of the Gulf of Mexico from Money Beach (near Cape San Blas) east to, and including, St. Marks. The area is covered by 13 1:20,000 scale manuscripts (TP-01032 through TP-01044).

#### Method

Five strips of 1:60,000 scale black and white panchromatic photography were bridged by analytic aerotriangulation methods. Field identified control was provided. Aids and landmarks, whose ground positions are known, were used as checks.

Common points were located between the strips to ensure their proper junctioning.

The ordering of ratio prints and plotting of manuscripts will be handled by the Compilation Section.

# Adequacy of Control

The control proved adequate for completion of the project, but barely within the accuracy standards of this office. See the notes to compiler for an explanation.

# Supplemental Data

USGS quads were used to provide vertical control for the project. Nautical Charts were used to locate aids and landmarks.


# Photography


The coverage, overlap, and quality of the photography proved adequate for the job.

Approved and Forwarded:

Don O. Norman

Donald O. Norman Chief, Aerotriangulation Section





# FIT TO CONTROL

STRIP 1	X	Y
358100	-4.027	1.926
361100	5.685	<b>-</b> 3.753
361146	5.807	-1.768
367100	920	1.939
3 71 1 0 1	<b>-</b> 5.514	167
3 72 1 0 1	<b>-2.</b> 893	-1.891
3 76101	4.745	4.046
3 79 801	-2.541	<b>-2.23</b> 7
<b>3 7</b> 9 <b>802</b>	<b>-4.331</b>	-1.270
3 79 803	<b>-</b> 5.537	10.226
	•	
STRIP 2	e e e e e e e e e e e e e e e e e e e	
372101	.475	234
3 72 801	3.624	2.961
3 72 802	2.782	3.154
83 7801	-1.905	1.331
83 9 8 0 1	<b>-3</b> .819	<del>-</del> 1.490
<b>83</b> 9 <b>802</b>	330	4.158
367100	-1.486	. 83 8
841801	.664	2.571
841150	. 653	<b>-1.</b> 768
843 801	.986	6.074
843 802	2,730	6.378
845801	-1.262	4.567
845802	156	.421
361100	2.640	658
361146	<b></b> 780	-1.730
847801	-2.603	4.180
84 7 8 02°	5.082	1.064
358100	-1.711	.041
849801	-3.465	.308
849 <b>802</b>	<b>-3.</b> 170	<b>-3.782</b>
849150	4.521	<b>-2.0</b> 97

# FIT TO CONTROL (CONT)

STRIP 3	X	Y	
386801 386802 386803 376101 377802 390801 390802 391801 391802 393801 393802 371101 395801 395802	.898 -1.486 -2.304 2.990 1.625805 -3.222 2.470 3.796 4.284 3.932 -4.708 -1.266 -1.966	.173 -2.027 .080 1.765424 1.522820337 .724 1.531 2.423 3.077 -3.195886	
			· *_
STRIP 4			
403 801 404 801	.000 .004	.000 -1.331	•
404802	-1.161	.721	
405801	.005	1.592	•
405802	-1.226	-1.429	
406801	3.375	-15.431	
406802	2.072	-22.049	
531101	.000	.000	•
531102	1.451	-2.672	
407801	4.670	-23.995 -22.317	• :
407802 409101	7.077 000	.000	• _
407101	000	.000	
		•	
STRIP 5			
526101	.032	.057	
531101	155	280	
531102	162	-4.951	
532 801	<b>-1.30</b> 9	2.260	
532 802	.158	1.164	
532 803	-1.130	-1.358	
361100	11.232	. 885	
361146	9.953 4.832	-3.618 3.380	
361801 403801	4.832 2.432	-1.832	•
533 801	-1.000	038	
533 802	.909	-3.812	•
533 803	.467	.451	
534801	033	242	
534802	. 844	639	

## 31. <u>Delineation</u>

All alongshore, cultural features and interior planimetry on this map were delineated by graphic compilation using rectified black-and-white prints of the 1:60,000 scale panchromatic photography and the ratio black-and-white prints of the 1:60,000 scale infrared photography. This photography was controlled by map points determined by aerotriangulation.

The MHW line was compiled from office interpretation of the ratio tide coordinated infrared and rectified panchromatic black-and-white photography.

#### 32. Horiztonal Control

Horizontal control was adequate (see Photogrammetric Plot Report).

# 33. <u>Supplemental Data</u>

One tide station was plotted from a sketch provided by the Tidal Datums and Information Branch.

# 34. Contours and Drainage

Contours are not applicable. Drainage was compiled from ratio black-and-white infrared photography.

# 35. Shoreline and Alongshore Detail

Office interpretation of the ratio black-and-white infrared photography was adequate for delineating the shoreline and alongshore details. The field inspection was used as an aid in interpreting; the infrared photography.

36. Offshore Delineation - None

#### 37. Landmarks and Aids

One landmark was located by the field inspector and plotted on the manuscript. There were no aids to navigation located on this map.

- 38. Control for Future Surveys None
- 39. Junctions

Refer to NOAA Form 76-36B

#### 40. Horizontal and Vertical Control

This map complies with accuracy requirements for the Florida Coastal Zone Mapping Program as outlined by Project Instruction PH-7000.

- 41. thru 45. <u>Inapplicable</u>
- 46. Comparison with Existing Maps

'Comparison was made with the following USGS quadrangle maps:

Beverly, Fla., 1945, Scale 1:24,000 Green Point, Fla., 1944, Scale 1:24,000

47. Comparison with Nautical Charts

Comparison was made with the following Nautical Chart:

11404 10th Edition, May 26, 1979, Scale 1:40,000

Submitted by,

Ronald D. Rich

Approved and Forwarded:

Far. F. Wright

Chief, Coastal Mapping Section

#### FIELD EDIT REPORT

#### TP 01036 CM 7821

#### METHOD

This field edit was made in according to the Coastal Mapping Instructions dated 1-30-78. The manuscript was inspected and all questions were answered. There was one area that had not been compilied, this was noted on the discrepancy print and the photo. In various areas the classification of the shoreline was left off, these areas were noted and classified on the discrepancy print. The field edit was made from a skiff run close to shore and by driving to some of the areas in question. One discrepancy print and two photos, numbered 79 CP 3363 and 79 CR 8167, were used.

#### ACCURACY OF COMPILATION

Adequate and complete after application of field edit information.

## GEOGRAPHIC NAMES

See attached sheets labeled Geographic Names.

#### MANUSCRIPT ACCURACY

N/A.

#### LANDMARKS AND AIDS TO NAVIGATION

One micro tower was visually verified.

# TRANSMITTAL OF DATA

All data sent to National Ocean Survey, Photogrammetry Division, Rockville, Maryland.

Thomas C. Hall
Thomas C. Hall

Photo Party 62

# GEOGRAPHIC NAMES TP 01036 CM 7821

The Beverly, Florida Preliminary Names Sheet will be sent with the Field Edit Report on TP 01035 sheet.

BLOUNT BAY (R)-TP 01036
BLOUNTS BAY C-D-1-2-3-4-5-6
ROUND BAY A-B

These names were questioned on the Preliminary Names Sheet. The investigation showed that all these names have been used in the past for this area, but everyone interviewed agreed that the most commonly used name is Blounts Bay. Further investigation showed that the county seat of Calhoun County, a town just north of this area, is Blountstown. And according to the book "Who Was Who In Florida" by Henry S. Marks the town was named for a Seminol Indian Chief named John Blount, who was one of the six leaders of the indians in this area in the early 1800's. After discovering this it is the investigators belief that the bay was in all probability named after the same man. Therefore it is recommended that the name shown on the map be "BLOUNT BAY".

SAND BEACH (R)-TP 01036-1-2-3-4-5-6
WHITE BEACH C-D

These names were questioned on the Prelimenary Names Sheet. Everyone interviewed said that they knew this area as SAND BEACH. Some of the people interviewed stated that this area and a small branch in this area were named about the same time, this branch is named Sand Beach Branch.

GEOGRAPHIC NAMES
TP 01036 CM 7821
LIST OF REFERENCES

#### OFFICIAL DOCUMENTS

- A. Beverly, Fla. 7 minute Quad.
- B. Franklin County Map, State of Florida Department of Transportation, Dated May 1971.
- C. NOAA Nautical Chart 11401, 19th. ED., April 12, 1980.
- D. NOAA Nautical Chart 11404, 10th. Ed., May 26, 1979.

#### LOCAL RESIDENCE

- Larry Cook is a Marine Patrolman that has worked the area for 8 years. Mr. Cooks address is Post Office Box 67, Carrabelle, Fla.
- 2. Buford Golden, a lifetime resident of the area, is 45 years of age and knows the area very well. Mr. Golden is the owner and operator of Goldens Net Shop in Eastpoint, Florida. His address is 10 is Post Office Box 107, Eastpoint, Florida.
- 3. Corey M. Henriksen, a resident of this area since 1941, has been the Building Official for Franklin County for 8 years and knows the area very well. Mr. Henriksen can be contacted at the Franklin County Court-House in Apalachicola, Florida.
- 4. C. A. Marks, III, a Registered Real Estate Broker, has lived in the area his entire life and knows the area well. Mr. Marks' agesis: 26; his address is Post Office Box 129, Apalachicola, Fla.

- 5. Jim Mosconis is a lifetime resident of the area and knows the a area very well. Mr. Mosconis is 58 years of age and is the manager of Bay City Lodge, a fishing camp in the area. Mr. Mosconis holds a Marine Licence and his address is Post Office Box 282, Apalachicola, Florida.
- 6. Gary Shiver, a commercial fisherman in the area all of his life, knows the area very well. Mr. Shiver is 36 years of age and lives at 151 Avenue H, Apalachicola, Florida.

Momas C. Hall Thomas C. Hall

Photo Party 62

REVIEW REPORT

TP-01036

June 1984

61. General Statement

Refer to the Summary bound with this Descriptive Report.

- 62. Comparison With Registered Topographic Surveys None
- 63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

- 64. Comparison With Contemporary Hydrographic Surveys None
- 65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Patrick J. Dempsey

Cartographer

Approved and Forwarded:

Chief, Photogrammetric Section

Chief, Photogrammetry Branch

#### GEOGRAPHIC NAMES

#### FINAL NAME SHEET

CM-7821 (St. Marks to Cape San Blas, Florida)

TP-01036

Alligator Point

Bear Creek

Blounts Bay

Campbell Point

Carrin Bayou

Cash Bayou

Cash Creek

Cash Point

Creels

Doyle Creek

East Bay

East Bayou

East Point

East River

Green Point

Green Point (Ppl)

High Bluff Creek

Marian Creek

Marsh Point

Miller Creek

Rabbit Point

Rake Creek

Ranch Point

St. George Sound

Sams Cutoff

Sandbank Creek

Sand Beach (Locality)

Sand Beach Branch

Stave Point

Tank Island

West Bayou

Whisky George Creek

Approved by:

Charles E. Harrington

Chief Geographer

#### DISSEMINATION OF PROJECT MATERIAL

CM-7821

# National Archives/Federal Records Center

Red Jacket: Two NOAA Forms 76-52

Field Notebooks - Two looseleaf binders
Tidal Bench Mark Descriptions
Sketches and computations
Field Edit Discrepancy Print
Field Photographs
CSI Cards

#### Bureau Archives

Registered Copy of each map Descriptive Report of each map

Reproduction Division

8x Reduction Negative of each map

Office of Staff Geographer

Geographic Names Standard

۱ لب ۱	76-40 1ST1NG	PHOTOGRAMMETRIC BRANCH PHOTOGRAMMETRY DIDISION	NATIONAL OCEAN SURVEY NOAA  DEPARTMENT OF COMMERCE USA 78270
1 K # # # # *	SVV TP01036 * 108 CM7821 * PRJ 833205 * DTM NA1927 *		RPT UNIT CMD, ROCKVILLE, MD. * PAGE 1 OF STATE FLROIDA LOCALITY WHITE BEACH +ORIGINATING ACTI DATE 09/00/80 * COMPILATION
* * * * * * * *	S INSPECTED SITIONS DETE IND/OR VERIFI FIELD AND OF	FROM SEAWARD * AMINED * ED BY * FICE *	HOMAS C. HULL * PHOTO FIELD PARTY HOMAS C. HULL * FIELD REPRESENTATIVI JAMES E. SCHAD * OFFICE COMPILER N/A * DIGITIZER JAMES H. TAYLOR * DATA PROCESSER
, * * * * *	IDENTIFI	KEY FOR ENTRIES UNDER D AND LOCATED OBJECTS. ATE (INCLUDING MONTH, DAY	HOD AND DATE OF LOCATION  * FIELD(CONT, D)  * B.PHOTOGRAMMETRIC FIELD POSITI  * THE METHOD OF LOCATION OR VE
. * * * * * * *	ND YEAR) OF THE DENTIFY AND LC	PHOTOGRAPH USED ATE THE OBJECT AR 042	E OF FIE PH USED FCT. MPLE P-
* * * * * *	D EW POSITION EY TO SYMBOL -FIELD -LOCATED	TERMINED OR VERIFI P-PHOTOGRAMME VIS-VISUALLY	* 2.TRIANGULATION STATION RECOVERED  * WHEN A LANDMARK OR AID WHICH IS ALSO A TRI-  * ANGULATION STATION IS RECOVERED, A TRIANG.  * REC. WITH DATE OF RECOVERY IS SHOWN.  * EXAMPLE TRIANG. REC.
* * * * * * *	SE SE CON I ON	5-FIELD IDENTIFIED 6-THEODOLITE 7-PLANETABLE 8-SEXTANT NS* SHOW THE METHOD OF DATE OF FIELD WORK.	* S.POSITION VERIFIED VISUALLY ON PHOTOGRAPH * SHOWN BY V-VIS AND DATE. * EXAMPLE V-VIS * 6-12-75
* * * * * * * * * * * * * * * * * * *	*FIELD POSITION OBSERVATIONS B SURVEY METHODS	TIRELY UPON GROUND	PHOTOGRAMMETRIC FIELD POSITIONS ARE DEPENDENT ENTIRELY, OR IN PART, UFON CONTROL ESTABLISHED BY PHOTOGRAMMETRIC PETHODS.
* * 	NOTE: WHERE THE NAME A DASH (-) IS	OF AN AID INCLUDES THE USED TO INDICATE THE GEO	E IMMEDIATE GEOGRAPHIC HEADING UNDER WHICH IT IS LISTED EOGRAPHIC HEADING WHICH IS PART OF THE OFFICIAL NAME.

DATATAB

TPD 1036  TPD 1031  TPD 1036  TPD 1031  TPD 10	فعا	
POLLOWING OBJECTS HAVE BEEN INSPECTED FROM SEAWARD TO DETERMINE  ** PUT TRIANGULATION NAMES IN ( ) * LATITUDE DN ALTEK*  ** ONLY THOSE NONFLOATING AIDS AND LANDMARKS TO NAVIGATION  ** BRIDGING OR COMPILATION ARE SHOWN ON THIS MAP.  ** SOUTHERN BELL TELEPHONE MICRO- * 29 48 55.18 1699.0 NOT * 79  ** WAVE TOWER.  ** ** WAVE TOWER.	C OMP 1	OF 2 ACTIVITY ATION
ING* RECORD REASON FOR DELETION TO LATITUDE DN ALTER*  E * PUT TRANGULATION NAMES IN ( ) * LONGITUDE DN ALTER*  ONLY THOSE NONFLOATING AIDS AND LANDMARKS TO NAVIGATION  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  BRIDGING OR COMPILLATION ARE SHOWN ON THIS MAP.  THAT WERE TOWER.  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  BRIDGING OR COMPILLATION ARE SHOWN ON THIS MAP.  THAT WERE TOWER.  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING  THE PHOTOGRA	NE THEIR VALUE	ANDMARKS
* ONLY THOSE NONFLOATING AIDS AND LANDMARKS TO NAVIGATION THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING BRIDGING OR COMPILATION ARE SHOWN ON THIS MAP.  RO * SOUTHERN BELL TELEPHONE MICRO- * 29 48 55.18 1699.0 NOT * 79  ER * WAVE TOWER.  * * * * * * * * * * * * * * * * * * *	METHOD AND DATE OF LOCATION OFFICE. * FIELD	* CHARTS * AFFECTED
## BRIDGING OR COMPILATION ARE SHOWN ON THIS MAP.  ## 50 48 55 18 1699.0 NOT * 79  ## 54 30.30 813.6 DGT20.00  ## ***  ## **	* * * 5	* *
ER * WAVE TOWER.  **  **  **  **  **  **  **  **  **		; ; ; ; ; ; ; ;
** ** ** ** *		* 11401 * 11404
	* *	 
	9 h 6 6 7 4 4 5 5 6 6 6 7 6 7 6 6 6 6 6 6 6 6 6 6 6 6	· · · · · · · · · · · · · · · · · · ·
	6 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	; ; ; ; ; ;
	8	*  *  *  *  *  *  *  *  *  *  *  *  *
9 6 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	# b	; ; ; ; ; ; ; ;
		; ; ; ; ; ; ; ;
		; ; ; ; ; ; ; * *

#### RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

#### INSTRUCTIONS

FORM C&GS-8352 SUPERSEDES ALL EDITIONS OF FORM C&GS-975.

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chatt.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

1	CARTOGRAPHER	REMARKS
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
		T. H. D D. fan Afan Verificant - D Languige Claud Ville
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
`		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
	· ·	Full Part Before After Verification Review Inspection Signed Via
	<u> </u>	Drawing No.
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
	<u> </u>	Full Part Before After Verification Review Inspection Signed Via
·		Drawing No.
		Full Part Before After Verification Review Inspection Signed Via
		Drawing No.
	<del></del>	
	-	

USCOMMING BBLB PU!