NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

This Map Will Not Be Field Edited. Map No. Edition No. TP-01129 Job No. CM-8105 Map Classification III Type of Survey Shoreline/Photobathymetry LOCALITY State Saint John, Virgin Islands General Locality Southern Coast Locality Lagoon Point to Reef Bay TO 19 REGISTERED IN ARCHIVES DATE

DESCRIPTIVE REPORT

TP-01129

TABLE OF CONTENTS	
NOAA Form 76-36A, DESCRIPTIVE REPORT - DATA RECORD	1
NOAA Form 76-36B, COMPILATION SOURCES	2
NOAA Form 76-36C, HISTORY OF FIELD OPERATIONS	3
NOAA Form 76-36D, RECORD OF SURVEY USE	4
PROJECT DIAGRAM	5
SUMMARY	6
HORIZONTAL AND VERTICAL PREMARKING REPORT	8
CM-8105 FOLLOW-UP (FIELD OPERATIONS)	13
PHOTOGRAMMETRIC PLOT REPORT (AEROTRIANGULATION REPORT)	15
NOAA Form 76-41, DESCRIPTIVE REPORT CONTROL RECORD	2]
COMPILATION REPORT	22
REVIEW REPORT	24
GEOGRAPHIC NAMES, FINAL NAMES SHEET	25
INDEX TO PROJECT DATA AND MATERIAL ON FILE	26
CHARTED LANDMARKS AND NONFLOATING AIDS TO NAVIGATION	27
CARTOGRAPHIC FEATURES OF POSSIBLE LANDMARK VALUE	28
FORM C&GS-8352, RECORD OF APPLICATION TO CHARTS	29

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE			\$1100
NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN	TYPE OF SURVEY	SURVEY .	тр. <u> 01129</u>
	ORIGINAL	MAPEDITI	ON NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS	; III
	REVISED	JOB ¥	ьн. СМ-8105
PHOTOGRAMMETRIC OFFICE			
	LAST PRECEED	ING MAP EDIT	10H
Photogrammetry Branch, Rockville, MD	TYPE OF SURVEY	JOB F	PH
OFFICER-IN-CHARGE	ORIGINAL	MAP CLASS	i
	AESURVEY	SURVEY D	
Mr. Ronald K. Brewer	REVISED	19TO 19	·
I. INSTRUCTIONS DATED		-	
1. OFFICE	2.	FIELD	
AEROTRIANGULATION 1/27/84	FIELD 3/9/8	3	
OFFICE 3/21/84			
	<u></u>		
II. DATUMS	leruss a	· · · · · · · · · · · · · · · · · · ·	
I. HORIZONTAL: 1927 NORTH AMERICAN	OTHER (Specify)		4
	Puerto Rico Hori	zontal Da	tum
X MEAN HIGH-WATER	OTHER (Specify)		
2. VERTICAL:			
MEAN LOWER LOW-WATER			
MEAN SEA LEVEL			
3. MAP PROJECTION		GRID(S)	
Lambert Conformal Conic Projection	P.R. & Virgin Is.	ZONE	/A
5. SCALE	STATE	ZONE	·
1:10,000			
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS			
	NAME		DATE
1. AEROTRIANGULATION BY	J. McClure		0ATE 4/84
1. AEROTRIANGULATION BY METHOD: Analytical Landmarks and Aids By			1
	J. McClure		1
METHOD: Analytical Landmarks and alos by	J. McClure N/A		4/84
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY	J. McClure N/A J. McClure		4/84
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	J. McClure N/A J. McClure N/A		4/84 4/84
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	J. McClure N/A J. McClure N/A R. Rodkey		4/84 4/84 9/85
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photoxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey R. Rodkey		4/84 4/84 9/85 9/85 9/85 10/85
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXX BY SCALE: 1:10,000 bathymetry by 4. MANUSCRIPT DELINEATION PLANIMETRY BY	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey R. Rodkey T. Doyle		4/84 4/84 9/85 9/85 9/85 10/85 11/85
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXXX BY SCALE: 1:10,000 bathymetry Hecked BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY Shoreline man - Smooth	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey R. Rodkey T. Doyle E. Allen		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY SCALE: 1:10,000 Bathymetry Hecked BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY Shoreline map - Smooth METHOD: drafted Photobathymetry - Automatedchecked BY	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS METHOD: Automated Plotter (Calcomp) 3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8S/ALTEK SCALE: 1:10,000 4. MANUSCRIPT DELINEATION Shorel ine map - Smooth METHOD: drafted Photobathymetry - Automatedchecked by plotter PLANIMETRY BY CHECKED BY **XXXXXX*****************************	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8S/ALTEK PhotoXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle F. Allen R. Rodkey N/A N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY SCALE: 1:10,000 Bathymetry Hecked BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY Shoreline map - Smooth PLANIMETRY BY CHECKED BY Photobathymetry - Automated CHECKED BY Plotter Hydro support Data BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey N/A N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle Allen R. Rodkey N/A N/A N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY SCALE: 1:10,000 Bathymetry Hecked BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY Shoreline map - Smooth Photobathymetry - Automated CHECKED BY Photobathymetry - Automated CHECKED BY Plotter Hydro support Data BY SCALE: 1:10,000 CHECKED BY	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle Allen R. Rodkey N/A N/A N/A N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86 4/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY CHECKED BY INSTRUMENT: Wild B-8S/ALTEK Photo XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle Allen R. Rodkey N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86 4/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT CHECKED BY CHECKED BY SCALE: 1:10,000 Bathymetry Hecked BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY Shoreline map - Smooth Photobathymetry - Automated CHECKED BY Photobathymetry - Automated CHECKED BY Plotter Hydro support Data BY SCALE: 1:10,000 CHECKED BY	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey Allen R. Rodkey N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86 4/86
METHOD: Analytical LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Automated Plotter (Calcomp) CHECKED BY 3. STEREOSCOPIC INSTRUMENT COMPILATION CHECKED BY CHECKED BY CHECKED BY CHECKED BY SCALE: 1:10,000 Bathymetry Hecked BY CHECKED BY Shorel ine map - Smooth METHOD: drafted Photobathymetry - Automated CHECKED BY plotter HYDRO SUPPORT DATA BY CHECKED BY 1:10,000 CHECKED BY CHECKED BY SCALE: 1:10,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT DATA CHECKED BY 6. APPLICATION OF FIELD EDIT DATA CHECKED BY 7. COMPILATION SECTION REVIEW (Shoreline map) BY 8. FINAL REVIEW (Shoreline map & Photobathymetry	J. McClure N/A J. McClure N/A R. Rodkey E. Allen R. Rodkey T. Doyle E. Allen R. Rodkey T. Doyle Allen R. Rodkey N/A		4/84 4/84 9/85 9/85 9/85 10/85 11/85 12/85 3/86 4/86

NOAA FORM 76-36B (3-72)			NATIONAL OCE	U. EANIC AND	S. DEPARTMENT ATMOSPHERIC A NATIONAL	OF COMMERCE DMINISTRATION OCEAN SURVEY
	CO	MPILATION SC	URCES	1	TP-01129)
1. COMPILATION PHOTOGRAPHY						
Wild RC-10(B).	CFL=152.74mm	TYPES OF PHOTOGRAPHY LEGEND			TIME REFERENCE	
TIDE STAGE REFERENCE PREDICTED TIDES REFERENCE STATION RECORDS TIDE CONTRIBUTANT PHOTOGRAPHY COORDINATED		(C) COLOR (P) PANCHROMATIC		MERID	lant ic	XSTANDARI
NUMBER AND TYPE	DATE	TIME	SCALE		STAGE OF 1	TIDE
83B(C)2188,2190,2192, 2193 83B(C)2258,2260,2262, 2264 83B(R)2365-2370(inclus		1708-1710 1737-1740 1559-1601	1:15,000 1:15,000 1:15,000	+0.0	76 FT MLW* 64 FT MLW** 2 FT MLW	•
REMARKS Stage of tide is with substations at Co 2. SOURCE OF MEAN HIGH-WATER The color photographs	oral Harbor(*	t) and Lame	e gage at C shur Bay(**	harlette	e Amalitte,	, St. Thom
3. SOURCE OF MEAN LOW-WATER O	DR MEAN LOWER LO	DW-WATER LINE:	<u></u>		<u>.</u>	
4. CONTEMPORARY HYDROGRAPHI SURVEY NUMBER DATE(S)	SURVEYS (List of		that are sources	for photogram	·	formation.)
5. FINAL JUNCTIONS						
TP-01128	TP-01130	sou	N/A		WEST N/A	
REMARKS						

NOAA FORM 76-36 (3-72)	C		NATIONAL OCEA	NIC AND ATMOSPHERIC	NT OF COMMERCE ADMINISTRATION LOCEAN SURVEY	
		HISTORY OF FIELD	OPERATIONS	TP-011	.29	
I. FIELD HOR	RECEIVENCE OPER	ATION FIEL	D EDIT OPERATION			
	OPE	RATION		DATE		
I. CHIEF OF FIE	LD PARTY		C.S. Middle	eton, Jr.	3/83	
		RECOVERED BY	Coastal Par	rty 2	3/83	
2. HORIZONTAL	CONTROL	ESTABLISHED BY	Coastal Par	Coastal Party 2		
	·	PRE-MARKED OR IDENTIFIED BY	Coastal Par	rty 2	3/83	
		RECOVERED BY	N/A			
3. VERTICAL CO	NTROL	ESTABLISHED BY	Coastal Par	rty 2	3/83	
		PRE-MARKED OR IDENTIFIED BY	Coastal Par	cty 2	3/83	
	RE	COVERED (Triangulation Stations) BY	N/A			
4. LANDMARKS A AIDS TO NAVIO		LOCATED (Field Methods) BY	N/A	<u> </u>		
AIDS TO NAVIO		1DENTIFIED BY	N/A	···		
		TYPE OF INVESTIGATION				
5. GEOGRAPHIC NAMES COMPLETE INVESTIGATION SPECIFIC NAMES ONLY		N/A				
		,				
		X NO INVESTIGATION		**************************************		
6. PHOTO INSPEC		CLARIFICATION OF DETAILS BY	N/A			
7. BOUNDARIES A		SURVEYED OR IDENTIFIED BY	N/A		<u> </u>	
II. SOURCE DATA		T15.53	TA MERTICAL COL	ITOOL IBENTIFIED		
1. HORIZONTAL CONTROL IDENTIFIED Premarked			2. VERTICAL CONTROL IDENTIFIED Premarked			
	FIEMGIKEG		-	Tellarved	,	
PHOTO NUMBER		STATION NAME	PHOTO NUMBER	STATION DESI	GNATION	
83B(C)2260	Horiz. Pa		83B (C) 2264	Vert. Panel #1		
83B(C)2256	Horiz. Pa		83B(C)2260	Vert. Panel #1		
83B(C)2254	50438 EXT	ra -	83B(C)2258	Vert. Panel #1		
	1		83B (C) 2256	Vert. Panel #2		
]		83B (C) 2256	Vert. Panel #2	_	
			83B(C)2190	Vert. Panel #2		
3. PHOTO NUMBE	BS (Clasification	n of details)	83 <u>B (C)</u> 2254			
N/A	s (Claimean)	n or gerans)	83B(C)2260	Vert. Panel 97	5-1381 EXTRA	
4			1			
4. LANDMARKS A None	ND AIDS TO NA	VIGATION IDENTIFIED			,	
	T		-	****		
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER	OBJECT N	AME	
5. GEOGRAPHIC	NAMES:	REPORT NONE	6. BOUNDARY AN	D LIMITS: REPOR	T _ NONE	
7. SUPPLEMENTA None	AL MAPS AND P	LANS				
-	DECORDS :	DO NOT				
	•	tch books, etc. DO NOT list data submi		-	ا مناسقهاوي	
bound with the	his Descri	List AddIndex to Projectiptive Report, for infor	mation on thi	s subject.	, which is	
		-				

NOAA FORM 78-36C (3-72)


. ---

NOAA FORM 76~36C (3-72)

NOAA FORM (3-72)	76-36D		N/	ATIONAL OCEANIC	U. S. DEPARTMEI AND ATMOSPHERIC	
		RECO	RD OF SURVE	Y USE	TP-011	29
I. MANUSCR	IPT COPIES				10.000	7
	COM	IPILATION STAGE	S		DATE MANUSCR	PT FORWARDED
D	ATA COMPILED	DATE	RE	MARKS	MARINE CHARTS	HYDRO SUPPOR
	l Reviewed s III Map		Chart Main Print	ntenance	1/28/87	
	l Reviewed s III Map		Notes to Print	Hydrographer		,/28/87
	obathymetric Overlay		Chart Main Print	ntenance -	1/28/87	
	obathymetric Overlay		Notes to P	Hydrographer		1/28/87
	RKS AND AIDS TO NAVIGAT					
1. REPOI	RTS TO MARINE CHART DIV	ISION, NAUTICAL	DATA BRANCH		v 	
NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED		REM	MARKS	
j	None					
				· · · · · · · · · · · · · · · · · · ·		
					<u> </u>	
2. 🗀 Ri	EPORT TO MARINE CHART	DIVISION, COAST	PILOT BRANCH.	DATE FORWARDED	o: <u>N/A</u>	
	EPORT TO AERONAUTICAL		, AERONAUTICAL	DATA SECTION.	DATE FORWARDED:	_N/A
III. FEDERA	AL RECORDS CENTER DATA	A				
			_			
	RIDGING PHOTOGRAPHS;					
-	ONTROL STATION IDENTIF OURCE DATA (except for Ge					
	CCOUNT FOR EXCEPTION		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
4. 🔀 🗅	ATA TO FEDERAL RECOR	DS CENTER. DAT	E FORWARDED:			_
IV. SURVEY	EDITIONS (This section sh			o edition is registere		
	SURVEY NUMBER	(2) PH			TYPE OF SURVEY	SURVEY
SECOND EDITION	DATE OF PHOTOGRAPH				MAP CLASS	_
	SURVEY NUMBER	JOB NUMBE		□n. □m.	TYPE OF SURVEY	FINAL
THIRD	TP	(3) PH		RE	VISED RE	SURVEY
EDITION	DATE OF PHOTOGRAPH	· · ·	ELD EDIT		MAP CLASS	FINAL
	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY	
FOURTH	тр	_		☐ RE	`	SÚR V É Y
FOURTH	DATE OF PHOTOGRAPH		ELD EDIT		MAP CLASS	

□III. □IV. □V. □FINAL

□n.



SUMMARY

Project CM-8105 was planned to consist of four 1:10,000 scale shoreline maps with accompanying photobathymetric data overlays. The map numbers assigned for this project are TP-01162, TP-01128, TP-01129 and TP-01130. The photogrammetric survey depicts the shoreline and other cartographic features of mapping interest located along the coast of St. John Island except for the southwestern coast from Stevens Cay to Reef Bay. Photobathymetry was cancelled for the entire west and north coast. Photobathymetry was conducted for the southeastern and southern coast, which includes Reef Bay easterly to Privateer Point.

The purpose of the project is to provide comtemporary shoreline and photobathymetric data for the maintenance of the nautical charting program and to supplement future hydrographic surveys.

Field operations consisted of aerial photography, tidal observations, and the recovery, establishment and identification (premarking) of horizontal and vertical control necessary for aerotriangulation. A field inspection of the shoreline was not performed. Natural color photographs required for aerotriangulation and compilation were taken with a Wild RC-10(B) camera at 1:15,000 scale. In addition, support color photographs at 1:30,000 scale were secured using a Wild RC-10(B) camera, to provide for the general field identification of premarked horizontal and vertical control points required for aerotriangulation and compilation. Supplemental tide-coordinated infrared photographs for Mean Low Water were also obtained at 1:15,000 scale to complement the establishment of tidal datums/vertical control required for compilation.

Five strips of 1:15,000 scale natural color photographs were bridged using analytic aerotriangulation methods. Horizontal and vertical control points used were field identified(premarked). Aerotriangulated control proved adequate and meets the requirements of the National Standards of Map Accuracy.

Compilation was performed in the Coastal Mapping Unit, Rockville office. Delineation was accomplished using a Wild B-8S stereoplotter through application of standard shoreline mapping techniques. Delineation was based on an office interpretation of the natural color bridged photographs. All line work on the base map was smooth drafted. Photobathymetric discrete point data was measured and recorded digitally via an Altek Unit with tape transport interfaced with the Wild B-8S. The digital data was processed off-line utilizing programs which adjust the resultant data for refraction, earth curvature and tide corrections. A negative of the final reviewed discrete point data for each map was scribed utilizing a Calcomp automated Isobaths were compiled at 6 foot(1 fathom) intervals and were plotter. hand scribed on the discrete depth scribe for each map. Positives were generated from the photobathymetric data scribe for registration and data dissemination purposes. The photobathymetric discrete point digital data is stored in the Photogrammetric Electronic Data Library (PEDL) and is available for dissemination to approved users.

Final review was performed in the Coastal Mapping Unit, Rockville Office. The base maps, data overlays and associated discrete point data of this project meet the requirements of the National Standards of Map Accuracy. The base maps, data overlays and reports also comply with project instructions. The project digital photobathymetric data comply with the Nautical Charting Division (NCD) standards for digital source data structured in NCD Format 13. NCD Format 13 is structured for geographic positions and associated attributes for each data record.

The Descriptive Report perpared for each map contains all the information pertinent to the completion of each map.

CM-8105 EASTERN ST. JOHN VIRGIN ISLANDS PHOTOBATHYMETRY

HORIZONTAL AND VERTICAL PREMARKING REPORT

Premarking for this project was performed during Feb. - March 1983 as specified in Project Instructions dated March 9, 1983. Array No. 1 for 1:15,000 scale photography was used to premark horizontal control and Array No. 2 for 1:15,000 scale photography was used for Vertical Control Points.

Project Instructions specified that three tide stations be installed prior to photography. This task was accomplished with the aid of the Atlantic Marine Center Tides and Water Levels Branch.

Preliminary Mean Low Water Datum was established at each tide staff by connecting levels to existing Tidal Bench Marks in the vicinity and checks were obtained wherever possible. The most questionable elevation was 975-1414, Mary Creek, where a questionable check was obtained and original descriptive data was vague. Acceptable checks were obtained at 975-1373, Coral Harbor, and 975-1381, Lameshure Bay, however, it should be noted that the datums for these bench marks were determined from relatively few tide observations. These conditions affect the elevations of all vertical panels with the exceptions of Vertical #14 and Vertical #15 which were determined by levels from bench marks of other tide stations. The Project Instructions specified Mean Low Water Datums which were not furnished to the field party. All elevations given herein are referenced to Mean Low Water. For the reasons noted above, these elevations should be used with caution and preferably after verification can be obtained from the reduction of the tidal data being collected at these tide stations. The controlling tide gage at Charlotte Amalie, St. Thomas was replaced prior to and was operational during the time of the project.

<u>Horizontal Control</u>

Horizontal Panel #1 is a non-standard Array No. 1 placed direct on Horizontal Control Station WHISTLE 1918. This panel also serves as Vertical Panel #1.

Horizontal Panel #2 is a non-standard Array No. 1 placed direct on Horizontal Control Station <u>BAT 1918</u>.

Horizontal Panel #3 is a non-standard Array No. 1 placed direct on horizontal Control Station PRIVATEER 2 1983 which was located by Third Order Traverse from FLANNAGAN 1918.

Horizontal Panel #4 is a non-standard Array No. 1 placed direct on Horizontal Control Station FLANNAGAN 1918.

Horizontal Panel #5 is a non-standard Array No. 1 placed direct on Horizontal Control Station <u>LIND 1918 RESET 1983</u>.

Horizontal Panel #6 is a standard Array No. 1 which is placed on a hub which was located by solar azimuth and EDM distance from <u>DIT 1918.</u> Also serves as Vertical #16A.

Horizontal Panel #7 is a standard Array No. 1 which is set on a hub which was located by angle and taped distance from <u>LAM 1983</u> which was located by reverse solar and EDM distance from BRITE 1918. Also serves as Vertical #18.

Horizontal Panel #8 is a non-standard Array No. 1 which is placed direct on Horizontal Control Station NANNY 1918.

Horizontal Panel #9 is a non-standard Array No. 1 which is placed direct on Horizontal Control Station <u>PERKINS 1918</u>. The panel also serves as Vertical Panel #5.

Triangulation Station MOOR 1918 is an extra Horizontal Control Point. It is a non-standard Array No. 1 placed direct on the Triangulation Station.

Horizontal Control Doppler Station 50438 is an extra Horizontal Control Point. Station 50438 1982 was paneled direct with an "X" as shown on the CSI Card.

Vertical Panel #8 Doppler Station 50439 is an extra Horizontal Control Point. Station 50439 1982 was paneled direct with a non-standard Array No. 2.

Vertical Control

Vertical Panel #1 is a non-standard Array No. 1 placed direct on Horizontal Control Station <u>WHISTLE 1918</u>. The panel also serves as Horizontal Panel #1. ELEV of Panel above MLW=8.36 ft. determined by Water Transfer from 975-1414.

Vertical Panel #2 is a standard Array No. 2 in the vicinity of Francis Bay. Its Elevation is 1.49 ft. above MLW and was determined by levels from Bench Mark 1414 B 1983.

Vertical Panel #3 is a standard Array No. 2 in the vicinity of the Southeast end of Mary Creek. Its Elevation is 2.34 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel #4 is a non-standard Array No. 2 located near the Northwest end of Coral Harbor. Its Elevation is 7.59 ft. above MLW and was determined by levels from Bench Mark NO 3 1924.

Vertical Panel #4A is a non-standard Array No. 2 located on the South shore of the town of Coral Bay. It is placed direct on Bench Mark $\underline{\text{NO 2 1924}}$. Its Elevation above MLW is 2.82 ft.

Vertical Panel #5 is a standard Array No. 2 located near the Southeast end of Waterlemon Bay. Its Elevation is 1.87 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel #6 is a non-standard Array No. 2 located on the West shore of Hurricane Hole. Its Elevation is 5.54 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical Panel #7 is a non-standard Array No. 2 located near the Northwest limit of the East End District. Its Elevation is 4.69 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel #8 is a non-standard Array No. 2 which is placed direct on NGS Doppler Station 50439 1982 on the North shore of Haulover. Its Elevation is 8.57 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical #9 is the Northernmost corner of a concrete dock just Northeast of Long Point. Its Elevation is 2.75 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical Panel #10 is a non-standard Array No. 2 located just East of Newfound Bay. Its Elevation is 4.75 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel #11 is a non-standard Array No. 2 located on a rocky shore of a small cove at the North shore of Privateer Bay. Its Elevation is 7.86 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #12 is a non-standard Array No. 2 located on the West side of Flannagan Island. Its Elevation is 6.43 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #13 is a non-standard Array No. 2 located on the West shore of Johnson Bay. Its Elevation is 5.06 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical Panel #13A is a non-standard Array No. 2 located on the West side of Coral Harbor. Its Elevation is 4.29 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical #14 is the surface of the Southeast corner of the concrete pier in Caneel Bay. Its Elevation is 4.23 ft. above MLW and was determined by levels from Tidal Bench Marks in the area.

Vertical Panel #15 is a non-standard Array No. 2 located at the National Park Service dock in Cruz Bay. Its Elevation is 3.51 ft. above MLW and was determined by levels from Tidal Bench Marks in the area.

Vertical Panel #16 is a non-standard Array No. 2 which is located in the East-Central portion of a peninsula owning Dittlif Point. Its Elevation is 10.33 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #16A is also Horizontal Panel #6 and is a standard Array No. 1 located on a small hill North of Dittlif Point. Its Elevation is 48.75 ft. and was determined by levels from Vertical Panel #16.

Vertical Panel #17 is a non-standard Array No. 2 located on the East shore of Genti Bay. Its Elevation is 6.12 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #18 is also Horizontal Panel #7 and is a standard Array No. 1 located on the Northwest shore of Little Lameshur Bay. Its Elevation is 13.20 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #19 is a standard Array No. 2 located at the North end of Kiddel Bay. Its Elevation is 9.19 ft above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #20 is a standard Array No. 2 located on the West shore of a peninsula owning Ram Head. Its Elevation is 9.63 ft. above MLW and was determined by Water Level Transfer from 975-1381.

Vertical Panel #21 is a non-standard Array No. 2 located on the North shore of the peninsula West of Nanny Point. Its Elevation is 7.52 ft. and was determined by Water Level Transfer from 975-1373.

Vertical Panel #21A is a non-standard Array No. 2 located on the North side of Sabbat Point. Its Elevation is 9.41 ft. above MLW and was determined by Water Level Transfer from 975-1373.

Vertical Panel #22 is a non-standard Array No. 2 located on the Westernmost appendage of Leduck Island. Its Elevation is 5.70 ft. above MLW and was determined by Water Level Transfer from 975-1371.

Vertical Panel #23 as it was requested in Project Instructions was to be located in heavily vegetated hills where no Elevation Control was available. No panel was placed at this location and its designator was omitted.

Vertical Panel #24 is a non-standard Array No. 2 located on the East side of Henley Cay. Its Elevation is 7.91 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel #25 is also Horizontal Panel #9 and is a non-standard Array No. 1 placed direct on Horizontal Control Station PERKINS 1918. Its Elevation is 13.92 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical #26 is the top of a Nun Buoy at the South side of Johnson Reef. Its Elevation was 6.56 ft. above MLW at the time of photography. The Water Level was determined at 975-1414.

Vartical #26A is the white top of a Bouy at the North side of Johnson Reef. Its Elevation was 15.16 ft. above MLW at the time of -hotography. The Water Level was determined at 975-1414.

Vertical Panel #27 is a non-standard Array No. 2 located along the shore at Cinnamon Bay. Its Elevation is 6.70 ft. above MLW and was determined by Water Level Transfer from 975-1414.

Vertical Panel 975-1381 is an extra Vertical Control Point. It is a non-standard Array No. 2 placed direct over Bench Mark NO 1 1967 at the site of the Tide Station at Greater Lameshur Bay. Its Elevation is 3.24 ft. above MLW.

Tide Station 975-1373 is located in the town of Coral Bay. It is a Fischer-Porter ADR with a Vitrified Scale Staff. Two old Bench Marks were recovered and three new marks established. The MLW value of the Tide Staff was determined by levels from the two old Bench Marks. National Park Service personnel were contracted to provide observations at the gage. It is planned for this gage to be in operation for several months. The Elevation of the Staff Stop used for determination of Water Level Transfers off this Staff was 3.45 ft. above MLW.

Tide Station 975-1381 is located at the Virgin Islands Ecological Research Station at Greater Lameshur Bay. It is a Fischer-Porter ADR with a Vitrified Scale Staff. Five old Bench Marks were recovered. The MLW value of the Tide Staff was determined by levels from the old Bench Marks. National Park Service Personnel were contracted to provide observations at the gage. It is planned for this gage to be in operation for several months. The Elevation of the Staff Stop used for determination of Water Level Transfers off this Staff was 5.26 ft. above MLW.

Tide Station 975-1414 is located at the Southwest corner of Mary Creek. It is a Metercraft Gas Purged System (Bubbler Gage) with a Vitrified Scale Staff. Two old Bench Marks were recovered and Five new marks established. The MLW value of the Tide Staff was determined by levels from BENCH MARK 1 1924. National Park Service Personnel were contracted to provide observations at the gage. It is planned for this gage to be in operation for several months. The Elevation of the Staff Stop used for determination of Water Level Transfers off this Staff was 3.96 ft. above MLW.

Records

Originals of all field records are submitted herein except where the originals were required for submission to separate activities. In these cases copies are herein submitted in lieu of the originals. Horizontal and Vertical Control are submitted separately.

APPROVED:

IVM D. SHEA

CHIEF, COASTAL SURVEYS UNIT

SUBMITTED:

CLIFTON S. MIDDLETON JR. CHIEF, COASTAL PARTY 2

PROJECT REPORT

CM-8105 Fellew-UP
VERTICAL #12 - THE ORIGINAL CSI WAS MOVED TO BE IN ELECT.
A NEW CSI WAS INITIATED AND THE FANGL WAS PRICKED ON
CONTACT 3-25-83 SC 2218
VERTICAL "17 - THE OPTIONAL CSI WAS FOUND TO BE IN EPROR. ANEW
CSI CARD WAS INITIATED AND THE PANEL WAS PRICERS ON
CONTACT 3-25-83 BC 2262.
VERTICAL #27 - THE PANEL NOT VISIBLE ON PHOTOCOPHY, VERTICAL
PHUTO POINT # 27A WAS ESTABLISHED. A NEW CSI CARD WAS INITIATED
AND A NEW WATER LEVEL TRANSFER WAS DEPARTMENT TO ESTABLISH
AN ELEVATION. THE PHOTO POINT WAS PRICKED ON CONTACT
36 3-25-03 BC ZZ B .
HOROSONTAL #3- THE PANEL NOT VISIBLE ON PHOTOSEMENT. HOROSON
PHOTO POINT # 3A WAS ESTABLISHED AND POSITIONED BY STURE
AZIMUTH AND DISTANCE FROM PRINATAGE Z 1985. A NEW
CSI CARD WAS INITIATED AND THE PHOTO AMINT WAS PEKEED
ON CONTANT 3-25-83 BC 22/8.
HORRONTH # 5- THE PANEL WAS PRICKED ON 3-25-85 BC 2273 AT THE
PANEL SITE AFTER CLOSE INSPECTION HOWEVER ITS IMAGE IS QUESTIONAGE
ON THE ADDING FLICHT LINE. HERIZONTH PHOTO POINTS #54 AND SE
WERE ESTABLISHED. HORIZONTA PHOTO POINT # SA IS THE CENTER OF THE
LIGHT AT THE MOUTH OF CEUZ FRAY WHICH IS AT THE CENTER OF A

DISTANCE FRAM SMITHED BY SHAR ASIMOTA AND DISTANCE FRAM SMITHEN LIND 1918 PRICE 1983, HERICATAL PHOTO
PRIA IS PRECED ON CONTACT = 3-25-83 GC 2273
DISTANCE FRAM STATION LIND 1918 PEGET 1983, HERICATAL PHOTO
PHAT 458 IS THE CENTER FOR OF THE GOVERNMENT HOUSE IN COUR
BISH WHICH HAS A PUBLISHED THIRD CROCK DESITION HOWEVER IT
SHOULD BE USED WITH CAUTICH AR IT IS NOTED ON THE USI CHED
THAT THE STATIONS DESCRIPTIVE FEATURES ARE AMBIGOUS, PHOTO POINT
58 WAS PRICKED ON CONTRET 3-25-85 BE 2228.
SUBMITTED 12/21/1983
Copts.madexf
CHIEF, COASTAL PARTY 2

Photogrammetric Plot Report St. John, Virgin Islands CM-8105 April 1984

21. AREA COVERED

The area covered by this report is the island of St. John, Virgin Islands. The project area is covered by four 1:10,000 scale sheets; TP-01162, TP-01128, TP-01129, and TP-01130.

22. METHOD

Five strips of 1:15,000 scale photographs were bridged by analytic aerotriangulation methods. The strips of bridging photographs were controlled by field identified control. Tie points were used to ensure an adequate junction of strips. Points for compilation were established on the 1:15,000 scale photographs for the 1:10,000 scale sheets. The bridging photographs will be used for the 1:10,000 scale sheets. Ratios of the 1:15,000 scale compilation photographs and 1:15,000 scale infrared photographs were determined and the ratios were ordered by this office.

The manuscripts were plotted by the Calcomp 718 plotter.

23. ADEQUACY OF CONTROL

The horizontal control was adequate and the aerotriangualtion positions meet National Ocean Service accuracy requirements. Point #159101 (PRIVATEER 2, 1983 Sub pt.) was not used in the adjustment because the wrong point was measured.

Point #188201 (Vertical Panel #13) is off 3.3 feet, but was held in the adjustment because it keeps a shoreline point near water level. Point #236201 (Vertical Panel #27A) was off 3.4 feet due to poor stereo image. All other vertical control points are within \pm 3 feet.

24. SUPPLEMENTAL DATA

A Nautical Chart was used to locate aids and landmarks.

25. PHOTOGRAPHY


The coverage, overlap, and quality of the photographs were adequate for the job.

ubmitted by: hn McClure

Approved and Forwarded:

Don O. Norman

Chief, Aerotriangulation Unit



FIT TO CONTROL (IN FEET) CM-8105 St. John, Virgin Islands

△ Horizontal Control held in adjustment

Point Number	<u>x</u>	<u>y</u> .	<u>z</u>
159101			
161100	+0.6	+0.6	
163100	0.0	-1.0	-2.2
186100	-0.6	+0.5	
175100	0.0	-0.1	-0.9
173201			+0.2
161201			+0.7
161203			+0.6
161202			+0.5
163201			-0.3
165201			-0.8
165202			+0.7
186202			0.0
186201			-0.7
169201			-0.1
171202			+0.5
171201			+1.2
173202			+0.8
173203			-0.3
234202			-0.1
254100	-0.2	-0.5	
256100	+0.5	+0.8	
260101	-0.5	-0.6	-1.1
266100	+0.1	+0.1	0.0
	Number 159101 161100 163100 186100 175100 173201 161201 161202 163201 165201 165202 186202 186202 186202 171201 173202 171201 173202 173203 234202	Number X 159101 161100 +0.6 163100 0.0 186100 -0.6 175100 0.0 173201 161201 161203 161202 163201 165201 165202 186202 186202 186201 169201 171202 171201 173202 173203 234202 254100 -0.2 256100 +0.5 260101 -0.5	Number X Y 159101 161100 +0.6 +0.6 163100 0.0 -1.0 186100 -0.6 +0.5 175100 0.0 -0.1 173201 161201 161203 161202 163201 165202 186202 186201 169201 171202 171201 173202 173203 234202 254100 -0.2 -0.5 256100 +0.5 +0.8 260101 -0.5 -0.6

△ 10. ST. JOHN GOVT HOUSE GABLE	228100	+1.4	+2.0	
▲ 11. LIND 1918 RESET 1983 Sub pt.	270101	+1.0	-2.4	
▲ 12. LIND 1918 RESET 1983	270100	-0.3	-0.5	
□ Water level pt.	254203			+1.5
□ Vertical Panel #20	254201			-0.3
□ Vertical Panel #21	256201			-0.3
□ Vertical Panel #21A	192201		•	+0.4
☐ Vertical Panel #19	258201			0.0
☐ LAMESHUR BAY TIDE STA. 975-1381				
□ TIDAL B.M. NO.1 1967	260201			-1.8
□ Water level pt.	264202			-1.6
☐ Vertical Panel #16	266201			+2.2
□ Water level pt.	266202			+2.0
□ Water level pt.	270202			-0.5
□ Water level pt.	270203			-0.3
□ Vertical Panel #15	270201			-0.1
□ Water level pt.	270204			+1.5
☐ Vertical Panel #14	272201			0.0
□ Water level pt.	273201		•	-1.3
Vertical Panel #17	264201			-2.9
Strip 15-3				
△Tie from Strip 15~1	182803	0.0	0.0	-3.0
△7. NANNY 1918	256100	+0.1	+0.3	
△ 6. NGS DOPPLER STA. 50438, 1982	254100	0.0	-0.3	
△4. BAT 1918	186100	-0.2	0.0	
□ Vertical Panel #21A	192201			-0.1
□ Vertical Panel #21	256201			0.0
☐ Vertical Panel #20	254201			0.0
☐ Vertical Panel #19	258201			+0.5
☐ Vertical Panel #6	165201			+0.8
□ TIDAL BENCHMARK 2, 1924	186202		ý.	+1.3
□ Vertical Panel #4	186201			+0.3

C]Vertical Panel #5	171202			-1.4
E]Vertical Panel #3	171201			+0.3
]Water level pt.	186204		•	+0.2
]Vertical Panel #13A	186203			+1.2
E]Vertical Panel #13	188201			-3.3
]Water level pt.	190201			+0.4
	Strip 15-4				
Z	13. FLANNAGAN 1918	217100	0.0	0.0	
4	12. MOOR 1918	161100	0.0	0.0	
	1. PRIVATEER 2, 1983 Sub pt.	159101			
]Vertical Panel #12	217201			0.0
E]Vertical Panel #11	161203			,0,0
[]Vertical Panel #10	161202			0.0
E]Vertical Panel #9	161201			0.0
	Water level pt.	218201			+1.6
	Water level pt.	218202			-0.3
	Water level pt.	218203			+0.2
	Water level pt.	219201		•	-0.7
	Strip 15-5				
4	∆ 12. LIND 1918 RESET 1983	270100	-1.4	-1.0	
4	11. LIND 1918 RESET 1983 Sub pt.	270101	0.0	-0.3	
4	10. ST. JOHN GOYT HOUSE GABLE	228100	+1.0	+0.6	
	14. PERKINS 1918	232100	+0.7	-0.5	+1.6
	5. WHISTLE 1918	175100	-0.2	+0.1	-0.3
t] Water level pt.	228201			+0.6
]Vertical Panel #15	270201			-0.7
]Vertical Panel #24	230201			-0.9
]Water level pt.	236202			-0.2
E]Vertical Panel #2	173201			0.0
	Vertical Panel #27A	236201			+3.4

St. John, Virgin Islands

CM-8105

April 1984

Ratio values for 1:15,000 scale black-and-white infrared photographs:

83	B(R)	2345-2351		X1.51
		2355-2358		X1.51
		2361-2370		X1.51
		2374-2383		X1.51
		2389-2396	-	X1.51

Ratio values for 1:15,000 scale color bridging photographs:

83	B(C)	2159-2176	Х1.	51
		2182-2193	Х1.	51
		2217-2219	Х1.	51
		2226-2238	Х1.	51
		2254 2272	V 1	F.1

4 1

.

NOAA FORM 76-41 (6-75)				NATIONAL OCEANIC A	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
		DESCRIPTIV	CRIPTIVE REPORT CONTROL RECORD		
MAP NO. TP-01129	JOB NO. CM-8105	905	GEODETIC DATUM Puerto Rico Horizontal	Datum Coastal Mapping Rockville, MD	crivity lapping Unit,
STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	COORDINATES IN FEET STATE P.R. & Virgin IS. ZONE N/A	GEOGRAPHIC POSITION φ LATITUDE φ λ LONGITUDE	REMARKS
NANNY 1918	Quad 180643 Sta. 1074		x= 1,101,153.37 y= 177,653.07	φ 18-18-53.119 λ 064-42-00.248	Recovered in 1983
50438 1982	Project Field Data Binder		x= 1,104,379.98 y= 179,066.41	φ 18-19-06.827 λ 064-41-26.620	Doppler Station Recovered in 1983
			=ħ =x	ф ф	
			= X	ф	
			x= y=	φ γ	
			=ĥ	φ	
			χ= η=	φ γ	
			-ħ	φ λ	
			=h	ф ~	
			χ= Λα	ф	
COMPUTED BY		DATE	COMPUTATION CHECKED BY		DATE
LISTED BY E. D. Allen		DATE 8/85	LISTING CHECKED BY T. DOYLE	1e	DATE 8/85
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE
		SUPERSEDES NO	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	H IS OBSOLETE.	

Compilation Report

TP-01129

31. Delineation

Delineation was accomplished using a Wild B-8S stereoplotter through application of standard compilation techniques. Delineation of the shoreline, alongshore, offshore and interior cartographic features and details was based on office interpretation of the 1:15,000 scale natural color photographs. The 1:15,000 scale infrared photographs were used as an aid in interpreting the shoreline.

32. Control

Horizontal control furnished by the Aerotriangulation Unit was adequate for controlling the stereomodels. Refer to the Photogrammetric Plot Report bound with this Descriptive Report for additional information.

Vertical control was achieved by using a combination of paneled vertical control stations and elevations provided by the Aerotriangulation Unit.

33. Supplemental Data

No survey, map or plan of this agency or of any other organization was used to supplement the compilation photographs in the identification of cartographic features.

34. Contours and Drainage

The compilation of contours was not a requirement of this project.

Due to the lack of cultural detail, prominent peaks were depicted on the map.

Drainage was compiled based on office interpretation of the color compilation photographs.

35. Shoreline and Alongshore Detail

The mean high water line and shoreline structures were compiled as described in item 31 of this report. There was no preliminary field inspection of the shoreline.

36. Offshore Detail

The limits of submerged coral formations, where visible, were delineated from the natural color photographs. These limits indicate the characteristics of the seabed and do not necessarily represent a hazard to navigation.

37. Landmarks and Aids

One charted landmark was confirmed and measured during compilation.

38. Control for Future Surveys

Refer to NOAA Form 76-41 bound with this Descriptive Report for information on recoverable control for future surveys.

39. Junctions

Refer to item 5 of NOAA Form 76-36B(Data Record), which is bound with this Descriptive Report, for information on map junctions.

40. Horizontal and Vertical Accuracy

This map meets the requirements of the National Standards of Map Accuracy. Refer to the Photogrammetric Plot Report bound with this Descriptive Report for more information.

41. Photobathymetry

A photobathymetric survey was conducted for the southern section of coast depicted on this map. Refer to the Summary bound with this Descriptive Report for Information on this subject.

42. Cartographic Features of Possible Landmark Value

One cartographic feature of possible landmark value was identified and measured during compilation. Refer to the listing "Cartographic Features of Possible Landmark Value", which is bound with this Descriptive Report, for additional information.

- 43. through 45. Not Applicable
- 46. Comparison with Existing Maps

Comparison with existing maps was not a requirement of this project.

47. Comparison with Nautical Charts

A comparison was made with the following National Ocean Service nautical charts:

25647, 7th Edition, November 3,1984; 1:15,000 scale 25641, 20th Edition, March 3,1984; 1:100,000 scale.

A Chart Maintenance Print indicating the results of the comparison was forwarded to the Marine Chart Branch, Rockville, Maryland. Refer to the print for items to be immediately applied and carried forward.

Ted Dougle

Cartographer (Photogrammetry)

Approved by

Chief, Coastal Mapping Unit

Review Report

TP-01129

61. General Statement

Refer to the Summary bound with this Descriptive Report for an overview of the photogrammetric operations related to the production of this map and associated data.

62. Comparison with Registered Topographic Surveys

Comparison with registered topographic surveys was not a requirement for this project.

63. Comparison with Maps of Other Agencies

Refer to item 46 of the Compilation Report bound with this Descriptive Report for detailed information on this topic.

64. Comparison with Hydrographic Surveys

Comparison with hydrographic surveys was not a requirement for this project.

65. Comparison with Nautical Charts

Refer to item 47 of the Compilation Report bound with this Descriptive Report for information on this topic.

66. Adequacy of Results and Future Surveys

This map meets the National Standards of Map Accuracy and the requirements specified in the project instructions.

Submitted by,

Edward D. Allen

Office) Reviewer

Final Reviewer

Approved by

Photogrammetric Production Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-8105 (St. John, Virgin Islands)

TP-01129

Booby Rock

Cabrithorn

Cabrithorn Point

Calabash Boom

Caribbean Sea

Coral Bay

Drunk Bay

Eagle Shoal

Europa Bay

Friis Bay

Genti Bay

Great Lameshur Bay

Grootpan Bay

Johns Folly

Johns Folly Bay

Johnson Bay

Kiddel Bay

Kiddel Point

Lagoon Point

Lameshur

Leduck Island

Little Lameshur Bay

Nanny Point

Ram Head

Reef Bay

Sabbat Channel

Sabbat Point

Saint John

Salt Pond

Saltpond Bay

White Point

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division

INDEX TO PROJECT DATA AND MATERIAL ON FILE

CM-8105

St. John Island, USVI

NATIONAL ARCHIVES/FEDERAL RECORDS CENTER

Brown Jacket:

Three Field Data Binders containg NOAA Forms, field
photographs, computional listings; titled: "Horizontal
Premarking", "Vertical Premarking" and "Follow-Up".

Four NOAA Form 76-77, Leveling Record - Tide Station
Three NOAA Form 77-53, Tides
One NOAA Form 76-52, Observations of Horizontal Directions
One envelope containing seventeen(17) Field Annotated
Contact Prints(photographs)
One envelope containing Photogrammetric Plot Report(1 copy),
Aerotriangulation Strip Adjustments(5), Geodetic and
Aerotriangulated Control Listing(1 copy, 6 pages),
NOAA Form 76-41(6 pages, the original from Aerotriangulation
Unit), Project Diagram(1 copy).

Project Completion Report

AGENCY ARCHIVES

Registration Copy of Each Map Descriptive Report of Each Map

PHOTOGRAMMETRIC ELECTRONIC DATA LIBRARY

Photogrammetric Digital Source Data Files for the Project

REPRODUCTION BRANCH

8X Reduction Negative of Each Map

OFFICE OF STAFF GEOGRAPHER

Geographic Names Standard

CHARTED LANDMARKS AND NONFLOATING AIDS TO NAVIGATION

Page <u>1</u> of <u>1</u>

PROJECT NUMBER: CM-8105

PROJECT NAME: St. John Island, Virgin Islands

MAP NUMBER: TP-01129, Southern Coast, Lagoon Point to Reef Bay

The following charted landmarks and nonfloating aids to navigation have been measured and or confirmed during photogrammetric operations. All geographic positions are based on the N.A. 1927 Datum. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for clarification of NCD Quality(Q.C.) and Cartographic (CARTO) Codes.

FEATURE DESCRIPTION	CARTO CODE	GEOGRAPHIC P LATITUDE	OSITION * LONGITUDE	NCD O.C.	DATE OF LOCATION
Chimney at Genti Bay	086	18-19-29.98	064-44-44.36	4	3/25/83

^{* -} Puerto Rico Horizontal Datum

Listing approved by:

Final Reviewer

June. 1986

Date

LISTING OF CARTOGRAPHIC FEATURES OF POSSIBLE LANDMARK VALUE

Page	1	of	1
------	---	----	---

PROJECT NUMBER: CM-8105

PROJECT NAME: St. John Island, Virgin Islands

MAP NUMBER: TP-01129, Southern Coast, Lagoon Point to Reef Bay

The following cartographic features have been identified as being of possible landmark value. These features have been identified and measured during photogrammetric operations. All geographic positions are based on the N.A. 1927 Datum unless otherwise noted. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for clarification of Quality (Q.C.) and Cartographic (CARTO) Codes.

FEATURE DESCRIPTION	CARTO CODE	GEOGRAPHIC LATITUDE	POSITION * LONGITUDE		DATE OF LOCATION
Antenna (Southerly of 2) at Johns Folly END	99(3)	18-19-15.04	064-42-04.83	4	3/25/83

* - Puerto Rico Horizontal Datum

Listing approved by:

Robert W. Rodkey, Jr. Final Reviewer

<u>June, 1986</u>

Date

USCOMM-DC 8868-PL!

FORM C&GS-8352 (3-25-83)

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. ___TP-01129

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

FOHM CBGS-8352 SUPERSEDES ALL EDITIONS OF FORM C4GS-878.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		· · · · · · · · · · · · · · · · · · ·	
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
·		 	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		-	
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			
- 1	1	i	