NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

THIS MAP EDITION WILL NOT	BE FIELD EDITED.
Map No.	Edition No.
TP-01180	1
Job No.	
см-8206	
Map Classification	
CLASS III (FINAL)	· · · · · · · · · · · · · · · · · · ·
Type of Survey SHORELINE	
LOCALITY	(
State	
ALASKA	
General Locality	
CAPE NEWENHAM TO TOGIAK B	AY
Locality	
HAGEMEISTER STRAIT	
1985 TO 19	
REGISTERED IN A	RCHIVES
DATE	

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP		
	O ORIGINAL	MAP EDITION NO. ()		
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS		
DESCRIPTIVE REPORT - DATA RECORD	REVISED	JOB PH		
PHOTOGRAMMETRIC OFFICE				
Coastal Mapping Unit, Atlantic Marine Center	LAST PRECEEDING			
Norfolk, Virginia	TYPE OF SURVEY	MAP CLASS		
OFFICER-IN-CHARGE	RESURVEY	SURVEY DATES:		
A W Brussen CDD	REVISED	19TO 19		
A. Y. Bryson, CDR I. INSTRUCTIONS DATED	<u> </u>			
1. OFFICE	2. 1	TELO		
Aerotriangulation January 8, 1986	Control	April 26, 1985		
Compilation June 6, 1986				
	{			
	· ·			
II. DATUMS				
1. HORIZONTAL: XX 1927 NORTH AMERICAN	OTHER (Specify)			
I HOMIZONIAC. 1927 NORTH MIRRICAN	ATUED (D. 14.)			
XX MEAN HIGH-WATER	OTHER (Specify)			
2. VERTICAL: MEAN LOW-WATER	-			
MEAN SEA LEVEL				
3. MAP PROJECTION	4. 0	RID(S)		
	STATE	ZONE		
Transverse Mercator Projection	Alaska	7 ZONE		
1:20,000	3.4.6	}		
III. HISTORY OF OFFICE OPERATIONS	 	}		
OPERATIONS	NAME	DATE		
I. AEROTRIANGULATION BY	J. Taylor	Mar 1986		
METHOD: Analytic LANDMARKS AND AIDS BY	J. Taylor	Mar 1986		
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Xynetics 1201 CHECKED BY	F. Mauldin/R. Krav F. Mauldin/R. Krav			
	F. Maulding R. Ma	/ICZ [UUL 1999		
	D. Miller.			
3, STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	D. Miller E. Mauldin	Aug 1986 Aug 1986		
	D. Miller E. Mauldin N.A.	Aug 1986		
COMPILATION CHECKED BY	F. Mauldin N.A. N.A.	Aug 1986 Aug 1986		
COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY	F. Mauldin N.A. N.A. D. Miller	Aug 1986 Aug 1986 Aug 1986		
COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin	Aug 1986 Aug 1986		
COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CMECKED BY METHOD: SMooth drafted CONTOURS BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A.	Aug 1986 Aug 1986 Aug 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 4. MANUSCRIPT DELINEATION METHOD: Smooth drafted CHECKED BY CHECKED BY CHECKED BY CHECKED BY CHECKED BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. N.A.	Aug 1986 Aug 1986 Aug 1986		
COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY CMECKED BY METHOD: SMooth drafted CONTOURS BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A.	Aug 1986 Aug 1986 Aug 1986 Nov 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 A MANUSCRIPT DELINEATION METHOD: Smooth drafted CHECKED BY	E. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. N.A. D. Miller	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Aug 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 4. MANUSCRIPT DELINEATION METHOD: Smooth drafted SCALE: 1:20,000 CHECKED BY APPLICATION OF FIELD EDIT DATA BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. N.A. D. Miller F. Mauldin F. Mauldin N.A.	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Aug 1986 Nov 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 4. MANUSCRIPT DELINEATION METHOD: Smooth drafted SCALE: 1:20,000 CHECKED BY APPLICATION OF FIELD EDIT DATA CHECKED BY	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. N.A. D. Miller F. Mauldin F. Mauldin N.A. N.A.	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Aug 1986 Nov 1986 Nov 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth drafted SCALE: 1:20,000 HYDRO SUPPORT DATA BY CHECKED BY 5. OFFICE INSPECTION PRIOR TOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. D. Miller F. Mauldin N.A. D. Miller F. Mauldin N.A. N.A. F. Mauldin	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 4. MANUSCRIPT DELINEATION METHOD: SMOOTH drafted SCALE: 1:20,000 SCALE: 1:20,000 CHECKED BY HYDRO SUPPORT DATA BY CHECKED BY 5. OFFICE INSPECTION PRIOR TOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. D. Miller F. Mauldin F. Mauldin N.A. N.A. N.A. N.A. N.A. N.A. N.A. N.A	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Aug 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986		
COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000 CHECKED BY 4. MANUSCRIPT DELINEATION METHOD: Smooth drafted SCALE: 1:20,000 HYDRO SUPPORT DATA BY CHECKED BY 5. OFFICE INSPECTION PRIOR TOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	F. Mauldin N.A. N.A. D. Miller F. Mauldin N.A. D. Miller F. Mauldin N.A. D. Miller F. Mauldin N.A. N.A. F. Mauldin	Aug 1986 Aug 1986 Aug 1986 Nov 1986 Aug 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986 Nov 1986		

NOAA FORM 76-36B (3-72)	COM	TP-01180 MPILATION SOL		C AND ATMOSPHERIC	NT OF COMMERCE ADMINISTRATION AL OCEAN SURVEY
1. COMPILATION PHOTOGRAPHY CAMERA(S) WILD RC-10(Z) (f.1. = 1 WILD RC-10(R) (f.1. = 1 TIDE STAGE REFERENCE	53.15 mm) 52.74 mm)		HOTOGRAPHY SEND	TIME REF	ERENCE
PREDICTED TIDES REFERENCE STATION RECORD TIDE CONTROLLED PHOTOGRA	5	(C) COLOR (P) PANCHRO (I) INPRARE(Alaska MERIDIAN 135°W	TANDARD DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE O	F TIDE
85 Z(C):3552-3554	7-09-85	15:17	1:30,000	1.7 ft. abov	re MLLW
85 B(C)5161-5164			1:50,000	1.1 ft. abov	
REMARKS The stage of tid using reference station Island).					
2. SOURCE OF MEAN HIGH-WATER The Mean High W above listed color methods.	ater Line was				
3. SOURCE OF MEMINEOWWXXER	MEAN LOWER L	OW-WATER LINE:	~~~~~~~ ~~		
There was no	Mean Lower Lo	ow Water Lin	e compiled o	n this map.	

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER

TP-00899 & TP-00933

SOUTH

DATE(S)

SURVEY COPY USED

TP-01181

SURVEY NUMBER

5. FINAL JUNCTIONS

J. - 12777

TP-01177

REMARKS

NORTH

DATE(S)

EAST


TP-01179

WEST

SURVEY COPY USED

-7	AA FORM 76–36C 72)	н(с-	TP-01180	NATIONAL OCEA		MOSPHERIC A	OF COMMER DMINISTRATI OCEAN SURV
	XX FIELDX N3PBCT			D EDIT OPERATION	 _	 	
_		OPERATION			NAME		DATE
	CHIEF OF FIELD P	ARTY					
_				R. Melby			Jun 1985
	HORIZONTAL CONT	r boi	RECOVERED BY	N.A.			
•	HURIZON FAC CON		OR IDENTIFIED BY	N.A.	N.A.		
-		FREMARIES	RECOVERED BY	N.A.			
	VERTICAL CONTRO	DL .	ESTABLISHED BY	N.A.			
			OR IDENTIFIED BY	N.A.			
		RECOVERED (Trieng	Sulation Stations) BY	N.A			
•	LANDMARKS AND	LOCATED	(Field Methods) BY	N.A.			
	AIDS TO NAVIGATI	DN	IDENTIFIED BY	N.A.			
_		TYPE OF IN	IVESTIGATION				
	GEOGRAPHIC NAME	S COMPLI	ETE BY			\	
	INVESTIGATION	SPECIF	IC NAMES ONLY				
		<u>х</u> мо 1и v	ESTIGATION				
	PHOTO INSPECTIO	N CLARIFICATI	ON OF DETAILS BY	N.A.			
-	BOUNDARIES AND	LIMITS SURVEYED	OR IDENTIFIED BY	N.A.			
_	SOURCE DATA			T			
•	HORIZONTAL CON	FROL IDENTIFIED		2. VERTICAL CO	NTROL IDEN	ITIFIED	
_	None			None			
	OTO NUMBER	STATION. NA	ME	PHOTO NUMBER	s	ATION DESIG	NATION
3.	PHOTO NUMBERS (Clarification of details)					
	None						
4,		AIDS TO NAVIGATION IDEN	TIFIED				
	None					OBJECT NA	
	OTO NUMBER	OBJECT NA	ME	PHOTO NUMBER			·
			,				, #IP
_	GEOGRAPHIC NAM		XX NONE	6. BOUNDARY AN	LIMITS:	REPORT	XX NONE
٠.	SUPPLEMENTAL M	IAPS AND PLANS					
	None						
l.	OTHER FIELD REC	ORDS (Sketch books, etc. D	O NOT list data subm	sitted to the Geodesy I	Division)		
	None						

NOAA FOR (3-72)	M 76-36D		TP-01180 RD OF SURVEY		U. S. DEPARTMEN	T OF COMMERCE
I MANHEC	RIPT COPIES					
1. MAINUSC		MPILATION STAGE	5		DATE MANUSCRI	PT FORWARDED
	DATA COMPILED	DATE	REM	ARKS	MARINE CHARTS	HYDRO SUPPORT
			1			
Compila	ation complete	Nov. 1986	_Class III N	<u>lanuscrip</u>	t None	None
	. , 1	1006	D: 1 03	TTT Man	12-12-86	12-12-86
Final I	Reviewed	Nov. 1986	Final Class	III Map		
	<u> </u>					
						1
			<u> </u>		<u> </u>	<u> </u>
II. LANDM	ARKS AND AIDS TO HAVIG	ATION None				
	ORTS TO MARINE CHART D		DATA BRANCH			
	CHARTLETTER	DATE			REMARKS	
NUMBER	NUMBER ASSIGNED	FORWARDED	<u> </u>			
			<u> </u>			
l ,						
•		<u> </u>				
		 		<u> </u>		
,						
	<u> </u>			·		
				_		
					· · · · · · · · · · · · · · · · · · ·	
		<u> </u>	<u> </u>			
2.	REPORT TO MARINE CHAR	RT DIVISION, COAST	PILOT BRANCH.	DATE FORWA	RDED:	
	REPORT TO AERONAUTIC		N, AERONAUTICAL	DATA SECTI	ON. DATE FORWARDED	
III. FEDE	RAL RECORDS CENTER DA	ATA.				
	_	_			ABUTER READOUTS	
1. X	REPRIDGING PHOTOGRAPHS	EX DUPLICATI	E BRIDGING REPOR	6-40XXCO	MPDIER REROOUS. Ten by fifin partifs	_
	CONTROL STATION IDEN					•
3.	SOURCE DATA (except for ACCOUNT FOR EXCEPTION	veographic Names N NS:	toport) As List ED I	JEO (1011 II)	, <u></u>	
4.	DATA TO FEDERAL REC	ORDS CENTER, DA	TE FORWARDED:			
	EY EDITIONS (This section			edition is reg	istered)	
	SURVEY NUMBER	лов иимв			TYPE OF SURVEY	
SECONE	TP	(2) PH				ESURVEY
EDITION	DATE OF PHOTOGRA	PHY DATE OF	FIELD EDIT	_	MAP CLASS	П-:
					□ m. □ iv. □ v.	
	SURVEY NUMBER	JOB NUMB	ER		TYPE OF SURVEY	r Esurv e y
THIRD	тР -	(3) PH		1	REVISED RI	EDUK VE T
EDITION	DATE OF PHOTOGRA	PHY DATEOF	FIELD EDIT	□ 11.	MAP CLASS	FINAL
				<u></u>	TYPE OF SURVEY	
	SURVEY NUMBER	JOB NUMB	EK			ESÛRVÉY
FOURTH		(4) PH	FIELD EDIT		MAP CLASS	• •
EDITIO	DATE OF PHOTOGRA	FRI DATE OF		□n.	□ m. □ v. □ v.	FINAL



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-01180

This 1:20,000 scale shoreline map is one of nine maps in project CM-8206, Cape Newenham to Togiak Bay, Alaska latitude 59°02′00″, longitude 160°30′00″ southwest to latitude 58°32′00″, longitude 162°15′00″, including Hagmeister Island.

Photographic coverage was provided in July 1985 with color film using the Wild RC-10 $^{\circ}$ B" camera at 1:50,000 scale.

Field work prior to compilation accomplished in June and August 1985, consisted of premarking stations and photoidentifying one control station to satisfy aerotriangulation requirements.

Analytic aerotriangulation was adequately performed at the Washington Science Center in March 1986. The manuscripts were ruled at the Atlantic Marine Center from the data furnished by the aerotriangulation process.

Compilation was performed at the Atlantic Marine Center from office interpretation of the 1:50,000 scale color photography in October 1986.

Final Review was performed at the Atlantic Marine Center in November 1986. A chart Maintenance Print and Hydro Print were prepared and forwarded to the Marine Charts Branch and the Hydrographic Branch. This map is to be registered as a Final Class III Map.

The original base map and all pertinent data were forwarded to the Washington Science Center for final registration.



U.S. DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administrational Ocean Service Pacific Marine Center

1801 Fairview Avenue East Seattle, Washington 98102-3767

October 7, 1985

N/MOP21/DWY

TO:

N/CG23 - Ronald K. Brewer

FROM:

N/MOP22 - David W. Yeager

SUBJECT: Field Operations Report, Job CM-8206, Bristol Bay, Togiak Bay to

Cape Newenham, Alaska, Shoreline Mapping

This report covers the shoreline area of the portion of Bristol Bay from the vicinity of the village of Togiak on Togiak Bay to Cape Newenham including Hagemeister Island, Alaska.

Field work was accomplished during the first two weeks in June and the last week of August, 1985, under Project Instructions for Job CM-8206 dated April 26, 1985.

Photo panels were placed in each office-selected area except for site numbers 1 and 15 (as shown on the attached sketch). Site number 1 was at Cape Newenham where access was precluded during both field periods due to extreme weather conditions. Site number 15 was not paneled for the same reason. However, two photo identifiable points were positioned on returning to area 15 after the photography was completed. All stations were paneled direct except for site number 12 where a substitute station was paneled.

No photo hydro panels were set due to time constraints imposed by helicopter availability.

Each photo panel has been entered on NOAA form 76-53, Control Station Identification Card, with other pertinent information.

Seven additional horizontal control stations were established by Third Order-Class I methods at panel sites that did not have an existing horizontal control station. These positions were determined with a Magnavox MX-1502 Geoceiver using the translocation solution and represent unadjusted field positions. Positioning data, recovery notes, etc. will be entered into the NGS data base via terminal entry procedures (MTEN) during November 1985.

The following data from Job CM-8206 is attached and forwarded for your use:

- Control Station Identification Cards (CSI, NOAA Forms 76-53) for each paneled station.
- 2. Map of the area covered by Job CM-8206 indicating locations of each paneled station.



LIST OF GEOGRAPHIC POSITIONS

CM-8206

HORIZONTAL CONTROL TARGETS

	POSITION	STATION NAME
		-
PANEL #1	UNAVAILABLE	NOT PANELED
D2377 # 0	58°-40'-31.22747"	
PANEL #2	161°-56'-17.14127"	CASTLE ROCK
DANITY #2	58°-36'-47.42199"	
PANEL #3	161°-45'-29.45564"	NANVAK
DANTET #4	58°-33'-08.10089"	
PANEL #4	161°-45'-36.58559"	PIERCE
PANEL #5	58°-39'-16.41706"	D.T.
FAREL #3	161°-24'-49.45443" 58°-46'-54.87174"	FIFTEEN
PANEL #6	161°-10'-50,61927"	ECHTIC
Tracker #0	58°-52'-29.373"	ESTUS
PANEL #7	160°-55'-57.808"	MATOGAK
212(21) 11 /	58°-48'-45.571"	PAICGAK
PANEL #8	160°-50'-09.208"	TONGUE POINT 2
	58°-54'-58.73179"	TONGOL POINT 2
PANEL #9	160°-44'-45.82133"	AEOLUS
	59°-01'-57,36568"	11101100
PANEL #10	160°-28'-15.46802"	NEMESIS
	58°-49'-04.24167"	
PANEL #11	-160°-40'-55.84692"	STRAIT
	58°-44'-13.06020"	
PANEL #12	160°-48'-16.54081"	ISLAND
	58°-39'-36.483"	
PANEL #13	160°-49'-29.186"	GEM
	58°-34'-44.057"	
PANEL #14	160°-55'-01.729"	CALM POINT
	58°-33'-12.266"	
PANEL #15	161°-02"-55.477"	PHOTO I.D. #1
DANITE #15	500 001 05 4457	•
PANEL #15	58°-33'-26.345"	·
ALTERNATE	161°-02'-52.740"	PHOTO I.D. #2
PANEL #16	58°-36'-52.109"	CHINA
TAMED #10	161°-04'-16.765"	STER
PANEL #17	58°-41'-43.229" 161°-10'-15.915"	mam.
T-74TH #11	58°-42'-02.792"	TAT
PANEL #18	161°-03'-33.322"	MOLA
	58°-44'-41.531"	MOLY
PANEL #19	160°-54'-59.618"	VELO
	100 34 32.018	VIIIO

All Latitudes North All Longitude West

AEROTRIANGULATION REPORT CM-8206 CAPE NEWENHAM TO TOGIAK BAY MARCH 19, 1986

21. AREA COVERED

The area covered by this report is in Bristol Bay from Cape Newenham to Togiak Bay. This area is covered by nine 1:20,000 scale manuscripts, TP-01177 thru TP-01181, TP-01184, TP-01185, TP-00899, TP-00933.

22. METHOD

Three strips of 1:50,000 - and two strips of 1:30,000-scale color photographs were bridged by analytic aerotriangulation method and adjusted to ground using the Alaska State Plane Coordinate System Zone 7.

No fixed aids to navigation or landmarks were located for this project.

No manuscripts were plotted for compilation but a magnetic tape was created of the output of the bridge points for compilation for plotting at the Atlantic Marine Center.

Ratio values were determined for the bridging photographs. No black-and-white infrared photographs were secured for this job.

23. ADEQUACY OF CONTROL

The horizontal control provided was adequate for the job. Fifteen premarked stations and two field identified photo control points were used in the adjustment of the strips. Ties were made between the overlapping strips and used for control in some of the strips. The aerotriangulation of this project will meet The National Ocean Service requirements for map manuscripts.

24. SUPPLEMENTAL DATA

Vertical control was taken from USGS quadrangles.

25. PHOTOGRAPHY

The coverage, overlap, and quality of the photographs proved adequate for the job with the exception of a small area on the west side of TP-01184. The coverage of the northern part of Nanvak Bay will be inadequate. The optical flat of the camera had an icing condition which made the selection of passpoints difficult. The "Z" camera was mounted in the plane backwards and the photos had to be renumbered to reverse the direction of the flight.

Submitted By

James H. Taylor

Approved & Forwarded

Don O. Norma

Don. O. Norman Chief, Aerotriangulation Unit

CM-8206 FIT TO CONTROL ▲ = CONTROL HELD

```
STRIP 50-3
  85-BC-5153 thru 5174
     PT. NO.
                 XFT.
                          YFT.
                 -0.5
                          -0.2
    ▲153100
    ▲158100
                  2.1
                           0.7
    ▲ 161100
                 -0.6
                          -1.0
    ▲ 165100
                 -2.7
                          0.5
    168100
                 2.3
                          -0.1
    ▲ 174100
                 -0.6
                           0.1
  STRIP 50-7
  85-BC-5140 thru 5143
     PT. NO.
                 XFT.
                          YFT.
    ▲ 661100
                  0.0
                          -0.1
    ▲ 143101
                  1.8
                          -0.9
    143102
                 -1.8
                           1.0
  STRIP 50-6
  85-ZC-3654 thru 3661 ORIGINAL NUMBERS
         3661 thru 3668 NEW NUMBERS
      PT. NO.
                          YFT.
                 XFT.
    △140801
                 -0.2
                           1.6
    △ 140802
                 -2.0
                           1.4
4 . . 4 140803
                           4.1
                 -1.0
                 -0.4
                           0.3
    ▲ 661100
    ▲ 658100
                  1.7
                          -0.8
    ▲ 656101
                 -1.6
                           0.8
    ▲ 654100
                  0.3
                          -0.4
  STRIP 30-11
  85-ZC-3526 thru 3532 ORIGINAL NUMBERS
         3532 thru 3538 NEW NUMBERS
     PT. NO.
                 XFT.
                          YFT.
                  6.2
                          -3.9
    △143101
    △143102
                -12.7
                          -0.6
                           0.8
    ▲ 532801
                  1.8
                           0.9
    ▲ 532802
                  -1.8
    ▲ 530100
                   0.0
                           0.0
    ▲526100
                   0.0
                           0.0
```

STRIP 30-8 85-ZC-3549 thru 3560 ORIGINAL NUMBERS 3560 thru 3570 NEW NUMBERS PT. NO. XFT. YFT. ▲ 560801 -0.2 -0.5 0.0 -0.6 ▲ 560802 1.2 **▲** 560803 0.2 0.0 **▲** 555100 0.0 ▲ 526100 0.0 0.0 **-1.2** . **▲** 538802 -1.4

RATIO VALUES CM-8206

RATIO 2.490 85-BC-5130-5131 5140-5143

RATIO 2.494 85-BC-5153-5174


RATIO 1.463 85-2C-3526-3532

RATIO 1.459 85-ZC-3549-3560


RATIO 2.452 85-ZC-3654-3661 3665-3667

KEY TO NUMBERED TRIANGULATION STATION

4 - Pierce, 1948	174100
5 - Fifteen, 1948	168100
6 - Estus, 1948	165100
7 - Matogak, 1985	161100
8 - Tongue Point 2, 1985	666100
9 - Aeolus, 1948	158100
10 - Nemesis, 1948	
11 - Strait, 1948	654100
12 - Island, 1948	656101
	658100
14 - Calm Point, 1948	661100
15A - Photo ID #1	143101
15B - Photo ID #2	143102
16 - Ster, 1985	530100
16 - Ster, 1985 17 - Tat, 1985	549100
18 - Molv. 1985	526100
19 - Velo, 1985	555100







÷

COMPILATION REPORT TP-01180

31 - DELINEATION

Delineation was accomplished using stereo instrument compilation methods to compile shoreline, alongshore, and interior detail based on office interpretation of the 1:50,000 scale color bridging/compilation photographs. All photographs used to compile this map are listed on NOAA form 76-36B. The photography was adequate; however, in some areas, glare on the water made the selection of offshore rocks difficult. There were no mean lower low water infrared photographs for this project.

32 - CONTROL

The horizontal control was adequate. Refer to the Aerotriangulation Report, dated March 19, 1986.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

Contours are not applicable to this project. Drainage was compiled from office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The shoreline and alongshore details were compiled from office interpretation of the compilation/bridging photographs as described in item #31.

There was no mean lower low water line compiled on this manuscript.

36 - OFFSHORE DETAILS

Offshore details were compiled by instrument methods as described in item #31.

37 - LANDMARKS AND AIDS

There were no landmarks or aids to navigation within the limits of this manuscript.

38 - CONTROL: FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5, of the Descriptive Report.

TP-01180

40 - HORIZONTAL AND VERTICAL ACCURACY

See item #32.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S. Geological Survey quadrangles and U.S. Coast and Geodetic Survey topographic maps: Hagemeister Island (D-3), Alaska; dated 1948, revised 1973; scale 1:63,360 (U.S.G.S.)
Hagemeister Island (D-4), Alaska; dated 1954, scale 1:63,360 (U.S.G.S.)
Hagemeister Island (C-3), Alaska; dated 1948, revised 1973; scale 1:63,360 (U.S.G.S.)
Hagemeister Island (C-4), Alaska; dated 1948, revised 1973; scale 1:63,360 (U.S.G.S.)
T-9241; scale 1:20,000; compiled 1950 (U.S.C.&G.S.)
T-9240; scale 1:20,000; compiled 1951 (U.S.C.&G.S.)
T-9246; scale 1:20,000; compiled 1949 (U.S.C.&G.S.)
T-9247; scale 1:20,000; compiled 1949 (U.S.C.&G.S.)

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following National Ocean Service charts:

530; 22nd edition; dated August 18, 1984; scale 1:4,860,700 16006; 28th edition; dated March 31, 1984; scale 1:1,534,076 16011; 31st edition; dated June 29, 1985; scale 1:1,023,188 16300; 7th edition; dated September 18, 1976; scale 1:200,000 16305; 2nd edition; dated January 4, 1986; scale 1:100,000 (Prov) 16315; 2nd edition; dated January 4, 1986; scale 1:100,000 (Prov).

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None'.

Submitted by
David R. Miller
Cartographic Technician
07 August 1986

Approved

James L. Byrd, Jr.

Chief, Coastal Mapping Unit

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-8206 (Cape Newenham to Togiak Bay, Alaska)

TP-01180

Hagemeister Island

Hagemeister Strait

Approved:

Charles E. Harrington Chief Geographer

Nautical Charting Division Charting and Geodetic Services

REVIEW REPORT SHORELINE

TP-01180

· 61 - GENERAL STATEMENT

See Summary included with this report.

62 - COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

A comparison was made with U.S.C. & G.S. topographic maps: T-9240, compiled in 1951 from photographs taken in August 1947 T-9241, compiled in 1950 from photographs taken in 1948 T-9246, compiled in 1949 from photographs taken in 1948 and T-9247, compiled in 1949 from photographs taken in 1948. All maps are 1:20,000 scale.

63 - COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U.S.G.S. quadrangles:
Hagemeister Island (C-3), Alaska, dated 1948, minor revisions 1973
Hagemeister Island (C-4), Alaska, dated 1948, minor revisions 1973
Hagemeister Island (D-3), Alaska, dated 1948, minor revisions 1973
Hagemeister Island (D-4), Alaska, dated 1954; all maps are 1:63,360 scale.

64 - COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

There is no contemporary hydrographic survey within the limits of this map.

65 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following N.O.S. Charts: 16305 and 16315; both are the 2nd edition, January 4, 1986, scale 1:100,000.

66 - ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with Project Instructions and meets the requirements of National Standards of Map Accuracy.

Lowell 0. Neterer, Jr Final Reviewer 12 November 1986

Approved for forwarding

Billy H. Barnes

Chief, Photogrammetric Section, AMC

Approved

ing Chief, Photogrammetric Production Sec.

Lonald L. Brewer Chief, Photogrammetry Branch,

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY	NO
--	----

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

- Letter all information.
 In "Remarks" column cross out words that do not apply.
 Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		<u> </u>	
			