

TP- 01208

TP- 01208

NOAA FORM 76-35
(6-80)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

THIS MAP EDITION WILL NOT BE FIELD EDITED

<i>Map No.</i> TP-01208	<i>Edition No.</i> 1
<i>Job No.</i> CM-8300	
<i>Map Classification</i> CLASS III (FINAL)	
<i>Type of Survey</i> SHORELINE	
LOCALITY	
<i>State</i> MAINE U.S.A. - New Brunswick, Canada	
<i>General Locality</i> PASSAMAQUODDY BAY	
<i>Locality</i> BACK BAY	
19 83 TO 19	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED		SURVEY TP. <u>01208</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>III (FINAL)</u> JOB <u>CM-8300</u>	
DESCRIPTIVE REPORT - DATA RECORD				LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED			
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit Atlantic Marine Center, Norfolk, VA				JOB <u>PH-</u> MAP CLASS <u></u> SURVEY DATES: 19 <u></u> TO 19 <u></u>			
OFFICER-IN-CHARGE A. Y. Bryson, CDR							
I. INSTRUCTIONS DATED							
1. OFFICE Aerotriangulation June 5, 1984 Compilation March 1, 1985				2. FIELD Control August 12, 1983			
II. DATUMS							
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN				OTHER (Specify)			
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input checked="" type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL				OTHER (Specify)			
3. MAP PROJECTION Transverse Mercator Projection				4. GRID(S) STATE <u>Maine</u> ZONE <u>East</u> STATE <u></u> ZONE <u></u>			
5. SCALE 1:10,000							
III. HISTORY OF OFFICE OPERATIONS							
OPERATIONS				NAME		DATE	
1. AEROTRIANGULATION BY				B. Thornton		Oct. 1984	
METHOD: <u>Analytic</u> LANDMARKS AND AIDS BY				B. Thornton		Oct. 1984	
2. CONTROL AND BRIDGE POINTS PLOTTED BY				B. Thornton		Oct. 1984	
METHOD: <u>Calcomp 718</u> CHECKED BY				D. Norman		Oct. 1984	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY				R. Kravitz		Dec. 1984	
COMPILATION CHECKED BY				W. McLemore		Dec. 1984	
INSTRUMENT: <u>Wild B-8</u> CONTOURS BY				N.A.			
SCALE: <u>1:10,000</u> CHECKED BY				N.A.			
4. MANUSCRIPT DELINEATION PLANIMETRY BY				R. Kravitz		Dec. 1984	
CHECKED BY				F. Mauldin		March 1985	
METHOD: <u>Smooth drafted</u> CONTOURS BY				N.A.			
CHECKED BY				N.A.			
SCALE: <u>1:10,000</u> HYDRO SUPPORT DATA BY				N.A.			
CHECKED BY				N.A.			
5. OFFICE INSPECTION PRIOR TO FINAL REVIEW FINAL REVIEW BY				F. Mauldin		March 1985	
BY				N.A.			
6. APPLICATION OF FIELD EDIT DATA CHECKED BY				N.A.			
7. COMPILATION SECTION REVIEW <u>CLASS III</u> BY				F. Mauldin		March 1985	
8. FINAL REVIEW <u>CLASS III</u> BY				J. Hancock		March 1985	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY				J. Hancock		April 1985	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY				P. Dempsey		Dec. 1985	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY				E. DAUGHERTY		FEB 1986	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-01208

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-10(C) (C=88.47mm)
Wild RC-10(B) (B=152.74mm)TYPES OF PHOTOGRAPHY
LEGEND

TIME REFERENCE

TIDE STAGE REFERENCE

- ☒ PREDICTED TIDES *
- ☐ REFERENCE STATION RECORDS
- ☒ TIDE CONTROLLED PHOTOGRAPHY **

- (C) COLOR
- (P) PANCHROMATIC
- (I) INFRARED

ZONE

Eastern

☒ STANDARD

MERIDIAN

75th

☐ DAYLIGHT

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
83 C(C) 9293 - 9296*	9-23-83	09:36	1:30,000	3.8 feet below MHW
83 C(C) 9273 - 9277*	9-23-83	09:15	1:30,000	5.5 feet below MHW
83 C(I) 0524 - 0527**	10-31-93	12:45	1:30,000	0.5 feet above MLW
83 B(I) 6857 - 6858**	10-11-83	09:17	1:30,000	2.6 feet above MLW
83 B(I) 6767 - 6771**	10-10-83	12:53	1:30,000	0.8 feet above MHW
83 B(I) 6786 - 6792**	10-10-83	13:25	1:30,000	1.1 feet above MHW
Mean Tide Range=18.2 ft.				

REMARKS *Compilation/bridging photographs based on predicted tide data. **Tide coordinated MHW and MLW photographs based on actual tide data.
All photographs are referenced to the tide gage at Eastport, Maine.

2. SOURCE OF MEAN HIGH-WATER LINE:

The Mean High Water Line was compiled from office interpretation of the compilation/bridging color photographs using stereo instrument methods. The black-and-white infrared MHW contact photographs were used to assist in the interpretation of the mean high water line.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

The Mean Low Water Line was compiled graphically from the black-and-white tide coordinated infrared ratio photographs.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH (scale	EAST	SOUTH (scale	WEST (scale
TP-01202 1:10,000)	No survey	TP-01204 1:20,000)	TP-01204 1:20,000)

REMARKS

This 1:10,000 scale inset map lies within TP-01204, scale 1:20,000.

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-01208

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION (PREMARKING) ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Tibbetts	Aug. 1983
2. HORIZONTAL CONTROL	RECOVERED BY P. Walbolt	Aug. 1983
	ESTABLISHED BY N.A.	
	PRE-MARKED OR IDENTIFIED BY R. Daniel	Aug. 1983
3. VERTICAL CONTROL	RECOVERED BY N.A.	
	ESTABLISHED BY N.A.	
	PRE-MARKED OR IDENTIFIED BY N.A.	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY N.A.	
	LOCATED (Field Methods) BY N.A.	
	IDENTIFIED BY N.A.	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY N.A.	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED
Premarked2. VERTICAL CONTROL IDENTIFIED
None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
83C(C) 9294	NEW BRUNSWICK DISK #2475, 1965		
83C(C) 9294	MATTHEWS, 1863		
	(Both stations paneled direct)		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

2 Forms 76-53; CSI Cards; Project data: 1 NOAA Form 76-77 and 1 NOAA Form 77-53 and 1 NOAA Form 76-52

NOAA FORM 76-36D
(3-72)

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-01208
RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete	March 1985	Class III manuscript	None	None
Final Review	March 1985	Final Class III map	5/29/85	4/23/85

II. LANDMARKS AND AIDS TO NAVIGATION**1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH**


PAGES FORMERLY	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
2		5/29/85	Landmarks and Aids

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____**III. FEDERAL RECORDS CENTER DATA**

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____**IV. SURVEY EDITIONS** (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-01208

This 1:10,000 scale final Class III shoreline inset map is one of 10 maps that comprise project CM-8300, Passamaquoddy Bay and Vicinity, Maine. The project consists of seven 1:20,000 scale maps (TP-01200 thru TP-01206) and three 1:10,000 scale inset maps (TP-01207 thru TP-01209). This project includes shoreline coverage of the American and Canadian territories; however, no attempt was made to compile the international boundary line.

The purpose of this map is to provide current charting information for nautical chart maintenance and to furnish support data for the Canadian hydrographic activity scheduled this (1985) spring.

This inset map portrays a portion of the Canadian shoreline in the eastern region of Passamaquoddy Bay featuring Letete Passage and Back Bay.

Field work prior to compilation consisted of the recovery, establishment and identification, by premarking methods, of horizontal control necessary for aerotriangulation. Also, the field party was responsible for assisting in obtaining the tide coordinated aerial photography. This activity was completed October 1983.

Photo coverage for the project was provided by 1:50,000 scale and 1:30,000 scale natural color and black-and-white tide coordinated photographs. The color photographs required for aerotriangulation and instrument compilation were taken with the Wild RC-10 (C) camera in September 1983. The MHW and MLW infrared photographs required for graphic compilation and interpretation assistance were taken September/October 1983 with the Wild-RC (C) and (B) cameras. All photographs used to produce this inset map were taken at 1:30,000 scale. The photography was adequate.

After the photographs were forwarded to compilation, a general evaluation of the mapping area was performed in the field by select AMC compilation personnel June 1984. This activity was conducted in order to assist in the photo interpretation process during compilation.

Analytic aerotriangulation was adequately provided by the Washington Science Center August 1984. This operation included ruling the base manuscripts, determining ratio values for the photographs and locating visible landmarks and navigational aids.

Compilation, based upon office interpretation of the 1:30,000 scale color photographs, was performed at the Coastal Mapping Unit, Atlantic Marine Center in March 1985. Compilation included the use of MHW and MLW tide coordinated infrared photographs. Refer to the Compilation Report for specific use of this photography.

Final review for this final Class III map was performed at the Atlantic Marine Center in March 1985. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch. A Notes to Hydrographer print and related support data were prepared to assist the Canadians in their hydrographic activity. While preparing the support data, a comparison was made with the common Canadian nautical charts in order to identify conflicts between the NOS charts and the map. Any significant conflicts were addressed on both the Charts Maintenance and Notes to Hydrographer prints.

The Descriptive Report for this final shoreline inset map contains all pertinent information used to produce this map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION (PREMARKING)

TP-01208

There was no complete field inspection prior to compilation. Field work accomplished was limited to the recovery and identification (premarking) of the horizontal control necessary for aerotriangulation, monitoring the Eastport tide gage to aid in obtaining tide coordinated infrared photography, and a cursory shoreline inspection.

PHOTOGRAMMETRIC PLOT REPORT

CM-8300

Passamaquoddy Bay, Maine

August 1984

21. Area Covered

This project covers the Passamaquoddy Bay area from Oak Bay and St. Croix River, down to the Grand Mann Channel. The area is covered by seven 1:20,000 scale sheets; TP-01200 to TP-01206, and three 1:10,000 scale sheets; TP-01207 to TP-01209.

22. Method

Six strips of 1:50,000 scale color photographs were bridged by analytical aerotriangulation methods and adjusted to ground as a block with the General Integrated Analytical Triangulation Program (GIANT). Nine pre-marked horizontal control stations were used in the adjustment. One premarked station in conjunction with office identified intersection stations were used as check points. The block contained 63 photographs.

Compilation points were dropped to eight strips of 1:30,000 scale color photographs. This photography is for the compilation of the 1:10,000 scale sheets.

Ratio values were determined for the bridging and compilation photographs and also for the MLW and MHW infrared photographs. A copy of the values is attached to this report.

The base sheets were plotted on the Calcomp 718 plotter using the Maine state plane coordinate system, East zone. This system is based on the Transverse Mercator projection.

23. Adequacy of Control

The control was adequate. The project meets the National Standards of Map Accuracy.

One premarked station, Table Top, 1866, would not fit in the adjustment. A copy of the fit to control is attached to this report.

24. Supplemental Data


USGS quadrangles were used to provide veritcal control for adjustments.

25. Photography

The coverage, overlap, and quality of the 1983C(C) photographs were adequate for the job.


The coverage of the 1983B(R) infrared photographs used for the MHW and MLW is insufficient for sheet TP-01209.

Submitted by:



Brian Thornton

Approved and Forwarded:



Don O. Norman
Chief, Aerotrangulation Unit

FIT TO CONTROL

△ = Control Held in Adjustment

STATION NAMES	POINT NO.	VALUES IN FEET	
		X	Y
△ New Brunswick Disk #2185	88100	1.0	0
△ Box 2, 1946 - Sub Point	66101	3.0	0
△ New Brunswick Disk #2236 - Sub Point	71101	-1.0	2.0
△ New Brunswick Disk #2517 - Sub Point	74101	-1.0	0
△ New Brunswick Disk #2475	39100	0	0.5
Matthews, 1863	38100	-2.0	-2.0
△ Rob IBC, 1946 - Sub Point	976101	1.0	-0.5
△ Hersey, 1887	98100	0	-0.6
△ Mill CHS, 1977	971100	0	-1.0
△ Larrabee IBC, 1913	969100	0	-0.5
Table Top, 1866	978100	26.0	12.0
Lubec Narrows			
Mulholland Pt. Lt.	100100	1.0	0
Lubec Standpipe, 1910	100167	-2.6	4.3
Redoubt Hill Tank, 1946	972111	+3.0	1.0
Range Mark 7, 1919	972146	1.0	1.7
Range Mark 9, 1919	972144	1.0	2.0
Range Mark 10, 1919	972145	2.4	2.3
Range Mark 5, 1919	972148	1.3	2.0
Range Mark 6, 1919	972147	2.5	0
Perry, White Church Spire, 1913	973143	-2.5	3.0
Life Saving Station, Lookout Twr. 1919	102147	8.0	1.0
West Quoddy Head Light, 1860	102148	1.5	-4.6
Range Mark 41, 1919	44164	0	3.0
Range Mark 44, 1919	44153	2.0	4.4
Lubec Channel Lt. House, Final 1893	44159	1.3	2.3
Lubec Church Spire, 1861	100156	1.0	2.5
Lubec Lower Church Spire, 1913	43147	1.8	1.8

Range Mark 39, Gunner 1919	44160	2.0	0
Range Mark 40, 1919	44150	-6.0	-2.0
Range Mark 45, 1919	44161	0	1.0
Range Mark 46, 1919	44149	3.0	-1.0
Lubec Narrows Lt.			
Mulholland Pt. Lt. 1910	44144	1.3	5.3
Range Mark 25, 1919	44143	1.0	1.1
Range Mark 33, 1919	44145	-1.0	2.0
Range Mark 35, 1919	44147	4.7	1.0
Range Mark 36, 1919	44146	-1.0	1.0
Range Mark 24, 1919	44141	-1.4	1.1
Range Mark 21, 1919	43145	0	1.3
Range Mark 22, 1919	43144	0	1.0
Range Mark 31, 1919	43146	-1.5	2.0
Range Mark 20, 1919	971142	1.4	0
Range Mark 30, 1919	971145	1.0	-0.7
Eastport Standpipe, 1910	971143	2.9	-0.5
Range Mark 8, 1919	972141	0	-1.0
Dog Island Light, 1946	972151	-2.0	0
Range Mark 13, 1919	972142	4.0	-2.7
Range Mark 14, 1919	972143	1.0	1.8
Marks Pt. Lighthouse, Final, 1909	57152	5.7	-3.3
Range Mark 1, 1919	976141	2.5	1.4
Minister Island, Tower, 1918	976143	0	1.5
Range Mark 3, 1919	973141	3.5	0.5
Leonardville Harbor Lt. House, 1918	41151	-1.6	-2.4
Range Mark 12, 1919	43142	0	1.2
Range Mark 15, 1919	43141	1.0	2.7
Range Mark 16, 1919	43143	1.5	2.0
Range Mark 47, 1919	44163	-4.1	6.5
Range Mark 48, 1919	44162	-3.6	-1.6
Mascabin Point Lighthouse, 1919	39151	-2.0	0.5
Range Mark 11, 1919	42141	-8.3	6.0

Ratio Values

MLW

83C(R) 0494-0499	Ratio 2.487
0503-0506	Ratio 2.496
9529-9534	Ratio 2.490
9537-9543	Ratio 2.489
9545-9549	Ratio 2.490
9556-9562	Ratio 2.490
9567-9570	Ratio 2.492
9580-9581	Ratio 2.494
9585-9587	Ratio 2.494
0510-0513	Ratio 1.508
0517-0520	Ratio 1.499
83B(R) 6842-6845	Ratio 1.482
6848-6850	Ratio 1.489
6855-6858	Ratio 1.491
83C(R) 0524-0528	Ratio 3.006

Ratio Values

MHW

83C(R) 9592-9597	Ratio 2.500
9630-9633	Ratio 2.507
9604-9609	Ratio 2.507
9612-9618	Ratio 2.517
9623-9626	Ratio 2.510
83B(R) 6820-6825	Ratio 2.494
6803-6806	Ratio 2.490
6812-6816	Ratio 2.497
83B(R) 6773-6776	Ratio 1.496
6781-6784	Ratio 1.495
83B(R) 6756-6759	Ratio 2.996
6761-6763	Ratio 2.989
6768-6770	Ratio 3.006
6788-6790	Ratio 2.996


Ratio Values
Bridging Strips

83C(C) 8969-8980	Ratio 2.542
8988-9002	Ratio 2.537
9048-9059	Ratio 2.523
9004-9009	Ratio 2.538
9066-9074	Ratio 2.541
9037-9045	Ratio 2.530


Compilation Photography

83C(C) 9264-9266	Ratio 3.030
9272-9278	Ratio 3.059
9292-9296	Ratio 3.046
9454-9457	Ratio 3.060
9089-9093	Ratio 3.050
9096-9100	Ratio 3.048
9112-9116	Ratio 3.021
9125-9129	Ratio 3.050

AEROTRIANGULATION SKETCH
PASSAMAQUODDY BAY
MAINE
CM-8300
1:50000 BRIDGING PHOTOGRAPHS
83C (C)



AEROTRIANGULATION SKETCH
 PASSAMAQUODDY BAY
 MAINE
 CM-8300
 1:30000 COMPILATION PHOTOGRAPHS
 83C (c)



AEROTRIANGULATION SKETCH


PASSAMAQUODDY BAY

MAINE

CM-8300

1:50 000 B. & W. INFRARED

MHW ■ 83C(R) • 83B(R)




AEROTRIANGULATION SKETCH

PASSAMAQUODDY BAY

MAINE

CM-8300

1:50 000 B. & W. INFRARED
MLW 83 C (R)




AEROTRIANGULATION SKETCH

PASSAMAQUODDY BAY

MAINE

CM-8300

1:30000 BLACK AND WHITE INFRARED PHOTOGRAPHS
MHW 83B (R)

AEROTRIANGULATION SKETCH


PASSAMAQUODDY BAY

MAINE

CM-8300

1:30000 BLACK AND WHITE INFRARED PHOTOGRAPHS

MLW • 83B(R) ■ 83C(R)



COMPILATION REPORT

TP-01208

31 - DELINEATION

Delineation was accomplished using stereo instrument and graphic compilation methods. Instrument compilation was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:30,000 compilation color photographs. Tide coordinated MHW infrared photographs were used to assist in interpretation of the shoreline delineation. Tide coordinated MLW infrared ratio photographs were used to graphically compile the approximate mean low water line. Control for graphic delineation was provided by the instrument compilation of coastal detail and common image points.

All photographs used to compile the map are listed on form 76-36B. The photography was adequate.

A partial shoreline inspection was performed prior to compilation. Resulting information was used as an aid to office interpretation of the compilation photography.

32 - CONTROL

The horizontal control was adequate. Refer to the Photogrammetric Plot Report dated August 1984.

33 - SUPPLEMENTAL DATA

A general comparison was made with the following Canadian Nautical Charts: 4111, 47th edition, dated November 19, 1982, scale 1:6,000; 4313, 13th edition, dated March 30, 1984, scale 1:23,900; and 4331, 27th edition, dated July 8, 1983, scale 1:40,640.

34 - CONTOURS AND DRAINAGE

Contours are not applicable to the project. Drainage was compiled by office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The mean high water line was compiled from office interpretation of the compilation color photographs. The tide coordinated infrared contact photographs were used to assist in interpretation. No MHW infrared ratio photographs were provided.

36 - OFFSHORE DETAILS

Offshore details were compiled by instrument methods as described in Item #31. Both the 1:30,000 scale MHW and MLW infrared photographs were used to assist in interpretation.

TP-01208

37 - LANDMARKS AND AIDS

There are 3 charted landmarks and 13 charted navigational aids within the mapping limits of this manuscript. Among these, 1 landmark and 6 aids were either located or verified photogrammetrically.

Appropriate information was prepared on the 76-40 forms and submitted with this map.

38 - CONTROL FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5 of the Descriptive Report.

40 - HORIZONTAL AND VERTICAL ACCURACY

See item #32.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S. and Canadian quadrangles: Fredericton, N.B., Can.-Maine, U.S., dated 1957, scale 1:250,000; and St. George 21G/2, 3rd edition, scale 1:50,000, dated 1980.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following NOS Chart: 13328, 20th edition, dated September 15, 1984, scale 1:40,000.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY


None.

ITEMS TO BE CARRIED FORWARD

None.


Tp-01208

Submitted by,



Robert R. Kravitz
Cartographic Technician
December 1984

Approved,



James L. Byrd, Jr.
Chief, Coastal Mapping Unit

GEOGRAPHIC NAMES

FINAL NAME SHEET


CM-8300 (Passamaquoddy Bay, Maine)

TP-01208

Adam Island
 Back Bay
 Back Bay (Ppl)
 Back Bay Harbour
 Bar Island
 Barnes Island
 Bay of Fundy
 Beans Island
 Birch Cove
 Bliss Harbour
 Bliss Island
 Bliss Island Point
 Boat Rock
 Bobby Cooks Point
 Browns Cove
~~Catherine Cove~~ (Catherin. Cove) *gch*
 Chattys Point
 Cooks Island
 Crow Island (1)
 Crow Island (2)
 Douglas Island
 Eagle Island
 Fisherman Cove
 Fish Harbour
 Fish Island
 Flea Island
 Fox Island
 Frye Island
 Grass Point
 Greens Cove
 Greens Point
 Haddock Ledge
 Hardwood Island
 Hinds Bay
 Hog Island
 Holmes Creek
 Howards Island
 Hoyt Island
 Hoyt Nub

Jameson Island
 Kellys Cove
 Letete
 Letete Harbour
 Letete Passage
 Lighthouse Cove
 Little Letete Passage
 McGraws Island
 Mackerel Rock
 McMaster Island
 MacNichols Cove
 Macs Head
 Man of War Island
 Matthews Cove
 Mill Cove
 Mink Island
 Mohawk Island
 Morans Island
 Morgan Ledge
 Mowat Island
 Nub Island
 Parker Island
 Parker Ledge
 Partridge Island
 Passamaquoddy Bay
 Pintlowes Cove
 Pomeroy Ledge
 Ship Harbour
 Ship Harbour Head
 Simpsons Island
 Splitting Knife Ledge
 Spragues Cove
 Spruce Island
 The Narrows
 Thumb Island
 Tuckers Point
 White Head Island
 Yellow Rock

Approved by:



Charles E. Harrington
 Chief Geographer
 Nautical Charting Division

REVIEW REPORT TP-01208
SHORELINE

61. GENERAL STATEMENT

Final review for this final Class III map was accomplished at the Atlantic Marine Center in March 1985. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following U.S. Geological Survey and Canadian Quadrangles: Fredericton, N.B., Can., Maine, U.S., dated 1957, 1:250,000 scale; and St. George, N.B. 21G/2, 3rd edition, dated 1980, 1:50,000 scale.

A comparison was made with the following Canadian Hydrographic Service Charts: #4111, 47th edition, dated November 19, 1982, scale 1:6,000; #4313, 13th edition, dated March 30, 1984, scale 1:23,900; and #4331, 27th edition, dated July 8, 1983, scale 1:40,640.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Prior to final review, no contemporary hydrographic survey was accomplished in the area common to this map.

Hydrographic survey data was prepared and submitted for the anticipated Canadian hydrographic operations.

65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the NOS Chart 13328, 20th edition, dated September 15, 1984, scale 1:40,000.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Jerry L. Hancock

Jerry L. Hancock
Final Reviewer


TP-01208

Approved for forwarding,



Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved,



Chief, Photogrammetric Section, Rockville

Approved,



Chief, Photogrammetry Branch, Rockville

[illegible]

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	Robert Kravitz
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>OFFICE</p> <p>I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75</p> <p>FIELD</p> <p>I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection</p> <p>A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75</p> <p>*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.</p> </div> <div style="width: 45%;"> <p>FIELD (Cont'd)</p> <p>B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982</p> <p>II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75</p> <p>III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75</p> <p>**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.</p> </div> </div>	
<p>INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64,</p>	
<p>ORIGINATOR</p> <p><input type="checkbox"/> PHOTO FIELD PARTY</p> <p><input type="checkbox"/> HYDROGRAPHIC PARTY</p> <p><input type="checkbox"/> GEODETIC PARTY</p> <p><input type="checkbox"/> OTHER (Specify)</p> <p>FIELD ACTIVITY REPRESENTATIVE</p> <p>OFFICE ACTIVITY REPRESENTATIVE</p> <p><input type="checkbox"/> REVIEWER</p> <p><input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE</p>	

Replaces C&GS Form 567.

NONFLOATING AIDS OR FLYING MARKS FOR CHARTS

**U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION**

ORIGINATING ACTIVITY

- ☐ HYDROGRAPHIC PARTY
☐ GEODETIC PARTY
☐ PHOTO FIELD PARTY
☒ COMPILATION ACTIVITY
☐ FINAL REVIEWER
☐ QUALITY CONTROL & REVIEW GRP.
☐ COAST PILOT BRANCH

(See reverse for responsible personnel)

DATE _____

Dec. 1984

LOCALITY

Passamaquoddy Bay

STATE

Maine

REPORTING UNIT

(Field Party, Ship or Office)
Coastal Mapping Unit.

Maine

been inspected from sec

TP-01208

CM-8300

METHOD AND DATE OF LOCATION
(See instructions on reverse side)

—

—

31 MAY 73

31 MAY 73

DESCRIPTION
Record reason for deletion of landmark or aid to navigation.

Bliss Islands Light
(Bliss Island Lighthouse, 1918)

North end of Jameson I

Morgan Ledge Light

Letite Passage Light
(Mascabin Point Lighthouse, 1918)

Letite Light

Letite Harbour Light ✓

*Positioned by Aerotriangulation

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	Robert Kravitz
<p>INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'</p> <p>(Consult Photogrammetric Instructions No. 64)</p>	
<p>OFFICE</p> <p>I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75</p> <p>FIELD</p> <p>I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection</p> <p>5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant</p> <p>A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75</p> <p>*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.</p>	<p>FIELD (Cont'd)</p> <p>B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982</p> <p>II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75</p> <p>III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75</p> <p>**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.</p>

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]