NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

THIS MAP EDITION WILL NOT BE FIELD EDITED

THIS MAI DETIION WIND NOT BE TIE	DO COLLED
Map No.	Edition No.
TP-01238	1
Job No.	
СМ-8303	
Map Classification	
CLASS III FINAL	
Type of Survey	
SHORELINE	
LOCALIT	Y
State	
SOUTH CAROLINA	
General Locality	
LITTLE RIVER INLET TO BULLS	BAY
Locality	
SÚRFSIDE BEACH	
	 }
1984 TO 19)
REGISTERED IN A	KCHIVE?
DATE	

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP
	🖸 ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final III
	REVISED	JOB РАХ СМ -8303
PHOTOGRAMMETRIC OFFICE	- LAST DESCRE	
COASTAL MAPPING UNIT, Atlantic Marine Center	LAST PRECEEDI	
Norfolk, VA	TYPE OF SURVEY	JOB PH-
OFFICER-IN-CHARGE	☐ RESURVEY	SURVEY DATES:
C. Dale North, Jr., CDR	☐ REVISED	19TO 19
		· · · · · · · · · · · · · · · · · · ·
I. INSTRUCTIONS DATED	·	
1. OFFICE	2. 5	FIELD
Aerotriangulation - None	Control - November	22, 1983
Compilation - November 8, 1988		
·	·	
II. DATUMS	OTHER (Specify)	
1. HORIZONTAL: E 1927 NORTH AMERICAN	OTHER (Specity)	
MEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL:		
MEAN LOWER LOW-WATER		
3. MAP PROJECTION	4.6	DIDICI
Lambert Conformal Conic Projection	STATE	RID(S)
	South Carolina	South
5. SCALE	STATE	ZONE
1:10,000		
III. HISTORY OF OFFICE OPERATIONS	·	
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY	B. Thornton B. Thornton	Oct 1987 Oct 1987
METHOD: Analytic LANDMARKS AND AIDS BY	B. Thornton	Oct 1987
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Kongsberg Plotter CHECKED BY	D. Norman	Oct 1987
	P. Evans	Nov 1988
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	F. Mauldin	Nov 1988
INSTRUMENT: Wild B-8 CONTOURS BY	NA	
SCALE: 1:10,000 CHECKED BY	NA	
4. MANUSCRIPT DELINEATION PLANIMETRY SY	P. Evans	Nov 1988
CHECKED BY	F. Mauldin	Dec 1988
метнор: smooth drafted contours by	NA	
CHECKED BY	NA D. E-D-5	Dec 1988
SCALE: 1:10,000 HYDRO SUPPORT DATA BY	P. Evans F. Mauldin	Dec 1988
THECKED BY 5. OFFICE INSPECTION PRIOR TO XIXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	F. Mauldin	Dec 1988
5. OFFICE INSPECTION PRIOR TO APPAGAZEMALITICAL TEVIEWBY	NA	200 1300
6, APPLICATION OF FIELD EDIT DATA CHECKED BY	NA	
7. COMPILATION SECTION REVIEW Class III BY	FloMauldinor, Ur.	Dec 1988
8. FINAL REVIEW ClassiII BY	L.O. Neterer, Jr.	Aug 1989
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	L.O. Neterer, Jr.	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	Ro Dampsey	DAC, 1959
11, MAP REGISTERED - COASTAL SURVEY SECTION NOAA FORM 76-38A SUPERSEDES FORM C& GS 181 SERIES	J. Sliper	Dac. 1989

TP -01238

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY


				APILATIO	N 200	RCES				
1. COMPILATION PH										
CAMERA(S) Wild RO Wild Ro	C10(Z) (B=152 Z=153	.74 mm) .15 mm)	TYPE	S OF PH LEGI	OTOGRAPHY END		TIMI	E REFER	ENCE
TIDE STAGE REFERE	NCE			(¢) ¢o	LOR		zone East	ern	<u>=</u>	X STANDARD
X PREDICTED TIDE REFERENCE STA		ROS .		1	NCHROM	ATIC	MERID			1
TIDE CONTRIBE		RAPHY		(I) IN 8	FRARED		75°			DAYLIGHT
NUMBER AND			DATE	TIMI	E	SCALE		\$T	AGE OF T	IDE
*84Z(p)1237-1 **84Z(R)1598-1 **84B(R)9178-1	1600	03	-18-84 -01-84 -31-84	1126 1220 0729	:	1:30,000 1:30,000 1:30,000	o o.	l ft	above below above	MLLW
							Me	an T:	ide Rai	nge: 5.1 ft
	-	-	-			icted tide		-		
**Tide coordi										are ref
erenced to the	<u>e tide s</u> HHIGH-WAT	tation ER LINE:	n Sprinom	aid Pie	r. Myı	rtle Beach	. South	Caro	olina.	
The Mean High compilation ph infrared conta Mean High Wate	notograp act phot	hs usi ograph	ing stere	o instr	ument	methods.	The bl	ack a	and whi	ite
3. SOURCE OF MEAN	I LOW-WATE	R OR ME	AN LOWER LO	OW-WATER	LINE:					
The Mean Lower black and whit						nically fr	com the	above	e liste	ed
4. CONTEMPORARY	HYDROGRA	PHIC SUF	RVEYS (List o	only those s	urveys th	at Are sources (for photogran	nmetric	survey inf	ormation.)
SURVEY NUMBER	DATE(S)		SURVEY CO	PY USED	SURVE	Y NUMBER	DATE(S)		SURVEY	COPY USED
5. FINAL JUNCTION	5				,					
NORTH TP-01235		EAST TF	~01237		SOUTH	survey		WEST TP-C	1236 1	.:20,000
REMARKS		L		_	<u>L</u>			L		
										{

(3-72)	TP-0123	8	IC AND ATMOSPHERIC	INT OF COMMERCE C ADMINISTRATION AL OCEAN SURVEY
I. 区 FIELD MARAGANON OPE	RATION FIEL	D EDIT OPERATION	<u> </u>	
O.P.	PERATION	N/	AME	DATE
1. CHIEF OF FIELD PARTY		P. Walbolt		Apr 1984
	RECOVERED BY	NA NA	•	ADI 1504
2. HORIZONTAL CONTROL	ESTABLISHED BY	NA	,	
	PRE-MARKED OR IDENTIFIED BY	NA		
	RECOVERED BY	NA		
3. VERTICAL CONTROL	ESTABLISHED BY	NA		
	PRE-MARKED OR IDENTIFIED BY	NA		
R	ECOVERED (Triangulation Stations) BY	NA		
4. LANDMARKS AND	LOCATED (Field Methods) BY	NA		
AIDS TO NAVIGATION	IDENTIFIED BY	NA NA		
	TYPE OF INVESTIGATION			
5. GEOGRAPHIC NAMES	COMPLETE			
INVESTIGATION	SPECIFIC NAMES ONLY			
	NO INVESTIGATION	_		
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	NA		
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA		
II. SOURCE DATA				
1. HORIZONTAL CONTROL IDE	NTIFIED	2. VERTICAL CONT	ROL IDENTIFIED	
None		None	e ·	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DES	I GNA TION
3. PHOTO NUMBERS (Clarificat. None 4. LANDMARKS AND AIDS TO N None	·			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME
5. GEOGRAPHIC NAMES:	REPORT X NONE	6. BOUNDARY AND	LIMITS: REPOR	₹Т [Х] номе
7. SUPPLEMENTAL MAPS AND None	PLANS		,	
	etch books, etc. DO NOT list data submit	ted to the Geodesy Di-	(sion)	
None	out outse, etc. DO NOT list data submit	ive to me Geogesy Div.	, ,	

NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP -01238 RECORD OF SURVEY USE

	,		RECOI	RD OF SURVE	Y USE					
I. MANUSCRI	PT COPIES									
	со	MPIL	TION STAGE	s			DATEM	ANUSCRI	PT FORWARD	ED
DA	TA COMPILED	L	DATE	RE	MARKS		MARINE	CHARTS	HYDRO SUPE	PORT
Compila	ation Complete	D.	ec 1988	Class III	Manuecki	n+			i	
		<u> </u>		Cluss 111	Panuscri	<u></u>			<u> </u>	
Final F	de view	Aı	ıg 1989	Final Clas	s III Ma	q	Dec 1	789	Dec. 198	2
				,						
II. LANDMAI	RKS AND AIDS TO NAVIGA	TION								
1. REPOR	ITS TO MARINE CHART DI	VISIO	N, NAUTICAL	DATA BRANCH					<u> </u>	
NUMBER	CHART LETTER NUMBER ASSIGNED	FC	DATE RWARDED			REMA	ARKS			
1		De	c. 1989	Cartograph	ic Featu	res o	f Char	ting I	nterest	
į			·							
							<u></u>			
			<u> </u>							
	PORT TO MARINE CHART							YARDED:		_
										_
11. FEDERAL RECORDS CENTER DATA 1. BRIDGING PHOTOGRAPHS; DUPLICATE BRIDGING REPORT; COMPUTER READOUTS. 2. CONTROL STATION IDENTIFICATION CARDS; FORM NOS 567 SUBMITTED BY FIELD PARTIES. 3. SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.										
	COUNT FOR EXCEPTION									
	ATA TO FEDERAL RECOR								<u>. </u>	
IV. SURVEY	EDITIONS (This section s	hall b	e completed ea		o edition is re		TYPE OF	SUBVEY		∤
SECOND	TP	(2)	PH			REV			URVEY	- 1
EDITION	DATE OF PHOTOGRAPH	iY	DATE OF FI	ELD EDIT	<i>n</i> .	□ ##.	MAP C	LA55 □ v.	FINAL	Í
	SURVEY NUMBER		JOB NUMBER				TYPE OF			╼┪
THIRD	TP	(3)	Рн	· · · · · · · · · · · · · · · · · · ·		REV	ISED	RES	URVEY	- /
EDITION	DATE OF PHOTOGRAPH	IY	DATE OF FI	ELD EDIT	_n.	□m.	MAP C □IV.	LASS □v.	FINAL	
	SURVEY NUMBER		JOS NUMBER		 -		YPE OF	SURVEY		
FOURTH		. (4)	PH			REV	/ISED	RES	ŪRVĖY	ļ
EDITION	DATE OF PHOTOGRAPH	IY	DATE OF FI	ELD EDIT	П.,	п	MAP C		Пень	İ



Commerces Sens + 1457 500

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-01237

This 1:10,000 scale map is one of fifteen maps in project CM-8303, which extends from Little River Inlet to Bulls Bay, South Carolina. The project extends from latitude 32 59' 00" north to latitude 33 56' 00" and longitude 78 30' 00" west to longitude 79 40' 00".

Field work prior to compilation was accomplished during January and February 1984. It consisted of premarking horizontal control stations to satisfy aerotriangulation requirements.

Photographic coverage was provided in February 1984 using panchromatic film with the "Z" camera (focal length 153.15 millimeters). Black and white infrared photography was acquired in February and March 1984 using the "Z" camera and "B" camera (focal length 152.74 millimeters).

Analytic aerotriangulation was performed at the Washington Science Center in October 1987.

Compilation was performed at the Atlantic Marine Center in December 1988 by office interpretation of the panchromatic and the black and white infrared mean high water and mean lower low water photography.

Final Review was accomplished at the Atlantic Marine Center in August 1989. A Chart Maintenance Print for the Marine Chart Branch and Notes to the Hydrographer Print for the Hydrographic Branch were prepared and forwarded to the Washington Science Center for registration.

This map is to be registered as a Class III, Final Map. The original base manuscript and all pertinent data were forwarded to the Washington Science Center for final registration.

AEROTRIANGULATION REPORT CM-8303 LITTLE RIVER INLET TO BULLS BAY, SOUTH CAROLINA

OCTOBER 1987

21. AREA COVERED

This shoreline mapping project covers the area from Little River Inlet down to Bulls Bay, South Carolina. There are ten sheets at 1:20,000 scale and five sheets at 1:10,000 scale. The sheets are numbered consecutively TP-01231 to TP-01245.

22. METHOD

This project, which consists of five strips of 1:40,000-scale panchromatic photographs: 84Z(P) 889 to 908, 84Z(P) 1421 to 1451, 84Z(P) 1387 to 1405,84Z(P) 1051 to 1067, 84Z(P) 1192 to 1201, was bridged by analytical aerotriangulation methods and adjusted to ground as a block with the General Intergrated Analytical Triangulation Program (GIANT), using premarked paneled control. Office identified intersection stations were used as checks.

Two strips of 1:30,000-scale photographs: 84Z(P) 1216 to 1224, 84Z(P) 1229 to 1240, were pugged with compilation points for use in compiling the 1:10,000-scale sheets in the project.

Tie points were used to ensure adequate junctions of all strips and were used as supplemental control.

Ratio values were determined for the bridging photographs and the tide-coordinated black-and-white infrared photographs. copy of the ratio values is included in this report.

Base manuscripts were plotted on the Kongsberg plotter in the South Carolina State Plane Coordinate System (South Zone). This is based on the Lambert conformal conic projection. The datum is NAD 27. Two each of the fifteen base manuscripts have been ruled as per Aerotriangulation Instructions.

23. ADEQUACY OF CONTROL

The control for this project is adequate. A listing of closures to control is attached. The project meets NOS requirements for horizontal accuracy.

24. SUPPLEMENTAL DATA

USGS topographic quadrangles were used to obtain vertical control for bridging.

PHOTOGRAPHY

The coverage, overlap, and quality of the photographs were adequate for the job.

Submitted by,

Brian Thornton

Approved and Forwarded:

Don O. Norman Chief, Aerotriangulation Unit

Don O. Norman


FIT TO CONTROL ALL POINTS HELD IN ADJUSTMENT


		Values	in Feet
Station Name	Point No.	X	<u>Y</u>
Sauce Rm4,1934 Sub Pt.A	889101	+0.1	-0.4
Fire,1934 Sub Pt.A	897101	+0.1	0
Myrtle Beach Radio Sta.WYMB Mast,1962	903100	_y -0.2	+0.7
Enterprise, 1934 Sub Pt.A	908101	+0.2	-0.8
Planter,1932 Sub Pt.A	OFF PHOTO	GRAPHY	
H3-SC-79 Sub Pt.	440101	-0.6	+0.3
Inlet,1934 Sub Pt.A	63101	+0.5	-0.2
Wood, (USE) 1934 Sub Pt.A	434101	+0.2	+0.1
Wedge, 1934 Sub Pt. A	430101	+0.5	-0.2
McClellan Rm.5, 1965 Sub Pt.A	427101	-0.3	+0.4
Mitchell 2, 1976 Sub Pt.A	421101	-0.1	+0.2
Little River, 1932 Sub Pt.A	895101	-0.1	+0.1
Reive, 1934 Sub Pt.A	391101	0	+0.1
Campfield 2,1965 Sub Pt.A	394101	0	-0.1
Georgetown, 1932 Rm.1 Sub Pt.A	398101	-0.2	+0.2
Dyke, 1934 Sub Pt.A	192101	+0.3	-0.3
Crow, 1933 Sub Pt.A	196101	-0.8	+0.3
Devil, 1934	201100	+0.4	-0.4
Little River, 1932 Sub Pt.B	895102	-0.2	+0.4


RATIO VALUES


1:40,000-scale b	oridaina	photographs:
------------------	----------	--------------


1:40,000-scale bridging photographs:		
84Z(P) 889 to 908 1387 to 1405 1421 to 1451 1051 to 1067 1192 to 1201	Ratio Ratio Ratio Ratio Ratio	2.027 2.019 2.048
1:40,000-scale non bridging photographs:		
84Z(P) 1175 to 1185	Ratio	2.046
1:30,000-scale MHW infrared photographs:		
84B(R) 9166 to 9183	Ratio	3.000
1:40,000-scale MHW infrared photographs:		
84B(R) 9145 to 9164 84B(R) 9145 to 9155 (1:10,000) 84B(R) 9048 to 9084 84Z(R) 1651 to 1666 84Z(R) 1668 to 1674 84B(R) 9096 to 9106 84B(R) 9199 to 9210 84B(R) 9185 to 9197 FRAME 84B(R) 9195	Ratio Ratio Ratio Ratio Ratio Ratio Ratio Ratio	3.952 1.990 2.024 2.022 1.972 2.005 2.004
1:30,000-scale MLW infrared photographs:		
84Z(R) 1587 to 1603	Ratio	2.966
1:40,000-scale MLLW infrared photographs	:	
84B(R) 9086 to 9094 84Z(R) 1638 to 1649 84Z(R) 1304 to 1322 84Z(R) 1605 to 1617	Ratio Ratio Ratio Ratio Ratio	4.062 2.038 2.049 2.009 2.040
84Z(R) 1324 to 1341	Ratio	2.042














NOAA FORM 76-41 (6-75)	 	DESCRIPTIV	DESCRIPTIVE BEROOT CONTROL BECOME	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	PARTMENT OF COMMERCE
MAP NO.	JOB NO.		GEODETIC DATUM	ORIGINATING ACTIVITY	
TP-01238	CM-8303		NA 1927		Unit, Norfolk, VA
STATION NAME	SOURCE OF	AEROTRI-	COORDINATES IN FEET STATE SOUTH CAROLINA	GEOGRAPHIC POSITION	REMARKS
	(Index)	NUMBER		A LONGITUDE	
			χε	Ф	
None			η.	Y	
			±χ	ф	
		!	-ĥ	γ	
			χ=	φ	
			ye.	Y	
			Хз	φ	
			nh	γ	
			χ=	ф	
			=ħ	γ	
			≠X	ф	
			=fi	У	
			÷χ	φ	
			<i>≈f</i> 1	γ	
			≄χ	φ	
			zħ	γ	
			- χ	ф	
; ;		•	⇒ħ	γ	
			<i>⇒</i> χ	ф	
·			æfi	۲	
COMPUTED BY		DATE	COMPUTATION CHECKED BY	0	DATE
LISTED BY P. L. Evans		DATE 12.8-88	LISTING CHECKED BY F. Mauldin	/0	DATE 12-15-88
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY	, a	DATE
		SUPERSFDES N	SUPERSFDES NOAA FORM 76-41 7-71 ED TION WHICH	die Grade F	

COMPILATION REPORT

TP-01238

31. DELINEATION:

Delineation was accomplished using Wild B-8 stereo instrument and graphic compilation methods. Instrument and graphic compilation were used to delineate shoreline, alongshore, and interior detail based upon office interpretation of the 1:30,000 scale compilation panchromatic photographs and the tide coordinated mean high water infrared contact photographs.

Tide coordinated mean lower low water infrared ratio photographs were used to graphically compile the approximate mean lower low water line. Control for all graphic delineation was provided by instrument compilation of coastal detail and common image points.

All photographs used to compile this map are listed on NOAA form 76-36B. The photography was adequate.

32. CONTROL:

The horizontal control was adequate. Refer to the Aerotriangulation Report, dated October 1987.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are not applicable to this project. Drainage was compiled from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high water line was compiled from office interpretation of the 1:30,000 scale compilation panchromatic photographs and was complimented by the tide coordinated mean high water infrared contact photographs. There were no mean high water infrared ratio photographs available for this map.

36. OFFSHORE DETAILS:

Offshore detail was compiled by instrument methods using the 1:30,000 scale compilation panchromatic photographs.

The tide coordinated mean lower low water infrared ratio photographs were used to compile the approximate mean lower low water line as described in item #31.

37. LANDMARKS AND AIDS:

Within the limits of this map, one charted landmark and none of the charted aids to navigation were located/verified photogrammetrically.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

Refer to the Data Record Form 76-36B, item 5, of the Descriptive Report.

40. HORIZONTAL AND VERTICAL ACCURACY:

See item #32.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with the following U.S. Geological Survey Quadrangle:

Myrtle Beach, South Carolina; dated 1937; scale 1:62,500

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following National Ocean Service charts:

11009; 31st edition; dated August 9, 1986; scale 1:1,200,000

11520; 29th edition; dated February 8, 1986; scale 1:432,720

11534; 23rd edition; dated January 9, 1988; scale 1:40,000

11535; 10th edition; dated April 9, 1988; scale 1:80,000

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Paul L. Evans, Jr.

Cartographic Technician

December 8, 1988

Approved:

James L. Byrd, Jr. Chief, Coastal Mapping Unit

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-8303 (Little River Inlet to Bulls Bay, SC)

TP-01238

Atlantic Ocean Dogwood Lake Floral Lake Garden City Beach (locale) Long Bay Ocean Lakes (locale) Surfside Beach (locale)

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division Charting and Geodetic Services

REVIEW REPORT SHORELINE

TP-01237

61. GENERAL STATEMENT:

See Summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A comparison was made with the following USGS quadrangle:

MYRTLE BEACH, SOUTH CAROLINA, dated 1937, scale 1:62,500

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

There are no contemporary hydrographic surveys within the limits of this map.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following National Ocean Service charts:

11009, 31st edition, dated August 9, 1986, scale 1:1,200,000

11520, 30th edition, dated November 19, 1988, scale 1:432,720

11534, 23rd edition dated January 9, 1988, scale 1:40,000

11535, 10th edition, dated April 9, 1988, scale 1:80,000

TP-01237

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Lowell O. Neterer, Jr.

Final Reviewer August 1989

Approved for Forwarding:

Boy N. Barne

Billy H. Barnes

Chief, Quality Assurance Group

Approved:

Chief, Photogrammetric Sect.

Solvet att. Rodling for Chief, Photogrammetry Br.

CARTOGRAPHIC FEATURES OF CHARTING INTEREST

Page 1 of 1

PROJECT: CM-8303

MAP NUMBER (Scale); Locality: TP-01238; (1:10,000) Little River Inlet

to Bulls Bay, SC

GEODETIC DATUM: N.A. 1927

Listing approved by: Vavel(N.

CHART AFFECTED: 11009, 11520, 11534, 11535

The following cartographic features have been identified as being of possible landmark value. These features have been identified and measured during photogrammetric operations. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for quality code (QC) criteria and clarification of cartographic codes (CC).

FEATURE DESCRIPTION	NCD CC	GEOGRAPHIC LATITUDE	POSITION -'~' LONGITUDE	NCD Q.C.	DATE OF LOCATION
TANK	086	33 36 48.5	78 58 42.2	4 ~	2-18-84
TANK	993	33_37_45.6	78 57 55.1	7 ~	2-18-84
TANK	993	33 36 07.9°	78 59 07.0	7	2-18-84
					
	-				
					
	<u>_</u> ,				
· .	0 1	1011 0			

HAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO	FILE WITH DESCRIPTIVE REPORT OF	SURVEY NO
---	---------------------------------	-----------

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARK\$
		`-	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
		·	Drawing No.
		·	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Deawing No.
			