PHOTOGRAMMETRY BRANCH COASTAL MAPPING PROGRAM PROJECT CM-8505 COMPLETION REPORT MAINE

WESTERN BAY TO FRENCHMAN BAY TP-01375, TP-01376, TP-01377, TP-01378, TP-01379, TP-01380, TP-00928

Agency Vault-Original Report

PHOTOGRAMMETRY BRANCH

. COASTAL MAPPING PROGRAM

PROJECT CM-8505

COMPLETION REPORT

MAINE

WESTERN BAY TO FRENCHMAN BAY

TP-01375, TP-01376, TP-01377, TP-01378, TP-01379, TP-01380, TP-00928

1986

UNITED STATES DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
COAST AND GEODETIC SURVEY
NAUTICAL CHARTING DIVISION

PHOTOGRAMMETRY BRANCH COASTAL MAPPING PROGRAM

PROJECT CM-8505 COMPLETION REPORT MAINE WESTERN BAY TO FRENCHMAN BAY

TP-01375, TP-01376, TP-01377, TP-01378, TP-01379, TP-01380, TP-00928

Clearance and Approval

This report summarizes the photogrammetric operations related to project completion and is submitted for approval. The maps, associated project data, and this report meet the requirements and standards of the National Ocean Service Coastal Mapping Program. Clearance for project registration is requested.

Submitted by

Fay T. Mauldin

Coastal Mapping Unit

Field Photogrammetry Section

May loker-

Approved

Commander Patrick L. Wehling, Jr., NOAA Chief, Field Photogrammetry Section

Captain Lewis A. Lapine, NOAA Chief, Photogrammetry Branch Nautical Charting Division

Coast and Geodetic Survey

COMPLETION REPORT COASTAL MAPPING PROGRAM PROJECT CM-8505 WESTERN BAY TO FRENCHMAN BAY

TABLE OF CONTENTS

Clearand	ce and Approval ii
Introduc	ction
	J
Field O	perations
	eld Survey
	otography
Aerotria	angulation
Compilat	zion
	eview
	nation of Data 4
FIGURES	
	Project Diagram 5
	Project Site Location Diagram
	Project Horizontal Control Placement
	Selected Bridging/Compilation Photographs 22
LISTING	
	Project Geodetic Control 7
1 DDDUBT.	
APPENDI	
	Project Field Instructions 9
В.	
	Aerotriangulation
Ď.	
Ε.	
	Cartographic Features of Charting Interest 39

COASTAL MAPPING PROGRAM PROJECT CM-8505 PROJECT SUMMARY

INTRODUCTION

Project CM-8505, Western Bay to Frenchman Bay, Maine, consists of five maps, TP-01375 through TP-01379, at a scale of 1:20,000 and two maps, TP-01380 and TP-00928, at a scale of 1:10,000.

All of the maps are based on North American Datum 1927 (NAD 27) depicted by the Transverse Mercator Projection. The base manuscripts were plotted on the Kongsburg plotter using the Maine State Plane Coordinate System, East Zone.

This project is located on the coast of Maine near Bar Harbor. It extends from the Western Bay area, longitude 67° 40.0' west to Frenchman Bay, longitude 68° 10.0'. In latitude, the project extends from 44° 19.5' north to latitude 44° 41.0'. Refer to the project location diagram and project diagram included in this report.

PLANNING

This project was planned in support of the Nautical Charting Program. It was determined that five maps at a scale of 1:20,000 and two maps at a scale of 1:10,000 were needed to meet the project requirements.

Planning also included the selection of fourteen premarked control stations in September 1986. These stations were used to control the color photography.

FIELD OPERATIONS

Refer to the Field Project Instructions included in Appendix A and the Field Report included in Appendix B of this report for control information.

The fourteen premarked control stations were used to control three strips of 1:50,000 scale color photography and two strips of 1:30,000 scale color photography. In addition, the stations were used to control four strips of supplemental color photography, two strips at 1:50,000 scale and two strips at 1:30,000 scale. All of the color photography was taken in September 1986 using the Wild RC-10B camera, serial number B-1777, with a calibrated focal length of 152.74 millimeters.

The stage of tide for the color photography was based on predicted tide data using Bar Harbor as the subordinate station and Portland

as the reference station.

Black and white infrared photography at 1:50,000 scale was also secured for this project in August and September 1986. Four strips were taken at mean high water and seven strips were taken at mean lower low water. For more information concerning the mean lower low water infrared photography, refer to the memorandum in Appendix G.

Four strips of black and white infrared photography were secured at 1:30,000 scale in September 1986. Two of these were flown at mean high water and two were flown at mean lower low water.

All of the infrared photography was acquired with either the Wild RC-10Z camera, serial number Z-1391, with a calibrated focal length of 153.15 millimeters or the Wild RC-10B camera discussed earlier in this report.

The stage of tide for all infrared photography was based on readings taken from the tide gage at Bar Harbor Wharf.

AEROTRIANGULATION

Refer to the Aerotriangulation Report in Appendix C of this report for the equipment used and the accuracy of the bridging operation.

COMPILATION

There were no Office Project Instructions issued for this project.

Compilation was performed by the Photogrammetric Field Section in Norfolk, Virginia, and was accomplished from December 1990 through September 1991. The Wild B-8 stereo instruments B8-2109 and B8-2125 were used to compile the maps by analog methods. Unique items and problems relating to each map are discussed in the Remarks section of the Map Compilation Sources Pages found in Appendix D.

Refer to the Map Compilation Sources Pages for the number, type, tide data and scale of the photographs used for each map.

The maps and descriptive notes were smooth-drafted. The project formats were applied with wax stickup. The selection of Geographic Names came from United States Geological Survey (USGS) quadrangles and National Ocean Service (NOS) charts. They were submitted to the Chief Geographer, were approved and are listed in Appendix E.

Ratioed prints made from the tide coordinated black and white mean high water infrared photographs were used to verify the mean high water line compiled in the Wild B-8 stereo instruments. Ratioed prints made from the tide coordinated mean lower low water infrared photographs were used to graphically compile the approximate mean lower low water line. In areas where the ledge symbol was used, high points were dropped in the B-8 stereo instrument where the compiler felt they were appropriate.

This project junctions to the west with CM-8501 which will be compiled at a future date. It junctions to the east with CM-8401. The mean lower low water line does not junction due to differences in interpretation and symbolization between the two projects.

One map, TP-00928, does not junction with the map to the north, TP-01377, due to a gap between the two maps. This gap extends from latitude 44° 25.0' north to latitude 44° 25.5'. The gap does not affect shoreline compilation.

FINAL REVIEW

Final review of this project was begun in July 1991 and was completed in January 1992.

A comparison was made between the maps and the following National Ocean Service charts:

CHART	EDITION	SCALE	DATE
13318	15	1:40,000	November 4, 1989
13322	8	1:10,000	July 21, 1990
13324	12	1:40,000	June 16, 1990

Significant differences were noted on Chart Maintenance Prints. An approximate mean high water line is charted at latitude 44° 26.0', longitude 68° 00.7' where Dike Brook joins Grand Marsh Bay. The mean high water line has been located photogrammetrically and should be applied to charts.

A listing of Cartographic Features of Charting Interest is included in this report in Appendix F.

DISSEMINATION OF DATA AND PRODUCTS

National Archives/Federal Records Center
Copy of the Project Completion Report
Brown Jacket contents, e.g. field data, Aerotriangulation


Agency Archives
The original Projection Completion Report
Registration copy of each map


Photogrammetric Electronic Data Library
Not applicable

Reproduction Branch Aeronautical Charting Division 8X reduction negative of each map

Mapping and Charting Branch Chart Maintenance Prints

Hydrographic Surveys Branch Notes to Hydrographer Prints





PROJECT LOCATION DIAGRAM

CM-8505

WESTERN BAY TO FRENCHMAN BAY

MAINE

PROJECT GEODETIC CONTROL LISTING

PROJECT: CM-8505

GEODETIC DATUM: North American Datum of 1927

The following geodetic control was recovered or established during photogrammetric operations. Data pertaining to stations is resident in the National Geodetic Survey Division (NGSD) Horizontal Control Databank.

Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for quality codes (QC) criteria.

GEODETIC COORDINATES ("-'-")

STATION	QUAD	<u>LATITUDE</u>	LONGITUDE	<u>QC</u>	DAY/YR
CROMER 2 RM3, 1970	440682	44 26 36.473	68 01 20.180	4	001/1970
ROCK, 1944	440682	44 21 07.216	68 08 24.164	3	001/1944
HATHAWAY, 1861	440682	44 22 31.657	68 01 44.236	3	001/1861
HOOD, 1944	440682	44 19 32.226	68 01 59.699	3	001/1944
DEAL, 1945	440673	44 25 07.987	67 51 25.806	3	001/1945
TIBB, 1985	440673	44 29 50.229	67 42 47.261	4	001/1985
KEL, 1913	440674	44 31 56.052	67 34 06.508	3	001/1913
DRAM, 1944	440682	44 28 03.315	68 11 18.073	3	001/1944
BUFF, 1945	440674	44 31 40.181	67 58 07.624	3	001/1945
LOOK, 1934	440674	44 35 28.526	67 44 07.462	3	001/1934
MIL, 1986	440674	44 31 53.152	67 51 38.443	4	001/1986
RYEFIELD, 1934	440674	44 36 44.729	67 36 27.329	3	001/1934
HOP, 1944	440682	44 24 41.986	68 09 22.195	3	001/1944
PIGEON, 1855	440673	44 27 18.160	67 53 24.122	3	001/1855

Remarks:

All geodetic survey operations were performed by the Office of Charting and Geodetic Services personnel in September 1986.

Listing approved by: Tay

Coastal Mapping Unit

March 27, 1992

Date

APPENDICES

APPENDIX A
PROJECT FIELD INSTRUCTIONS

....-

. _____



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL OCEAN SERVICE
OFFICE OF CHARTING AND GEODETIC SERVICES
ROCKVILLE, MARYLAND 20852

May 12, 1986

N/CG2313:JDM

Chief, Photogrammetry Branch Atlantic Marine Center

PROJECT INSTRUCTIONS: FIELD - Job CM-8505, Western Bay to Frenchman Bay, Maine, Shoreline Mapping

1.0. PURPOSE

These instructions provide specifications and a schedule for: (1) placing targets on horizontal control stations in advance of aerial photography and (2) furnishing field support to obtain tide-coordinated infrared aerial photography.

2.0. AREA

The area to be mapped is located between Western and Frenchman Bays, Maine. Shoreline mapping at 1:20,000 scale will cover the shoreline of Pleasant, Harrington, Dryer, Gouldsboro, and Flanders Bays, offshore islands, and adjacent waterways. Shoreline mapping at 1:10,000 scale will cover the shoreline of Winter Harbor and the adjacent area.

3.0. PHOTOGRAPHY

Aerotriangulation photography at 1:50,000 and 1:30,000 scales and supplemental bridging and compilation photography at 1:30,000 scale will be obtained using color film. Also, 1:50,000- and 1:30,000-scale black-and-white infrared photography, that is tide coordinated, will be obtained at mean high water and mean lower low water.

4.0. ASSIGNMENT

You are assigned all field operations required to: (1) place targets on horizontal control stations and (2) provide ground support needed to obtain tide-coordinated photography. The Chief, Air Photo Mission 2, will be responsible for scheduling photography at the required times, based on tide staff observations furnished by radio.



5.0. HORIZONTAL CONTROL

- 5.1. Horizontal control requirements for aerotriangulation have been furnished as part of the field data.
- 5.2. Limit recovery of horizontal control stations to those needed to meet aerotriangulation requirements. Prepare and submit recovery notes for each station for which a search was made.
- 5.3. New control stations, where needed, shall be established by triangulation, trilateration, traverse, satellite positioning, or a combination of the four methods, in accordance with Third-Order, Class I specifications provided in Standards and Specifications for Geodetic Control Networks, dated September 1984.
- 5.4. Notify the Chief, Coastal Planning Unit (N/CG2313), if recovery of existing control does not meet aerotriangulation requirements. An alternative will be selected, if possible, to avoid establishing new control.

6.0. PREMARKING OF CONTROL

- 6.1. As soon as possible after all control stations have been paneled, the field party will forward to the Rockville Office, Attention: N/CG2313, a chart section, quad, or any graphic depicting the station location, panel array used, and the panel number. This will assist in the film quality review and target identification and will help expedite the results to the field unit.
- 6.1.1. Wing panels will be used with all targets in accordance with established specifications but may be modified to conform with local terrain conditions.

6.2. Aerotriangulation Control

- 6.2.1. Panel each station selected to meet horizontal control requirements in accordance with specifications given on the attached sheet for 1:50,000-scale photography.
- 6.2.2. Use panel array No. 1 for targets with a normal background; it may be modified, as necessary, to conform with local terrain conditions. Any deviation from given panel and spacing dimensions should be indicated on the large-scale sketch on NOAA Form 76-53, Control Station Identification Card.
- 6.2.3. Panel array No. 3 shall be used in areas where the background offers poor contrast to the center panel, such as on sandy terrain.

- 6.2.4. The distance given for dimension "C" may be increased, but not decreased.
- 6.2.5. Panel substitute stations wherever shadows or relief displacement will obscure the home stations. Reference marks may be paneled in lieu of the main station, if a position can be determined for it.
- 6.2.6. In cases where the target might be subject to vandalism, select two photoidentifiable objects. Observe directions and distances to them from the home station and record with sketch and description on separate NOAA form 76-53.

7.0. CONTROL STATION IDENTIFICATION CARD

Prepare and submit a NOAA form 76-53 for each paneled station. Observe Photogrammetric Instruction No. 22, Revised September 30, 1965, except as follows:

- a. Record distances and directions in the usual manner to the center of the station panel of all targets used as substitutes for horizontal control stations.
- b. In the space provided for the sketch of Substitute Station A, make a large-scale sketch of the immediate vicinity showing the array used.
- c. In the space provided for a sketch of Substitute Station B, make a smaller scale sketch that shows the relationship of the target to the surrounding terrain. Include one or more salient features to assist office personnel in locating the target on the photographs.
- d. Indicate on suitable chart bases the approximate locations of all targets placed.

8.0. TIDE OBSERVATIONS AND RECORDS FOR TIDE-COORDINATED PHOTOGRAPHY

- 8.1. Tide-coordinated photography will be flown when the stage of tide is mean high water ±1.1 feet and mean lower low water ±1.1 feet.
- 8.2. The tide station at Bar Harbor will be in operation during the field phase of the project. Tidal datums and predictions for Bar Harbor and time differences over the project area will be furnished.
- 8.3. Periods when the tides are predicted to be in range for mean lower low water and for mean high water occur throughout the months of September and October.

8.4. Staff readings at Bar Harbor are required at 15-minute intervals during all tide-coordinated photographic flights. Use NOAA Form 77-53, Tides, to record staff observations.

9.0. LEVELING

Make a level connection to the tide staff from at least two tidal bench marks. Use NOAA Form 76-77, Leveling Record--Tide Station, to record leveling data.

10.0. SCHEDULE

All stations shall be premarked and ready for photography by September 15, 1986. If premarking is not completed by this date, inform the Chief, Coastal Planning Unit (N/CG2313), so that this information can be relayed to the air photo mission.

11.0. REPORT

A field operations report covering all pertinent field work performed is required upon completion of the field phase of this project. The report shall be accompanied by all field data observed and collected and will be forwarded to the Rockville Office, Attention: N/CG2314.

12.0. MODIFICATIONS OF INSTRUCTIONS

If changes in procedures and methods seem advisable, please make appropriate recommendations to this office.

13.0. COSTS

All costs incurred on this assignment shall be charged to Task 8K6C01.

14.0. RECEIPT

Receipt of these instructions shall be acknowledged.

Wesley V. Hull Director Atlantic Marine Center Marine Operations

J. Austin Yager/ Chief, Nautical Charting Division Charting and Geodetic Services APPENDIX B FIELD OPERATION REPORT

FIELD REPORT

1.0 PURPOSE :

In support of Instructions for Project CM-8505, Western Bay to Frenchman Bay, Maine, Shoreline Mapping, Dated May 12, 1986, place targets on horizontal control stations in advance of bridging and compilation aerial photography and furnish field support for tide-coordinated infrared aerial photography.

2.0 AREA :

Western Bay to Frenchman Bay, Maine.

3.0 PARTICIPATION :

3.1 Personnel

Party Chief	J.	Dunfo	rd
Assistants	J.	Koste	_
	Т.	Parker	-
	A.	Ebadi	Rad

3.2 Equipment

	4X4 Carryall Trucks 18 ft Monark Survey Launch		
2	MX 1502 Satellite Receivers	SN	669, 742
1	Wild T-2 Thedolite	SN	86328
1	EDM HP3810B	Sn	405
1	NI2 Level	SN	69222
3	MX 350 Radios		

4.0 FIELD ACTIVITY :

4.1 FIELD METHODS :

The MX 1502 Satellite Receivers were used to establish one horizontal control station. Short traverses, using solar azimuth and measured distances were used to establish substitute points where needed. Descriptions and recovery notes were submitted for all stations used.

4.2 CONTROL :

Horizontal Control used for this project was based on the North American Datum of 1927. Vertical Control was based on the North American Geodetic Vertical Datum of 1929.

4.3 DISCUSSION OF RESULTS :

Fifteen panels were put in place for aerial photography. Panels 1,3,5,6,8,9,10,11 and 12 were placed directly over their respective horizontal stations. Panel 4 was placed over RM 1, panel 7 over RM 3 and panel 11A over RM 2 of their respective horizontal control stations. Panel 13 was placed over station KEL Sub Point, a temporary mark that was established and used in 1985 on Project CM-8401. Panel 2 was placed over a temporary hub that was positioned by traverse using a solar azimuth and measured distance to the horizontal station. A photo point was positioned as an extra substitute station at this station. At panel 6 there was an extra panel put in place over a temporary hub which was positioned from the horizontal station using a solar azimuth and taped distance. Panel 11A was an extra paneled station for circle number 11. At panel 3 a new station was set and a position was established by satellite positioning methods.

All panels except number 8 were in place at the time photography was flown, panel 8 was found destroyed by high winds and surf breaking over rocks where it had been placed. The panel was replaced September 17 at 1000 hrs. This information was phoned to Mr. McNamara in Rockville and by radio to Air Photo Mission 2 who was in the area at the time flying the low water infrared photography. They reflew line 50-3 with the replacement target in place.

Level ties from five bench marks were made to the tide gage at Bar Harbor before and after all photography was flown. A difference of 1.35 ft. was found at Bench Mark No. 11. This was phoned to Mr. Gilden of the Atlantic Operations Group. He made a check on this and found an error in the office computation of the published elevation for BM # 11. Our levels verified the corrected data. The published elevation of the tide gage is correct.

5.0 SCHEDULE :

The Party departed Norfolk, VA. to begin field work on September 2, 1986. The project was completed and personnel returned to Norfolk, VA. on September 29, 1986.

4.0 STATISTICS :

Number	of	stations	paneled	14
Number	ρf	stations	recovered	22
Number	۵f	stations	established	1
Number	οf	stations	level connection made to	5

7.0 RECORDS :

All original field data with the exception of the descriptions and recovery notes are being forwarded to Rockville N/CG2314. The original descriptions and recovery notes will be processed in the MTEN Format to go into the National Geodetic Service Data Base. A copy of all field data will be kept in the Coastal Survey Section, MOA 2222.

October 9, 1986

Submitted by,

James E. Dunford

Wig, 054

Chief, Coastal Surveys

APPENDIX C
AEROTRIANGULATION REPORT

AEROTRIANGULATION REPORT CM-8505 WESTERN BAY TO FRENCHMAN BAY, MAINE

JANUARY 1988

21. AREA COVERED

This report covers the area between Western Bay and Frenchman Bay, Maine. The project consists of five 1:20,000-scale sheets; TP-01375 through TP-01379, and two 1:10,000-scale sheets; TP-01380 and TP-00928.

22 METHOD

Three strips of 1:50,000-scale color photographs and two strips of 1:30,000-scale color photographs were bridged by analytical aerotriangulation methods using the STK comparator. They were adjusted to ground using the General Integrated Analytical Triangulation Program (GIANT). Pre-marked control stations were used as horizontal control. Common points were transferred between strips to ensure adequate junctioning. Compilation points (900 series) were transferred from the bridging photographs to two strips of supplemental 1:50,000-scale color photographs and to two strips of supplemental 1:30,000-scale color photographs.

Ratio values were determined for the bridging and supplemental color photographs, 1:30,000-scale MHW and MLLW infrared photographs, and 1:50,000-scale MHW infrared photographs. In addition, ratio values were determined for two sets of 1:50,000-scale MLLW infrared photographs. The first set (ZR1) was overdeveloped. The second set (BR3) was taken at a low sun angle. A copy of these values and sketches of the photo coverage are attached to this report.

The base manuscripts were plotted on the Kongsberg plotter. The positions are in the Maine State Plane Coordinate System, East Zone. This is a transverse Mercator projection. All positions are based on NAD 1927.

23. ADEQUACY OF CONTROL

The control was adequate and meets the National Ocean Service requirements. A listing of closures to control is attached.

24. SUPPLEMENTAL DATA

USGS topographic quadrangles were used to obtain vertical control for bridging. NOS nautical charts were used to locate aids and landmarks.

25. PHOTOGRAPHY

The coverage, overlap, and quality of the color photographs were adequate for the job.

Submitted by,

Vic McNeel

Approved and Forwarded

Don O. Norman

Chief, Aerotriangulation Unit


FIT TO CONTROL

_	STATION NAMES	POINT NO.	VALUES	IN FEET
			X	<u>Y</u>
1.	RYEFIELD 1934	76100	+0.4	+0.2
2.	LOOK 1934 RM1	78101	+0.4	+0.4
3.	MIL 1986	81100	+1.8	
4.	BUFF 1945, SS#2	83101	-2.1	
5.	BUFF 1945, SS#2A	83102	-1.6	+2.6
6.	DRAM 1944	87100	+1.9	+0.9
7.	TIBB 1985	96100	-2.9	-0.1
8.	CROMER 2 RM#3 1970	101101	-0.4	+0.3
9.	HOP 1944	104100	+0.9	-1.8
10.	HOP 1944 SS#6	104101	+1.2	-1.2
11.	KEL SS A	109101	+0.7	-2.3
12.	PIGEON RM2 SS#11A	119101	-0.8	+0.2
13.	DEAL 1945	121100	+0.5	+0.5
14.	HATHAWAY 1861	127100	+0.1	-2.3
15.	ROCK 1944	131100	+1.9	+0.2
16.	HOOD 1944	285100	-2.3	-1.1


RATIO VALUES CM-8505


1:50,000 Bridging Photographs	Ratio Value
86 B(c) 2076-2087	2.48
86 B(c) 2093-2105	2.49
86 B(c) 2109-2131 (odd only)	2.49
1:30,000 Bridging Photographs	
86 B(c) 2047-2051	2.97
86 B(c) 2055-2060	2.97
1:50,000 Supplemental Photographs	
86 B(c) 2139	2.47
86 B(c) 2140	2.49
86 B(c) 2151	2.51
86 B(c) 2152	2.48
1:30,000 Supplemental Photographs	
86 B(c) 2243	2.94
86 B(c) 2244	2.95
86 B(c) 2284	2.96
86 B(c) 2285	2.96
MHW 1:50,000 Black and White Infrared	
86 ZR1 9521-9530	2.49
86 ZR1 9477-9486	2.49
86 ZR1 9494-9508	2.49
86 ZR1 9552-9553	2.47
MHW 1:30,000 Black and White Infrared	
86 ZR1 9563-9566	3.01
86 ZR1 9583-9587	3.01
MLLW 1:50,000 Black and White Infrared	
86 ZR1 9215-9223	2.43
86 ZRI 9232-9241	2.46
86 ZR1 9278-9284	2.47
MLLW 1:30,000 Black and White Infrared	
86 ZR1 9455-9459	3.00
86 ZR1 9597-9601	2.95


MLLW 1:50,000 Black and White Infrared	Ratio Value
86 BR3 2405-2414	2.49
86 BR3 2424-2433	2.50
86 BR3 2468-2475	2.49
86 BR3 2485-2486	2.49





*****:











APPENDIX D

MAP COMPILATION SOURCES PAGES

DESCRIPTIVE DATA

CM-8505

TP-00928

MAP SCALE 1:10,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2055-2058	09-10-86	0856	1:30,000	+0.2 FT MLLW
86Z(R)9584,9586	09-09-86	1448	1:30,000	+0.2 FT MHW
86Z (R) 9565	09-09-86	1428	1:30,000	+0.4 FT MHW
86Z(R)9598,9600	09-10-86	0819	1:30,000	+0.7 FT MLLW
86Z(R)9457	09-09-86	0850	1:30,000	+1.0 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 07-10-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station. All times refer to Eastern Standard Time.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings from the tide gage at Bar Harbor Wharf.

There is no junction to the north of this sheet due to a gap between this sheet and TP-01377. The gap extends from 44° 25.0' and 44° 25.5'. This gap does not affect shoreline compilation.

CM-8505

TP-01380

MAP SCALE 1:10,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2048-2051	09-10-86	0842	1:30,000	+0.1 FT MLLW
86Z(R)9563,9565	09-09-86	1428	1:30,000	+0.4 FT MHW
86Z(R)9455,9457	09-09-86	0850	1:30,000	+1.0 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 08-01-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station. All times refer to Eastern Standard Time.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

This map junctions to the west with CM-8507, which will be compiled at a future date.

CM-8505

TP-01375

MAP SCALE 1:20,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2080-2082	09-13-86	0832	1:50,000	+6.3 FT MLLW
86Z(R)9523,9525	09-09-86	1330	1:50,000	+0.3 FT MHW
86Z(R)9480	09-09-86	1300	1:50,000	-0.2 FT MHW
86B(R)2411	09-17-86	1443	1:50,000	+0.7 FT MLLW
86B(R)2427	09-17-86	1500	1:50,000	+0.3 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 09-03-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinat station and Portland, Maine, as the subordinate station. All times refer to Eastern Standard Time.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

CM-8505

TP-01376

MAP SCALE 1:20,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2077-2080	09-13-86	0832	1:50,000	+6.3 FT MLLW
86B(C)2095-2098	09-13-86	0900	1:50,000	+5.1 FT MLLW
86Z(R)9521-9523	09-09 - 86	1330	1:50,000	+0.3 FT MHW
86Z(R)9478-9480	09-09-86	1300	1:50,000	-0.2 FT MHW
86B(R)2411,2413	09-17-86	1443	1:50,000	+0.8 FT MLLW
86B(R)2425,2427	09-17-86	1500	1:50,000	+0.3 FT MLLW
				MHW=10.9 FT

PREPARED BY: E-MAULDIN

DATE: 11-22-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station. All times refer to Eastern Standard Time.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

This map junctions to the east with CM-8401. The mean lower low water line does not junction due to different interpretations and symbolization between the two projects.

CM-8505

TP-01377

MAP SCALE: 1:20,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2085-2087	09-13-86	0832	1:50,000	+6.3 FT MLLW
86B(C)2101-2104	09-13-86	0900	1:50,000	+5.1 FT MLLW
86Z(R)9484,9486	09-09 - 86	1300	1:50,000	-0.2 FT MHW
86Z(R)9529	09-09-86	1330	1:50,000	+0.3 FT MHW
86B(R)2405	09-17-86	1443	1:50,000	+0.8 FT MLLW
86B(R)2429,2431, 2433	09-17-86	1500	1:50,000	+0.3 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 09-30-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station. All times refer to Eastern Standard Time.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

A small section where Dike Brook joins Grand Marsh Bay, latitude 44° 26.0', longitude 68° 00.7', is charted with an approximate mean high water line. The mean high water line has been located photogrammetrically on this map.

This map junction to the west with CM-8507, which will be compiled at a future date.

CM-8505

TP-01378

SCALE: 1:20,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2119-2127 ODD ONLY	09-13-86	0926	1:50,000	+4.0 FT MLLW
86B(C)2098-2101	09-13-86	0900	1:50,000	+5.1 FT MLLW
86B(C)2151-2152	09-13-86	1006	1:50,000	+3.0 FT MLLW
86Z(R)9480,9482, 9484	09-09-86	1300	1:50,000	-0.2 FT MHW
86Z(R)9495,9499, 9501	09-09-86	1314	1:50,000	+0.1 FT MHW
86Z(R)9552	09-09-86	1407	1:50,000	+0.5 FT MHW
86Z(R)2485	09-17 - 86	1541	1:50,000	+0.2 FT MLLW
86B(R)2427,2429	09-17-86	1500	1:50,000	+0.3 FT MLLW
86B(R)2471,2473, 2475	09-17-86	1531	1:50,000	+0.2 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 12-06-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

CM-8505

TP-01379

MAP SCALE: 1:20,000

PHOTOGRAPHY

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
86B(C)2113-2119 ODD ONLY	09-13-86	0926	1:50,000	+4.0 FT MLLW
86Z(R)9480	09-09-86	1300	` 1:50,000	-0.2 FT MHW
86Z(R)9501,9505	09-09-86	1314	1:50,000	+0.1 FT MHW
86B(R)2425,2427	09-17-86	1500	1:50,000	+0.3 FT MLLW
86B(R)2469,2471	09-17-86	1531	1:50,000	+0.2 FT MLLW
				MHW=10.9 FT

PREPARED BY: F. MAULDIN

DATE: 01-24-91

COMPILATION REMARKS:

The stage of tide for the color photography (C) was based on predicted tide data using Bar Harbor as the subordinate station and Portland, Maine, as the reference station.

The stage of tide for the mean high water and the mean lower low water infrared photography (R) was based on readings taken from the tide gage at Bar Harbor Wharf.

This map junctions to the east with CM-8401. Due to differences in interpretation and symbolization, the mean lower low water line does not junction between the two projects.

APPENDIX E APPROVED GEOGRAPHIC NAMES

GEOGRAPHIC NAMES FINAL NAME SHEET CM-8505 (Western Bay to Frenchman Bay, Maine)

TP-01375

Back Bay Beaver Meadow Brook Cherryfield Clam Ledge Cole Creek Crow Island Fickett Point Fish Point Flat Bay Foster Island Jordan Beach (locale) Lenroy Island Long Point Maine Central (RR) Milbridge Mill River Narraguagus Bay Narraguagus RIver Oak Point Pinkham Island Sand Cove Strout Point Timmy Point West Harrington

TP-01376

Addison Addison Point Back Bay Bare Point Barton Ledge Bickford Point Birch Islands Blasket Point Bray Ledge Bray Point Bunker Ledge Carrying Place Cove (2) Carrying Place Cove (1) Carrying Place Island Chamberly Island Chandler Island Coffins Point Cole Point Columbia Falls (locale) Cow Island

Curtis Creek Daniels Island Deer Islands Dick, The Dry Ledge Dyer Cove Five Islands Five Islands Cove Flat Bay Folly, The Fort Island Foster Island Gibbs Island Goose Island Goose Islands Guard Point Halftide Ledge Hardwood Point Harrington Harrington Bay Harrington River Harthorne Ledge Hemlock Island Hen Island Hicks Creek Hoq Island Ingersoll Point Inner Goose Island Isaac Ledge John White Island Knowles Brook Lamsen Brook Lily Cove Little Fort Island Long Cove Long Creek (1) Long Creek (2) Long Point Look Point Lords Island Lower Birch Island Lower Wass Cove Maine Central (RR) Marshville Mary Look Point Mash Harbor Mash Harbor Island Merritt Cove

Merritt Point

Mill Creek (1) Mill Creek (2) Mink Island Narrows Island Nash Point Nightcap Island Nightcap Ledge Oak Point Outer Goose Island Partridge Island Pineo Point Pinkham Island Pleasant Bay Pleasant River Plummer Point Ports Harbor Ramsdell Cove Raspberry Island Ray Point Reef Point Reynolds Bay Ripley Ripley Cove Ripley Islands Ripley Neck Sandy Cove Sawyer Island Seal Cove Seavey Point Shag Island Sheldrake Island Strout Island Three Brooks (cove) Timber Cove Tracy Corners Tumbledown Dick Head Upper Birch Island Upper Wass Cove Wass Point West Branch Pleasant River West Carrying Place Cove Whites Point Willard Point Wilmot Cove Wohoa Bay

TP-01377

Ash Island Ash Point Ashville Black Ledge

Bunker Cove (1) Bunker Cove (2) Calf Island Dike Brook East Sullivan Flanders Bay Forbes Pond Frenchman Bay Gouldsboro Grand Marsh Bay Guptill Point Guzzle, The Halftide Ledge Hall Point Hog Island John Small Cove Jones Cove Jones Pond Junk of Pork Little Calf Island Long Ledge Marsh Point Schieffelin Point Seal Ledge Sheldrake Island Smelt Cove South Gouldsboro Stave Island Stave Island Bar Stave Island Harbor Taft Point Thrumcap Timber Cove Treasure Island Waukeag Neck West Bay West Gouldsboro Williams Point

TP-01378

Abbott Island
Baker Cove
Baker Point
Bald Rock
Baldwin Head
Bar Island (1)
Bar Island (2)
Bar Ledge
Big Black Ledge
Big Head
Big Ledge

Biq Pond Birch Point Bobby Creek Bois Bubert Island Bonny Chess Ledge Bunker Reef Canes Cove Carrying Place Carrying Place Cove Castle, The Chair Pond Chair Pond Head Chitman Point Clam Point Clay Cove Corea Corea Harbor Cranberry Point Crow Island Currant Island Dolly Head Douglas Island Ledge Douglas Islands Dry Island Dyer Bay Dyer Harbor Dyer Neck Dyer Point Eastern Island Eastern Way Egg Rock Fish Island Fish Island Ledge Francis, Point Frazer Passage Garden Point Goods Point Gouldsboro Bay Green Island Hog Island Jerry Ledge Jetteau Point Joy Bay Joy Cove Little Black Ledge Little Bois Bubert Harbor Little Bois Bubert Island Little Ledge Lobster Cove Lobster Island Long Mill Cove

Maine, Gulf of

Marsh Cove Point Mitchell Point Monhonon Cove Moulton Ledge Narraguagus Bay Narrows, The Newman Cove Old Bull Old Man Old Woman Outer Bar Island Over Cove Over Point Parker Head Parrit Cove Parrit Point Pea Ledges Petit Manan Island Petit Manan Point Petit Manan Reef Pigeon Hill (locale) Pigeon Hill Bay Pigeon Hill Cove Pinkham Bay Pond Island Pond Island Ledge Pop Island Pop Island Ledge Prospect Harbor Rogers Point Sally Island (1) Sally Island (2) Sally Islands Sampson Point Sand Cove Schooner Cove Schooner Point Seal Cove Seal Cove Ledge Shag Ledge Shark Cove Sheep Island (1) Sheep Island (2) Smell Brook Smith Cove Southwest Breaker Spar Point Stanley Cove Stanley Point Steuben Steuben Harbor Stevens Point

4

Stover Cove Tom Leighton Point Trafton Island Trafton Island Ledge Tucker Creek Turner Point Val Point Wall Point Western Island Western Passage Whale Ledge Wier Ledges Wood Pond Cove Wood Pond Point Wyman Yeaton Cove Yeaton Point Yellow Birch Head Youngs Point

TP-01379

Bar Island (1) Bar Island (2) Batson Ledges Bay Ledge Big Nash Island Black Ledge Black Rock Cape Split Cape Split Harbor Coles Ledge Drisko Island Duck Ledges Dyer Island Dyer Island Narrows Eagle Island Eastern Harbor Eastern Pitch Flat Island Flat Island Ledges Flint Island Flint Island Narrows Foster Island Gooseberry Nubble Green Island Halftide Ledge Hay Ledge Inner Sand Island Jordans Delight Jordans Delight Ledge Kent Cove Ladle, The Lakeman Point Little Drisko Island Maine, Gulf of Marsh Island Moose Neck Narraguagus Bay Nash Island Northeast Cove Northwest Cove Norton Island Norton Island Ledge Norton Island Reef Otter Cove Otter Island Outer Sand Island Pleasant Bay Plummer Island Pond Island Pot Rock Ram Island Sands, The Shabbit Island Shabbit Island Ledge Sheep Island Shipstern Island South Addison Southwest Cove Squirrel Point Stanley Ledge Stevens Island Strout Island Strout Island Ledges Strout Island Narrows Tibbett Island Tibbett Ledge Tibbett Narrows Tommy Island Toms Island Trafton Island Wallace Point Watts Cove Western Bay Western Reef

TP-01380

Breaking Point Charleys Cove Crow Island Deep Cove

Egg Rock Fish Point Flat Island Frenchman Bay Great Head Grindstone Ledge Grindstone Neck Grindstone Point Guptill Point Halibut Hole Handiron Ledge Harbor Point Henry Cove Heron Island Hop, The Inner Winter Harbor Ironbound Island Jordan Harbor Jordan Island Long Porcupine Island Mark Island Myrick Cove Ned Island Pulpit Ledge Sand Cove Seal Cove Southern Cove Spectacle Island Stave Island Harbor Summer Harbor Summer Harbor (locale) Turtle Island Turtle Island Ledge Winter Harbor Winter Harbor (locale) Yellow Island

TP-00928

Arey Cove Big Moose Island Birch Harbor Birch Harbor (locale) Birch Harbor Pond Brown Cow Buck Cove Bunkers Harbor Bunkers Ledge Clark Ledges Clark Point East Pond Frazer Creek Frazer Point Heath, The Henry Cove Inner Harbor Little Moose Island Maine, Gulf of Middle Ledge Mosquito Harbor Norris Island Pettees Point Pond Island Prospect Harbor Prospect Harbor Prospect Harbor Point Prospect Point Ravens Nest (bay) Rolling Island Sand Cove Sargents Island Sargents Point Schoodic Harbor Schoodic Island Schoodic Ledge Schoodic Peninsula Schoodic Point Spruce Point West Pond Winter Harbor Winter Harbor (locale) Wonsqueak Harbor

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division

APPENDIX F
CARTOGRAPHIC FEATURES OF CHARTING INTEREST

CARTOGRAPHIC FEATURES OF CHARTING INTEREST

PROJECT: CM-8505, WESTERN BAY TO FRENCHMAN BAY

CHARTS AFFECTED: 13318, 13322, 13324

GEODETIC DATUM: NORTH AMERICAN DATUM OF 1927 (NAD 27)

The following charted landmarks and nonfloating aids to navigation have been measured and/or confirmed during photogrammetric operations. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for quality code (QC) criteria and clarification of cartographic codes (CC).

FEATURE	NCD <u>CC</u>	GEOGRAPHIC POSITION("-"-") LATITUDE LONGITUDE	NCD <u>QC</u>	DATE OF LOCATION
EGG ROCK LT	200	44 21 14.10 68 08 19.10	7	253/1986
PETIT MANAN LIGHT	020	44 22 02.809 67 51 53.071	3	256/1986
CHIMNEY	086	44 22 01.90 68 06 05.80	7	253/1986
TOWER	086	44 21 40.70 68 05 17.60	7	253/1986
CUPOLA	086	44 22 29.90 68 05 32.30	7	253/1986
STEEPLE	086	44 30 44.42 67 42 58.60	7	256/1986
TOWER	086	44 27 20.70 67 49 54.60	7	256/1986
FLAGPOLE	993	44 28 22.19 68 09 57.88	7	256/1986
SPIRE	086	44 32 20.15 67 53 01.00	7	256/1986
SPIRE	086	44 31 51.70 67 52 57.60	7	256/1986
TANK	086	44 20 13.30 68 03 46.00	7	253/1986
SPIRE	086	44 23 22.50 68 02 29.90	7	253/1986
SPIRE	086	44 24 22.80 68 01 40.20	7	253/1986
TANK	086	44 24 15.80 68 00 46.10	7	253/1986
STANDPIP E	086	44 23 36.00 68 04 00.50	7	253/1986

SPIRE	086	44 24	05.77	67 58 37.51	7	256/1986
CUPOLA	086	44 27	44.81	67 50 18.36	7	256/1986
BELFRY	086	44 30	34.79	67 51 35.76	7	256/1986

Listing approved by

Fay T. Mauldin Coastal Mapping Unit July 21, 1992

Date

APPENDIX G

MEMORANDUM



UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL OCEAN SERVICE OFFICE OF CHARTING AND GEODETIC SERVICES ROCKVILLE, MARYLAND 20852

January 8, 1987

N/CG2313:JDM

MEMORANDUM FOR THE RECORD

FROM:

N/CG2313 - James D. McNamara

SUBJECT: CM-8505, Western Bay to Frenchman Bay, Maine

The black-and-white infrared Mean Lower Low Water (MLLW) photography was flown twice for this shoreline mapping project. This photography was first flown on August 13, 1986, roll ZR-1, exposure numbers 9212 through 9299. Due to a problem in the processing at Precision Laboratories, several of these lines were slightly over developed. These lines of photography were, however, flown within the acceptable tide range for MLLW photography.

On September 17, 1986, these same lines of black-and-white infrared MLLW photography were reflown in an attempt to secure better photography. The MLLW tide window on this day occurred later in the afternoon. At 1937 Zulu time or 2:37 p.m. solar time the taking of the photography commenced. At this time of the day, the solar angle is quite low, due to the latitude and the time of the year. The solar angle was minimally acceptable at the time of the photographic operations. Several long shadows, however, obscured shoreline detail in places across the photography.

For the above reasons, neither set of MLLW photography was rejected. It is believed that between the two sets of MLLW photography, there is acceptable photographic coverage over the entire project area.

