PHOTOGRAMMETRY BRANCH COASTAL MAPPING PROGRAM

PROJECT CM-8710 COMPLETION REPORT

NORTH CAROLINA
CORE SOUND TO PAMLICO SOUND
CAPE HATTERAS TO CAPE LOOKOUT

TP-01510, TP-01511, TP-01512, TP-01513 TP-01514, TP-01515, TP-01516, TP-01517 And TP-01518 Agency Vault-Original Report

PHOTOGRAMMETRY BRANCH COASTAL MAPPING PROGRAM

PROJECT CM-8710 COMPLETION REPORT

NORTH CAROLINA
CORE SOUND - PAMLICO SOUND

CAPE HATTERAS TO CAPE LOOKOUT TP-01510, TP-01511, TP-01512, TP-01513, TP-01514, TP-01515, TP-01516, TP-01517, and TP-01518

Year of Source-1988

UNITED STATES DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
OFFICE OF CHARTING AND GEODETIC SERVICES
NAUTICAL CHARTING DIVISION

PHOTOGRAMMETRY BRANCH COASTAL MAPPING PROGRAM

PROJECT CM-8710 COMPLETION REPORT

NORTH CAROLINA CORE SOUND-PAMLICO SOUND Cape Hatteras to Cape Lookout TP-01510, TP-01511, TP-01512, TP-01513, TP-01514, TP-01515, TP-01516, TP-01517, and TP-01518

Clearance and Approval

This report summarizes the photogrammetric operations related to project completion and is submitted for approval. The maps, associated data, and this report meet the requirements and standards of the Photogrammetry Branch Coastal Mapping Program. Clearance for project registration is requested.

Submitted by,

John A. Mooney

Chief, Compilation Section B Photogrammetry Branch, NCD

Approved by,

Commander Lewis A. Lapine, NOAA Chief, Photogrammetry Branch

Nautical Charting Division Office of Charting and Geodetic Services

COASTAL MAPPING PROJECT CM-8710 NORTH CAROLINA CORE SOUND-PAMLICO SOUND CAPE HATTERAS to CAPE LOOKOUT

TABLE OF CONTENTS

	ce and Approvali	
Introdu	ction	1
Planning	g	1
Field O	perations	
Fi	eld Surveying	1
Phe	otography	1
Aerotri	angulation	3
		_
Compila	tion	3
Final R	eview	4
Dissemi	nation of Project Data	5
FIGURES		
	Project Diagram	2
APPENDI		
Α.	Planning; Unit Memorandum	6
	Project Field Instructions	
c.	Field Operations Report 1	
	Project Geodetic Control 1	
	Aerotriangulation Report	
E.	2240 2450 111111111111111111111111111111111111	
	Map Compilation Sources 3	
	Geographic Names List	
н	l'artographic Reathres of Charting Interest 4	.,

COASTAL MAPPING PROGRAM PROJECT CM-8710

Introduction

Coastal Mapping Program Project CM-8710 consists of nine coastal survey maps depicting the shoreline and other cartographic features of mapping interest in the coastal zone area of Cape Hatteras to Cape Lookout, North Carolina at a scale of 1:20,000. The assigned map identifiers for this project were TP-01510 through TP-01518. Refer to FIGURE 1 for information on area coverage and geographic limits of the maps. Final map manuscripts depict the Lambert Conformal Conic Projection. The North American Datum of 1983 is shown by full line projection; the North American Datum of 1927 is shown by unlabeled offset ticks plotted at twice the interval of the NAD 1983 projection.

The purpose of this project is to provide contemporary coastal zone survey data for the maintenance of the National Ocean Service Nautical Charting Program.

Planning

The Coastal Planning Unit, headquarters office, initiated the planning phase for this project in May 1988. Refer to Appendix A. The Atlantic Marine Center Coastal Surveys Unit was assigned all horizontal control activities. Aerial photography was the responsibility of the Flight Operations Unit, headquarters office. Field instructions were issued in March 1988. A copy of these instructions are bound in Appendix B.

Field Operations

Field operations were conducted between March 14 and April 1,1988 and consisted of aerial photography and the recovery, establishment and identification (premarking) of horizontal control necessary for aerotriangulation. Water levels were taken at three tide staff locations for tide-coodinated photographs. Field operations were summarized by the Chief of Party in a report bound in Appendix C. Refer to Appendix C for information on the horizontal control related to this project.

A Cessna Citation II aircraft (N52RF) was used for the photographic operations. Photographs utilized for this project were taken in March 1988. Color Negative photographs were acquired for aerotriangulation and map compilation at 1:50,000 and 1:30,000 scales using a Wild RC-10 camera with the "B" cone which has a calibrated focal length of 152.71 mm. Infrared photographs were acquired for map compilation at 1:50,000 scale using a Wild RC-10 camera with the "Z" cone which has a calibrated focal length of 152.71 mm.




FIGURE T. Project Diagram

The aerial photographs of the project site were reviewed in March 1988 by the Coastal Planning Unit, headquarters office, for proper endlap, horizontal control, target visibility and adequate coverage of the project site. The photographs were examined in April and May 1988 by the Quality Control Unit, headquarters office, for proper qualities required for mapping photographs as defined in the quality assurance program.

Aerotriangulation

The aerotriangulation phase was completed in July 1988 by the Aerotriangulation Unit, headquarters office. The Aerotriangulation Report is bound in Appendix D and contains information on placement of horizontal control, photographs selected for data acquisition, fit to control statistics and a summary of the procedures employed.

Compilation

Compilation is based on aerotriangulation that has met the requirements for National Standards of Map Accuracy and on office interpretation of aerial photographs. Compilation, processing, and dissemination of all applicable amending NOS Photogrammetric Instruction and data is in accordance with the C&GS Topographic Manual, Part II, and approved sections of the new Coastal Mapping Operation Manual.

The compilation phase was initiated in March 1990 and completed in August 1990 by Compilation Section B, headquarters office. The photogrammetric work stations utilized in data acquisition were Wild B-8's (S/N's: 1132, 1167, 1540, 5014, 5597). Compilation was accomplished through the application of standard analog compilation techniques and graphic compilation in the application of MHW and MLLW using infrared photographs. Refer to Appendix E for tide information for this project.

For information on the photographs used in the compilation phase, refer to the control photographs diagram of the Aerotriangulation Report. Map Compilation Sources (MCS) pages also provide information on the photographs used in the completion of each map and are bound in Appendix F.

The final maps were smooth drafted except for the application of annotation which was accomplished by using waxed back stripper film. Geographic names depicted on the maps were acquired from corresponding NOS nautical charts and USGS quadrangles and applied after approval from the NOS Staff Geographer. The Final Geographic Names listings are bound in this report as Appendix G.

Office review of the project products was conducted in August 1990 by Compilation Section B, headquarters office. The results of a comparison against the NOS nautical charts of the area were annotated on the Chart Maintenance Print and Notes to Hydrographer Print for each map.

Comparisons were made against the following NOS nautical charts:

```
11545 53rd Edition (Feburary 13, 1988), 1:40,000 scale
(inset 1:20,000 scale)
11548 32rd Edition (September 2, 1989), 1:80,000 scale
11550 23rd Edition (November 28, 1987), 1:40,000 scale
11555 32rd Edition (May 12, 1990), 1:80,000 scale
```

Comparisons were made against the following Coastal Mapping Projects:

CM-7219 Cape Fear to Cape Lookout CM-7305 Cape Hatteras to Cape Lookout

A significant change in the shoreline was noted when comparing CM-7219 and CM-7305 to the current manuscripts.

Final Review

The final review phase was initiated in August 1990 by the Compilation Unit B, headquarters office. The coastal survey maps and associated discrete point data of this project were evaluated as meeting the requirements of the National Standards of Map Accuracy. Refer to Appendix H for the final listing of cartographic features of charting interest for application in the nautical charting program. The coastal survey maps and project data sets comply with the general requirements for a standard coastal mapping project. All source data, photographic devices, surveying and photogrammetric measurement instruments meet the standards of accuracy established for the disciplines of photography, field surveying and photogrammetry.

During the final review phase, all necessary copies of project products and data were acquired. A Chart Maintenance Print and a Notes to Hydrographer Print was generated for each map within the project.

This project completion report is the authoritative summary for project CM-8710 and is in compliance with Section 14, Project Completion Report of the Photogrammetry Branch Coastal Mapping Program Operations Manual.

Dissemination of Project Data

The dissemination of project data was executed in accordance with the following:

Federal Records Center of the National Archives and Records Administration

Copy of this Project Completion Report Brown Jacket containing:

Field Data Binder titled "Original Field Data" containing Control Station Identification forms, numerous computational forms and diagrams

One copy of the project diagram (page size)
One copy of the Aerotriangulation Report
One copy of the Cartographic Features of
Charting Interest listing

One copy of NOAA form 76-52, Observations of Horizontal Directions

Field Data Binder titled "CM-8710 Tide Data"

containing tide staff sketches, copies of NOAA
forms: 75-29, 76-77, 76-186, 77-12 77-45, and
NOAA form 490, Tidal Bench Marks descriptions
and Tidal Bench Mark Elevation work sheets.

One NOAA Form 75-29
Two NOAA Forms 76-52 (books)
Five NOAA Forms 76-77 (books)
One NOAA Form 76-156 (book)
17 NOAA Forms 76-186
Three NOAA Forms 77-12
Three NOAA Forms 77-53 (books)

Agency Archives

Registration Copy of Each Map Original Project Completion Report

Photogrammetric Electronic Data Library

There is no project digital data maintained in the library

Reproduction Branch, Aeronautical Charting Division 8X Reduction Negative of each Map

Marine Chart Branch

Chart Maintenance Print of Each Map Abbreviated Copy of this Project Completion Report

All final project data and products were forwarded to the Production Control Unit, headquarters office for registration and dissemination.

APPENDIX A

UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration

NATIONAL OCEAN SERVICE

OFFICE OF CHARTING AND GEODETIC SERVICES
ROCKVILLE, MARYLAND 20852

May 20, 1988 N/CG2313:JDM

MEMORANDUM FOR:

The Record

FROM:

James D. McNamara

Acting Chief, Coastal Planning Unit

Photogrammetry Branch, NCD

SUBJECT:

Review and wrap-up Job CM-8710, Cape Hatteras to Cape Lookout, North Carolina,

Charaline Manning

Shoreline Mapping

This coastal mapping project was scheduled for early spring of 1988. The Atlantic Marine Center (AMC) photo field party began the work on this project March 14, 1988. The PROJECT INSTRUCTIONS: FIELD, dated March 16, 1988 specified the photo panels to be in place by March 25, 1988.

This project was planned in support of nautical charts and was worked in conjunction with a concurrent project undertaken for the National Marine Fisheries Service (NMFS).

On March 16, 1988, Air Photo Mission 1 (APM-1) started securing photography of the job site. The photo panels were not in place and the supplemental compilation was taken. The supplemental compilation photography is 1:24,000 scale. This scale is the same as work done for NMFS.

This project required three tidal staffs to be occupied for tide-coordinated photography. The staff at Hatteras (Frisco) Pier is an operating ETG and ADR. This gage was used to control the photography for the outside or coastline of the barrier islands. The mean high water (MHW) and the mean lower low water (MLLW) black and white infrared (B&W IR) photography was secured based on this gage.

The other two sites were "historic" staffs that had to be reoccupied and temporary staffs set for the project. The staff at Ocracoke, North Carolina, U.S.C.G. Station Silverlake was occupied to secure the infrared photography for the inside or back bay area of Pamlico Sound. The Hydrographic and Marine Boundary Unit (HMBU) indicated this area was not considered tidal, with a range less than a foot. This area was flown at Mid Water Level ±.3 foot.



The third staff occupied was at Calico Jack's Marina at Harkers Island, North Carolina. This staff was used to coordinate the B&W IR photography within Core Sound. This area is considered an inside staff. There is limited "historical" tide data within Core Sound and the tide decreases as it progresses northward to Pamlico Sound. The personnel of HMBU felt it would be best to fly not only MHW and MLLW but also Mean Water Level off this staff.

Two complete sets of B&W IR photography were taken as an IR exposure test. Unfortunately, they were improperly exposed. Processing, however, improved the exposure to a proper level.

The personnel of the AMC photo field party did an exemplary job of working up the tide staff data. This data was given to The Hydrographic and Marine Boundary Unit N/OMA123 for incorporation into their tide station information folder.

On March 28, 1988, the bridging photography was secured. The review of the photography indicated all of the photopanels were in place at that time. The more northern lines, 30-1, 30-2, and 30-3 were taken at 1:30,000 scale due to the narrowness of the barrier islands. Photopanels #6, #7, and #11 were targeted at 1:50,000 scale, as they were used for both 1:50,000 and 1:30,000 scale bridging photography.

The B&W IR photography was all tide coordinated. All of the lines were properly observed and recorded at all three tide staffs. The data set for this project includes the Bridging and Compilation photography, the B&W IR photography taken at MHW, MLW, and Mean Water Level, the field data report, the tide observations, and the NAD 27 offset data which will follow at a later date.

cc:

N/CG23 - Bryson N/CG231 - Brewer N/CG232 - Raborn N/CG2321 - Fromm N/CG2313 - McNamara N/CG2322 - Norman N/MOA22 - North APPENDIX B



UNITED STATES DEPARTMENT OF COMMERCE 8National Oceanic and Atmospheric Administration

NATIONAL OCEAN SERVICE OFFICE OF CHARTING AND GEODETIC SERVICES ROCKVILLE, MARYLAND 20852

March 16, 1988

N/CG2313:JDM

TO:

N/MOA - Ray E. Moses

FROM:

Christian andreasen N/CG2 - Christian Andreasen

SUBJECT:

PROJECT INSTRUCTIONS: FIELD - Job CM-8710, Cape Hatteras to Cape Lookout, North Carolina,

Shoreline Mapping

Subject instructions are forwarded for signature and issue to the Chief, Photogrammetry Branch.

The copies required for distribution by this office have been retained.

Attachment





UNITED STATES DEPARTMENT OF COMMERCE 9 National Oceanic and Atmospheric Administration

NATIONAL OCEAN SERVICE
OFFICE OF CHARTING AND GEODETIC SERVICES
ROCKVILLE, MARYLAND 20852

Chief, Photogrammetry Branch Atlantic Marine Center

PROJECT INSTRUCTIONS: FIELD - Job CM-8710, Cape Hatteras to Cape Lookout, North Carolina, Shoreline Mapping

1.0. PURPOSE

These instructions provide specifications and a schedule for: (1) placing targets on horizontal control stations in advance of aerial photography and (2) furnishing field support to obtain tide-coordinated infrared aerial photography.

2.0. AREA

The area to be mapped is located in North Carolina from Cape Hatteras to Cape Lookout. Mapping at 1:20,000 scale will cover the shoreline of the barrier islands, intracoastal waterway, and adjacent sounds and bays.

3.0. PHOTOGRAPHY

- 3.1. Aerotriangulation photography at 1:50,000 and 1:30,000 scales and supplemental compilation photography at 1:30,000 and 1:24,000 scales will be obtained using color negative film. Also, 1:50,000-scale black-and-white infrared photography, that is tide coordinated, will be obtained at mean high water, mean lower low water, and mean water level.
- 3.2. If target configuration and placement necessitate it, target identification photography may be obtained at 1:15,000 scale and may be flown at less than optimum photographic conditions. The chief of the photo field party will consult with the chief of the air photo mission to determine if this requirement exists.

4.0. ASSIGNMENT

You are assigned all field operations required to:
(1) place targets on horizontal control stations and
(2) provide ground support needed to obtain tide-coordinated photography. The Chief, Air Photo Mission 1, will be responsible for scheduling photography at the required times, based on tide staff observations furnished by radio.



5.0. HORIZONTAL CONTROL

- 5.1. The horizontal datum for this project is NAD 83.
- 5.2. Horizontal control requirements for aerotriangulation have been furnished as part of the field data.
- 5.3. Limit recovery of horizontal control stations to those needed to meet aerotriangulation requirements. Prepare and submit recovery notes for each station for which a search was made.
- 5.4. New control stations, where needed, shall be established by triangulation, trilateration, traverse, satellite positioning, or a combination of the four methods, in accordance with Third-Order, Class I specifications provided in Standards and Specifications for Geodetic Control Networks, dated September 1984.
- 5.5. New stations will be monumented if they are required for future work in the area needing geodetic control.
- 5.6. Notify N/CG2313 if recovery of existing control does not meet aerotriangulation requirements. An alternative will be selected, if possible, to avoid establishing new control.

6.0. PREMARKING OF CONTROL

- 6.1. As soon as possible after all control stations have been paneled, the field party will forward to N/CG2313, by Overnight Express Service, the 7 1/2' quads and a copy of the CSI card when the quad does not adequately depict the target location. These quads will depict the station location, panel array used, and the panel number. This will assist in the film quality review, target identification, and help expedite the results to the field unit.
- 6.1.1. Wing panels will be used with all targets in accordance with established specifications but may be modified to conform with local terrain conditions.

6.2. Aerotriangulation Control

6.2.1. Panel each station selected to meet horizontal control requirements in accordance with specifications given on the attached sheet for 1:50,000- and 1:30,000-scale photography.

6.2.2. Use panel array No. 1 for targets with a normal background; it may be modified, as necessary, to conform with local terrain conditions. Any deviation from given panel and spacing dimensions should be indicated on the large-scale sketch on NOAA Form 76-53, Control Station Identification Card.

ij

- 6.2.3. Panel array No. 3 shall be used in areas where the background offers poor contrast to the center panel, such as on sandy terrain.
- 6.2.4. The distance given for dimension "C" may be increased, but not decreased.
- 6.2.5. Panel substitute stations wherever shadows or relief displacement will obscure the specified control stations. Monumented stations (reference marks, azimuth marks) are preferred subtitute stations.
- 6.2.6. Substitute stations will be positioned to the specifications stated in Photogrammetric Instruction No. 22, Revised September 30, 1965, section 4.02.2.
- 6.2.7. In cases where the target might be subject to vandalism, select two photoidentifiable objects. Observe directions and distances to them from the home station and record with sketch and description on separate NOAA form 76-53.

7.0. CONTROL STATION IDENTIFICATION CARD

Prepare and submit a NOAA form 76-53 for each paneled station. Observe Photogrammetric Instruction No. 22, Revised September 30, 1965, except as follows:

- a. Record distances and directions in the usual manner to the center of the station panel of all targets used as substitutes for horizontal control stations.
- b. In the space provided for the sketch of Substitute Station A, make a large-scale sketch for the immediate vicinity showing the array used.
- c. In the space provided for a sketch of Substitute Station B, make a smaller scale sketch that shows the relationship of the target to the surrounding terrain. Include one or more salient features to assist office personnel in locating the target on the photographs.
- d. Indicate on suitable chart bases the approximate locations of all targets placed.

8.0. TIDE OBSERVATIONS AND RECORDS FOR TIDE-COORDINATED PHOTOGRAPHY

- 8.1. Tide-coordinated photography will be flown when the stage of tide is mean high water \pm .3 foot, mean lower low water \pm .3 foot, and mean water level \pm .3 foot. Use NOAA Form 77-53, Tides, to record tide staff observations at 15-minute intervals during tide-coordinated photographic flights.
- 8.2. The existing staff at Cape Hatteras Fishing Pier, North Carolina (865-4400), will be monitored in conjunction with flight lines 50-2, 50-4, and 50-5 on mean high water and mean lower low water. These lines will be flown directly on the staff. Tidal datums and predictions for Cape Hatteras Fishing Pier will be furnished.
- 8.3. Install a tide staff at Ocracoke, North Carolina (865-1792), and make a level connection to existing tidal bench marks. The staff will only be used for the duration of this project. The staff will be monitored in conjunction with flight lines 50-3, 50-5, and 50-6, which will be flown at mean water level. These lines will be flown directly on the staff. The datum for Ocracoke will be furnished.
- 8.4. Install a tide staff at Calico Jack's Marina, Harkers Island, North Carolina (865-6612), and make a level connection to existing tidal bench marks. The staff will only be used for the duration of this project. The staff will be monitored in conjunction with flight line 50-1, which will be flown at mean water level, mean high water, and mean lower low water. These lines will be flown directly on the staff. Tidal datums and predictions for Calico Jack's Marina, Harkers Island will be furnished.
- 8.5. Periods when the tides are predicted to be in range for mean lower low water and for mean high water occur throughout the months of March and April 1988.

9.0. LEVELING

Make a level connection to each tide staff from at least two tidal bench marks. Use NOAA Form 76-77, Leveling Record--Tide Station, to record leveling data.

10.0. SCHEDULE

All stations shall be premarked and ready for photography by March 25, 1988. If premarking is not completed by this date, inform N/CG2313 so this information can be relayed to the air photo mission.

11.0. REPORT

A field operations report covering all pertinent field work performed is required upon completion of the field phase of this project.

12.0. RECORDS

All field records will be sent through N/MOA2222 for review prior to being forwarded to N/CG2313.

13.0. MODIFICATIONS OF INSTRUCTIONS

If changes in procedures and methods seem advisable, please make appropriate recommendations to this office.


14.0. COSTS

All costs incurred on this assignment shall be charged to Task 8K6C01.

15.0. RECEIPT


Acknowledge receipt of these instructions.


Ray E. Moses Director Alantic Marine Center Christian Andreasen Christian Andreasen Chief, Nautical Charting Division Charting and Geodetic Services



ARRAY NO. 1

ARRAY NO. 2






NOTE:

- 1. The dimensions and centering of center panel over station or substitute station are critical.
- Panel array No. 1 is preferred but No. 2 is acceptable.
- 4. Chief of party will select array that makes best application of field conditions and is authorized to adjust or omit one of the recognition panels if terrain is not suitable for placement of entire array.

ARRAY NO. 3



Photography	PANE	L AND S	SPACING 1	DIMENSIONS	(IN NET	ERS)	
Scale	<u>X</u>	B	<u>c</u>	D	E	<u>F</u>	<u>G</u>
1:10:000	0.5	0.3	1.3	0.2	0.9	0.9	1.5
1:20,000	1.1	0.7	2.6	0.4	1.8	0.9	1.9
1:30,000	1.6	1.0	3.9	0.5	2.7	0.9	2.2
1:40,000	2.2	1.3	5.2	0.7	3.6	0.9	2.5
1:50,000	3.2	2.0	7.8	1.1	5.4	1.8	3.8
1:60,000	3.B	2,3	9.1	1.3	6.3	1.8	4.1
1:70,000	4.4	2.6	10.4	1.4	7.2	1.8	4.4
1:80,000	5.0	3.0	11.7	1.5	8.0	1.8	4.B
1:100,000	6.4	4.0	18.2	2.2	10.8	3.6	7,6

APPENDIX C

NATIONAL OCEAN SERVICE

ATLANTIC MARINE CENTER

nate a darker copy P16-19 7

COASTAL SURVEYS

PROJECT REPORT

SHORELINE MAPPING - PREMARKING

CM-8710

CAPE HATTERAS to CAPE LOOKOUT, NORTH CAROLINA

1.0 PURPOSE:

This project was accomplished to provide targets on horizontal control stations required for aerotriangulation and to provide field support for tide-coordinated infrared aerial photography according to PROJECT INSTRUCTIONS: FIELD - Job-8710, Cape Hatteras to Cape Lookout, North Carolina, Shoreline Mapping dated March 18, 1988.

2.0 AREA:

Shoreline mapping is located in North Carolina from the barrier islands near Avon, North Carolina southerly to Cape Lookout including the intercoastal waterway, and ajacent sounds and bays.

3.0 PARTICIPATION:

3.1 Personnel:

Party Chief South Half R. DeCrojx
Assistants P.B. Walbolt
J. Koster

Party Chief North Half C.S. Middleton Assistant D.R. Miller

3.2 Time:

Arrived N.Carolina 3-14-1988 Departed N.Carolina 4-01-1988

3.3 Equipment:

- 2 4x4 carry-all trucks
- 2 Wild T-2 Theodolite
- 2 EDMI HP-3808
- 2 NT2 Level
- 6 MX 350 Radios
- 2 Aircraft Radios

4.0 FIELD ACTIVITY:

4.1 FIELD METHODS:

Fifteen (15) stations were paneled for aerotriangulation photography. Each target that was offset was positioned in accordance with Photo Instruction No. 22. Recovery notes are submitted for each horizontal control station used on this project. Each panel was verified as being in position subsequent to the bridging photography. A graphic showing the position of each panel was mailed to the Rockville office.

4.2 <u>CONTROL:</u>

NAD 1983 was the controlling datum.

4.3 DISCUSSION OF RESULTS:

Panels were located using the following methods:

- #1 1:30,000 scale panel was offset from station AVON 1962 and was positioned by direct solar azimuth and taped distance. LAT N 35-21-30.54115 LON W 97-25-39.81286
- #2 1:30,000 scale panel was offset from CAPE HATTERAS LORAN MAST and in line with CAPE HATTERAS LH 1933. A solar was observed at CAPE HATTERAS LORAN MAST to CAPE HATTERAS LH 1933 to verify the azimuth. The distance from CAPE HATTERAS LORAN MAST to Panel Number 2 was taped.

 LAT N 35-14-27.06162 LON W 75-31-36.13182
- #3 1:30,000 scale panel was offset from station H-1-NC-1979. Azimuth was observed to HATTERAS W TANK with an azimuth check of 01.8" observed to HATTERAS INLET LIGHTHOUSE. The distance from H-1-NC-1979 to Panel Number 3 was measured by EDMI.

 LAT N 35-12-29.89270 LON W 75-42-19.15521
- #4 1:30,000 scale panel was offset from station KING 1962. A reverse solar azimuth was observed from Panel Number 4 to KING 1962 and the distance was measured by EDMI.

 LAT N 35-09-17.22484 LON W 75-51-04.26521
- #3 1:30,000 scale panel was placed directly over new Doppler satellite station, OCRY 1988. LAT N 35-04-39.589 LON W 75-59-49.845
- ±6 1:50,000 scale panel was offset from station SMOTH 1960. A direct solar azimuth and taped distance was observed to Panel Number 6. LAT N 35-04-07.20467 LON W 76-03-28.11947
- #7 1:50,000 scale panel Doppler station paneled direct. LAT N 34-57-24.855 LON W 76-11-12.342
- #7A 1:50,000 scale panel Doppler station paneled direct.

 LAT N 35-01-40.198 LON W 76-05-30.828
- #8 1:50,000 scale panel Doppler station paneled direct.
 LAT N 35-00-47.325 LON. W 76-18-21.936



- #9 Doppler station paneled direct.
 LAT N 35-01-18.107 LON W 76-21-19.011
- \$10 Solar from station Atlantic 2 1962 with short traverse.

 LAT N 34-53-17.567 LON W 76-19-47.251
- *11 Doppler station paneled direct.

 LAT N 34-51-36.192 LON W 76-18-42.264
- #12 Solar from station Stacy 1933 with a short traverse.

 LAT N 34-49-53.276 LON W 76-25-11.469
- \$13\$ Paneled directly over station Dey USF 1943. LAT N 34-42-29.37482 LON W 76-37-05.94639
- Reverse solar and base line using station Cape Lookout Lighthouse 1886 as the control. LAT N 34-36-36.366 LON W 76-32-26.616

Levels were run at three tide staff locations; (See Tide Data.)
865-4400-Cape Hatteras, N.Carolina
865-4792-Ocracoke, N.Carolina
865-6612-Calico Jacks Marina

6.0 STATISTICS:

Number	of	stations	paneled	1.5
Number	of	stations	recovered	9
Number	of	tide stat	ffs leveled	3

7.0 RECORDS:

All original records with the exception of the recovery notes and tidal level books will be forwarded to Rockville. Md. N\CG2314. The original recovery notes will be processed through the MTEN format for inclusion into the NGS Data Base. A copy of all field data and this report will be maintained at Atlantic Marine Center's Coastal Survays Unit. N\MOA2222. Original tidal level books will be forwarded to the Atlantic Operations Group, Norfolk, Virginia for incorporation into the respective historical records.

April 11, 1988 Submitted by: Notert Decroix

Approved: Approved: Jim D. Shea Chief, Coastal Surveys 4.7

APPENDIX D

i.

AEROTRIANGULATION REPORT

CM-8710

CAPE HATTERAS TO CAPE LOOKOUT,

NORTH CAROLINA

DECEMBER 1988

AREA COVERED

This report covers the area from Cape Hatteras to Cape Lookout, North Carolina. The project consists of nine 1:20,000-scale sheets; TP-01510 through TP-01518.

METHOD

Two strips of 1:30,000-scale color photographs and four strips of 1:50,000-scale color photographs were bridged by analytic aerotriangulation methods and adjusted to ground using the GIANT program. Pre-marked control stations were used as horizontal control. In addition, office identified geodetic intersection stations were used as supplemental control. The 1:30,000-scale photographs were measured using the National Ocean Service Plotter (NOSAP) under control of the Integrated Digital Photogrammetric Facility software (IDPF). The 1:50,000-scale photographs were measured using the STK comparator. Common points were transferred between strips to ensure adequate junctioning.

Ratio values were determined for the bridging photographs, as well as the 1,50,000-scale MHW, Mean Tide Level, and the MLLW black and white infrared photographs. A copy of these values and a sketch of the photo coverage are attached to this report.

The base manuscripts were plotted on the Kongsberg plotter. The positions are in the North Carolina State Plane Coordinate System. This is a Lambert conformal conic projection. All positions are based on NAD 1983. In addition, 10 mm ticks depicting NAD 1927 projection intersections were plotted at twice the interval of the NAD 1983 projection intersections.

ADEQUACY OF CONTROL

The control was adequate and meets the National Ocean Service requirements. A listing of closures to control is attached.

CM-8710

SUPPLEMENTAL DATA

USGS topographic quadrangles were used to obtain vertical control for bridging. NOS nautical charts were used to locate fixed aids and landmarks.

PHOTOGRAPHY

The coverage, overlap, and quality of the photographs were adequate for the job.

Submitted by,

Victor E. McNeel Brian Thornton

Approved and Forwarded

Don O. Norma

Don O. Norman

Chief, Aerotriangulation Unit

CM-8710

RATIO VALUES


1:30,000-scale bridging photographs	Ratio Value
88 B(CN) 9269 through 9276	1.49
88 B(CN) 9294 through 9314	1.49
1:50,000-scale bridging photographs	
88 B(CN) 9159 through 9164	2.46
88 B(CN) 9172 through 9183	2.46
88 B(CN) 9187 through 9191	2.46
88 B(CN) 9195 through 9212	2.46
1:50,000-scale MLLW black and white infrared photograph	<u>hs</u>
88 Z(R) 4462 through 4480	2.43
88 Z(R) 4709 through 4712	2.40
88 Z(R) 4719 through 4736	2.41
88 Z(R) 4753 through 4765	2.43
88 Z(R) 4982 through 4987	2.48
1:50,000-scale MTL black and white infrared photographs	<u>s</u>
88 Z(R) 4485 through 4499	2.39
88 Z(R) 4509 through 4513	2.41
88 Z(R) 4672 through 4687	2.39
88 Z(R) 4699 through 4702	2.40
1:50,000-scale MHW black and white infrared photographs	<u>s</u>
88 Z(R) 4434 through 4448	2.39
88 Z(R) 4785 through 4788	2.41
88 Z(R) 4793 through 4805	2.41
88 Z(R) 4811 through 4828	2.42


FIT TO CONTROL


♠ ≈ control held in adjustment


□ ≈ aids or landmarks not held in adjustment

	STATION NAMES	POINT NO.	VALUES	
			<u>x</u>	<u> </u>
A 1.	AVON 1962, PANEL 1	276101	-0.2	-0.2
	CAPE HATTERAS LORAN M., PANEL 2		+0.6	
	H-1-NC 1979, PANEL 3	301101	-0.7	
	KING 1962, PANEL 4	308101	+0.5	
	OCRY 1988, PANEL 5	314100		
	(strip 30-2)		-0.2	+0.2
	(strip 50-2)		+0.3	
A 6.	· · · · · · · · · · · · · · · · · · ·	197101	-1.4	0.0
A 7.	DOPPLER PANEL 7	200100	+0.3	-0.2
▲ 7A.	DOPPLER PANEL 7A	198100	+1.5	-0.4
	DOPPLER PANEL 8	189100	+0.1	-1.6
	DOPPLER PANEL 9	191100	+0.5	-0.2
	ATLANTIC 2, PANEL 10	204101	+1.6	+1.3
A 11.	DOPPLER, PANEL 11	205100	+1.5	+1.3
A 12.	STACY, PANEL 12	206101	-1.4	+0.9
		172100	+0.6	-1.3
14.	CAPE LOOKOUT LT H., PANEL 14	163101	-0.4	+0.2
	CAPE LOOKOUT LT. H. 1986	163100	+5.9	+3.7
· 🖸	CAPE HATTERAS LT. H. 1933	1	+0.8	-2.9
⊡	HATTERAS WATER TANK	3	+2.8	-2.0
	AVON WATER TANK	7	+0.9	-0.3
<u>.</u>	OCRACOKE C. G. CUPOLA	8	-2.3	+5.8
	UNIDENTIFIED B MIT TANK 1	9	+5.5	-3.4










THE PROPERTY OF THE PROPERTY OF THE



	NOAA FORM 76-41 (6-75)		DESCRIPTIV	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	ARTMENT OF COMMERCE PHERIC ADMINISTRATION
	MAP NO.	0128-NO.	2	GEODETIC DATUM NAD 83	
	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	STATE A. Catella GEOGRAPHIC POSITION STATE A. Catella A LATITUDE ZONE A LATITUDE	REMARKS
	AVON, 1962	Field Osto	276100	4= 3011229.37519 35 2129.830 V	
	AVON, 1962 PANEL 1	"	276101	52. 501° ¢	
N	CAPE HATTERAS LORAN MAST, 1949	"	270100	1 1	
	CAPE HATTERAS LORAW M. PANEL 2	11 2	191017	x= 3005355.727V\$ 35 /4 27.0622	
\sim	4161 DNIH	"	301108	V= 2 952 272,130 4 35 12 28.838 14 546 955.859 75 42 21.314	
	HING, 1979 PANEL 3	n n	301101	12/	
. *	KING, 1962	1	308100	x= 2 907 080.4901 35 09 09.511 J y= 525 329.1331x 75 51 33.940	
	KING, 1962 PANEL 4	n	308101	x= 2909518.423 14 35 09 17.225.1 y= 526186.624 1x, 75 51 04.265	
4	PAYELS (DIRECT)	ï	314100	34 35 04 39.5891	poppler station
9	SMOTH, 1960	"	001161	03 27.4414	
			DATE DASE, 2 02	717	DATE
	HAND PLOTTING BY		7-19-88 DATE	CKED BY	12-7/
_			SIDERSEDES NO	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

			プロンプト ニマ	NTROL RECORD	
<u> </u>	MAP NO.	ON 801	0,	GEODETIC DATUM AAD 83	
1	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	STATE V. C + 20//h & D LATITUDE ZONE A LONGITUDE	REMARKS
1	SMOTH, 1960 PANEL 6	Field	10/L61	x= 28487/6.018 1 \$ 35 04 07.2051 y= 492.964.735 1 1 76 03 28.119 1	
I	DOPPLER PANEL 7A	"	001861	x= 2838956.780 v \$ 35 01 40.198v y= 477809.184 1 x 76 05 30.828v	OOPPLER STATION
I	PANEL ?	2	700100	919 12 76 11	DOPPLER STATION
i	DOPPLER PANEL 8	2	00/68/	x= 2775004.5891 \$ 35 00 47.3254 y= 470657.008 1 x 76 18 21.9364	OOFFIER STATION
1	DOPPLER PANEL 9	*	191100	x= 2760199.406 V \$ 35 01 18.1074 y= 473371.783 V x 76 21 19.0111	DO POLER STATION
3	ATLANTIC 2, 1962	NAD 83 pomphlet Beaufort	204/00	x= 2 769 058.2324 34 53 17.5001 y= 425 005.7524 76 19 48.166	
1	ATLANTIC 2 PANEL 10	Field	204101	``	,
1	DOPPLER PANEL 11	*	205100	1 x 76 18 42.264	OODAGER STATION
I	STACK, 1933	NAD 83 pomphlet Beaufort	206100	16/1 76 25 11.583V	
Li	STACY PANEL 12	Field Doto	101907	16 14 34 49 53.2763 50 12 76 25 11.4694	
٠-	COMPUTED BY		DATE	COMPUTATION CHECKED BY	DATE
1- 1-	LISTED BY O. O. HORMA		04-19-88 DATE	LISTING CHECKED BY S. MAND PLOTTING CHECKED BY	DATE 8-12-88
1			SUPERSEDES NO	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	

(6-75)		DESCRIPTIVE	F REPORT CONTROL RECORD	NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	MOSPHERIC ADMINISTRA
 MAP NO.	JOB NO. CM-8710	0/	GEODETIC DATUM NAD 83	ORIGINATING ACTIVITY	١٢٧
 STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	- c/1/0	GEOGRAPHIC POSITION φ LATITUDE λ LONGITUDE	REMARKS
 PEY USE 1943	Field	172/00	4= 357 705 1951	34 42 29.375	•
CAPE LOOKOUT LTH.	NAD 83 pomphlet Besufort	163100,	x= 2 713 162. y= 326 920.	37 21.88	
CAPE LOOKOUT LTH. PANEL 14	Field	163101 *	x = 270.8408.7 y = 322.198.3	34 36 36.366	
CAPE HATTERAS	``		x= 3006 967.85214 y= 565 900.32012	35 15 17.666 J	\.\.\.
HATTERAS INLET LIGHTHOUSE	Field	7	x= 2 935 372,75814 y= 566 577,7621,		
· HATTERAS AM WATER TANK	F1014 0sts	n	x= 2 960 563.0504 y= 550 529.2954	35 13 01, 433 v	
			χ= ψ		
			χ= φ		
			χ= Φ Φ γ π		
			φ φ γ = X		
COMPUTED BY		DATE	APUTATION CHECKED BY		DATE
LISTED BY JON D. Marry		18-6/3/40	LISTING CHECKED BY	A	DATE 2-8-8E
 HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		1
		SUPERSEDES	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	OBSOLETE.	

U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION REMARKS DATE DATE DATE ORIGINATING ACTIVITY 35-21-08.809 76-34-07.396 792 75-30-17.311 35-06-56, 173 75-59-14,093 35-19-09.273 35-21-08,809 75-30-41.058 35-14-00.414 34-43-21.103 75-30-17.311 γ LONGITUDE LATITUDE GEOGRAPHIC POSITION -75-37-17. SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE. DESCRIPTIVE REPORT CONTROL RECORD ~ ÷ $\tilde{\sim}$ 0 \leq 0 0 0 • Φ. ~ 0 557,054.659 3008918.312 484.48109 977,127.081 2698985.467 3010459.364 510,671.678 ASH 745 109 83 3,010,459.364 362894.201 2,869,301.578 HAND PLOTTING CHECKED BY 589397.957 y= COMPUTATION CHECKED BY STATE N. CArolina NAO LISTING CHECKED BY COORDINATES IN FEE ZONE 'n ı, ĸ, ¥ ĸ Ľ ¥ = Fa 3 **₩** ž 'n £ **"** # × 7 ä £ ž AEROTRI-ANGULATION POINT NUMBER DATE 10-27-88 DATE 9 ρ× S 7 9 ∞ DATE 8710 MANTEO FIELD BOOK GEUD. CUNTRUL DATA 6500, contro SOURCE OF INFORMATION (Index) MAUTEO BEAUFORT 1 DATRO 30 Ξ = ON BO MIT GASKII 1933 AVUN WATER TANK Avon WATER TANK KINNA 1962 Ø STATION CUPOLA OCRACORE GG STATION NAME UNIDENTIFIED HAND PLOTTING BY COMPUTED BY TANK LISTED BY MAP NO.

APPENDIX E

. . .

. .

TIDE INFORMATION

PROJECT: CM-8710

LOCATION: OCRACOKE ISLAND,

NORTH CAROLINA

PREDICTED TIDE-COORDINATED X

REFERENCE STATION RECORDS

GMT ZONE PRIME MERIDIAN PARALLEL .

TIDE STATION: OCRACOKE ISLAND, (SILVER LAKE)

TIDE RANGE: 0.97 FEET

FLIGHT LINE	TIDE LINE	PHOTOGRAPHS	SCALE	DATE SPOT- NUMBER	TIME CUT/EST LOCAL STD	TIDE STAGE (in Feet)
50-3C	INSIDE	88ZR 4508-4516	1:50,000	3/16/88	1726-1732	MHW(-)0.55
			-1 -1	54-14	1226-1232	MLLW 0.42
50-5C	INSIDE	88ZR 4696-4704	1:50,000	3/17/88	1535-1538	MHW(-)0.8
		1 .		54-14	1035-1038	MLLW 0.2
50-6C	INSIDE	88ZR 4670-4694	1:50,000	3/17/88	1505-1519	MHW(-)0.7
,	,			54-14	1005-1019	MLLW 0.3

LOCATION: HARKERS ISLAND, NORTH CAROLINA

TIDE STATION: CALICO JACK'S MARINA

TIDE RANGE: 1.80 FEET

INSIDE	88ZR 4433-4450	1:50,000	3/16/88	1526-1536	MHW(-)0.3
			54-14	1026-1036	
INSIDE	88ZR 4751-4766	1:50,000	3/17/88	1931-1942	MLLW 0.3
	·	·	54-14	1431-1442	
· i					
1NSIDE	88ZR 4484-4493	1:50;000	3/16/88	1639-1646	MHW(-)0.7 MLLW 1.1
1	'		54-14	1139-1140	111111111111111111111111111111111111111
i	88ZR. 4494-4500	•	} ~~~~	1646-1651	MHW(-)0.8
	INSIDE	INSIDE 88ZR 4751-4766 1NSIDE 88ZR 4484-4493	INSIDE 88ZR 4751-4766 1:50,000 1NSIDE 88ZR 4484-4493 1:50,000	INSIDE 88ZR 4751-4766 1:50,000 3/17/88 1NSIDE 88ZR 4484-4493 1:50,000 3/16/88 54-14	INSIDE 88ZR 4751-4766 1:50,000 3/17/88 1931-1942 1NSIDE 88ZR 4484-4493 1:50,000 3/16/88 1639-1646 1139-1146

REMARK:

TIDE INFORMATION

PROJECT: CM-8710

LOCATION: CAPE HATTERAS,

NORTH CAROLINA

PREDICTED

TIDE-COORDINATED

REFERENCE STATION RECORDS

GMT ZONE PRIME MERIDIAN PARALLEL

TIDE STATION: CAPE HATTERAS (FRISCO) FISHING PIER

TIDE RANGE: 3.17 FEET

FLIGHT LINE	TIDE LINE	PHOTOGRAPHS	SCALE	DATE SPOT- NUMBER	TIME CUT/EST LOCAL STD	TIDE STAGE (in Feet)
50-2B	OUTSIDE	88ZR 4460-4482	1:50,000	3/16/88	1619-1629	MLLW 0.2
			·	54-14	1119-1129	·
50-4B	OUTSIDE	88ZR 4716-4733	1:50,000	3/17/88	1614-1625 1114-1125	MLLW O.1
		88ZR 4734-4740		54-14 ,	1626-1628 1126-1128	MLLW(-)0.1
50-5B	OUTSIDE	88ZR 4706-4714	1:50,000	3/17/88	1557-1601	MLLW 0.2
	· .	*** *****		54-14	1057-1101	
50-7	OUTSIDE	88ZR 4981-4992	1:50,000	3/28/88	1434-1439	MLLW 0.3
٠.				54-11	0934-0939	
50-2A	OUTSIDE	88ZR 4811-4820	1;50,000	3/20/88	1438-1444 0938-0944	мнw(-)0.2
		88ZR 4821-4829		54-14	1445-1452 0945-0952	мнw(-)0.3
50-4A	OUTSIDE	88ZR 4792-4809	1:50,000	3/20/88	1411-1426	MHW(-)0.1
				54-14	0911-0926	
50-5A	OUTSIDE	882R 4782-4790	1:50,000	3/20/88	1358-1402	MHW 0.0
				54-14	0858-0902	
						,

1/anno & Scharl 11/6/90

APPENDIX F

MAP COMPILATION SOURCES for CM-8710

MAP NUMBER ¹	РНОТОС	PHOTOGRAPHY ²	DATE	TIME3	SCALE
TP-01510	88 B (CN) 88 B (CN)	9269-9275 9292-9300	03/28/88 03/28/88	11:37 12:09	1:30,000
TP-01511	88 B (CN)	9299-9307	03/28/88	12:06	1:30,000
TP-01512	88 B (CN)	9307-9313	03/28/88	12:03	1:30,000
TP-01513	88 B (CN)	9195-9199	03/28/88	10:27	1:50,000
TP-01514	88 B (CN) 88 B (CN)	9187-9188 9198-9203	03/28/88 03/28/88	10:02 10:28	1:50,000
TP-01515	88 B (CN) 88 B (CN)	9179-9183 9188-9191	03/28/88 03/28/88	09:58 10:07	1:50,000
TP-01516	88 B (CN) 88 B (CN)	9178-9179 9203-9207	.03/28/88 .03/28/88	09:56 10:30	1:50,000
TP-01517	88 B (CN) 88 B (CN)	9173-9178 9207-9210	03/28/88 03/28/88	09:55 10:31	1:50,000
TP-01518	88 B (CN) 88 B (CN) 88 B (CN)	9161-9163 9172-9173 9210-9212	03/28/88 03/28/88 03/28/88	09:35 09:54 10:33	1:50,000 1:50,000 1:50.000
DEWADYC.					

REMARKS:

1. All maps were compiled at a scale of 1:20,000. 2. Photography type (CN) denotes Color Negative. 3. Standard Time is referenced to Eastern Time Zone (Meridian = 075°).

Final Rewiewer -

Date_

MAP COMPILATION SOURCES for CM-8710

SCALE	1:30,000 1:30,000	1:30,000	1:30,000	1:50,000	1:50,000	1:50,000	1:50,000 1:50,000	1:50,000	1:50,000 1:50,000 1:50.000
TIME3	11:37 12:09	12:06	12:03	10:27	10:02 10:28	09:58 10:07	09:56 10:30	09:55 10:31	09:35 09:54 10:33
DATE	03/28/88 03/28/88	03/28/88	03/28/88	03/28/88	03/28/88 03/28/88	03/28/88 03/28/88	03/28/88 03/28/88	03/28/88 03/28/88	03/28/88 03/28/88 03/28/88
RAPHY ²	9269-9275 9292-9300	9299-9307	9307-9313	9195-9199	9187-9188 9198-9203	9179-9183 9188-9191	9178-9179 9203-9207	9173-9178 9207-9210	9161-9163 9172-9173 9210-9212
PHOTOGRAPHY ²	88 B (CN)	88 B (CN)	88 B (CN)	88 B (CN)	88 B (CN) 88 B (CN)	88 B, (CN) 88 B (CN)	88 B (CN) 88 B (CN)	88 B (CN) 88 B (CN)	88 B (CN) 88 B (CN) 88 B (CN)
MAP NUMBER ¹	TP-01510 8	TP-01511 8	TP=01'512' 8	TP-01513 8	TP-01514 8	P-01515 E	TP-01516 E	TP-01517 E	TP-01518 8

REMARKS:

- 1. All maps were compiled at a scale of 1:20,000. 2. Photography type (CN) denotes Color Negative. 3. Standard Time is referenced to Eastern Time Zone (Meridian = 075°).

Final Rewiewer -

Date

MAP COMPILATION SOURCES for CM-8710

MAP NUMBER ¹	PHO	PHOTOGRAPHY ²	DATE	TIME	SCALE	TIDE STAGE (Feet)
TP-01510	88 ZR 88 ZR	4709, 10, 12 4721, 23	03/17/88 03/17/88	11:00	1:50,000 1:50,000	MLLW 0.2 MLLW 0.1
TP-01511	88 ZR	4725,28	03/11/88	11:18	1:50,000	MLLW 0.1
тР-01512	88 ZR 88 ZR 88 ZR	4683,84 4730,32 4734	03/17/88 03/17/88 03/17/88	10:12 11:25 11:26	1:50,000 1:50,000 1:50,000	MLLW 0.3 (Pamlico Sound) MLLW 0.1 MLLW (-)0.1
TP-01513	88 88 ZR 88 ZR 88 ZR 88 ZR	4478,79 4485 4734,36 4805 4811	03/16/88 03/16/88 03/17/88 03/20/88	11:27 11:40 11:26 09:24	1:50,000 1:50,000 1:50,000 1:50,000	MLLW 0.2 MLLW 0.1 (Pamlico Sound) MLLW (-)0.1 MHW (-)0.1 MHW (-)0.2
TP-01514	88 ZR 88 ZR 88 ZR	4433,34 4473,75,78 4509,10	03/16/88 03/16/88 03/16/88	10:26 11:24 12:28	1:50,000 1:50,000 1:50,000	MHW (-)0.3 (Core sound) MLLW 0.2 MLLW 0.4 (Core Sound)
TP-01515	88 ZR 88 ZR 88 ZR 88 ZR	4434,36 4471,73 4509,10,12,13 4755,57	03/16/88 03/16/88 03/16/88 03/17/88	10:28 11:23 12:29 14:36	1:50,000 1:50,000 1:50,000 1:50,000	MHW (-)0.3 (Core Sound) MLLW 0.2 MLLW 0.4 (Pamlico Sound) MLLW 0.3 (Core Sound)
TP-01516	88 ZR 88 ZR 88 ZR	4467, 69, 71 4757, 59 4821	03/17/88 03/17/88 03/20/88	11:21 14:37 14:45	1:50,000 1:50,000 1:50,000	MLLW 0.2 MLLW 0.3 (Core Sound) MHW (-)0.3

TIDE STAGE (Feet)	MHW (-)0.3 (Core Sound) MLLW 0.2 MLLW-0:3:=(Core~Sound)	MLLW (-) 0.3 (Core Sound) MLLW 0.2 MLLW 0.3 (Core Sound) MLLW 0.3
SCALE	1:50,000 1:50,000 1:50,000	1:50,000 1:50,000 1:50,000 1:50,000
TIME	10:32 11:22 14:39	14:39 11:21 14:41 09:35
DATE	03/16/88 03/16/88 03/17/88	03/17/88 03/16/88 03/17/88 03/28/88
PHOTOGRAPHY ²	88 ZR 4443,44 88 ZR 4465,67 88 ZR 4759,61,63	88 ZR 4444,46 88 ZR 4463,65 88 ZR 4763,65 88 ZR 4982,84,85
MAP NUMBER	TP-01517	TP-01518

REMARKS:

All maps were compiled at a scale of 1:20,000.

Photography type (ZR) denotes Z-Cone, BLACK & White 1:50,000 scale photographs enlarged 1:20,000 scale photographs.

Standard Time is referenced to Eastern Time Zone (Meridian = 075°).

Refer to Appendices D for tide data.

FINIAL Reviewer -

~

APPENDIX G

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-8710 (Cape Hatteras to Cape Lookout, NC)

TP-01510

Askins Creek Atlantic Ocean Bald Point Boat Creek Brigand Bay Brooks Creek Brooks Point Buxton Cape Creek Frisco Great Island Hatteras, Cape Hatteras Island Jennette Sedge Joe Saur Creek Kings Island (submerged) Kings Point Long Point Long Point Creek Pamlico Sound

TP-01511

Atlantic Ocean Austin Creek Cockrel Creek Cockrel Creek Island Duck Ponds Duncan Point Durant Point Green Island Hatteras Hatteras Inlet Hatteras Island Inlet Peninsula Isaac Pond Ocracoke Island Outer Green Island Pamlico Sound Quork Hammock Sandy Bay Shingle Creek Slash, The

TP-01512

Atlantic Ocean Clark Reef Gap Point Horsepen Point Howard Reef Island Creek Knoll Creek Knoll House Creek Little Swash Opening Mary Anns Pond North Bitterswash Creek Northern Pond Ocracoke Ocracoke Island Ocracoke Island Airport Old Hammock Creek Old Slough Pamlico Sound Quokes Point Sand Hole Creek Silver Lake South Bitterswash Creek Springers Point Try Yard Creek Windmill Point

TP-01513

Atlantic Ocean Baymarsh Thorofare Beacon Island Casey Bay Casey Island Core Banks Daniel Swash Evergreen Island Evergreen Slough Haulover, The High Hills Inlet High Hills, The North Rock Ocracoke Inlet Ocracoke Island Pamlico Sound

Portsmouth
Portsmouth Island
Royal Point
Royal Point Bay
Sheep Island
Shell Castle (island)
Whalebone Island

TP-01514

Atlantic Ocean Camp Point Chain Shot Island Core Banks Core Sound Cowpen Point (1) Cowpen Point (2) Cricket Island Cricket Island Point Harbor Island Hog Island Kathryne Jane Islands Merkle Hammock Mud Island Old House Beach Oyster Creek Oyster Creek Point Pamlico Sound Passage, The Pilontary Islands Portsmouth Island Sand Island Sands, The Shell Island Wainwright Island

TP-01515

Atlantic
Atlantic Ocean
Back Bay
Barry Bay
Beach Island
Beach Marsh
Bear Hammock
Cedar Island
Cedar Island
Cedar Island Point
Core Banks
Core Sound
Deep Bend
Deep Bend

Drum Pond Drum Pond Point Dump Island End of Island Slough Fish Hawk Point Fullers Ditch Goodwin Hills (locale) Goose Bay Goose Bay Point Grass, Point of Great Ditch Great Pond Green Point (1) Green Point (2) Green Point Cove Hall Point Head of Bay . Hog Island Hog Island Narrows Hog Island Point Horse Island Hunting Island John Day Ditch Lewis Creek Lola Long Point (1) Long Point (2) Lookout Point Merkle Bay Merkle Bay Point Merkle Hammock Creek Mingo Creek Rumley Bay Rumley Hammock Nameless Bay Nelson Bay Noras Cove North Bay Pamlico Sound Passage, The Roe Salters Creek Sand Hill Point Sand Point Ship Point Ship Shoal Island Snake Gut South Island South Point Southwest Prong Thorofare Thorofare Bay

Waterbush Point
West Bay
West Thorofare Bay
Western Point
White Point
Wolves Den

TP-01516

Annis Run Atlantic Atlantic Ocean Big Marsh Big Marsh Point Cedar Creek Cedar Hammock Cedar Inlet Cedar Point Core Banks Core Sound Douglas Point Drum Inlet Drum Point Fortin Bay Fortin Island Fulchers Creek Glover Creek Great Island Great Island Creek Green Point Gutter Creek Head of the Hole Horse Island Horse Island Cove Horse Island Point Inner Grass Lump Lewis Creek Little Port Long Point Mill Point Nelson Bay Old Channel Outer Grass Lump Pasture Creek Sealevel Sheep Islands Sheep Pen Creek Short Point Steep Point Styron Bay Styron Creek

Swash, The

Willis Creek Yaupon Hammock Gut

TP-01517

Atlantic Ocean Bells Island Bells Point Big Island Brett Bay Broad Creek Broad Creek Marsh Browns Island Core Banks Core Sound Corncrib Point Cowpen Island Crab Point Davis Davis Island Davis Landing Davis Marsh Deer Pond Ditch Cove Douglas Point Fishing Point Fork Creek Fulchers Creek Gaskill Landing Gaskill Point Gillikin Creek Gloucester Gloucester Point Goose Bay Goose Island Great Creek Great Island Bay Great March Creek Guthrie Hammock Harkers Island Horse Island Horsepen Creek Horsepen Point Howland Creek Howland Point Janes Creek Jarrett Bay Johnson Creek Jump Run King Point King Point Marsh Lewis Creek

Lewis Island Maria Creek Marshallberg Middens Creek Middens Point Mullet Cove North Leopard Creek Oak Hammock Otway Oyster Creek Pasture Point Piney Point Procks Point Salters Lump Sandy Point Shingle Point Sleepy Creek Smyrna Smyrna Creek South Leopard Creek Spit Bay Spit, The Stone Point Straits (locale) Straits, The Tusk Tusk Creek Wade Creek Wading Point Ward Creek Westmouth Bay White Point Whitehurst Creek Williston Williston Creek Zack Creek

TP-01518

Atlantic Ocean
Back Sound
Bald Hill Bay
Barden Inlet
Baregrass Island
Big Deep Marsh Island
Blinds Hammock
Blinds Hammock Bay
Caggs Creek
Cape Lookout (locale)
Cape Point
Catfish Point
Cedar Hammock

Cockle Marsh Island Codds Creek Core Banks Core Sound Cow Island Ditch, The Eastmouth Bay Great Marsh Island Gunning Hammock Island Harkers Island Harkers Island (locale) Hogpen Bay Horse Island Horse Point Iron Creek Jacks Island Johnsons Bay Lighthouse Bay Lighthouse Channel Little Deep Marsh Island Lookout Bight Lookout, Cape Morgan Island Onslow Bay Power Squadron Spit Rawson Creek Rush Island Shackleford Banks Sheep Island Sheep Pen Creek Shell Point Shooting Hammock Teal Island Try Yard Creek Whitehurst Island White Shoal Marsh

Approved:

Charles E. Harrington Chief Geographer, Nautical Charting Division APPENDIX H

CARTOGRAPHIC FEATURES OF CHARTING INTEREST

COASTAL MAPPING PROGRAM: CM-8710

NOS NAUTICAL CHART COVERAGE: 11545, 11548, 11550, and 11555

GEODETIC DATUM: NAD 83

The following features are recommended for charting based on field and photogrammetric observations. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for quality code (QC) criteria and clarification of cartographic codes (CC). Please note that cartographic code 993 is a photogrammetric source code for cartographic features of possible landmark value.

FEATURE DESCRIPTION	NCD CC	GEOGRAPHICAL LATITUDE	POSITION LONGITUDE	NCD QC	DATE OF SOURCE
- TP-01518			•		
LIGHT 6	200	34-36-56.98	76-32-09.30	4	087/988
BARDEN INLET				•	·
LIGHT 1	200	34-37-27.51	76-32-24.46	4	087/988
LIGHT 19	200	34-38-33.44	76-31-00.32	6	087/988
LIGHT 21	200	34-39-10.52	76-31-09.82	6	087/988
LIGHT 26	200	34-39-52.66	76-31-21.41	6	087/988
LIGHT 32	200	34-40-16.99	76-31-26.03	6	087/988
LIGHT 35	200	34-40-42.38	76-31-35.45	6	087/988
HARKERS ISLAND					
EAST CHANNEL			•		
LIGHT 2	200	34-41-06.75	76-31-11.28	6	087/988
LIGHT 6	200	34-41-41.85	76-30-38.60	6	087/988
BACK SOUND	÷		**		
LIGHT 1	200	34-41-00.79	76-32-07.27	6.	087/988
LIGHT 3	200	34-41-19.13	76-33-48.61	6	087/988
SPIRE	086	34-41-48.15	76-34-01.54	. 6	087/988
SPIRE	- 086	34-41-43.73	76-33-40.98	6	087/988
SPIRE	086	34-41-42.07	76-33-30.67	6	087/988
TANK	086	34-41-50.17	76-33-26.21	4	087/988
CAPE LOOKOUT					
LIGHTHOUSE 1886	020	34-37-21.889	76-31-28.341	2	087/988

FEATURE	NCD	GEOGRAPHICAL	POSITION	NCD	DATE OF
DESCRIPTION .	CC	LATITUDE	LONGITUDE	QC	SOURCE
		*		•	
- TP-01517			•		
HARKERS ISLAND	r				
EAST CHANNEL	*	•			
LIGHT 10	200	34-42-11.59	76-30-25.15	6	087/988
LIGHT 14	200	34-42-47.09	76-30-04.61	6	087/988
CORE SOUND		•			
LIGHT 31	200	34-48-54.02	76-25-01.19	6	087/988
LIGHT 33	200	34-48-37.91	76-25-54.39	. 6	087/988
OYSTER CREEK				,	
ENTRANCE LT 2	200	34-48-51.22	76-26-45.82	4	087/988
SALTER CREEK			÷		
LIGHT 1	200	34-48-19.29	76-26-56.43	6	087/988
LIGHT 34	200	34-46-32.23	76-27-06.51	6	087/988
LIGHT 35	200	34-45-08.12	76-27-53.73	6	087/980
CHANNEL LT 36	200	34-44-33.53	76-29-27.24	6	087/988
CHANNEL LT 37	200	34-43-31.12	76-28-55.48	6	087/988
LIGHT 39	200	34-43-01.95	76-29-29.89	6	087/988
CHANNEL LT 41	200	34-42-59.53	76-29-58.72	6	087/988
LIGHT 42A	200	34-42-51.45	76-30-54.13	6	087/988
LIGHT 44	200	34-43-12.98	76-31-37.40	6	087/988
LIGHT 46	200	34-42-57.74	76-32-36.82	4	087/988
LIGHT 47	200	34-43-03.60	76-33-10.39	6	087/988
WESTMOUTH BAY					
LIGHT A	200	34-42-12.95	76-33-01.88	- 6	087/988
•	0				
SPIRE	086	34-47-49.19	76-27-36.99	6	087/988
SPIRE	086	34-47-07.94	76-30-34.44	6	087/988
TOWER *	086	34-45-53.87	76-31-06.88	6	087/988
÷.					•
- TP-01516			,		
CORE SOUND			-	٠.	• •
LIGHT 22	200	34-52-38.67	76-19-30.90	4	087/988
ATLANTIC ENTRANCE	C	•	• •		
LIGHT	200	34-52-23.80	76-20-20.67	6	087/988
ATLANTIC CHANNEL		•		•	-
LIGHT 2	200	34-52-49.77	76-20-10.19	4	087/988
LIGHT 24	200	34-51-48.54	76-20-45.79	4	087/988
LIGHT 25	200	34-51-25.40	76-21-10.95	6	087/988
CEDAR CREEK					
LIGHT 1	200	34-52-01.53	76-22-37.70	4	087/988
LIGHT 27	200	34-50-38.24	76-22-00.91	6	087/988
LIGHT 28	200	34-50-32.99	76-22-55.92	. 6	087/988
				. •	•

1	- "		-	-	
FEATURE DESCRIPTION	NCD CC	GEOGRAPHICAL LATITUDE	POSITION LONGITUDE	NCD QC	DATE OF SOURCE
CORE SOUND			•		
SEALEVEL CHANNEL					
ENTRNACE LIGHT 1. SEALEVEL CHANNEL	200	34-51-11.02	76-23-08.45	6	087/988
LIGHT 3	200	34-51-21.55	76-23-07.05	4	087/988
NELSON BAY LIGHT 1	200	34-51-18.99	76-24-16.93	6	087/988
			•		
FULCHERS CREEK				_	
LIGHT 1 CORE SOUND	200	34-50-03.51	76-24-29.58	4	087/988
LIGHT 29	200	34-49-09.27	76-24-12.17	4	087/988
Tank	993	34-52-57.91	76-20-13.05	4	087/988
Chimney	993	35-52-58.94	76-20-32.31	6	087/988
Spire	993	34-52-49.01	76-20-28.59	. 4	087/988
Spire	993	34-51-00.07	76-24-56.82	6	087/988
CHIMNEY	086	34-48-14.42	76-22-31.20	6	087/988
- TP-01515					
CORE SOUND					•
LIGHT 18	200	34-56-20.64	76-15-36.49	6	087/988
CEDAR ISLAND					
BAY CHANNEL		•			
LIGHT 2	200	34-58-04.65	76-15-36.88	4	087/988
LIGHT 6	200	34-59-20.47	76-17-41.34	4	087/988
LIGHT 8	200	34-59-31.67	76-18-16.40	4	087/988
THOROFARE CHANNEL					
LIGHT 1	200	34-55-31.38	76-19-24.76	6	087/988
LIGHT 1A	200	34-55-34.85	76-20-38.94	6	087/988
LIGHT 4	200	34-55-43.24	76-21-28.54	6	087/988
CORE SOUND				-	
LIGHT 19	200	34-54-59.27	76-16-35.45	6	087/988
LIGHT 19A	200	34-54-17.45	76-17-38.40	4	087/988
LIGHT 20	200	34-53-53.73	76-18-16.73	6	087/988
LIGHT ZO	200	34-33-33.73	/0-10-10./3	U	0077300

FEATURE DESCRIPTION	NCD CC	GEOGRAPHICAL LATITUDE	POSITION LONGITUDE	NCD QC	DATE OF SOURCE
WEST BAY CEDAR ISLAND FERRY SLIP BREAKWATER					
LIGHT 1 CEDAR ISLAND FERRY SLIP BREAKWATER	200	35-01-11.13	76-18-41.69	6	087/988
LIGHT 2 CEDAR ISLAND NORTH	200	35-01-13.27	76-18-38.10	6	087/988
OBSTRUCTION LIGHT MARKER	200 086	35-02-08.60 35-02-09.55	76-20-54.24 76-21-50.17	6 6	087/988 087/988
LIGHT 4WB LIGHT 3 (Lighted Mile Mark	200 200	35-02-10.48 35-02-07.82	76-23-02.59 76-24-15.23	6 6	087/988 087/988
LIGHT 11WB LIGHT 13WB	200 200	34-56-32.09 34-56-23.63	76-23-16.52 76-23-06.47	6 6	087/988 087/988
LIGHT 15WB	200	34-56-03.42	76-22-57.50	6	087/988
ANTENNA TOWER	086 086	34-57-20.80 34-57-44.27	76-16-36.23 76-16-53.93	4	087/988 087/988
- TP-01514 CORE SOUND		·			
LIGHT 2CS CHANNEL LIGHT 3 CHANNEL LIGHT 5	200 200 200	35-00-16.39 34-59-50.20 34-59-20.62	76-12-11.54 76-12-15.85 76-12-21.54	4 4 4	087/988 087/988 087/988
DAYBEACON 5A CHANNEL LIGHT 7	200 200 200	34-59-11.19 34-58-59.17	76-12-30.63 76-12-37.79	6 4	087/988 087/988
CHANNEL LIGHT 9 LIGHT 11	200 200	34-58-47.32 34-58-30.63	76-13-04.37 76-13-14.44	4 6	087/988 087/988
LIGHT 13 LIGHT 15 LIGHT 16	200 200 200	34-57-18.50 34-56-41.54 34-56-25.02	76-13-42.58 76-13-49.39 76-14-50.59	6 6 6	087/988 087/988 087/988
-TP-01513 TEACHES HOLE CHANNEL	·			•••	
LIGHT 11	200	35-04-57.24	76-00-17.69	4	087/988
SPIRE PORTSMOUTH COAST GO CUPOLA 1909 (ABAND	UARD)	35-04-10.61	76-03-40.58	6	087/988
(BLACK BRANT ROD & GUN CLUB CUPOLA)		35-04-06.919	76-03-27.093	3	087/98

FEATURE DESCRIPTION	NCD CC	GEOGRAPHICAL LATITUDE	POSITION LONGITUDE	NCD QC	DATE OF SOURCE
					• .
- TP-01512			•		
TEACHES HOLE					
CHANNEL					•
LIGHT 12	200	35-05-30.68	76-59-43.14	4	087/988
					,
OCRACOKE INLET					-
SILVER LAKE	000	05 06 08 58	75 50 00 00		005/000:
JUNCTION LIGHT	200	35-06-37.57	75-59-30.97	4	087/988
ENTRANCE DYBN 4	224	35-06-52.74	75-59-41.26	6	087/988
ENTRANCE DYBN 6	224	35-07-12.36	75-59-50.85	6	087/988
ENTRANCE LIGHT 7	200	35-06-53.59	75-59-24.39	4	087/988
ENTRANCE LIGHT 9	200	35-06-52,18	75-59-14.66	4	087/988
OCRACOKE LIGHT					*
(OCRACOKE LIGHTHOU				_	007/000
1851)	020	35-06-32.310	75-59-09.527	2	087/988
CUPOLA COAST GUARD					•
(OCRACOKE COAST GU	AKD.				
STATION CUPOLA	000	05 06 56 45	EE EO 14 00		005 (000
1960)	020	35-06-56.17	75-59-14.09	4	087/988
TANK	086	35-07-01.69	75-59-01.82	4	087/988
#D 01511			the transfer of		
- TP-01511					
HATTERAS INLET SOUTH FERRY TERMIN	7 T				
SOUTH FERRY TERMIN	200	35-11-39.79	75-45-54.38	4	087/988
-	200	35-11-41.19	75-45-53.72	4	087/988
DIRECTIONAL LIGHT SOUTH FERRY TERMIN	and the second second	33-11-41.19	/3-43-33./2	4	067/900
	200	OE 11 41 71	75-46-14.03	. 6	087/988
LIGHT 4 SOUTH FERRY TERMÍN		35-11-41.71	/5-40-14.03	O	067/900
LIGHT 6	200	35-11-35.74	75-46-42.50	4	087/988
SOUTH FERRY TERMIN		33-11-33.74	/3-40-42.50	4	067/966
LIGHT 7	200	35-11-33.08	75-46-50.55	4	087/988
LIGHT 9	200	35-11-35.08	75-45-02.17	4	087/988
LIGHT 11	200	35-11-56.29	75-44-20.32	4	087/988
HATTERAS INLET LIG		33-11-30.29	/5-44-20.52	-3	007/900
(TOWER)	200	35-11-51.40	75-43-56.21	6	087/988
LIGHT 13	200	35-12-11.72	75-43-54.95	4	087/988
LIGHT 16	200	35-12-11.72	75-43-36.41	4	087/988
CHANNEL LIGHT 19	200	35-12-16.76	75-43-30.41	. 4	087/988
CHANNEL LIGHT 21	200	35-12-39.68	75-43-08.18	4	087/988
CHANNEL LIGHT 24 '	200	35-12-46.03	75-42-45.50	4	087/988
CHANNEL LIGHT 25	200	35-13-07.26	75-42-12.71	4	087/988
JUNCTION LIGHT HR	200	35-13-07.20	75-41-43.35	4	087/988
HATTERAS HARBOR	200	00 <u>10 17170</u>	,0 =1 =0.00		337, 300
LIGHT 2	200	35-13-14.25	75-41-41.27	6	087/988
LIGHT Z	200	22-12-14:22	. n-41-41.51	J .	307/300

FEATURE	·NCD	GEOGRAPHICAL	POSITION	NCD	DATE OF
DESCRIPTION	CC	LATITUDE	LONGITUDE	QC ·	SOURCE
ROLLINSON CHANNEL		•	• .		
LIGHT 30	200 .	35-13-23.39	75-41-44.89	4	087/988
LIGHT 32	200	35-13-23.33	75-42-02.73	4	087/988
LIGHT 33	200	35-14-09.55	75-42-22.48	6	087/988
AUSTIN CREEK	200	33-14-03.33	/5-42-22.40	.0	, 007/300
ENTRANCE CHANNEL			•		
LIGHT 1	200	35-12-37.59	75-42-21.71	4	087/988
AUSTIN CREEK	200	00 12 07.07	70 45 21.71	-	007,500
LIGHT 2	200	35-12-33.02	75-42-15.86	4	087/988
	200	00 12 00:02	70 12 10.00		007,300
DURANT POINT		·	•		
LIGHT 2	200	35-14-14.57	75-40-50.39	4	087/988
LIGHT 8	200	35-13-23.82	75-40-29.73	4	087/988
			,	_	
HATTERAS					
WATER TANK 1978	020	35-13-01.43	75-40-40.01	4	087/988
		,		_	,
- TP-01510			- 6. - 26.		
PAMLICO SOUND			^ , *		
AVON CHANNEL				•	
FRISCO APPROACH	**	****			•
LIGHT 4	200	35-15-33.02	75-39-12.21	6	087/988
FRISCO LIGHT 9 "	200	35-15-08.86	75-36-28.76	4	087/988
· ,					
BUXTON HARBOR		e e trans			
LIGHT 12	200	35-16-34.99	75-33-57.40	6	087/988
DAYBEACON 14	224	35-16-16.46	75-33-41.41	6	087/988
DAYBEACON 16	224	35-16-05.30	75-33-31.29	6	087/988
LIGHT 17	200	35-16-00.53	75-33-26.58	.4	087/988
CAPE HATTERAS LIGH	T				
(CAPE HATTERAS	• • •				
LIGHTHOUSE 1933)	020	35-15-17.666	75-31-14.520	2	087/988
				-	
Cupola	993	35-13-41.48	75-37-41.93	6	087/988
TANK (UNID B MIT				_	
TANK 1)	020	35-14-00.41	75-37-17.79	4	087/988
Tank	993	35-15-41.32	75-34-17.64	6	087/988
MICRO TOWER	086	35-16-01.14	75-32-36.04	6	087/988
TANK	086	35-15-58:73	75-32-00.66	4	087/988
Tower	993	35-15-41.01	75-32-12.94		087/988
Tank	993	35-15-05.51	75-32-22.44	6	087/988
Tower	993	35-14-44.25	75-32-02.21	6	087/988
Yardarm	993	35-14-28.67	75-31-34.60	6	087/988
CAPE HATTERAS	020	25 14 26 58	GE 01 14 E0	4	
LORAN MAST 1949 TANK	020	35-14-26.57	75-31-14.52		087/988
IANK	086	35-15-53.57	75-32-28.75	6	087/988

Listing approved by: Vanus E Schael
SIGNATURE Date



STOCK NO.	COLOR
C2-20571	Black
C2-20572	Light Blue
C2-20573	Dark Blue
C2-20578	Rust Red
C2-20579	Executive Red