

T-12648

T-12648

Form 504	
U. S. DEPARTMENT OF COMMERCE	
COAST AND GEODETIC SURVEY	
DESCRIPTIVE REPORT	
PH-6409	
Type of Survey SHORELINE (Photogrammetric)	
Field No. <i>1</i>	Office No. T-12648
<i>Field Edited Map</i>	
LOCALITY	
State	ALASKA
General locality	ORCA INLET
Locality	MILTON LAKE
19 <i>64-66</i>	
CHIEF OF PARTY	
Chief of Party	H. J. Seaborg
Compilation Office	P. A. Stark
LIBRARY & ARCHIVES	
DATE	

DESCRIPTIVE REPORT - DATA RECORD
T - 12648

PROJECT NO. (II):

21423 (2) PH-6409

FIELD OFFICE (III):

SHIP PATHFINDER

CHIEF OF PARTY

H. J. SEABORG

PHOTOGRAMMETRIC OFFICE (III):

PORTLAND, OREGON

OFFICER-IN-CHARGE

P. A. STARK

INSTRUCTIONS DATED (II) (III):

DECEMBER 7, 1964 III

METHOD OF COMPILATION (III):

KELSH INSTRUMENT

MANUSCRIPT SCALE (III):

1:10,000

STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III): 1:6000

PANTOGRAPH SCALE: 1:10,000

DATE RECEIVED IN WASHINGTON OFFICE (IV):

May 1977

DATE REPORTED TO NAUTICAL CHART BRANCH (IV):

APPLIED TO CHART NO.

DATE:

DATE REGISTERED (IV):

AUG. 1977

GEOGRAPHIC DATUM (III):

N.A. 1927

VERTICAL DATUM (III): MHW

~~MEAN SEA LEVEL EXCEPT AS FOLLOWS:~~

Elevations shown as (25) refer to mean high water

Elevations shown as (5) refer to sounding datum

i.e., mean low water or mean lower low water

REFERENCE STATION (III):

SIMPSON 16, 1900

LAT.:

60° 38' 38.51"

LONG.:

145° 49' 47.06"

☒ ADJUSTED☐ UNADJUSTED

PLANE COORDINATES (IV):

= 2,427,366 FT.

x = 530,560 FT.

STATE

ALASKA

ZONE

3

ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (I) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE,
OR (IV) WASHINGTON OFFICE.

WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.

8... 2

DESCRIPTIVE REPORT - DATA RECORD

FIELD INSPECTION BY (II): NONE		DATE:
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION): By KELSH INSTRUMENT		
PROJECTION AND GRIDS RULED BY (IV): A. E. ROUNDTREE		DATE 11-23-64
PROJECTION AND GRIDS CHECKED BY (IV): P. HAWKINS		DATE
CONTROL PLOTTED BY (III): R. H. MEYER		DATE 12-11-64
CONTROL CHECKED BY (III): W. MASULA		DATE 12-11-64
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III): W. HEINBAUGH		DATE 11-18-64
STEREOSCOPIC INSTRUMENT COMPILATION (III):	PLANIMETRY R. H. MEYER	DATE 12-24-64
	CONTOURS NONE	DATE
MANUSCRIPT DELINEATED BY (III): DRAFTED FOR HYDRO SUPPORT: C. C. HARRIS		DATE 12-29-64¹
SCRIBING BY (III): A. Shands		DATE Nov. 1966
PHOTOGRAMMETRIC OFFICE REVIEW BY (III): D. N. WILLIAMS		DATE 1-14-65
REMARKS: Field Edit Sept. 1965 and May 1966		

DESCRIPTIVE REPORT - DATA RECORD

CAMERA (KIND OR SOURCE) (III):

C&GS SINGLE LENS "S"

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
1:30,000 CONTACT 64 S 6913 THRU 64 S 6914 1:10,000 RATIO 64 S 1913 AND 64 S 1914	8-25-64 "	1005 "	1:30,000 1:10,000	4 FT ABOVE M.L.L.W. 4 FT " "

TIDE (III)

DIURNAL

	RATIO OF RANGES	MEAN RANGE	SPRING RANGE
REFERENCE STATION: CORDOVA, ALASKA		10.0 FT	12.4 FT
SUBORDINATE STATION: ORCA		9.9 FT	12.4 FT
SUBORDINATE STATION:			

WASHINGTON OFFICE REVIEW BY (IV):

Leo F. Beugnot, Atlantic Marine Center

DATE:

April 1967

PROOF EDIT BY (IV):

J. B. Phillips ; Rockville, Md.

DATE:

June 1977

NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (III):

RECOVERED:

IDENTIFIED:

NUMBER OF BM(S) SEARCHED FOR (III):

RECOVERED:

IDENTIFIED

NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III): NONE

NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III): NONE

REMARKS:


T-12648

COMPILATION RECORD

COMPLETION DATE

REMARKS

Alongshore area for hydro	December 1964	Superseded
Field edit applied subject to further verification	November 1965	Superseded
Second Field Edit applied	May 1966	
Final Review	April 1967	



SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT T-12648

Shoreline survey T-12648 is one of fifteen similar surveys in project PH-6409. The purpose of the surveys was to provide new shoreline for nautical charts and to provide photo hydro support data for hydrographic surveys to be made in the same area.

Field work preceding compilation consisted of recovery and/or establishment and recovery of horizontal control. There was no field inspection prior to compilation.

The manuscript was compiled by Kelsh instrument at 1:10,000 scale using the panchromatic photography of August 25, 1964. A cronaflex copy was provided for preparation of the hydrographer's boat sheet along with specially prepared ratio photographs for the location of hydro signals and field edit purposes.

The manuscript is a vinylite sheet 3 minutes 45 seconds in latitude by 5 minutes 00 seconds in longitude which was scribed and reproduced on cronaflex. One cronar positive and one cronar negative are provided for record and registry.

FIELD INSPECTION REPORT

MAP MANUSCRIPT T-12648

PROJECT 21423 (2)

NONE SUBMITTED. THERE WAS NO FIELD INSPECTION BEFORE
COMPILATION.

DESCRIPTIVE REPORT CONTROL RECORD

MAP T- 12648 PROJECT NO. 21423 (2) SCALE OF MAP 1:10,000 SCALE FACTOR NONE

STATION	SOURCE OF INFORMATION (INDEX)	DATUM	LATITUDE OR Y COORDINATE LONGITUDE OR X COORDINATE	N.A. 1927 - DATUM
				DISTANCE FROM GRID OR PROJECTION LINE IN METERS ($1 \text{ ft.} = 3048006 \text{ meter}$) FORWARD (BACK)
SIMPSON 16, 1900	ALASKA 60145 Pg. 14	N.A. 1927	60° 38' 38.51" 145° 49' 47.06"	
				#
				P
COMPUTED BY	D.N.W.	DATE 12-11-64	CHECKED BY R.H.M.	DATE 12-11-64

Aerotriangulation Report
Project 21423
Orca Inlet, Alaska

21. Area Covered

The area covered by this report on aerotriangulation bridging encompasses the shoreline of Orca Inlet, Alaska (T-12648 through T-12652 and the northeast portion of T-12653).

22. Method

Three strips of photography (64S 6892-98), (64S 6787-92) and (64S 6909-15) were bridged on the stereoplanigraph and were adjusted by IHV 1620 methods.

Plotting coordinates are furnished at 1:5,000 scale for T-12804, T-12805 and T-12806 and at 1:10,000 scale for T-12648 through T-12653.

Positions of tie points were meaned when necessary.

23. Adequacy of Control

Horizontal control provided was adequate as to location and quality to control the bridges within the limits of accuracy required by National Map Accuracy Standards. However, a portion of the shoreline of T-12653 cannot be compiled since control station, Travel 2, could not be held. Each attempt to use Travel 2 as the terminal point (Strip 3) resulted in large residuals for other control stations in that bridge. An adjustment of the bridge, with Orca Bay, South Bldg., West Gable (1955) as the terminal station, was made and the resulting foreshortened bridge held satisfactorily. No explanation of the failure of station Travel 2 to hold is apparent. The station should be re-identified to provide control for that portion of the shoreline.


24. Supplemental Data

USGS quadrangles Cordova, Alaska (B-5, B-6, C-5 and C-6) scale 1:63,360, 1953 edition were used to provide vertical control where needed.

25. Photography

Photography was adequate as to coverage, overlap and definition.

Approved by:


John D. Farrow, Jr.

Submitted by:


W. Heinbaugh

COMPILATION REPORT
MAP MANUSCRIPT T-12648
PROJECT 21423 (2)

31. DELINEATION:

PLANIMETRY WAS COMPILED BY KELSH INSTRUMENT.

32. CONTROL:

ADEQUATE SUPPLEMENTARY CONTROL, BASED ON IDENTIFIED HORIZONTAL CONTROL, WAS ESTABLISHED BY AEROTRIANGULATION.

33. SUPPLEMENTAL DATA:

NONE.

34. CONTOURS AND DRAINAGE:

CONTOURS NOT APPLICABLE.

DRAINAGE WAS COMPILED BY KELSH OPERATOR USING U.S.G.S. QUAD-RANGLE AS A GUIDE.

35. SHORELINE AND ALONGSHORE DETAILS:

SHORELINE AND ALONGSHORE DETAILS WERE DELINEATED FROM OFFICE INTERPRETATION OF THE PHOTOGRAPHS AS NO FIELD INSPECTION WAS AVAILABLE.

36. OFFSHORE DETAILS:

NONE.

37. LANDMARKS AND AIDS:

NONE.

38. CONTROL FOR FUTURE SURVEYS:

NONE.

39. JUNCTIONS:

SATISFACTORY JUNCTION WAS MADE WITH T-12649 ON THE EAST AND T-12651 ON THE SOUTH. THERE IS NO CONTEMPORARY SURVEY ON THE NORTH AND WEST.

40. HORIZONTAL AND VERTICAL ACCURACY:46. COMPARISON WITH EXISTING MAPS:

COMPARISON WAS MADE WITH U.S.G.S. 15 MINUTE, CORDOVA (C-5) ALASKA QUADRANGLE, SCALE 1:63360, EDITION 1951.

47. COMPARISON WITH NAUTICAL CHARTS:

COMPARISON WAS MADE WITH THE FOLLOWING NAUTICAL CHARTS:

8525, SCALE 1:30,000	JULY 27, 1964
8520, SCALE 1:80,000	JULY 20, 1964
8551, SCALE 1:200,000	APRIL 15, 1963

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

NONE.

ITEMS TO BE CARRIED FORWARD:

NONE.

APPROVED:

for Les F. Beugnot
P. A. STARK, CDR, C&GS
PORTLAND FIELD OFFICER

SUBMITTED:

Donnel N. Williams
DONNEL N. WILLIAMS
CARTOGRAPHER

48. GEOGRAPHIC NAMES LIST:

THE APPROVED GEOGRAPHIC NAMES LISTED BELOW WERE FURNISHED BY
THE WASHINGTON OFFICE ON U.S.G.S. CORDOVA (C-5) ALASKA 15 MINUTE
QUADRANGLE, SCALE 1:63,360, EDITION 1951.

RAGING CREEK
ROGUE CREEK
SIMPSON BAY

49. NOTES TO THE HYDROGRAPHER:

NONE

PHOTOGRAMMETRIC OFFICE REVIEW

T-1036x 12648

1. PROJECTION AND GRIDS DNW		2. TITLE DNW		3. MANUSCRIPT NUMBERS DNW		4. MANUSCRIPT SIZE DNW	
CONTROL STATIONS							
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY DNW				6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) DNW		7. PHOTO HYDRO STATIONS None	
8. BENCH MARKS None		9. PLOTTING OF SEXTANT FIXES None		10. PHOTOGRAMMETRIC PLOT REPORT DNW		11. DETAIL POINTS DNW	
ALONGSHORE AREAS (Nautical Chart Data)							
12. SHORELINE DNW		13. LOW-WATER LINE DNW		14. ROCKS, SHOALS, ETC. DNW		15. BRIDGES None	
16. AIDS TO NAVIGATION DNW		17. LANDMARKS DNW		18. OTHER ALONGSHORE PHYSICAL FEATURES DNW		19. OTHER ALONGSHORE CULTURAL FEATURES DNW	
PHYSICAL FEATURES							
20. WATER FEATURES DNW				21. NATURAL GROUND COVER DNW		22. PLANETABLE CONTOURS None	
23. STEREOSCOPIC INSTRUMENT CONTOURS None		24. CONTOURS IN GENERAL None		25. SPOT ELEVATIONS None		26. OTHER PHYSICAL FEATURES DNW	
CULTURAL FEATURES							
27. ROADS DNW		28. BUILDINGS DNW		29. RAILROADS None		30. OTHER CULTURAL FEATURES DNW	
BOUNDARIES							
31. BOUNDARY LINES None				32. PUBLIC LAND LINES None			
MISCELLANEOUS							
33. GEOGRAPHIC NAMES DNW				34. JUNCTIONS DNW		35. LEGIBILITY OF THE MANUSCRIPT DNW	
36. DISCREPANCY OVERLAY DNW		37. DESCRIPTIVE REPORT DNW		38. FIELD INSPECTION PHOTOGRAPHS DNW		39. FORMS DNW	
40. REVIEWER Donnel N. Williams				SUPERVISOR, REVIEW SECTION OR UNIT Leo F. Beugnet			
41. REMARKS (See attached sheet)							
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT							
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.							
COMPILER L. Neterer Reviewed by C. Bishop				SUPERVISOR Albert C. Rauck, Jr. A. C. Rauck			
43. REMARKS							

UNITED STATES GOVERNMENT

U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION

Memorandum

TO : Chief, Photogrammetry Division

DATE: May 7, 1966

In reply refer to:

FROM : Commanding Officer
USCGS Ship HODGSON

SUBJECT: Field Edit - Orca Inlet
Project 21423 (2) Job PH-6409

Photographs, manuscripts and ozalids for the above project are returned under separate cover. The required field edit has been accomplished and appropriate notes made on the photographs and ozalids. Upon re-compilation the advance manuscripts and photos should be returned to Seattle processing office for application of shoreline to smooth sheets and final signal location.

John B. Watkins, Jr.
John B. Watkins, Jr.

cc: PACMARCON

Sheet T-12606

New photos
scheduled
at 1/10,000
Pan. 5.1m
5/11/66
MPL

Discrepancies as noted were verified in the field. See photo no. 64S6942 1/5000. Please note the changes to the area about the small boat basin. To scale sketch has been made of the area as found in May 1966. Other changes are contemplated and it is recommended that a stereo triplet be obtained in mid-summer for updating. The MHW line is shown in purple about the fill area as requested.

Sheet T-12649

Discrepancies as noted were verified in the field and appropriate notes made in purple on photo no. 64S6786 1/10,000.

Sheet T-12652

Discrepancies as noted were verified in the field and appropriate notes made in purple on photo no. 64S6786, 64S6787, 64S6949, 1/10,000. Please note new MHWL for western side of observation island.

Sheet 12604

Discrepancies as noted were verified in the field. Applicable notes were made on the ozalid.

Sheet 12605

Discrepancies as noted were checked in the field. See also sheet T-12652.

Sheet T-12653

All discrepancies as noted were verified on photo nos. 64S7353, 64S6891, 64S7350, 1/10,000 and 64S6943, 1/5000. All shoreline verified is shown in purple on the photos.

New
photos
scheduled
at 1/10,000
Pan.
5/11/66
MPL

In the area SW of station MAUD 2, 1964, photo no. 64S6891 considerable activity by the Corps of Engineers makes MHW verification impracticable at this time. More recent photography is required. It is recommended that a stereo triplet be made of the area in mid-summer for final shoreline detail of this area.

On photo no. 64S6943 changes were made to shoreline from that shown in 1965 in red. These changes (1966) are shown in purple on the photo.

Sheet T-12648

All discrepancies as noted by the compiler were checked and appropriate notes made on the ozalid with the exception of Simpson Bay. This area was not within the project limits.

Sheet T-12650

Discrepancies as noted were verified in the field. RHWL was inked in purple on photo no. 6486952 and 6486953, 1/10,000.

Sheet T-12651

Discrepancies as noted were verified in the field. All references are made to photo no. 6486784, 1/10,000. Notes with "LL" indicate a lead line sounding at the applicable time. Shoreline verification is shown in purple on the photo. Several rocks not noted on the discrepancy sheet were added and applicable notes made.

15

REVIEW REPORT
SHORELINE
April 14, 1967

61. GENERAL STATEMENT

See Summary accompanying Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Comparison was made with Registered Survey No. 3649, 1:20,000 scale, made in 1916. The difference in the shoreline between the two surveys, as shown on the Comparison Print, is the difference after an adjustment was made for the difference in datum between the two surveys. Survey 3649 is on the Valdez datum while T-12648 is on N. A. 1927 datum.

Shoreline survey T-12648 supersedes Registered Survey No. 3649 for nautical chart construction purposes.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

Comparison was made with USGS CORDOVA (C-5) ALASKA quadrangle, 1:63,360 scale, edition of 1951 with minor revisions in 1962. The comparison was favorable, there were no outstanding differences in the two surveys.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Comparison was made with a copy of boatsheet H-8854, HO-20-1-65. This hydrographic survey did not include the area of Simpson Bay. The source of the shoreline along the northerly coast of Orca Bay of the boatsheet is unknown. It is not in agreement with the Advance Manuscript of T-12648. It was also noted that there are no alongshore rocks shown on the boatsheet.

65. COMPARISON WITH NAUTICAL CHARTS

Comparison was made with Nautical Chart 8525, 1:30,000 scale, 8th Edition, March 14, 1966, revised November 14, 1966. The comparison of the shoreline of the two surveys has been shown on the Comparison Print. It was noted there are several alongshore rocks on the manuscript that are not shown on the chart. These have been indicated on the Comparison Print.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS


This survey complies with instructions and meets the National Standards of Map Accuracy.

There are no recommendations for future surveys.


Reviewed by:



Leo F. Beugnet

Approved by:


J. Bull, RADM
Director, Atlantic Marine Center

Approved by:


Chief, Photogrammetric Branch


Chief, Photogrammetry Division

Chief, Nautical Chart Division