9731 9732 9733

(N) 07

Diag. Cht. No. 9302.
Form 504
U. S. COAST AND GEODETIC SURVEY
DEPARTMENT OF COMMERCE
DESCRIPTIVE REPORT
Type of Survey Shoreline
Field No. Ph-56 Office NoT-9731-9733
LOCALITY
State Alaska
General locality Nunivak Island
Locality E. Coast, Cape Corwin to
Cape Manning.
19/450-51
CHIEF OF PARTY M.J.Tonkel, Chief of Field Party E.H.Kirsch, Bel timore Photo. Office
LIBRARY & ARCHIVES
DATE Jamuery 14, 1958
B-1870-1 (I)

DATA RECORD

T - 9731-9733, inclusive

Project No. (II): PH-56

Quadrangle Name (IV):

Field Office (II): Portland, Oregon

Instructions dated (II) (III): 2 April 1951 (field)

Chief of Party:

M. J. Tonkel

Photogrammetric Office (III): Baltimore, Md.

Officer-in-Charge:

E. H. Kirsch

Washington, D. C.

L. W. Swanson

Copy filed in Division of Photogrammetry (IV)

Affice Files

Method of Compilation (III):

9 lens Reading plotter

Manuscript Scale (III):

1:20,000

Stereoscopic Plotting Instrument Scale (III):

1:20,000

Scale Factor (III):

Date received in Washington Office (IV):

Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV):

18 april 1957

Publication Scale (IV):

Publication date (IV):

Geographic Datum (III):

NA 1927 adj.

Vertical Datum (III):

Mean sea level except as follows: Elevations shown as (25) refer to mean high water

Elevations shown as (5) refer to sounding datum i.e., mean low water or mean lower low water

Reference Station (III):

Lat.:

Long.:

Adjusted

Plane Coordinates (IV):

State:

Zone:

X=

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.

Form T- Page 1

Camera (kind or source) (III): CRGS 9-Leus PHOTOGRAPHS (III) Time Scale Stage of Tide Number Date Office: 28891) 28892) 1500 8-14-50 1:20,000 2.8 above MLLW 28875) Tide (III) Ratio of Mean Spring Ranges Range Range Kodiak Reference Station: Tachikuga Subordinate Station: Nash Harbor, Mekoryuk Subordinate Station: Everet H. Ramey Date: 6 Jan 1956 Washington Office Review by (IV): Final Drafting by (IV): Date: Date: Drafting verified for reproduction by (IV): Date: Proof Edit by (IV): Land Area (Sq. Statute Miles) (III): Shoreline (More than 200 meters to opposite shore) (III): Shoreline (Less than 200 meters to opposite shore) (III): Control Leveling - Miles (II): Number of Triangulation Stations searched for (III Identified: 온 Recovered: Identified: Number of BMs searched for (II): Recovered: Number of Recoverable Photo Stations established (III): 2 Number of Temporary Photo Hydro Stations established (III): Remarks:

*Tide data was furnished directly by Division of Tides and Currents.

Camera (kind or source) (III): CEGS 9-Lens

			PHOTOGRAPHS (III)		
	Number	Date	Time	Scale	Stage of Tide #
Office:	38211-213 38237-239	19 July 1952 "	15:35 16:15	1:20,000	4.4 above MLLW 6.3 " "
Field:	29013 29016 28894	14 Aug. 1950 "	15:30 (Approx 15:30 " 15:00 "	n n	2.51 n n

Tide (III)

Kodiak Reference Station: Tachikuga Subordinate Station: Nash Harbor Subordinate Station:

Mekoryuk

Everett H. Ramay Washington Office Review by (IV):

Ratio of Mean Spring Ranges Range Range 8.0

Date: 5 Jan 1955

Date:

Date:

Date:

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Proof Edit by (IV):

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III): Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (ii):

Number of Triangulation Stations searched for (II):

Recovered: Recovered: Identified: / Identified:

Number of BMs searched for (II): -Number of Recoverable Photo Stations established (III): 3

Number of Temporary Photo Hydro Stations established (III): None

*The tide data for all of Numivak Island was furnished directly by the Division of Tides and Currents.

Camera (kind or source) (III):

		PHOTOGRAPHS (II	1)	
Number	Date	Time	Scale	Stage of Tide 🧩
38238	19 July 1952	16:14	1:20,000	6.2 above MLLW
38242, 243	18	16:20	u,	6.3 " "
38242, 243 38265	Ħ	16:42	TI .	6.4 11 11
38297, 298	11	17:20	II.	6.8 " "

Tide (III) Ratio of Mean | Spring Ranges Range Range

Reference Station; Kodiak Subordinate Station: Tachikuga Subordinate Station: Nash Harbor Mekoryuk

Washington Office Review by (IV):

Everett H. Ramey

Date: 29 Dec 1955

Final Drafting by (IV):

Drafting verified for reproduction by (IV):

Date:

Date:

Proof Edit by (IV):

Date:

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II): 2

Recovered: Recovered: Identified: 2 Identified:

Number of BMs searched for (II):

Number of Recoverable Photo Stations established (III): Number of Temporary Photo Hydro Stations established (III):

None

Remarks:

*The tide data for all of Nunivak was computed by the Division of Tides and Currents, based on the three subordinate stations

listed above.

DATA RECORD

I. Zirpel Field Inspection by (II):

Date: Aug. 1951

Planetable contouring by (II):

Date:

Completion Surveys by (II):

Date:

Mean High Water Location (III) (State date and method of location): From 1951 field inspection (from airplane) and office photos listed on following page.

Projection and Grids ruled by (IV):

Austin Riley

Date: 2-10-54

Projection and Grids checked by (IV): H. D. Wolfe

Date: 2-25-54

Control plotted by (III):

J. Steinberg

Date: 8-24-54

Control checked by (III):

A. Queen

Date: 9-29-54

Radial Plot or Stereoscopic

L. A. Senasack

12-15-54 Date:

Control extension by (III):

W. Heinbaugh

Date: July 1955

Stereoscopic Instrument compilation (III):

Contours

Planimetry

Date:

scribed

Date:

Photogrammetric Office Review by (III): & Battley

Date: Aug 1955

Instrument Work sheets, only

Elevations on Manuscript

Date:

checked by (II) (III):

Form T-Page 3

DATA RECORD

Date: Aug. 1951 I. Zirpel Field Inspection by (II): Planetable contouring by (II): Date: Date: Completion Surveys by (II): Mean High Water Location (III) (State date and method of location): From 1951 field inspection (from airplane) and from office photos listed on Page 4. Projection and Grids ruled by (IV): Austin Riley Date: 2-15-54 Projection and Grids checked by (IV): H. D. Wolfe Date: 2-17-54 Date: Control plotted by (III): J. W. Robinson 8-11-54 F. J. Tarcza 8-11-54 Date: Control checked by (III): Date: Radial Plot or Stereoscopic Control extension by (III): L. A. Senasack 12-15-54 W. Heinbaugh July 1955 Planimetry · Date: Stereoscopic Instrument compilation (III): Date: Contours Scribed
Manuscript delineated by (III):

Photogrammetric Office Review by (III): U Battley

*Instrument Work sheets, only

Elevations on Manuscript checked by (II) (III):

Date:

Date:

Form T-Page 3

T-9733 DATA RECORD

Field Inspection by (II): I. Zirpel Date: Aug. 1951 Date: Planetable contouring by (II): Completion Surveys by (II): Date: Mean High Water Location (III) (State date and method of location): From 1951 field inspection and office photos listed on Page 4. Date: Austin Riley Projection and Grids ruled by (IV): 2-15-54 H. D. Wolfe Date: Projection and Grids checked by (IV): 2-17-54 J. W. Robinson Date: Control plotted by (III): 8-11-54 F. J. Tarcza Date: Control checked by (III): 8-11-54 Date: Radial Plot or Stereoscopic Control extension by (III): L. A. Senasack 12-15-54 Planimetry Date: W. Heinbaugh Stereoscopic instrument compilation (III): July 1955 Contours Date: scribed by Manuscript William (III): Date:

Photogrammetric Office Review by (III): L. Levin

* Instrument Work Shrets, Only

Aug. 1955

Elevations on Manuscript checked by (ii) (iii):


Date:

Date:

Form T-Page 3

SHORELINE MAPPING PROJECT 6056

Nunivak Is., Alaska



Official mileage for Cost Accounts

~	Sheet	Area Sq.Mi.	Lin.Mi. Shoreline
	9723 9724 9724 9726 9728 9728 9731 9731 9734 9736 9736 9736 9737 9741	6 49 106 7 8 8 8 105 107 105 14 14 14 94	10 11 10 13 17 19 15 22 20 10 5 4 9 25 9 11 8
	1 () 1 . 24 2	4 70LV	L. / L

TOPOGRAPHIC MAPPING PROJECT 6056

ALASKA-BERING SEA, Scammon Bay to Kuskokwim Bay and Nunivak Island OFFICIAL MILEAGE FOR COST ACCOUNTS Sheet No. Area sq.miles ·46 68 166° (Joins 6073) 80 $3l_1$ 6 (6) T-9698 Nelson T-9700 Island univak Island 163° 164° Compiled 1:20,000 scale, from 1:20,000 scale nine-lens photographs, taken August [1950 and June 1951]] additional nine-lens photography to be taken; Season 1952. (Refer to Air-Photo Indexes B-42, 50, 51, 52 and E41) 1,614 Sub-total

2,685

Sub-total

Summary to Accompany Maps of Numivak Island in Project 6056

Nunivak Island has been mapped under Project 6056 by a series of shoreline maps at a scale of 1:20,000 and a series of topographic maps at a scale of 1:40,000. The shoreline maps are numbered T-9723 to T-9741, inclusive, and the topographic maps are numbered T-10365 to T-10379, inclusive. These two series of maps were adopted so as to satisfy the requirements of the Army Map Service and this Bureau, and to expedite drafting and compilation procedures.

Field work in advance of compilation was done in 1951 and included the establishment of horizontal and vertical control, tidal observations, limited inspection of shoreline and interior features, and the investigation of geographic names. No additional field work was accomplished.

The maps of this project were compiled using instrument work sheets at 1:20,000 scale from the nine-lens plotters. Photographs were nine-lens taken in 1950 and 1952. The shoreline manuscripts at 1:20,000 scale cover only shoreline and adjacent prominent planimetric features. Maps T-9728, T-9734, T-9735 and T-9740 are the exception to this and show contours and other topographic features. These were compiled prior to the adoption of the 1:40,000 scale topographic series for Bureau use which were compiled using work sheets reduced to 1:40,000 scale.

Items registered under T-numbers will include eleth-backed prints of the map manuscripts and a copy of the corresponding descriptive reports.

FIELD INSPECTION REPORT

(See Descriptive Report T-9723-T-9730)

RADIAL PLOT REPORT

(See Descriptive Report - T-9723-T-9730)

FROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS IN METERS COMM- DC- 57843 (BACK) FORWARD 29 June 1954 SCALE FACTOR 49.5) (741.4) (647.3) (410.8) (1066.3)(277.7 (905.6) (1112.8) N.A. 1927 - DATUM DATE FORWARD 278.8. 875.0 9.061 18.9 183.1 1579.3 1446.2 1744.2 DATUM CHECKED BY J. Steinberg SCALE OF MAP 1:20,000 OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET. CONTROL RECORD (BACK) FORWARD DESCRIPTIVE REPORT LONGITUDE OR x-COORDINATE 01.226 25.546 18,066 51.028 LATITUDE OR y-COORDINATE 17 June 1954 PROJECT NO. Ph-56 9 1 90 43 H 口 日 H 9 165 165 3 165 8 165 8 DATE DATUM N. A. 1927 N.A. 1927 SOURCE OF Nunivak Nunivak Island p. 7 Island (INDEX) COMPUTED BY. A. Queen MAP T. 9733 1 FT. = .3048006 METER STATION Sub. Pt. B LEROY, 1951 Sub. Pt. A LEROY, 1951 ROUND, 1951 LEROY, 1951

COAST AND GEODETIC SURVEY

U.S. DEPARTMENT OF COMMERCE

FORM 164 (4-23-54)

PROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS IN METERS FORWARD SCALE FACTOR (149.7) (686.9) (798.8) (349.2)(BACK) N.A. 1927 - DATUM FORWARD 1507.8 130.3 779.4 870.1 DATUM SCALE OF MAP 1:20,000 COAST AND GEODETIC SURVEY OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET. CONTROL RECORD (BACK) FORWARD DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE LONGITUDE OR x-COORDINATE 48.718 50.330 LATITUDE OR V-COORDINATE MAP T. 9739 PROJECT NO. Ph-56 42 02 10 H 9 165 165 8 SOURCE OF INFORMATION (INDEX) N.A. 1927 Nunivak Island D. 1 STATION Sub. Pt. TWIN, 1951 TWIN, 1951 FORM 164 (4-23-54)

(BACK)

								comm- DC- 57843
								оми-т рате 29 June 1954
							a a	DATE.
							Ŋ.	teinberg
								CHECKED BY. J. Steinberg
					1			
							· ·	DATE 15 June 1954
							27.5	
								(neen
								1 FT.= 3048006 METER COMPUTED BY. A. Queen

FROM GRID OR PROJECTION LINE FROM GRID OR PROJECTION LINE IN METERS COMM- DC- 57843 (BACK) FORWARD 29 June 1954 SCALE FACTOR (737.7) (835.9) (654.8) (1578.4) (1651.0) (557.9) (745.6 (1562.1 (305.8 1351.4 (BACK) N.A. 1927-DATUM DATE FORWARD 193.0 626.5 94.8 580.9 205.9 294.8 278.5 374.4 1111.3 12021 CHECKED BY. J. Steinberg DATUM SCALE OF MAP 1:20,000 COAST AND GEODETIC SURVEY OR PROJECTION LINE IN METERS DISTANCE FROM GRID IN FEET. CONTROL RECORD (BACK) FORWARD DESCRIPTIVE REPORT U.S. DEPARTMENT OF COMMERCE LONGITUDE OR x-COORDINATE 866.80 37.384 LATITUDE OR y.COORDINATE 12.44 35.91 DATE 15 June 1954 PROJECT NO. Ph-56 58 33 28 33 53 35 55 35 53 165 23 165 59 165 59 165 23 165 23 SOURCE OF DATUM N.A. 1927 N.A. 1927 Nuni vak Island Nunivak Island (INDEX) COMPUTED BY. A. Queen 9733 MAP T. 9945 1 FT. = .3048006 METER STATION Sub. Pt. A CHASE, 1951 INGRA, 1951 INGRA, 1951 CHASE, 1951 CHASE, 1951 Sub. Pt. B Sub. Pt. FORM 164 (4-23-54)

COMPILATION REPORT T-9731-T-9733, inclusive

31. This report covers the shoreline delineation of the east coast of Nunivak Island from Cape Corwin to Cape Manning.

The topography and shoreline were compiled simultaneously on the Reading Nine Lens plotters at 1:20,000 scale. The original instructions were changed, during instrument compilation, so that only the shoreline detail is to be inked on the 1:20,000 scale manuscript, and the topography is to be scribed at 1:40,000 scale. Several of the originally scheduled interior sheets were therefore deleted because of the lack of shoreline. This necessitated the renumbering of several maps (including those covered by this report), as shown on the attached index.

A new series of numbers was assigned to the 1:40,000 scale topographic maps. (See Compilation Report T-10365-10379.)

A Compilation review was applied insofar as practical to the instrument work sheets. UTM grid ticks were then inked on to the work sheets by adjusting the pass points to those on the base sheet. (Maximum error after adjustment was approx. .5 mm.) The work sheets were then photographically reduced to 1:40,000 scale and forwarded to the Drafting Section.

- 32. CONTROL: See radial plot report.
- 33. SUPPLEMENTAL DATA: None
- 34. CONTOURING AND DRAINAGE: Not applicable.
- 35 and 36. SHORELINE ALONGSHORE AND OFFSHORE DETAILS:

The shoreline, for the most part, appeared to be adequate. However, in the vicinity of Cape Corwin, T-9733, numerous rocks and foul areas which were not noted on the field photos were delineated from the office photos. Some difficulty was encountered in interpreting the term "Ledge Rock" as used by the field inspection party. Where this term was applied to scattered individual rocks the rock awash symbol was delineated; where it appeared to apply to a solid mass of rock, a ledge or reef sumbol was delineated.

- 37. LANDMARKS AND AIDS: None located or resubmitted for one landmark on T-9739, Superseding position familiated by field party on unadjusted datom
- 38. CONTROL FOR FUTURE SURVEYS: Six Forms 524 have been submitted and listed in the Notes to Hydrographer as follows: T-9731 2, T-9732 3, T-9733 1.

* Filed in Photogrammetry Division

39. JUNCTIONS:

Only the instrument work sheets were joined in this section.

Junctions were effected during review the

40. HORIZONTAL AND VERTICAL ACCURACY:

See radial plot report.

- 46. Comparison was made with USGS, 1:250,000 scale maps "Numivak Island" and Cape "Mendenhall."
- 47. Comparison was made with nautical chart No. 9102.

48. GEOGRAPHIC NAMES:

No evidence of the two villages "Ingrimiut" (T-9732) and "Ahmikdoligamiut" (T-9731) could be seen on the photographs. Their locations were delineated from the position indicated on the Geographic Names mosaic. The village of Kanikyakstalikmiut (T-9731) was shown on the Geographic Names Mosaic as being on the south side of a lagoon; however, field inspection indicated barabaras on the north side. The latter position was delineated.

All geographic names have been delineated on the instrument work sheets and have been listed and attached to the report for the 1:40,000 scale topographic manuscripts.

Respectfully submitted:

Louis Levin

Supervisory Cartographer

Nine-lens Unit

Approved and Forwarded:

Charles Theurer

Supervisory Photogrammetric Engineer

Review Report Topographic Maps T-9731 thru T-9733

6 January 1956

62. Comparison with Registered Topographic Surveys:

None.

63. Comparison with Maps of Other Agencies:

> Nunivak Island, Alaska (USGS), 1:250,000, 1951 Cape Mendenhall, Alaska (USGS),

Details are very sketchy on these maps which preclude a detailed comparison.

64. Comparison with Contemporary Hydrographic Surveys:

None.

65. Comparison with Nautical Charts:

9304 1952 corrected to 53-6/15

No discrepancies.

66. Adequacy of Results and Future Surveys:

Only a limited field inspection of alongshore features was made. Thus, these features are somewhat generalized and are subject to errors in office interpretation of foul limits, rock heights, etc. Otherwise, no significant deficiencies in accuracy or adequacy of the maps were indicated.

APPROVED BY:

Drafting Section

Photogrammetry Division

Chief, Nautical Chart Branch

Charts Division

Chief,

Chief, ry Divisiond

OF COMMERCE DEPARTMENT OF COMMERC U. S. COAST AND GEODETIC SURVEY

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

STRIKE	
E CHARTED	
	b

Kashington, D. C.

I recommend that the following objects which wave not) been inspected from seaward to determine their value as landmarks be charted on transmitthe the charts indicated.

L. Lovin

The positions given have been checked after listing by

N. E. Syler

STATE				_	POSITION			METHOD		íi——	TSAH
			LAI	LATITUDE#	LONG	LONGITUDE *		LOCATION	DATE	HD 381	CHARTS
CHARTING NAME	DESCRIPTION	SIGNAL		II D. M. METERS	•	" D. P. METERS	¥	BURVEY No.	LOCATION		
TWD	Southerly Pk of Tuin Min.	TAIN	60 01	48.718	48.718 165 42	50,330	1927	iriang. 6 1057	1951		9302 x 9300
								• • • •			
	Sugarcedi Dus.	you sou	Chart	of lesson	72/ 4	17.7	1 61.6	o lon	Tradio	1	10 / 10 / 10 / 10 / 10 / 10 / 10 / 10 /
	3.0						-				
1											
į											

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and nonfloating aids to navigation, if redetermined, shall be reported on this form. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

* TABULATE SECONDS AND METERS

NOTES TO THE HYDROGRAPHER

The following topographic stations were located by radial line plot:

SNOW, 1951 Identified on photo 28895

HOPE, 1951 " " 28895

No photo hydro stations were established.

NOTES TO THE HYDROGRAPHER

The following topographic stations were located by radial line plot:

POND, 1951 Identified on Photo No. 28916
TWIN AZIMUTH, 1951 Identified on Photo No. 28915
MARK, 1951 " " " 28916

No photo hydro stations were established.

NOTES TO THE HYDROGRAPHER

The following topographic station was located by radial line plot.

Lake, 1951 identified on photo No. 28951

No photo hydro stations were established.