NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of SurveyShoreline	
Job No. PH-7110	Map No. TP-00369
Classification No.	Edition No1
Final Field Edited Map	
LOCALIT	Y
StateWashington	
General Locality	1
Locality Dewatto Bay	
·	
• • • • • • • • • • • • • • • • • • • •	
19 71 TO	1972
REGISTRY IN AR	CHIVES
DATE	

☆ U,S, GOVERNMENT PRINTING OFFICE: 1974-762-901

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE	TVP5 +5 6000050	- 00360
NOÃA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP-00369
	Q ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final
	∏ REVISED	лов Рн
PHOTOGRAMMETRIC OFFICE		
Coastal Mapping Division		ING MAP EDITION
Norfolk, Va.	TYPE OF SURVEY	JOB PH
OFFICER-IN-CHARGE	RESURVEY	MAP CLASS
	REVISED	19 TO 19
Jeffrey G. Carlen	[
I. INSTRUCTIONS DATED	<u> </u>	
1. OFFICE	2.	FIELD
Aerotriangulation July 15, 1971 Compilation December 13, 1971	Field	April 30, 1971
II. DATUMS		
1. HORIZONTAL: X 1927 NORTH AMERICAN	OTHER (Specify)	
X MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	OTHER (Specify)	
3. MAP PROJECTION		GRID(S)
Polyconic	Washington	South
1:10,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS		<u></u>
OPERATIONS	NAME	DATE
1, AEROTRIANGULATION BY	D. Norman	Nov 1971
METHOD: Analytical LANDMARKS AND AIDS BY		
2. CONTROL AND BRIDGE POINTS PLOTTED BY	D. Phillips	Dec 1971
METHOD: Coradomat CHECKED BY	D. Phillips	Dec 1971
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	L. O. Neterer	Jan 1972
COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY	R. R. White	Jan 1972
scale: 1:15,000 checked by	NA NA	
4. MANUSCRIPT DELINEATION PLANIMETRY BY	B. Wilson	Jan 1972
CHECKED BY	R. J. Pate	Jan 1972
METHOD: 0 41 1 C. 1	NA	
METHOD: Smooth drafted CHECKED BY	NA NA	7 1070
SCALE: 1:10,000 HYDRO SUPPORT DATA BY	B. Wilson	Jan 1972
<u> </u>	R. J. Pate R. J. Pate	Jan 1972 Jan 1972
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	R. R. White	May 1974
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	F. Margiotta	Oct 1974
7. COMPILATION SECTION REVIEW BY	F. Margiotta	Oct 1974
8. FINAL REVIEW BY	C. Blood	Aug 1988
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	J. Byrd	Sep 1988
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	P. Dempsoy	Jan 1919
11. MAP REGISTERED - COASTAL SURVEY SECTION BY NOAA FORM 76-36A SUPERSEDES FORM C& GS 181 SERIES	2. KIKON	MAR 1989

NOAA FORM 76-36B (3-72)			TP-003	NATIONAL OCEA	U. S NIC AND A		RIC ADMINISTRA NAL OCEAN SU
		со	MPILATION S				
1. COMPILATION PHO	TOGRAPH)	·			·		.
CAMERA(S) Wild RC-8 "E" FL = 152.71mm			PHOTOGRAPHY EGEND		TIME REFERENCE		
TIDE STAGE REFERE	NCE		(C) COLOR		ZONE		45
X) PREDICTED TIDE REFERENCE STA		105	(P) PANCHROMATIC		MERIDI	Pacific	
TIDE CONTROLLE	D PHOTOG	RAPHY	(I) INFRAR	ED		120th	[]DAYL1
NUMBER AND	TYPE	DATE	TIME	SCALE	_	STAGE	OF TIDE
71 E(C) 4243 *71 E(C) 4033		5/2/71 5/2/71	13:09 10:31	1:20,000 1:30,000			Pove MLLW
			·				
					li li		
*Compilatio	HIGH-WAT		ineated fro	om the listed	compil	ation p	hotographs
*Compilatio	HIGH-WAT	ER LINE:	ineated fro	om the listed	compil	ation p	hotographs
*Compilatio 2. SOURCE OF MEAN The mean hi	n HIGH-WAT	ER LINE:			compil	ation p	hotographs
*Compilatio 2. SOURCE OF MEAN The mean hi	HIGH-WAT	ER LINE:			compil	ation p	photographs
**Compilatio 2. SOURCE OF MEAN The mean hi 3. SOURCE OF MEAN None compil	gh-water	ER LINE:	OW-WATER LINE	:			
**Compilatio 2. SOURCE OF MEAN The mean hi 3. SOURCE OF MEXAN None compil	gh-water	ER LINE: Line was del	OW-WATER LINE	s that are sources for		metric surv	
**Compilatio 2. SOURCE OF MEAN The mean hi 3. SOURCE OF MEAN None compil. 4. CONTEMPORARY SURVEY NUMBER	HIGH-WATE gh-water gh-water dates	ER LINE: Tine was del	OW-WATER LINE	s that are sources for	photogram	metric surv	ey information.)
*Compilatio 2. SOURCE OF MEAN The mean hi 3. SOURCE OF MEAN None compil	HIGH-WATE gh-water gh-water dates	ER LINE: Tine was del	only those survey PY USED SUI	s that are sources for	photogram	metric surv.	ey information.)

OAA FORM 76_36 -72)	c —	TP-00369		U.S. ANIC AND AT		T OF COMME ADMINISTRAT OCEAN SUR
· 附 FIELD INSP	ECTION O	HISTORY OF FIELD	DERATIONS EDIT OPERATION			
		OPERATION	· ·	NAME		DATE
		OPERATION		NAME		DATE
. CHIEF OF FIEL	DPARTY		R. B. Melb	у		Apr 1971
		RECOVERED BY	None			
. HORIZONTAL C	CONTROL	ESTABLISHED BY	None			
		PRE-MARKED OR IDENTIFIED BY	None NA		-	
, VERTICAL CO	NTPAL	RECOVERED BY ESTABLISHED BY	NA NA		-	
. VERTICAL COI	NIKOL	PRE-MARKED OR IDENTIFIED BY	NA NA			
			None			
. LANDMARKS A	ND	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY	None			
AIDS TO NAVIG		LDENTIFIED BY	None			
		TYPE OF INVESTIGATION				
. GEOGRAPHIC	NAMES	COMPLETE BY	1			
INVESTIGATIO	N	SPECIFIC NAMES ONLY				•
		XX NO INVESTIGATION				
. PHOTO INSPEC	TION	CLARIFICATION OF DETAILS BY	None			
. BOUNDARIES A	ND LIMITS	SURVEYED OR IDENTIFIED BY	NA			
. SOURCE DATA						
. HORIZONTAL		IDENTIFIED	2. VERTICAL CO	NTROL IDEN	TIFIED	
<u></u> .	None			NA .		
PHOTO NUMBER		STATION NAME	PHOTO NUMBER	ST	ATION DESIG	NATION
. PHOTO NUMBE	RS (Clarifi	cation of details)		· · · · · · · · · · · · · · · · · · ·		
	None					
. LANDMARKS A	ND AIDS TO	O NAVIGATION IDENTIFIED				
	17					
	None					
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER	<u> </u>	OBJECT NA	ME
	1	•	[
•	!		1	1		
	1		ĺ			
	[1		
	1		}	1		
. GEOGRAPHIC I	NAMES:	REPORT XX NONE	6. BOUNDARY AN	ID LIMITS:	REPORT	X NONE
. SUPPLEMENTA	L MAPS AI	ND PLANS				
	None		_			
		(Sketch books, etc. DO NOT list data submit	ted to the Geodesy E	Division)		
	None					

OAA FORM 76-36C 3-72)	TP-0036 History of Field		AND ATMOSPHERI	ENT OF COMMER C ADMINISTRAT AL OCEAN SURV
. TIELD INSPECTION C	PERATION XX FIEL	D EDIT OPERATION		
	OPERATION	NAN	иE	DATE
. CHIEF OF FIELD PARTY	•	G. D.		M 1070
. one, or riceo rans		G. Poor None		May 1972
UADITANTAL CONTROL	RECOVERED BY	None		
, HORIZONTAL CONTROL	ESTABLISHED BY	None		
	PRE-MARKED OR IDENTIFIED BY	NA		
VERTICAL CONTROL	ESTABLISHED BY	NA NA		-
VERTICAL CONTROL	PRE-MARKED OR IDENTIFIED BY	NA		· · · · · · · · · · · · · · · · · · ·
		None		
LANDMARKS AND	RECOVERED (Triangulation Stations) BY	None	<u>`</u>	
AIDS TO NAVIGATION	LOCATED (Field Methods) BY	None		
	TYPE OF INVESTIGATION	None		
OFFICE NAMES	COMPLETE			
GEOGRAPHIC NAMES INVESTIGATION	SPECIFIC NAMES ONLY			
	M NO INVESTIGATION			ĺ
		S. Birkey	 -	May 1972
PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	NA NA		1149 1572
BOUNDARIES AND LIMIT SOURCE DATA	S SURVEYED OR IDENTIFIED BY	I IVA		<u></u>
HORIZONTAL CONTROL	IDENTIFIED	2. VERTICAL CONTR	OL IDENTIFIED	· · · · · · · · · · · · · · · · · · ·
None		NA NA		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DE	
	ication of details) 4226, 4227, 71E(C) 4245, 42 O NAVIGATION IDENTIFIED	246		
<u>No</u> ne				
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME
GEOGRAPHIC NAMES:	REPORT XX NONE	6. BOUNDARY AND L	IMITS: REPO	RT X NONE
. SUPPLEMENTAL MAPS A				
None None	(Sketch books, etc. DO NOT list data submi	4-4-4-6-C-1-5-1	-4>	
,	alid and hydro signal overla		sion)	
Field edit repo		-, •		

NOAA FORM 76-36D (3-72)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00369

		RE	CORD OF SURVE	Y USE		
I. MANUSCRI	IPT COPIES					
	C	MPILATION STA		DATE MANUSCE	IPT FORWARDED	
	ATA COMPILED	DATE	RI	EMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilat	tion complete					
-	field edit	Jan 1972	Class III	Map	2/25/72	2/23/72
		†		11010	2723772	2/23/12
	311					
Field ed	dit applied	May 1974	Class I M	ар	8/24/83	
						ļ
Final Re	eview	Aug. 198	88 Final			1
		 			·	
				•		
	RKS AND AIDS TO NAVIG. RTS TO MARINE CHART D					
	CHART LETTER	DATE	DATE DATE BRANCH			
NUMBER	NUMBER ASSIGNED	FORWARDE	o		REMARKS	
	_ 	 				
}		1				
		_				
1						
,		}				
		1				
	<u></u>	<u> </u>				
	PORT TO MARINE CHAR					
	PORT TO AERONAUTICA		ION, AERONAUTICA	L DATA SEC	TION. DATE FORWARDED	
III. TEVERA	L RECORDS CENTER DA	10				
1. X B	RIDGING PHOTOGRAPHS;	X DUPLICA	TE BRIDGING REPO	авт; <u>, ∑</u> С	OMPUTER READOUTS.	
2. X C	ONTROL STATION IDENT	IFICATION CAR	DS; 🔲 FORM NO	S \$67 SUBMI	TTED BY FIELD PARTIES	
	DURCE DATA (except for (Report) AS LISTED	IN SECTION	II, NOAA FORM 76-36C.	
	, ,, <u>_</u>					
4. 🔲 D.	ATA TO FEDERAL RECO	RDS CENTER. C	ATE FORWARDED:			
IV. SURVEY	EDITIONS (This section	shall be complete	d each time a new ma	p edition is r	egistered)	
	SURVEY NUMBER	JOB NUM	BER	J	TYPE OF SURVEY	
SECOND	DATE OF PHOTOGRAP	_ (2) PH	FIELD EDIT	-		SURVEY
EDITION	BATE OF PHOTOGRAP	n. DATE OF	. MIECO EDIT	<u> </u> □	MAP CLASS	FINAL
	SURVEY NUMBER	JOB NUM	BER ,	 	TYPE OF SURVEY	
THIRD	TP	_ (3) PH			REVISED RE	SURVEY
EDITION	DATE OF PHOTOGRAP	HY DATE OF	FIELD EDIT		MAP CLASS	
	august Marian			<u> </u>	□n. □v. □v.	FINAL
EAU-	SURVEY NUMBER	JOB NUM	BER		TYPE OF SURVEY	ŞÜRVĖγ
FOURTH	TP -	_ (4) PH HY DATE OF	FIELD EDIT	1	MAP CLASS	JURVEY
EDITION				l 🗀	MAP CLASS	Π

FIELD INSPECTION

TP-00369

Field inspection was limited to the recovery and identification of horizontal control for aerotriangulation.

PHOTOGRAMMETRIC PLOT REPORT Hood Canal, Washington Job PH-7110 November 1971

21. Area Covered

This report pertains to Hood Canal in the state of Washington. The sheets covered are TP-00381 and TP-00365 thru TP-00374.

22. Method

Two strips (71-E-4018 thru 4028 and 71-E-4029 thru 4044) of 1:30,000 scale color and one strip (71-E-4197 thru 4204) of 1:20,000 scale color photography were bridged by analytic aerotriangulation methods. Positions were determined for points for computing ratios. The data for ruling projections, grids and plotting points for compilation were furnished to the Coradomat to be plotted on the Washington, South Zone, State Plane Coordinate System.

Adequacy of Control

The control was adequate.

24. Supplemental Data

USGS topographic quadrangles were used to obtain vertical control for the strips.

25. Photography

The photography was adequate.

Submitted by:

Nor O. Hor


Don O. Norman

Approved and Forwarded:

Henry/P. Eichert, Chief Aerotriangulation Section

FIT TO CONTROL

```
held in adjustment
   tie point held in adjustment
   tie point used as check
   (x, y) in feet
STRIP 1
       1 LYNCH 1934, subpoint (-0.0, +0.1)
      2 GREEN POINT 2 1934, subpoint (+0.1, -0.2)
  A
      3 SMOKE 1934, subpoint (-0.0, +0.2)
4 INDIAN 1934 (-0.0, -0.1)
  A
  A
       30801 (-1.5, +1.0)
  30802 (-2.6, -0.6)
STRIP 2
       4 INDIAN 1934 (+0.5, -0.2)
      5 MILLER 2, 1934, subpoint (-0.7, -0.7)
6 AYOCKS POINT 4, 1959, subpoint (+0.1, +0.0)
  Δ
  Δ
       7 TEKIU 3, 1971, subpoint (+0.7, -0.8)
  A
      8 QUATSAP 2, 1934, subpoint (-0.4, +0.4)
STRIP 3
       7 TEKIU 3, 1971, subpoint (0.0, 0.0) 42804 (0.0, 0.0)
  A
  9 BOULDER 1878, subpoint (0.0, 0.0)
  Δ
  41801 (+0.6, +0.6)
  \Box
       42802 (+3.0, -1.0)
       42803 (+1.6, +1.5)
```



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-00369

This 1:10,000 scale Final shoreline map is one of eleven 1:10,000 scale maps designated as project PH-7110, Hood Canal, Washington.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation in April 1971, consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in May 1971 with the RC-8 "E" camera at 1:20,000 and 1:30,000 scale using natural color film.

Aerotriangulation was completed at the Washington office in November 1971.

This map was compiled at the Norfolk office in January 1972.

Field edit was acquired for TP-00369 during the 1972 field season. Field edit was applied at AMC in October 1974.

Final review was accomplished at the Atlantic Marine Center in August 1988. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

COMPILATION REPORT

TP-00369

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:30,000 scale, color photographs. The stage of tide was above mean lower low-water at the time of photography, therefore, detail which covers by tidal water is only partially compiled.

The quality of the photography is adequate for shoreline compilation.

32. CONTROL:

Refer to the Photogrammetric Plot Report, dated November 1971.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from the compiler's interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high-water line and alongshore details were delineated from the compiler's interpretation of the photographs.

36. OFFSHORE DETAILS:

Offshore details was delineated from the compiler's interpretation of the photographs. Details which were covered by water at the time of photography, were not compiled.

37. LANDMARKS AND AIDS:

There were no charted nonfloating aids or landmarks and none were noted during stereoscopic instrument compilation.

38. CONTROL FOR FUTURE SURVEY:

None.

TP-00369

39. JUNCTIONS:

A satisfactory junction was made with all adjoining contemporary maps. Refer to the Data Record Form 76-36B, item 5.

40. HORIZONTAL AND VERTICAL ACCURACY:

No Statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with U.S. Geological Survey quadrangle Potlatch, Washington, scale 1:62,500, dated 1952.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with U.S. Coast and Geodetic Survey Chart 6460, scale 1:80,000, 11th edition, dated July 25, 1970.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by: Charles Blood

Bernice Wilson

Cartographic Technician

January 20, 1972

Approved and forwarded:

Albert C. Rauck Jr.

Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-7110 (Hood Canal, Washington)

TP-00369

Dewatto Dewatto Bay Dewatto River Eagle Creek Hood Canal Little Dewatto (cove)

Approved:

Charles E. Harrington Chief Geographer

Nautical Charting Division

FIELD EDIT REPORT

Hood Canal, Washington

April-May 1972

Map Manuscripts: TP-00381,TP-00365, TP-00366,TP-00367,TP-00368,TP-00369, TP-00371

Project OPR-412-MA-72

Field Edit Report

Hood Canal, Washington

Manuscripts: TP-00381,TP-00365,TP-00366 TP-00367,TP-00368,TP-00369,TP-00371

This report covers the area of Hood Canal bounded on the north by latitude 47° 40' 00" and on the south by latitude 47° 19' 00".

The entire shoreline was inspected by vehicle or small boat. The shoreline and alongshore features were compared with the field edit copies of the manuscript and the field edit color photographs. The field edit copies (discrepancy prints) of the map manuscripts were used as the index for field corrections. Three-point sextant fixes taken to delineate the mean high water line or the positions of other alongshore features are recorded on the appropriate Field Edit Ozalid. Positions of features determined by their relationship to photogrammetrically identified objects are referenced on the appropriate Field Edit Ozalid and recorded on the photograph indicated on the Field Edit Ozalid.

Adequacy of the Compilation

The accuracy of the maps appear adequate for navigation, however the current charts are lacking detail. All discrepancies were investigated and resolved.

New construction is prevalent in the area. All new piers and bulk-heads were located by three-point sextant fixes. All pilings, dolphins, and ruins, which did not appear on the discrepancy sheets were also located by three-point fixes.

The mean high water line was established throughout the surveyed area either by three-point fixes or by measuring to the mean high water line from a known point of reference. Shore line areas where streams and rivers enter Hood Canal were extensively delineated. Changes to the shore line were dashed in with purple ink. Marsh areas are designated as such. Rocks and shoals were investigated. In the majority of cases, elevations of rocks and shoals were related to the elevation of the feature above the water at the time it was visited by direct measurement. In those instances where this was not possible, the height of the feature above mean high water (as estimated from vegetation on the face of the feature for example) was measured.

Purple ink was used to indicate corrections on the discrepancy sheets. Red-orange ink was used for the annotations of the field edit photographs. Green ink was used on the discrepancy prints to indicate deletions.

Where small coves made it impossible to carry on field edit work using established signals for sextant cuts, signals were photo located. Triton Cove, DeWatto Bay and Pleasant Harbor were field edited using photo located signals.

There were no fixed aids to navigation in the area surveyed. All features of landmark value were investigated and designated as such on the discrepancy sheets. All significant landmarks have been listed on form 567.

A list of geographic positions used in field edit work is included in this report.

SUBMITTED BY:

Steven R. Birkey

LTJG, NOAA

APPROVED AND FORWARDED:

Steven R. Bi-key

George M. Poor CDR, NOAA

Commanding

REVIEW REPORT SHORELINE

TP-00369

61. GENERAL STATEMENT:

See the summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

A comparison was made with the following Hydrographic Surveys:

H-9320, 1:10,000 scale, dated 1972

H-9345, 1:10,000 scale, dated 1972-2973.

There were no conflicts.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with NOS chart 18476, 1:40,000 scale, dated September 15, 1984. The chart compared well with this manuscript.

ADEQUACY OF RESULTS AND FUTURE SURVEYS: 66.

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Final Reviewer

Approved for forwarding:

Billy H. Barnes

Chief, Quality Assurance Group, AMC

Approved:

Chief, Photogrammetric Productions Sec. Chief, Photogrammetry Branch

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.		
1 1 2 2 11 11 DESCRIPTION TO THE REPORT OF THE PROPERTY OF THE	 	

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross our words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
}		 	Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Drawing No.
	Arth. , con	<u> </u>	
		Z - F TON Z DO NOW DO	
			<u> </u>