

TP-00584

TP-00584

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. TP-00584	Edition No. 1
Job No. CM-7206	
Map Classification FINAL FIELD EDITED MAP	
Type of Survey SHORELINE	
LOCALITY	
State ALASKA	
General Locality ZAREMBO ISLAND	
Locality MCHENRY INLET	
1972 TO 1973	
REGISTERED IN ARCHIVES	
DATE	

DESCRIPTIVE REPORT - DATA RECORD

TYPE OF SURVEY

- ☒ ORIGINAL
☐ RESURVEY
☐ REVISED

SURVEY TP. 00584

MAP EDITION NO. (1)

MAP CLASS Final Field
EditedJOB ~~PH~~ CM-7206

PHOTOGRAMMETRIC OFFICE

Coastal Mapping Division, Norfolk, VA

OFFICER-IN-CHARGE

Jeffrey G. Carlen

LAST PRECEDING MAP EDITION

TYPE OF SURVEY

- ☐ ORIGINAL
☐ RESURVEY
☐ REVISED

JOB PH. _____

MAP CLASS _____

SURVEY DATES:

19__ TO 19__

I. INSTRUCTIONS DATED

1. OFFICE

Aerotriangulation Sept. 19, 1972
Compilation Feb. 22, 1973

2. FIELD

Field Jan. 26, 1972

II. DATUMS

1. HORIZONTAL:

☒ 1927 NORTH AMERICAN

OTHER (Specify)

2. VERTICAL:

☒ MEAN HIGH-WATER
☐ MEAN LOW-WATER
☐ MEAN LOWER LOW-WATER
☐ MEAN SEA LEVEL

OTHER (Specify)

3. MAP PROJECTION

Polyconic

4. GRID(S)

STATE

Alaska

ZONE

1

5. SCALE

1:10,000

STATE

ZONE

III. HISTORY OF OFFICE OPERATIONS

OPERATIONS		NAME	DATE
1. AEROTRIANGULATION	BY	D. Norman	Feb. 1973
METHOD: Analytic-Block	LANDMARKS AND AIDS BY		
2. CONTROL AND BRIDGE POINTS	PLOTTED BY	R. Robertson	Feb. 1974
METHOD: Coradomat	CHECKED BY	R. Robertson	Feb. 1974
3. STEREOSCOPIC INSTRUMENT	PLANIMETRY BY	L. Neterer, Jr.	Aug. 1973
COMPILATION	CHECKED BY	R. White	Aug. 1973
INSTRUMENT: Wild B-8	CONTOURS BY	N.A.	
SCALE: 1:15,000	CHECKED BY	N.A.	
4. MANUSCRIPT DELINEATION	PLANIMETRY BY	F. Margiotta	Sept. 1973
	CHECKED BY	L. Neterer	Sept. 1973
METHOD: Smooth Draft	CONTOURS BY	N.A.	
	CHECKED BY	N.A.	
SCALE: 1:10,000	HYDRO SUPPORT DATA BY	F. Margiotta	Sept. 1973
	CHECKED BY	L. Neterer	Sept. 1973
5. OFFICE INSPECTION PRIOR TO FIELD EDIT	BY	L. Neterer	Sept. 1973
6. APPLICATION OF FIELD EDIT DATA	BY	C. Parker	Jan. 1975
	CHECKED BY	F. Mauldin	Oct. 1979
7. COMPILATION SECTION REVIEW	BY	F. Mauldin	Oct. 1979
8. FINAL REVIEW	BY	C. Blood	Nov. 1987
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH	BY	J. Byrd	July 1988
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH	BY	P. Dempsey	Dec. 1987
11. MAP REGISTERED - COASTAL SURVEY SECTION	BY		

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-00584

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "E" FL = 152.71mm		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Pacific	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 120th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
*72 E(C) 4312-4313	6-23-72	14:05	1:30,000	9.5 ft. above MLLW	
*72 E(C) 4162-4166	6-23-72	12:08	1:30,000	11.6 ft. above MLLW	
72 E(C) 4138-4141	6-23-72	11:50	1:30,000	11.5 ft. above MLLW	

REMARKS

*Compilation photographs

2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high-water line was delineated from the photographs listed above.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

None delineated, there were no mean lower low-water photographs.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
TP-00581	No Survey	PH-6303 T-12364	TP-00583

REMARKS

TP-00584

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	K. Jeffers	9/73-10/73
2. HORIZONTAL CONTROL	RECOVERED BY None ESTABLISHED BY None PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY None ESTABLISHED BY None PRE-MARKED OR IDENTIFIED BY None	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None LOCATED (Field Methods) BY None IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY K. Jeffers	9/73-10/73
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED None		2. VERTICAL CONTROL IDENTIFIED None	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
3. PHOTO NUMBERS (Clarification of details) 72 E(C) 4313, 4314, 4163 and 4164			
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED None			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE		6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE	
7. SUPPLEMENTAL MAPS AND PLANS None			
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division) None			

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00584

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Sept. 1973	Class III Map	Oct. 5, 1973	Sept. 21, 1973
Field Edit Applied compilation complete	Oct. 1979	Class I Map	Oct. 17, 1979	Feb. 5, 1975
Final Review	Nov. 1987	Final Map	Dec. 1987	

II. LANDMARKS AND AIDS TO NAVIGATION None

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: None3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS ⁷⁶⁻⁴⁰ ~~562~~ SUBMITTED BY FIELD PARTIES.
 3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

JOINS CM-7309

IGN
nearly vertical. The
scale is constant,
1:50,000.

JOINS PH-6627

JOINS PH-6909

ZAREMBO

JOINS
PH-6705

JOINS PH-6705

CM-7206

ZAREMBO ISLAND, ALASKA

SHORELINE MAPPING

1:10,000 SCALE

JOINS
PH-6303

JOINS
PH-6303

REVISED 5/18/72 R.W.W.
REVISED 4/23/73 R.W.W.

SHEET NO.	SQ. MI.
TP-00551	8
TP-00552	2
TP-00553	9
TP-00554	11
TP-00555	4
TP-00556	5
TP-00557	5
TP-00558	5
TP-00559	6
TP-00560	4
TP-00561	5
TP-00562	5
TP-00563	7
TP-00564	9
TP-00565	4
TP-00566	7
TP-00567	2
TP-00568	5
TP-00569	4
TP-00570	3
TP-00571	10
TP-00572	17
TP-00573	2
TP-00574	6
TP-00575	1
TP-00576	9
TP-00577	19
TP-00578	3
TP-00579	6
TP-00580	8
TP-00581	6
TP-00582	6
TP-00583	15
TP-00584	13

TP-00638 4
TP-00639 8
TOTAL 250

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-00584

This final Class I shoreline map is one of thirty-six 1:10,000 scale maps designated as CM-7206, Zarembo Island, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation during the 1972 field season consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in June 1972 with the RC-9 "M" camera at 1:60,000 scale using panchromatic film. The map area was also photographed in June 1972 with the RC-8 "E" camera at 1:30,000 scale using color film.

Aerotriangulation was completed at the Washington Office in February 1973 and revised in January 1974.

This map was compiled at the Norfolk Office in September 1973.

Field edit was acquired for TP-00584 during the 1973 field season. Field edit was applied at AMC in October 1979.

Final review was accomplished at the Atlantic Marine Center in November 1987. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Field Edited Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00584

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and premarking of the horizontal control necessary for the aerotriangulation of the project.

Photogrammetric Plot Report
Zarembo Island, Alaska
CM-7206
February 1973

21. Area Covered

This report pertains to 34 sheets in the vicinity of Zarembo Island, Alaska. The sheets covered are TP-00551 through TP-00584. All are 1:10,000 scale.

22. Method

Six strips of RC-9 photography at 1:60,000 scale and three strips of RC-8 photography at 1:30,000 scale were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment program. Points were established for determining ratios of 1:30,000 scale support photography. Sufficient points were also established for setting 1:30,000 scale compilation photography. These points were plotted by the Coradomat.

23. Adequacy of Control

The control was adequate. Ten horizontal control stations were used in the block adjustment. Shoreline points with approximately 0 elevation were used as vertical control.

The horizontal positions of several light structures were determined in the block adjustment. The positions of these structures are to be verified by field methods as a check on the block adjustment.

24. Supplemental Data

USGS topographic quadrangles were used in determining elevations for strip adjustments.

25. Photography

The photography was adequate, however, on sheet TP-00565, there is no coverage with 1:30,000 scale photography of Rookery and Tide Islands.

On sheet TP-00559 it was impossible to establish points for the compilation of Five Mile Island. It is recommended that a field party establish points for the graphic compilation. A ratio photograph was ordered and sent to the compilation office.


submitted by,


Don O. Norman


Don O. Norman

Approved by

John D. Perrow
John D. Perrow, Chief, Aerotriangulation Section







AEROTRIANGULATION SKETCH
 ZAREMBO ISLAND, ALASKA
 CM 7206
 FEB., 1973
 RADIO PHOTOGRAPHY
 1:30000 scale 72E(c)

ADDENDUM
ZAREMBO ISLAND, ALASKA
CM-7206
January 1974

In the compilation office at the Atlantic Marine Center, it was noticed that when a model in the vicinity of Wrangell Narrows (TP-00551) was set by holding the compilation points, the navigation lights would not plot in their proper positions. In this vicinity the horizontal control station LUNG, 1929, was weighted in the block and would not hold within 7 feet.

It was decided to remeasure several models to determine refined coordinates for MIDWAY ROCK LIGHT, 1929, and PORT ALEXANDER LIGHT, 1929. Plate 72E(C)4004 was also remeasured for another refined coordinate for LUNG, 1929. At this time it was noticed that the refined coordinate for point 004320 was not correct. Corrections were made and all these refined coordinates were placed in their proper place in the block.

Another block adjustment was run just as before, except MIDWAY ROCK LIGHT and PORT ALEXANDER LIGHT were also weighted. This produced satisfactory results. LUNG fit within 0.8 feet, MIDWAY ROCK LIGHT within 2.2 feet and PORT ALEXANDER LIGHT within 3.1 feet. In this same vicinity compilation points changed by as much as 16.7 feet.

It is believed that this block is now properly adjusted and will meet national map accuracy standards. New T-sheets will be ruled and forwarded to AMC for compilation.

Submitted by,

Don O. Norman

Don O. Norman

Approved by:

John D. Perrow, Jr.

John D. Perrow, Jr.
Chief, Aerotriangulation Section

Note: After thorough research it was determined that the name PORT ALEXANDER LIGHT was used incorrectly in this report for POINT ALEXANDER LIGHT 1929. POINT ALEXANDER LIGHT 1929 is adjacent to LUNG 1929 and MIDWAY ROCK LIGHT 1929. PORT ALEXANDER LIGHT is located approximately 2° west of the project area.

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.		JOB NO.		GEODETTIC DATUM		ORIGINATING ACTIVITY		REMARKS	
TP-00584		CM-7206		N.A. 1927		Division, AMC, Norfolk, VA		Coastal Mapping	
STATION NAME		SOURCE OF INFORMATION (Index)		AEROTRIANGULATION POINT NUMBER		COORDINATES IN FEET		GEOGRAPHIC POSITION	
						STATE Alaska		ϕ LATITUDE λ LONGITUDE	
						ZONE 1			
UNDO, 1916	Vol. 1 P. 149	132	X=	ϕ 56° 00' 29.035"					
			Y=	λ 132° 23' 45.395"					
ISLE, 1913	Vol. 1 P. 149	136	X=	ϕ 56° 02' 09.038"					
			Y=	λ 132° 28' 59.888"					
HARD, 1916	Vol. 1 P. 148	135	X=	ϕ 56° 01' 34.465"					
			Y=	λ 132° 29' 03.250"					
TAD, 1916	Vol. 1 P. 149	134	X=	ϕ 56° 00' 50.456"					
			Y=	λ 132° 26' 41.665"					
RACE, 1916	Vol. 1 P. 148	214100	X=	ϕ 56° 00' 20.296"					
			Y=	λ 132° 27' 40.330"					
SAY, 1916	Vol. 1 P. 148	133	X=	ϕ 56° 01' 02.443"					
			Y=	λ 132° 24' 45.296"					
			X=	ϕ					
			Y=	λ					
			X=	ϕ					
			Y=	λ					
			X=	ϕ					
			Y=	λ					
			X=	ϕ					
			Y=	λ					
COMPUTED BY A. C. Rauck		DATE 3/19/73	COMPUTATION CHECKED BY F. Margiotta					DATE 3/21/73	
LISTED BY		DATE	LISTING CHECKED BY					DATE	
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY					DATE	

COMPILATION REPORT

TP-00584

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:30,000 scale color photographs. The stage of tide was above mean lower low-water at the time of photography, therefore, detail which covers by tide is only partially compiled.

The quality of the photography is adequate for shoreline compilation.

32. CONTROL:

Refer to the Photogrammetric Plot Report, dated February 1973.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from the compiler's interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high-water line and alongshore details were delineated from the compiler's interpretation of the photographs.

36. OFFSHORE DETAILS:

Offshore detail was delineated from the compiler's interpretation of the photographs. Details which were covered by the tide at the time of photography, were not compiled.

37. LANDMARKS AND AIDS:

There were no charted nonfloating aids or landmarks and none were noted during stereoscopic instrument compilation.

38. CONTROL FOR FUTURE SURVEY:

None.

TP-00584

39. JUNCTIONS:

A satisfactory junction was made with the adjoining contemporary maps.

Refer to the Data Record Form 76-36B, item 5.

40. HORIZONTAL AND VERTICAL ACCURACY:

No Statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with the U.S. Geological Survey quadrangle PETERSBURG (A-2), Alaska, 1:63,360 scale, dated 1953.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the U.S. Coast and Geodetic Survey chart 8160, 1:80,000 scale, dated July 4, 1970.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.


ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:


Frank P. Mergiotto
Cartographic Technician
September 11, 1973

Approved and forwarded:


Albert C. Rauck, Jr.
Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7206 (Clarence and Sumner Straits, Alaska)

TP-00584

Burnett Island

Cannery Point

Deadman Island

Etolin Island

Fawn Island

Isle Point

Jadski Cove


McHenry Inlet

North Burnett Island

Range Island

South Burnett Island

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division
Charting and Geodetic Services

FIELD EDIT REPORT

OPR-465, 1973

TP-12364, TP-00580 through TP-00584

Clarence Strait, Alaska

Etolin Island

NOAA ship RAINIER

Cdr. K. William Jeffers, Commanding

INTRODUCTION - METHODS

Field edit was done by personnel of NOAA ship RAINIER during September and October 1973. Work was performed in a sixteen foot skiff and twenty-six foot Boston Whaler, making landings where necessary to verify shoreline character.

The field edit started at Kelp Point, Etolin Island, and extended northwestward to Cape Stanhope. Field edit was completed as far west as the mouth of Three Way Passage entering the Clarence Strait. Field edit was completed on TP-00580, TP-00581, TP-00584, and partially completed on TP-00582, TP-00583, TP-12364.

Photography in the Rocky Bay area was extremely poor, due mainly to a low sun angle at the time of photography. This meant that the southern one-third of the picture was useless, and the same for the northern third, because of the developer's efforts to counteract the overexposures. The photos were also fuzzy, and the prints were covered with evidence of dirty negatives, such as dirt, lint, etc.. It was in some instances hard to distinguish the dirt from rocks low in the water.

All **additions and corrections** are noted in purple on the field edit ozalids. Deletions are noted in green. Photos used were from PH-6303 and CM-7206. Values given for distances from MHWL and heights of rocks were estimated. Time references prior to 29 October 1973 are 105 W and 120 W after this date.

ADEQUACY OF COMPILATION

The compilation of the MHWL was generally good. Compilation of offshore features was less than good. Several rocks, easily identifiable on the photos were omitted from the manuscripts. Time and height data are included on the photos.

DISCUSSION AND RECOMMENDATIONS

The project area's shoreline was composed generally of rocky outcrops with occasional sand -pebble beaches. There was little or no kelp, due probably to the abundance of sea urchins, which feed on kelp holdfasts.

The rocky shoreline was composed primarily of fissile metamorphic rocks ranging from slates to schists to phyllites. There were occasional outcrops of intrusive granitic rocks, but with little contact mineralization. The metamorphic rocks were highly fractured and thus subject to extensive erosion.

TP-12364, TP-00580 -TP-00584:

No special recommendations are made.

REVIEW REPORT
SHORELINE

TP-00584

61. GENERAL STATEMENT:

See the Summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

A comparison was made with the following Hydrographic Surveys:

H-9403, 1:10,000 scale, date of survey October 4, 1973

H-9404, 1:10,000 scale, date of survey October 5, 1973.

There were no conflicts.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with NOS chart 17382, 1:80,000 scale, dated July 25, 1981. The chart compared well with this manuscript.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:


This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:



James L. Byrd, Jr.
Final Reviewer

Approved for forwarding:



Billy H. Barnes
Chief, Quality Assurance Group, AMC

Approved:

Chief, Photogrammetric Productions Sec. Chief, Photogrammetry Branch



RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]