

TP- 01223

TP- 01223

NOAA FORM 76-35
(6-80)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

THIS MAP EDITION WILL NOT BE FIELD EDITED.

Map No.

TP-01223

Edition No.

1

Job No.

CM-8302

Map Classification

CLASS III (FINAL)

Type of Survey

SHORELINE

LOCALITY

State

NEW YORK

General Locality

LAKE ONTARIO

Locality

GALLOO ISLAND

19 84 TO 19

REGISTERED IN ARCHIVES

DATE

NOAA FORM 76-36A (3-72) <div style="text-align: right; font-size: small;"> U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN. </div>		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED		SURVEY TP. <u>01223</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>III (Final)</u> JOB PH <u>CM-8302</u>	
DESCRIPTIVE REPORT - DATA RECORD					
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Center, Norfolk, VA		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED			
OFFICER-IN-CHARGE A. Y. Bryson, CDR		JOB <u>PH</u> MAP CLASS _____ SURVEY DATES: 19__ TO 19__			
I. INSTRUCTIONS DATED					
1. OFFICE			2. FIELD		
Aerotriangulation October 18, 1984 Compilation May 29, 1985			Control March 7, 1984		
II. DATUMS					
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN			OTHER (Specify)		
2. VERTICAL: <div style="margin-left: 20px;"> <input type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL </div>			OTHER (Specify) International Great Lakes Datum (1955)		
3. MAP PROJECTION Transverse Mercator Projection			4. GRID(S) STATE ZONE New York Central		
5. SCALE 1:20,000			STATE ZONE		
III. HISTORY OF OFFICE OPERATIONS					
OPERATIONS		NAME		DATE	
1. AEROTRIANGULATION BY METHOD: <u>Analytic</u> LANDMARKS AND AIDS BY		<u>S. Solbeck</u> <u>S. Solbeck</u>		<u>Nov. 1984</u> <u>Nov. 1984</u>	
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: <u>Calcomp 718</u> CHECKED BY		<u>S. Solbeck</u> <u>D. Norman</u>		<u>Nov. 1984</u> <u>Nov. 1984</u>	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: <u>Wild B-8</u> CONTOURS BY SCALE: <u>1:20,000</u> CHECKED BY		<u>R. Kravitz</u> <u>W. McLemore</u> <u>N.A.</u> <u>N.A.</u>		<u>Aug. 1985</u> <u>Aug. 1985</u>	
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: <u>Smooth drafted</u> CONTOURS BY CHECKED BY SCALE: <u>1:20,000</u> HYDRO SUPPORT DATA BY CHECKED BY		<u>R. Kravitz</u> <u>F. Mauldin</u> <u>N.A.</u> <u>N.A.</u> <u>N.A.</u> <u>N.A.</u>		<u>Sept. 1985</u> <u>Sept. 1985</u>	
5. OFFICE INSPECTION PRIOR TO FINAL <u>Final Review</u> BY		<u>F. Mauldin</u>		<u>Sept. 1985</u>	
6. APPLICATION OF FIELD EDIT DATA BY CHECKED BY		<u>N.A.</u> <u>N.A.</u>			
7. COMPILATION SECTION REVIEW <u>Class III</u> BY		<u>F. Mauldin</u>		<u>Sept. 1985</u>	
8. FINAL REVIEW <u>Class III (Final)</u> BY		<u>J. Hancock</u>		<u>Nov. 1985</u>	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		<u>J. Hancock</u>		<u>Dec. 1985</u>	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		<u>P. Dempsey</u>		<u>Jan 1986</u>	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		<u>E. DAUGHERTY</u>		<u>FEB 1986</u>	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY
TP-01223

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild R.C. 10(Z) (Z=153.15 mm)		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
NOAA PAGE REFERENCE Water Level Gage		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE Eastern	
<input type="checkbox"/> PREDICTED TIDES				<input checked="" type="checkbox"/> STANDARD	
<input checked="" type="checkbox"/> REFERENCE STATION RECORDS				MERIDIAN 75th	
<input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				<input type="checkbox"/> DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	*Stage of Lake	
84Z(P) 4432, 4434, 4435, 4437, 4439	5-24-84	11:35	1:50,000	246.6 feet Level	
84Z(P) 4389, 4391	5-24-84	10:41	1:50,000	246.6 feet	

REMARKS *Water level at the time of photography is indicated as recorded from the Cape Vincent, New York, gage. Low Water Datum for Lake Ontario is 242.8 feet.

2. SOURCE OF MEAN HIGH-WATER LINE:

The term Mean High Water Line is not applicable. The shoreline is defined as the visible line of contact on the photographs between land and water. Delineation of the shoreline was derived by photointerpretation of the above listed black-and-white compilation/bridging photographs.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

This item is not applicable to the project.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
CM-8205	TP-01224 & TP-01225		
*TP-01170	1:10,000	TP-01228	No Survey

REMARKS

*Refer to Item 39 of the Descriptive Report concerning this junction.

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

P-01223

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION (Premarking) ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	P. Walbolt	July 1984
2. HORIZONTAL CONTROL	RECOVERED BY C. Middleton ESTABLISHED BY C. Middleton PRE-MARKED OR IDENTIFIED BY C. Middleton	May 1984 May 1984 May 1984
3. VERTICAL CONTROL	RECOVERED BY N.A. ESTABLISHED BY N.A. PRE-MARKED OR IDENTIFIED BY N.A.	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY C. Middleton LOCATED (Field Methods) BY N.A. IDENTIFIED BY C. Middleton	May 1984 May 1984
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY N.A.	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

Premarked (Paneled)

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
84Z(P) 4390	COOPER (USLS), 1874 (paneled direct)		
84Z(P) 4435	GALLOO (USLS), 1874 (paneled direct)		
84Z(P) 4434	CALF, 1984 (paneled direct)		
84Z(P) 4434	STONY POINT (USLS), 1874 (Sub pt. paneled)		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

4 Forms 76-53 (CSI Cards), 1 Form 75-63, 4 pages Doppler Sta. Records
 1 Form 76-156 } Project Data
 2 Forms 760-52 }

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation Complete	Sept. 1985	Class III Manuscript	None	None
Final Review, Class III	Nov. 1985	Final Class III Map	12/16/85	12/16/85

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER (pages)	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
2		12/16/85	Landmarks and Aids to Navigation for Charting

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS. 76-40 SUBMITTED BY FIELD PARTIES.
3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	<input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	<input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	<input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	



Joins CM-8205

TP-01221

TP-01222

TP-01223

TP-01225

TP-01224

TP-01226

TP-01227

JOBS CM-8302

LAKE ONTARIO

CHAUMONT HARBOR TO NINE MILE PT

NEW YORK

SHORELINE MAPPING

SCALE 1:10,000
1:20,000

LEGEND:

REV 06-84 D.B.

TP-01228

TP-01229

TP-01230

Joins CM-8004

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-01223

This 1:20,000 scale final Class III shoreline map is one of ten maps that comprise project CM-8302, Chaumont Harbor to Nine Mile Point, Lake Ontario, New York. This project consists of six 1:10,000 scale maps (TP-01221, TP-01222, and TP-01224 thru TP-01227) and four 1:20,000 scale maps (TP-01223 and TP-01228 thru TP-01230).

This map portrays shoreline in the eastern portion of Lake Ontario featuring Galloo Island and Stony Island.

The purpose of this map is to provide current charting information for nautical chart maintenance, including new chart construction, and to supplement data for future hydrographic activity.

Field work prior to photography was adequately provided in May 1984. This involved the recovery, establishment and identification (premarking) of horizontal control necessary for aerotriangulation. There was no field inspection performed.

Photo coverage for the project was adequately provided by panchromatic photographs taken at scales of 1:30,000 and 1:50,000 with the Wild RC-10 (2) camera. The 1:30,000 scale photographs were taken May 24, 1984 and the 1:50,000 scale photographs in May 27, 1984. At the time of photography, a water level reading of 246.6 ft. was recorded at Cape Vincent, New York. This established the shoreline datum for the project based on the 1955 International Great Lakes Datum.

Analytic aerotriangulation was adequately provided by the Washington Science Center in November 1984. This activity also included ruling the base manuscripts, determining ratio values for the photographs and locating visible landmarks and navigational aids.

Compilation was performed at the Coastal Mapping Unit, Atlantic Marine Center in September 1985. Delineation of map detail was accomplished using stereo instrument methods based upon interpretation of the 1:50,000 scale mapping photographs.

Final review was performed at the Atlantic Marine Center in November 1985. A Chart Maintenance Print was prepared and forwarded to the Marine Chart Branch. Also, a Notes to Hydrographer Print was prepared for future hydrographic activity.

This Descriptive Report contains all pertinent information used to compile this final Class III map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

7

FIELD INSPECTION

TP-01223

There was no field inspection prior to compilation. Field work accomplished consisted of aerial photography and the recovery, establishment, and identification (premarking) of the horizontal control necessary for the aerotriangulation of the project.

FIELD OPERATIONS REPORT
JOB CM-8302, LAKE ONTARIO, CHAUMONT HARBOR TO
NINE MINE POINT, NY

We have performed this job in the field in accordance with Project Instructions dated 7 March 1984, N/CG2342:RT, from 1 May 1984 thru 23 June 1984 inclusive.

On 4 May, Mr. Barnes and Mr. Walbolt met with Mr. Ross Hudson, Jr. and Mr. Harold Spath of District 6, USPS, Watertown, NY. The USPS gave us Recovery Notes for many of the Triangulation Stations in the area. This helped speed the premarking.

We placed targets for aerotriangulation photography in each of seventeen (17) requested areas. Two of these Panels (Nos. 8 and 11) we located by the Satellite Dopplers; the others by conventional means. Each Panel was in place by the afternoon of 12 May.

On 21 May, the Chief Pilot called to inform us that the Photo Mission was ready to fly the photography when weather permitted. On 24 May, the Chief Pilot again called to inform us that the Photo Mission was on its way, and arranged to meet us at the Watertown International Airport. Throughout this period, we continued to monitor the panels.

As in 6.0, Note 1 of Instructions, we sent graphics of each panel to the Rockville Office.

Submitted by,

Philip B. Walbolt

Philip B. Walbolt
6 July 1984

PHOTOGRAMMETRIC PLOT REPORT

CM-8302

Chaumont Harbor to Nine Mile Point
Lake Ontario-New York

November 1984

21. Area Covered

The project are covered by this report is that portion of the Lake Ontario-New York shoreline from Chaumont to Nine Mile Point. This area is covered by six 1:10,000 scale manuscripts (TP-01221, TP-01222, and TP-01224 through TP-01227) and four 1:20,000 scale manuscripts (TP-01223, TP-01228 through TP-01230).

22. Method

Six strips of 1:50,000 scale and four strips of 1:30,000 scale panchromatic photographs were bridged by standard analytic aerotriangulation methods. The control was premarked and used for the adjustment of the 1:50,000 scale strips. Tie points were used to ensure the adequate junctioning between all strips and as the primary control for the 1:30,000 scale strips.

Ratio values have been determined for all bridging photographs. A copy of the ratio values has been attached to this report.

The manuscripts were ruled on the Calcomp 718 plotter using the New York Central State Plane Coordinate System. This system is based on the Transverse Mercator Projection.

23. Adequacy of Control


The control proved adequate and meets the National Standards of Map Accuracy. A copy of the fit to control is attached to this report.

24. Supplemental Data

USGS quadrangles were used to provide vertical control for the adjustments. Nautical charts were used to locate aids and landmarks.

25. Photography

The coverage, overlap, and quality of the photographs proved adequate for completion of the project.


Submitted by,

Stephen H. Solbeck

Approved and Forwarded:


Don O. Norman
Chief, Aerotriangulation Unit


AEROTRIANGULATION SKETCH
CHAUMONT HARBOR TO NINE MILE PT
NEW YORK
CM-8302

1:50000 BRIDGING PHOTOGRAPHS
84Z(P)



AEROTRIANGULATION SKETCH
CHAUMONT HARBOR TO NINE MILE PT
NEW YORK
CM-8302

1:30000 BRIDGING PHOTOGRAPHS
84Z (P)



CM-8302

Control Reference for Aerotriangulation Sketch

Panel No.

1. Mort, 1983 (Sub Point)
3. Dexter 2, 1952
4. Sackets Harbor Black Tank, 1984 (Sub Point)
5. Shepard, 1983 (Sub Point)
6. Cooper (USLS), 1874
7. Galloo (USLS), 1874
8. Calf, 1984
9. Stony Point (USLS), 1874 (Sub Point)
10. 22601
11. Eastman, 1984 (Sub Point)
12. Colwell (USGS), 1893, RM 2 (Sub Point)
13. Pulaski, 1942 (Sub Point)
14. Derby, 1942 (Sub Point)
15. Mexico, 1942 (RM 3 - Stamped Mexico 1942 1974)
16. Scriba, 1942 (Sub Point)
17. Water, 1942

Fit to Control

CM-8302

Control Held in the Adjustment

1:50,000

<u>Station Name</u>	<u>Point No.</u>	<u>X</u> (Values in feet)	<u>Y</u>
<u>Strip 50-1</u>			
Tie From 50-2	401801	-.3	.5
"	401802	.6	-.3
"	401803	-1.2	.4
"	402801	1.3	-.7
"	402802	5.2	-3.4
"	402803	1.0	-1.5
"	403801	-1.0	-.7
"	403802	-.5	.7
"	403803	-.5	1.3
Mort, 1983 - Panel 1	403101	-.3	.5
Tie From 50-2	404801	-.7	1.2
"	404802	1.8	-1.0
"	404803	-.2	-.3
<u>Strip 50-2</u>			
Dexter 2, 1952 - Panel 3	385100	-.6	-.4
Sackets Harbor Black Tank 1984 - Panel 4	386101	.7	-.2
Mort, 1983 - Panel 1	403101	-.2	1.0
Shepard, 1983 - Panel 5	388101	.0	-1.0
Cooper (USLS) 1874 Panel 6	389100	.1	.6
<u>Strip 50-3</u>			
22601 - Panel 10	432100	-.4	1.1
Tie from 50-4	432801	.2	-1.4
"	432802	-.8	-1.6
"	432803	.1	-1.4

2

Stony Point (USLS), 1874 Panel 9	433101	1.3	.3
Tie from 50-4	433801	1.9	.5
"	433802	.2	2.5
"	433803	-.6	2.8
Calf, 1984 - Panel 8	434100	-2.9	-4.0
Galloo (USLS), 1874 Panel 7	435100	1.1	1.1

Strip 50-4

Dexter 2, 1952 - Panel 3	385100	-.3	.3
Sackets Harbor Black Tank 1984 - Panel 4	386101	.9	-.7
22601 - Panel 10	432100	-.9	.7
Stony Point (USLS), 1874 Panel 9	433101	.4	-.3

Strip 50-5

Pulaski, 1942 - Panel 13	355101	-.1	-.0
Derby, 1942 - Panel 14	357101	.3	.1
Scriba, 1942 - Panel 16	360101	-.3	-.1
Water, 1942 - Panel 17	362101	.1	.0

Strip 50-6

Mexico RM 3, 1974 Panel 15	366101	1.0	.0
Derby, 1942 - Panel 14	357101	-3.3	-.8
Pulaski, 1942 - Panel 13	355101	1.1	1.4
Coldwell (USLS), 1893, RM 2 - Panel 12	372101	.6	1.7
Eastman, 1984 - Panel 11	374101	1.0	-3.6
22601 - Panel 10	432100	-.5	1.3

3

1:30,000

<u>Station Name</u>	<u>Point No.</u>	<u>X</u> (Values in feet)	<u>Y</u>
<u>Strip 30-1</u>			
Cooper (USLS), 1874 Panel 6	389100	-1.3	.6
Tie from 50-2	722801	-.2	-.1
"	722802	-.5	.1
"	723801	1.2	.2
"	723802	-.7	-.7
"	723803	.0	.2
"	724804	-.9	.7
"	724805	.4	-.1
"	724806	1.8	-.3
Tie from 50-1	725801	.1	1.1
"	725802	.7	-1.0
"	725803	-.2	.0
"	726804	-1.0	1.5
"	726805	-1.0	.6
"	726806	-.5	.3
"	727804	-.3	.1
"	727805	-.9	.5
"	727806	.6	1.1
"	728804	.4	-.2
"	728805	-.4	-.0
"	728806	.7	.8
"	729801	1.2	-.3
"	729802	-.3	.3
"	729803	.0	-.5
<u>Strip 30-2</u>			
Tie from 50-1	700801	-.8	1.3
"	700802	-.6	1.0
"	700803	.0	-.4

4

Mort, 1983, - Panel 1	403101	-.5	1.3
Tie from 50-2	701801	.6	-1.5
"	701802	1.3	-1.9
"	701803	.2	-1.9
"	702801	.0	.0
"	702802	.3	-.8
"	702803	.0	1.7
"	703801	-.2	1.1
"	703802	-.2	.4
"	703803	-.8	1.2
"	704801	-.2	-1.7
"	704802	1.6	.0
"	704803	-.2	.2
Shepard, 1983 - Panel 5	388101	-.5	-.3

Strip 30-3A

Stoney Point (USLS), 1874 Panel 9	433101	-1.6	.5
Tie from 50-4	752804	1.0	1.5
"	752805	1.2	-1.0
"	753805	-.7	-.9
"	753806	-1.5	-.7
"	754804	1.1	-.1
"	754805	-.4	-.1
"	754806	-.3	-.2
"	755804	-1.2	.7
"	755805	2.6	1.6
"	755806	-.2	.7
22601 - Panel 10	432100	-.5	.6
Tie from 50-6	756801	.8	-.9
"	756802	-.9	-.9
	756803	.0	-.3

5

Strip 30-3B

Tie from 50-4	757801	-.6	.6
"	757802	-.3	-.3
"	757803	1.6	.8
"	757810	-.7	-1.2
"	758811	.4	1.6
"	758812	-1.2	-.5
"	759807	.3	.1
"	759808	.4	.5
"	759809	.1	.3
"	760804	.3	1.1
"	760805	-1.0	1.2
"	760806	3.4	-2.6
Tie from 50-2	760807	.5	2.9
"	760808	.4	.4
"	760809	-.2	-.2
"	761807	-1.2	1.1
"	761808	.0	1.6
"	761809	.8	1.0
Tie from 50-4	762801	.9	-.2
"	762802	.8	-.5
"	762803	1.1	-.2
Tie from 50-2	762804	1.6	-.9
"	762805	.3	1.5
"	762806	.6	-1.0
"	763801	-1.1	.2
"	763802	-.7	-.5
"	763803	-.2	.6

6

Strip 30-4

Tie from 50-4	741801	-.8	-.7
"	741802	-.3	.7
"	741803	1.1	-.4
"	742801	-1.1	-.9
"	742802	.2	.0
"	742803	-.5	.3
"	743801	-.6	.6
"	743802	.3	2.3
"	742803	-.7	.1
"	744801	2.1	.9
"	744802	.9	-1.7
"	744803	.1	.1
"	745807	-1.5	.7
"	745808	-.1	.1
"	745809	-1.7	-1.3
"	746804	-.9	.1
"	746805	-.6	.5
"	746806	-.4	-.3
"	747801	.7	-.3
"	747802	.5	-.7
"	747803	1.6	.4

Ratio Values

CM-8302

1:50,000Ratio

84Z 4355 thru 4363	2.52
84Z 4366 thru 4377	2.51
84Z 4385 thru 4391	2.51
84Z 4401 thru 4404	2.52
84Z 4413 thru 4419	2.52
84Z 4432, 4434, 4435, 4437, 4439	2.52

1:30,000

84Z 4700 thru 4704	2.99
84Z 4722 thru 4729	3.00
84Z 4741 thru 4747	3.00
84Z 4752 thru 4763	2.99

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	SOURCE OF INFORMATION (Index)	AEROTRIANGULATION POINT NUMBER	GEODETTIC DATUM		GEOGRAPHIC POSITION		REMARKS
				STATE	ZONE	ϕ LATITUDE	λ LONGITUDE	
TP-01223	CM-8302			N. A. 1927				Unit, AMC, Norfolk, VA
COOPER (USLS), 1874	GP IBC Pg. 8	389100		580,424.549	1,444,337.496	$x=$	ϕ 43 57 48.129	
						$y=$	λ 76 16 40.370	
						$z=$	ϕ 43 55 07.949	
GALLOO (USLS), 1874	GP IBC Pg. 8	435100				$y=$	λ 76 24 34.362	
						$x=$	ϕ 43 52 48.899	
						$y=$	λ 76 21 15.048	
CALF, 1984	Field Position	434100				$x=$	ϕ 43 50 47.422	
						$y=$	λ 76 17 27.043	
						$z=$	ϕ	
STONY POINT (USLS), 1874	Quad 430761 STA 1011	433100				$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$z=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$z=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
						$z=$	ϕ	
						$y=$	λ	
						$x=$	ϕ	
						$y=$	λ	
COMPUTED BY						COMPUTATION CHECKED BY		DATE
LISTED BY	R. R. Kravitz		DATE	8-20-85		LISTING CHECKED BY	F. Mauldin	DATE
								9-13-85
HAND PLOTTING BY						HAND PLOTTING CHECKED BY		DATE

COMPILATION REPORT

TP-01223

31 - DELINEATION

Delineation was accomplished using stereo instrument compilation methods. Instrument compilation was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:50,000 scale bridging/compilation black-and-white photographs. All photographs used to compile this map are listed on NOAA form 76-36B. The photography was adequate; however, in some areas, glare on the water made the delineation of the shoreline, alongshore and offshore details difficult.

32 - CONTROL

The horizontal control was adequate. Refer to the Photogrammetric Plot Report, dated November 1984.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

Contours are not applicable to the project. Drainage was compiled from office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The shoreline and alongshore details were compiled from office interpretation of the photographs. The shoreline compiled was the visible line of contact between land features and the water surface at the time of photography. Based on the International Great Lakes Datum (1955), the water level taken at Cape Vincent, New York gage was 246.6 feet. Low Water Datum for Lake Ontario is 242.8 feet.

36 - OFFSHORE DETAILS

Offshore details were compiled by instrument methods as described in item #31.

37 - LANDMARKS AND AIDS

There is 1 charted landmark and 2 charted navigational aids within the mapping limits of this manuscript. Among these, 1 landmark and 2 aids were either located or verified photogrammetrically. Appropriate information was prepared on the 76-40 forms and submitted with this map.

TP-01223

38 - CONTROL FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

A marsh area compiled on this map could not be junctioned with registered map TP-01170 (CM-8205) since this marsh limit was not shown on the registered map. The shoreline junctioned well. For other junctions, refer to the Data Record Form 76-36B, Item 5, of the Descriptive Report.

40 - HORIZONTAL AND VERTICAL ACCURACY

See item #32.

46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S.G.S. quadrangles:
Point Peninsula, N.Y., dated 1958, scale 1:24,000
Galloo Island, N.Y., dated 1958, scale 1:24,000
Stony Point, N.Y., dated 1958, scale 1:24,000.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following NOS charts:
14811, 13th edition, dated April 28, 1984, scale 1:30,000
14802, 27th edition, dated November 24, 1984, scale 1:80,000
14800, 26th edition, dated May 12, 1984, scale 1:400,000.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.


ITEMS TO BE CARRIED FORWARD

None.

Submitted by:


Robert R. Kravitz
Cartographic Technician
30 August 1985

Approved:


James L. Byrd, Jr.
Chief, Coastal Mapping Unit

GEOGRAPHIC NAMES


FINAL NAME SHEET

CM-8302 (Lake Ontario, New York)

TP-01223

Boomer Cove
Calf Island
Dutch John Bay
Galloo Island
Gill Harbor
Gravelly Bay
Lake Ontario
Little Galloo Island
North Pond
Point Peninsula
Ray Bay
Stony Island
Stony Point
Toad Hole *gk*

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division
Charting and Geodetic Services

REVIEW REPORT
TP-01223
SHORELINE

61 - GENERAL STATEMENT

Refer to the Summary included in this Descriptive Report.

62 - COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63 - COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following 1:24,000 scale U.S.G.S. quadrangles:

Galloo Island, N.Y., dated 1958,

Stony Point, N.Y., dated 1958

Point Peninsula, N.Y., dated 1958.

64 - COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

No contemporary hydrographic survey was conducted prior to this shoreline mapping project.

65 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following NOS charts:

14811, 13th edition, 1:30,000 scale, April 28, 1984

14802, 27th edition, 1:80,000 scale, November 24, 1984.

66 - ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Jerry L. Hancock

Jerry L. Hancock
Final Reviewer

Approved for forwarding:

Billy H. Barnes

Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved:

J. M. Murney
Chief, Photogrammetric Section,
Rockville

Ronald K. Brewer
Chief, Photogrammetry Branch,
Rockville

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	Robert R. Kravitz
<div style="text-align: right;"> <input type="checkbox"/> PHOTO FIELD PARTY <input type="checkbox"/> HYDROGRAPHIC PARTY <input type="checkbox"/> GEODETIC PARTY <input type="checkbox"/> OTHER (Specify) </div>	
<div style="text-align: right;">FIELD ACTIVITY REPRESENTATIVE</div>	
<div style="text-align: right;">OFFICE ACTIVITY REPRESENTATIVE</div>	
<div style="text-align: right;"> <input type="checkbox"/> REVIEWER <input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE </div>	
<div style="text-align: center;"> INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' <i>(Consult Photogrammetric Instructions No. 64)</i> </div>	
OFFICE I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	FIELD (Cont'd) B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75 *FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.	II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75 **PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.

[illegible]

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	Robert R. Kravitz
<p>INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'</p> <p>(Consult Photogrammetric Instructions No. 64,</p>	
<p>OFFICE</p> <p>I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75</p> <p>FIELD</p> <p>I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection</p> <p>5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant</p> <p>A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75</p> <p>*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.</p>	
<p>FIELD (Cont'd)</p> <p>B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982</p> <p>II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75</p> <p>III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75</p> <p>**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.</p>	

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. CM-8302 (TP-01223)

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]