

TP-01299

TP-01299

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
THIS MAP EDITION WILL NOT BE FIELD EDITED	
Map No. TP-01299	Edition No. 1
Job No. CM-8317	
Map Classification CLASS III FINAL	
Type of Survey SHORELINE	
LOCALITY	
State HAWAII	
General Locality BARBERS POINT TO MAKAPUU POINT	
Locality DIAMOND HEAD	
19 86 TO 19	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.											
DESCRIPTIVE REPORT - DATA RECORD		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">TYPE OF SURVEY</td> </tr> <tr> <td>☒ ORIGINAL</td> <td></td> </tr> <tr> <td>☐ RESURVEY</td> <td></td> </tr> <tr> <td>☐ REVISED</td> <td></td> </tr> </table>		TYPE OF SURVEY		☒ ORIGINAL		☐ RESURVEY		☐ REVISED			
TYPE OF SURVEY													
☒ ORIGINAL													
☐ RESURVEY													
☐ REVISED													
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Center Norfolk, VA OFFICER-IN-CHARGE C. Dale North, Jr.		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">SURVEY TP. <u>01299</u></td> </tr> <tr> <td colspan="2">MAP EDITION NO. ()</td> </tr> <tr> <td colspan="2">MAP CLASS III FINAL</td> </tr> <tr> <td colspan="2">JOB CM 8317</td> </tr> </table>		SURVEY TP. <u>01299</u>		MAP EDITION NO. ()		MAP CLASS III FINAL		JOB CM 8317			
SURVEY TP. <u>01299</u>													
MAP EDITION NO. ()													
MAP CLASS III FINAL													
JOB CM 8317													
PHOTOGRAMMETRIC OFFICE Coastal Mapping Unit, Atlantic Marine Center Norfolk, VA OFFICER-IN-CHARGE C. Dale North, Jr.		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">LAST PRECEDING MAP EDITION</td> </tr> <tr> <td colspan="2">TYPE OF SURVEY</td> </tr> <tr> <td>☐ ORIGINAL</td> <td></td> </tr> <tr> <td>☐ RESURVEY</td> <td></td> </tr> <tr> <td>☐ REVISED</td> <td></td> </tr> </table>		LAST PRECEDING MAP EDITION		TYPE OF SURVEY		☐ ORIGINAL		☐ RESURVEY		☐ REVISED	
LAST PRECEDING MAP EDITION													
TYPE OF SURVEY													
☐ ORIGINAL													
☐ RESURVEY													
☐ REVISED													
I. INSTRUCTIONS DATED													
1. OFFICE		2. FIELD											
Aerotriangulation - April 3, 1987 Compilation - October 2, 1987		Control - May 17, 1987											
II. DATUMS													
1. HORIZONTAL: ☐ 1927 NORTH-AMERICAN		OTHER (Specify) Old Hawaiian Datum											
2. VERTICAL: ☒ MEAN HIGH-WATER ☐ MEAN LOW-WATER ☐ MEAN LOWER LOW-WATER ☐ MEAN SEA LEVEL		OTHER (Specify)											
3. MAP PROJECTION Traverse Mercator Projection		4. GRID(S) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">STATE Hawaii</td> <td style="width:50%;">ZONE 3</td> </tr> <tr> <td>STATE</td> <td>ZONE</td> </tr> </table>		STATE Hawaii	ZONE 3	STATE	ZONE						
STATE Hawaii	ZONE 3												
STATE	ZONE												
5. SCALE 1:10,000		STATE ZONE											
III. HISTORY OF OFFICE OPERATIONS													
OPERATIONS		NAME											
DATE													
1. AEROTRIANGULATION METHOD: Analytic LANDMARKS AND AIDS BY		B. Thornton April 1987											
2. CONTROL AND BRIDGE POINTS METHOD: Kongsburg Plotter PLOTTED BY		B. Thornton April 1987											
3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:10,000		D. Norman April 1987											
4. MANUSCRIPT DELINEATION METHOD: Smooth Drafted SCALE: 1:10,000		D. Miller Dec 1987											
5. OFFICE INSPECTION PRIOR TO FIELD EDIT Final Review		F. Mauldin Dec 1987											
6. APPLICATION OF FIELD EDIT DATA		F. Mauldin Jan 1988											
7. COMPILATION SECTION REVIEW Class III		F. Mauldin Jan 1988											
8. FINAL REVIEW Class III		L.O. Neterer, Jr. Mar 1989											
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH		L.O. Neterer, Jr.											
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH		P. Dempsey June 1989											
11. MAP REGISTERED - COASTAL SURVEY SECTION		P. Dempsey											

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-01299

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC 10(B) (B=152.21mm)		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE ☐ PREDICTED TIDES ☒ REFERENCE STATION RECORDS ☐ TIDE CONTROLLED PHOTOGRAPHY		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE 7th Hawaii-Aleutian ☒ STANDARD MERIDIAN 150° West ☐ DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
86B(C) C092-C095	3/9/87	3:33	1:30,000	1.3 ft above MLLW	
				Mean Tide Range = 1.5 ft	

REMARKS

Stage of tide for all photographs was based on reference station records for the staff at Honolulu, Hawaii.

2. SOURCE OF MEAN HIGH-WATER LINE:

The Mean High Water line was compiled from office interpretation of the above listed compilation/bridging photographs using stereo instrument methods.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

There was no mean lower low water line compiled on this map.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
No survey	TP-01302 (1:5,000)	No survey	TP-01301 (1:5,000)
REMARKS			

TP-01299

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	J. Frederick	NOV 1986
2. HORIZONTAL CONTROL	RECOVERED BY M. McEwen ESTABLISHED BY NA PRE-MARKED OR IDENTIFIED BY N. McEwen	Nov 1986 Nov 1986
3. VERTICAL CONTROL	RECOVERED BY NA ESTABLISHED BY NA PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY NA LOCATED (Field Methods) BY NA IDENTIFIED BY NA	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION ☐ COMPLETE BY ☐ SPECIFIC NAMES ONLY ☒ NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY NA	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED
Photo identified2. VERTICAL CONTROL IDENTIFIED
None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
86B(C)C092	State Survey 3-5, 1969		
86B(C)C094	State Survey 3-6, 1969		
86B(C)C092	DIAMOND HEAD LIGHTHOUSE, 1925		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
86B(C)C092	DIAMOND HEAD LIGHT		

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

3 Forms 76-53 3 Forms 75-63
2 Forms 76-86
3 Forms 76-52

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation Complete	Jan 1988	Class III Manuscript		
Final Review	Mar 1989	Final Class III Map	May 1989	May 1989

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER pages	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1		May 1989	Charted landmarks and aids to navigation form

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY ☐ REVISED ☐ RESURVEY MAP CLASS ☐ II. ☐ III. ☐ IV. ☐ V. ☐ FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

BARBERS PT TO MAKAPUU PT


DAHU

HAWAIIAN ISLANDS

SHORELINE MAPPING

SCALES 1:5,000

1:10,000



CONTINUED ON CHART 150041

10

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-01299

This 1:10,000 scale map is one of eight maps in Project CM-8317, Barbers Point to Makapuu Point, Oahu, Hawaii. The project extends from longitude 157 37' 30" to longitude 158 10' 00" along the southern coastline of the island of Oahu.

Photographic coverage was provided in March 1986 with color film at 1:30,000 scale using a Wild RC 8 "B" camera (focal length 152.21 millimeters).

Field work prior to compilation was accomplished during November 1986. It consisted of photoidentification of the horizontal control stations to satisfy aerotriangulation requirements.

Analytic aerotriangulation was performed at the Washington Science Center in April 1987.

Compilation was performed at the Atlantic Marine Center, from office interpretation of the 1:30,000 scale color photography in January 1988.

Final review was accomplished at the Atlantic Marine Center in March 1989. A Chart Maintenance Print for the Marine Chart Branch and Notes to the Hydrographer Print for the Hydrographic Branch were prepared and forwarded.

This map is to be registered as a Class III, Final Map.

The original base manuscript and all pertinent data were forwarded to the Washington Science Center for final registration.

AEROTRIANGULATION REPORT
CM-8317
BARBERS PT. TO MAKAPUU PT.
OAHU, HAWAII

APRIL 1987

21. AREA COVERED

This shoreline mapping project covers the southern part of the island of Oahu, Hawaii, from Barbers Pt. to Makapuu Pt. There are five sheets at 1:10,000 scale and three sheets at 1:5,000 scale that cover the job area. The sheets are numbered TP-01295 through TP-01302.

22. METHOD

Two strips of 1:30,000-scale photographs: 86-B-C052 to C063, 86-B-C092 to C100, and two strips of 1:15,000-scale photographs: 86-B-C113 to C122, 86-B-C131 to C141 were bridged by analytical aerotriangulation methods and adjusted to ground using photo-identified field control. Office identified intersection stations were used as checks.

Compilation points were placed on four additional strips of photographs not used for bridging:

86-A-C002 to C004	1:30,000 scale
86-B-C103 to C105	1:30,000 scale
86-B-C072 to C077	1:15,000 scale
86-B-C084 to C086	1:15,000 scale

Tie points were used to ensure adequate junctions of all strips and were used as supplemental control.

Ratio values were determined for the bridging, and where needed, compilation photographs.

A magnetic tape was generated for plotting base manuscripts on the Kongsburg plotter. Bridged points were based on the Hawaiian Islands, Zone 3 Coordinate System and referenced to the Transverse Mercator projection.

Two each of the eight base manuscripts have been ruled as per Aerotriangulation Instructions.

23. ADEQUACY OF CONTROL

The control for this project is adequate for the job and meets the National Ocean Service's requirements. A listing of closures to control is attached.


24. SUPPLEMENTAL DATA

USGS topographic quadrangles were used to obtain vertical control for bridging.

25. PHOTOGRAPHY

The coverage, overlap, and quality of the photographs were adequate for the job.

Submitted by:



Brian Thornton

Approved and Forwarded:




Don O. Norman
Chief, Aerotriangulation Unit


JOB CM-8317
BARBERS PT TO MAKAPUU PT

OAHU
HAWAIIAN ISLANDS
SHORELINE MAPPING
SCALES 1:5,000
1:10,000

HORIZONTAL CONTROL




O A H U



JOB CM-8317
BARBERS PT TO MAKAPUU PT

OAHU
HAWAIIAN ISLANDS
SHORELINE MAPPING
SCALES 1:5,000
1:10,000


BRIDGING PHOTOGRAPHS




JOB CM-8317
 BARBERS PT TO MAKAPUU PT

OAHU
 HAWAIIAN ISLANDS
 SHORELINE MAPPING
 SCALES 1:5,000
 1:10,000

COMPILATION PHOTOGRAPHS



O A H U



FIT TO CONTROL

△ = Control point held in adjustment

□ = Tie point held in adjustment

STRIP #30-1

	<u>STATION NAME</u>	<u>POINT NO.</u>	<u>VALUES IN FEET</u>	
			X	Y
	Barbers Pt. Lighthouse New, 1933	52100	-0.9	-1.6
△	Barbers Pt. Lighthouse Sub			
	Pt. 1A	52101	-1.0	0.6
△	State Survey 9-3, 1969 Sub			
	Pt. 1B	53101	1.1	-1.1
	Barbers Pt. NAS Base Control			
	Twr. Beacon	226110	-2.2	0.2
	30188, 1973 Sub Pt. 2A	193101	-4.6	-5.2
△	30188, 1973 Sub Pt. 2B	193102	-1.1	-1.7
	Ft. Kamehameha Flagstaff, 1925	166100	2.0	1.0
	Ft. Kamehameha Flagstaff Sub			
	Pt. 3A	166101	1.3	3.4
	Pearl Harbor Water Tank B,			
	1925	188110	-1.4	-0.2
	Pearl Harbor Escape Training			
	Tower	181110	-0.7	4.7
	Honolulu Inter. Airport			
	Control Twr. Beacon '64	158110	-1.0	0
	Honolulu Moanalua Water Tank,			
	1957	183110	-1.7	2.2
	Aliamanu Honolulu Board of			
	Water Supply Tank, '69	184110	-0.7	-0.7
△	State Survey 1-13, 1969 Sub			
	Pt. 4A	149101	1.7	0.4
△	State Survey 1-13, 1969 Sub			
	Pt. 4B	149102	-2.0	-1.6

STRIP #30-2

△	State Survey 3-5, 1969 Sub			
	Pt. 7A	75101	2.8	-2.0
	Diamond Head Lighthouse, 1925	76100	3.8	-8.5
	Honolulu Sac. Heart Acad. Cross	89110	-3.0	1.7
	Tie from Strip #15-1	140801	-3.2	2.5
□	Tie from Strip #15-1	140802	-2.0	2.5
	Tie from Strip #15-1	140803	-1.8	2.6

△ State Survey 3-6, 1969			
Sub Pt. 8A	63101	2.8	0
NIU Water Tank, 1963	57100	-2.4	-1.8
△ Kuapa, 1928 Sub Pt. 9A	55101	-2.8	0.8
Kuapa, 1928 Sub Pt. 9B	55102	-4.7	-3.0
△ Makapuu Pt. 1872 RM3 Sub			
Pt. 10A	47101	1.6	0.3
Makapuu Pt. 1872 RM3	47110	3.5	-1.2
Makapuu Pt. Light, 1927	47120	4.1	-1.5

STRIP #15-1

□ Tie from Strip #30-1	63801	0.1	-0.8
	63802	1.4	-1.0
	63803	1.0	-1.8
△ State Survey 1-13 Sub Pt. 4A	149101	-0.3	0.7
△ State Survey 1-13 Sub Pt. 4B	149102	-0.2	2.4
△ Sand Island S. Base, 1927			
Sub Pt. 5A	120101	-0.7	1.0
△ Sand Island S. Base, 1927			
Sub Pt. 5B	120102	0	-1.7
△ DeRussy, 1927 Sub Pt. 6A	84101	1.2	0.7
△ Sub Pt. 6B	84102	-1.1	-0.5

STRIP #15-2

Tie from Strip #15-1	113801	-0.1	0.7
□ Tie from Strip #15-1	113802	-0.1	0.3
Sand Island S. Base, '27			
Sub Pt. 5A	120101	-2.4	-0.4
△ Sand Island S. Base, '27			
Sub Pt. 5B	120102	0.6	-1.5
Honolulu Kewald Basin KGU Twr.	118115	-0.5	0
Tie from Strip #15-1	118801	-2.0	2.0
Tie from Strip #15-1	118802	-2.2	1.8
Tie from Strip #15-1	118803	-1.8	2.1
△ DeRussy, 1927 Sub Pt. 6A	84101	-0.7	0.6
DeRussy, 1927 Sub Pt. 6B	84102	-2.1	-0.1
Honolulu Kaiser Hotel KHVH			
Twr. '57	120120	-2.5	0
Tie from Strip #15-1	120801	-2.0	-0.1
Tie from Strip #15-1	120802	-1.0	0.6
□ Tie from Strip #15-1	120803	-1.2	1.8
Tie from Strip #15-1	121801	-0.8	2.0
Tie from Strip #15-1	121802	-1.5	1.3
Tie from Strip #15-1	121803	0.1	1.9
□ Tie from Strip #30-2	93801	1.4	-1.2
Tie from Strip #30-2	93802	0.6	-3.9

RATIO VALUES
CM-8317

1:30,000-scale color bridging photographs:

86-B-C052 to C063 Ratio 3.118
86-B-C092 to C100 Ratio 3.132

1:15,000-scale color bridging photographs:

86-B-C131 to C141 Ratio 3.112
86-B-C113 to C122 Ratio 3.104

1:30,000-scale color compilation photographs:

86-A-C002 to C004 Ratio 3.100

1:15,000-scale color compilation photographs:

86-B-C072 to C077 Ratio 3.100
86-B-C084 to C086 Ratio 3.100

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO. TP-01299	JOB NO. CM-8317	GEODETTIC DATUM Old Hawaiian Datum		ORIGINATING ACTIVITY Coastal Mapping Unit, Norfolk, VA				
		STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRIANGULATION POINT NUMBER	COORDINATES IN FEET STATE Hawaii ZONE 3	GEODETTIC POSITION ϕ LATITUDE λ LONGITUDE	REMARKS	
Kaimuki, 1872	211573 Sta 1089	74	✓	74	✓	ϕ 21° 16' 52.131"	✓	
						λ 157° 48' 07.703"	✓	
State Survey 3-5, 1969	211573 Sta 1088	75100	✓	75100	✓	ϕ 21° 16' 06.330"	✓	
						λ 157° 48' 14.568"	✓	
State Survey 3-6, 1969	211573 Sta 1080	63100	✓	63100	✓	ϕ 221° 16' 45.721"	✓	
						λ 157° 45' 59.464"	✓	
Diamond Head Lighthouse, 1925	211 573 Sta 1253	76100	✓	76100	✓	ϕ 21° 15' 31.97"	✓	
						λ 157° 48' 44.25"	✓	
Honolulu Sac Heart ACAD Cross, 1925	211573 Sta 1160	89110	✓	89110	✓	ϕ 21° 17' 20.939"	✓	
						λ 157° 48' 33.786"	✓	
						ϕ		
						λ		
						ϕ		
						λ		
						ϕ		
						λ		
						ϕ		
						λ		
						ϕ		
						λ		
						ϕ		
						λ		
COMPUTED BY						COMPUTATION CHECKED BY		DATE
LISTED BY	D. Miller					LISTING CHECKED BY		DATE
HAND PLOTTING BY						HAND PLOTTING CHECKED BY		DATE

COMPILATION REPORT

TP-01299

31. DELINEATION:

Delineation was accomplished using Wild B-8 stereo instrument compilation methods. Instrument compilation was used to delineate shoreline, alongshore, and interior detail based upon office interpretation of the 1:30,000 scale bridging/compilation color photographs.

All photographs used to compile this map are listed on NOAA form 76-36B. The photography was adequate. There were no mean lower low water infrared photographs for this project.

32. CONTROL:

The horizontal control was adequate. Refer to the Aerotriangulation Report, dated April 1987.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are not applicable to this project. Drainage was compiled from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high water line was compiled from office interpretation of the bridging/compilation photographs. The shoreline compiled was the visible line of contact between land features and the water surface at the time of photography.

There was no mean lower low water line compiled on this map.

36. OFFSHORE DETAILS:

Offshore detail was compiled by instrument methods using the 1:30,000 scale bridging/compilation color photographs as described in item #31.

TP-01299

37. LANDMARKS AND AIDS:

There are thirteen charted landmarks and one charted aid to navigation within the limits of this map. Among these, six landmarks and one aid were located/verified photogrammetrically.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

Refer to the Data Record Form 76-36B, item 5, of the Descriptive Report.

40. HORIZONTAL AND VERTICAL ACCURACY:

See item #32.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with the following U.S. Geological Survey Quadrangles:

Honolulu, Hawaii; dated 1983; scale 1:24,000
Koko Head, Hawaii; dated 1983; scale 1:24,000

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following National Ocean Service charts:

19013; 13th edition; dated February 12, 1983; scale 1:675,000
19357; 17th edition; dated October 15, 1983; scale 1:80,000
19358; 16th edition; dated October 20, 1984; scale 1:20,000
19364; 20th edition; dated January 12, 1985; scale 1:20,000

TP-01299

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:


None.

Submitted by:



David R. Miller
Cartographer
December 17, 1987

Approved:



James L. Byrd, Jr.
Chief, Coastal Mapping Unit

GEOGRAPHIC NAMES


FINAL NAME SHEET

CM-8317 (Oahu, Hawaii)

TP-01299

Aina Haina	Manoa-Palolo Drainage Canal
Ala Wai Canal	Maunalua Bay
Diamond Head	Oahu
Honolulu	Pacific Ocean
Kaalawai	San Souci Beach
Kahala	Waikiki
Kahala Beach	Waikiki Beach
Kupikipikio Point	Wailupe
Mamala Bay	Wailupe Peninsula

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division

REVIEW REPORT
SHORELINE

TP-01299

61. GENERAL STATEMENT

See Summary included with this Descriptive Report.

The Office Instructions were executed as indicated in paragraph 2.1 with reference to the Old Hawaiian horizontal datum. Reference to the horizontal North American Datum 1927 in paragraphs 4.5 and 4.6 of the Aerotriangulation Instructions and paragraphs 2.6 and 5.2.3 of the Office Instructions were inapplicable and were ignored.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A comparison was made with the following USGS quadrangles:

HONOLULU, HAWAII, dated 1983, scale 1:24,000
KOKO HEAD, HAWAII, dated 1983, scale 1:24,000

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

There are no contemporary hydrographic surveys within the limits of this map.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following nautical charts:


19013, 13th edition, dated February 12, 1983, scale
1:675,000
19357, 17th edition, dated October 15, 1983, scale
1:80,000
19358, 16th edition, dated October 20, 1984, scale
1:20,000.
19364, 20th edition, dated January 12, 1985, scale
1:20,000

TP-01299

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:




Lowell O. Neterer, Jr.

Final Reviewer

March 1989

Approved for Forwarding:



Billy H. Barnes

Chief, Quality Assurance Group

Approved:

Chief, Photogrammetric
Production Section

Chief, Photogrammetry Branch

CARTOGRAPHIC FEATURES OF POSSIBLE LANDMARK VALUE LISTING

Page 1 of 1

PROJECT: CM-8317

MAP NUMBER (Scale); Locality: TP-01299; 1:10,000; Barbers Point
to Makapuu Point, Oahu, Hawaii

GEODETTIC DATUM: Old Hawaiian Datum

The following cartographic features have been identified as being of possible landmark value. These features have been identified and measured during photogrammetric operations. Refer to Nautical Charting Division Standard Digital Data Exchange Format documentation for quality code (QC) criteria and clarification of cartographic codes (CC).

FEATURE DESCRIPTION	NCD CC	GEOGRAPHIC POSITION -'-'		NCD Q.C.	DATE OF LOCATION
		LATITUDE	LONGITUDE		
DIAMOND HEAD LIGHT ✓	139 ✓	21 15 31.97 ✓	157 48 44.25 ✓	3 ✓	03-09-86 ✓
HOTEL CUPOLA ✓	086 ✓	21 16 50.20 ✓	157 49 54.40 ✓	7 ✓	03-09-86 ✓
TOWER ✓	086 ✓	21 17 30.20 ✓	157 49 35.80 ✓	7 ✓	03-09-86 ✓
FLAGPOLE ✓	086 ✓	21 17 33.50 ✓	157 48 39.20 ✓	7 ✓	03-09-86 ✓
CUPOLA ✓	139 ✓	21 17 20.94 ✓	157 48 33.79 ✓	3 ✓	03-09-86 ✓
RADIO TOWER ✓	086 ✓	21 17 07.80 ✓	157 48 08.30 ✓	7 ✓	03-09-86 ✓
TOWER (FIRE STATION) ✓	086 ✓	21 16 53.70 ✓	157 48 07.80 ✓	7 ✓	03-09-86 ✓

Listing approved by:

Lowell O. Hitt
FINAL REVIEWER

April 12, 1989
DATE

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]